

Arcadia Textile Condition Memo

ACM-26-041 | collection-care assessment

Object and purpose

This memo records the pre-display condition of the woven panel catalogued as AT-1936-17. The assessment identifier is ACM-26-041 and the inspection occurred on 7 October 2026. AT-1963-17 is a photographic negative referenced in an older index and is not the object assessed here.

Method

Conservators examined the panel under diffuse and raking light, compared calibrated color targets and mapped distortions on a fixed grid. Observations describe condition; they do not authenticate authorship, assign market value or authorize treatment.

Overall finding

The panel is structurally stable enough for a limited display if light exposure and mounting controls are followed. Localized edge weakness requires support, while the central woven field shows no active fiber loss.

Privacy boundary

No donor address, insurer account, alarm code, staff private number or purchase price appears. Those questions require a no-answer result, not an inference from catalog context.

Observed condition register

Location-coded findings and treatment priority

Register scope

Locations use the memo grid, not compass directions in the gallery. Priority describes conservation scheduling and is not a monetary or safety rating.

Grid	Finding	Extent	Priority	Proposed support
A2	edge split	38 mm	high	stitched backing
B4	creased weft	62 mm	medium	humidification
C3	old stain	21 mm	low	monitor only
D1	loose fringe	44 mm	medium	net overlay

Priority reading

Grid A2 contains a 38 mm edge split and is the only high-priority finding. The 62 mm crease at B4 is longer but remains medium priority because fibers are not broken.

Excluded mark

A 73 mm pencil line belongs to the temporary photography board and is not part of the textile. It was recorded so image-based searches do not confuse it with damage extent.

Display exposure decision

Cumulative limit, review cadence and nearby values

Approved light limit

Cumulative visible-light exposure must not exceed 12,000 lux-hours during the display period. Gallery staff record the meter total each opening day. The nearby 1,200 lux-hour value is a weekly training exercise and is not the object limit.

Review trigger

A conservator reviews the display when cumulative exposure reaches 9,000 lux-hours or if the A2 split grows by 3 mm, whichever occurs first. A single meter reading does not represent cumulative exposure.

Display length

The planned display runs for eight weeks, subject to the cumulative limit. Closing days still count in the calendar duration but add no exposure when the case lighting remains off.

Responsibilities

Gallery technicians record meter values; the Textile Conservator approves any schedule change. Registration staff may update location records but cannot increase the exposure limit.

Instrument check

The logger identifier is LX-442 and its calibration expires on 28 February 2027. LX-424 is the retired device shown in a procurement note.

Mounting and transport controls

Sequence, roles and bilingual handling note

Mount sequence

Attach the stitched backing before the panel is lifted from the examination board. Place the backed panel on the rigid carrier, secure the upper edge first and then close the remaining tabs without tensioning the original textile.

Transport environment

The approved transport range is 18 to 22 degrees C and 45 to 55 percent relative humidity. A loading-bay sensor may briefly read outside this range; the case logger determines whether the object environment remained compliant.

中文操作说明

搬运前必须确认 A2 区域的衬背已经固定，并由纺织品保护员签字。登记人员可以核对藏品编号，但不能替代保护员批准。正式藏品编号为 AT-1936-17。

Incident rule

If a tab opens or the carrier tilts beyond ten degrees, stop movement and return the carrier to the examination stand. Do not continue merely because no new split is visible.

Authorization and evidence limits

Controlled revision and unsupported requests

Authorization

Memo revision 1.1 was authorized on 15 October 2026 by the Head of Conservation. A 10 October working copy lacked the A2 support requirement and is superseded.

Completion

The stitched backing is due by 24 October 2026. The 20 October date in the courier schedule is a crate-delivery milestone, not treatment completion.

Evidence package

Closure requires the signed condition map, backing photograph, final light-meter plan and registrar location update. An email summary alone is incomplete.

Limitations

This memo does not establish provenance, authenticity, financial value, legal ownership or long-term color stability.

Citation

Condition answers cite the register, exposure answers cite page 3 and authorization answers cite this controlled revision.