

Week 9 - Code Along

Sherica Chua

2023-10-18

```
library(tidyverse)
```

```
## — Attaching core tidyverse packages — tidyverse 2.0.0 —
## ✓ dplyr      1.1.2      ✓ readr      2.1.4
## ✓ forcats   1.0.0      ✓ stringr   1.5.0
## ✓ ggplot2    3.4.3      ✓ tibble     3.2.1
## ✓ lubridate 1.9.2      ✓ tidyr      1.3.0
## ✓ purrr      1.0.2
## — Conflicts — tidyverse_conflicts() —
## ✗ dplyr::filter() masks stats::filter()
## ✗ dplyr::lag()     masks stats::lag()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
tidydata <- tribble(
  ~country, ~year, ~cases, ~population,
  "Afghanistan", 1999, 745, 19987071,
  "Afghanistan", 2000, 2666, 20595360,
  "Brazil", 1999, 37737, 172006362,
  "Brazil", 2000, 80488, 174504898,
  "China", 1999, 212258, 1272915272,
  "China", 2000, 213766, 1280428583)
tidydata
```

```
## # A tibble: 6 × 4
##   country    year cases population
##   <chr>      <dbl> <dbl>      <dbl>
## 1 Afghanistan 1999    745    19987071
## 2 Afghanistan 2000    2666    20595360
## 3 Brazil      1999   37737   172006362
## 4 Brazil      2000   80488   174504898
## 5 China       1999  212258  1272915272
## 6 China       2000  213766  1280428583
```

```
nontidydata <- tribble(
  ~country,~year,~rate,
  "Afghanistan",1999,"745/19987071",
  "Afghanistan",2000,"2666/20595360",
  "Brazil",1999,"37737/172006362",
  "Brazil",2000,"80488/174504898",
  "China",1999,"212258/1272915272",
  "China",2000,"213766/1280428583")
nontidydata
```

```
## # A tibble: 6 × 3
##   country      year rate
##   <chr>      <dbl> <chr>
## 1 Afghanistan 1999 745/19987071
## 2 Afghanistan 2000 2666/20595360
## 3 Brazil      1999 37737/172006362
## 4 Brazil      2000 80488/174504898
## 5 China       1999 212258/1272915272
## 6 China       2000 213766/1280428583
```

```
nontidydata
```

```
## # A tibble: 6 × 3
##   country      year rate
##   <chr>      <dbl> <chr>
## 1 Afghanistan 1999 745/19987071
## 2 Afghanistan 2000 2666/20595360
## 3 Brazil      1999 37737/172006362
## 4 Brazil      2000 80488/174504898
## 5 China       1999 212258/1272915272
## 6 China       2000 213766/1280428583
```

```
tidieddata <- nontidydata %>%
  separate(rate, into = c("cases","population"),sep = "/")
tidieddata
```

```
## # A tibble: 6 × 4
##   country      year cases population
##   <chr>      <dbl> <chr>   <chr>
## 1 Afghanistan 1999 745     19987071
## 2 Afghanistan 2000 2666     20595360
## 3 Brazil      1999 37737    172006362
## 4 Brazil      2000 80488    174504898
## 5 China       1999 212258   1272915272
## 6 China       2000 213766   1280428583
```

```
newtidieddata <- tidieddata %>%
pivot_longer(
  cols = cases:population,
  names_to = "measurement",
  values_to = "value")
newtidieddata
```

```
## # A tibble: 12 × 4
##   country      year measurement value
##   <chr>      <dbl> <chr>      <chr>
## 1 Afghanistan 1999 cases      745
## 2 Afghanistan 1999 population 19987071
## 3 Afghanistan 2000 cases      2666
## 4 Afghanistan 2000 population 20595360
## 5 Brazil      1999 cases      37737
## 6 Brazil      1999 population 172006362
## 7 Brazil      2000 cases      80488
## 8 Brazil      2000 population 174504898
## 9 China       1999 cases      212258
## 10 China      1999 population 1272915272
## 11 China      2000 cases      213766
## 12 China      2000 population 1280428583
```

```
df <- tribble(
~id, ~bp1, ~bp2,
"A",100,120,
"B",140,115,
"C",120,125
)
df
```

```
## # A tibble: 3 × 3
##   id      bp1  bp2
##   <chr> <dbl> <dbl>
## 1 A      100   120
## 2 B      140   115
## 3 C      120   125
```

```
df %>%
pivot_longer(
  cols = bp1:bp2,
  names_to = "measurement",
  values_to = "value"
)
```

```
## # A tibble: 6 × 3
##   id      measurement value
##   <chr> <chr>         <dbl>
## 1 A      bp1           100
## 2 A      bp2           120
## 3 B      bp1           140
## 4 B      bp2           115
## 5 C      bp1           120
## 6 C      bp2           125
```

```
newtidieddata
```

```
## # A tibble: 12 × 4
##   country      year measurement value
##   <chr>        <dbl> <chr>      <chr>
## 1 Afghanistan 1999 cases      745
## 2 Afghanistan 1999 population 19987071
## 3 Afghanistan 2000 cases      2666
## 4 Afghanistan 2000 population 20595360
## 5 Brazil       1999 cases      37737
## 6 Brazil       1999 population 172006362
## 7 Brazil       2000 cases      80488
## 8 Brazil       2000 population 174504898
## 9 China        1999 cases      212258
## 10 China       1999 population 1272915272
## 11 China       2000 cases      213766
## 12 China       2000 population 1280428583
```

```
newtidieddata %>%
pivot_wider(names_from="measurement",
            values_from="value")
```

```
## # A tibble: 6 × 4
##   country      year cases population
##   <chr>        <dbl> <chr>      <chr>
## 1 Afghanistan 1999 745      19987071
## 2 Afghanistan 2000 2666     20595360
## 3 Brazil       1999 37737    172006362
## 4 Brazil       2000 80488    174504898
## 5 China        1999 212258   1272915272
## 6 China        2000 213766   1280428583
```

```
df <- tribble(
  ~id, ~measurement, ~value,
  "A", "bp1", 100,
  "B", "bp1", 140,
  "B", "bp2", 115,
  "A", "bp2", 120,
  "A", "bp3", 105
)
```

```
## # A tibble: 5 × 3
##   id      measurement value
##   <chr> <chr>         <dbl>
## 1 A      bp1           100
## 2 B      bp1           140
## 3 B      bp2           115
## 4 A      bp2           120
## 5 A      bp3           105
```

```
df %>%
  pivot_wider(
    names_from = measurement,
    values_from = value
  )
```

```
## # A tibble: 2 × 4
##   id      bp1    bp2    bp3
##   <chr> <dbl> <dbl> <dbl>
## 1 A      100    120    105
## 2 B      140    115     NA
```

Week 9 - Challenge

Sherica Chua

2023-10-18

```
library(tidyverse)
```


```
## — Attaching core tidyverse packages — tidyverse 2.0.0 —
## ✓ dplyr      1.1.2      ✓ readr      2.1.4
## ✓ forcats   1.0.0      ✓ stringr   1.5.0
## ✓ ggplot2    3.4.3      ✓ tibble     3.2.1
## ✓ lubridate  1.9.2      ✓ tidyr      1.3.0
## ✓ purrr      1.0.2
## — Conflicts — tidyverse_conflicts() —
## ✗ dplyr::filter() masks stats::filter()
## ✗ dplyr::lag()     masks stats::lag()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
songs <- billboard %>%
  pivot_longer(
    cols = starts_with("wk"),
    names_to = "Weeks",
    values_to = "Ranking",
    values_drop_na = TRUE,
  ) %>%
  mutate(week = parse_number(Weeks))
```

```
songs
```

```
## # A tibble: 5,307 × 6
##   artist track date.entered Weeks Ranking week
##   <chr> <chr> <date> <chr> <dbl> <dbl>
## 1 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk1 87 1
## 2 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk2 82 2
## 3 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk3 72 3
## 4 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk4 77 4
## 5 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk5 87 5
## 6 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk6 94 6
## 7 2 Pac Baby Don't Cry (Keep... 2000-02-26 wk7 99 7
## 8 2Ge+her The Hardest Part Of ... 2000-09-02 wk1 91 1
## 9 2Ge+her The Hardest Part Of ... 2000-09-02 wk2 87 2
## 10 2Ge+her The Hardest Part Of ... 2000-09-02 wk3 92 3
## # i 5,297 more rows
```

```
ggplot(data=songs) + aes(x=week,y=Ranking, group = track) +  
geom_line()
```



```
df<-cms_patient_experience %>%  
pivot_wider(  
  names_from = measure_cd,  
  values_from = prf_rate,  
  id_cols = starts_with("org")  
)  
  
df
```

```
## # A tibble: 95 × 8
##   org_pac_id org_nm CAHPS_GRP_1 CAHPS_GRP_2 CAHPS_GRP_3 CAHPS_GRP_5 CAHPS_GRP_8
##   <chr>      <chr>      <dbl>      <dbl>      <dbl>      <dbl>      <dbl>
## 1 0446157747 USC C...      63        87        86        57        85
## 2 0446162697 ASSOC...      59        85        83        63        88
## 3 0547164295 BEAVE...      49        NA        75        44        73
## 4 0749333730 CAPE ...      67        84        85        65        82
## 5 0840104360 ALLIA...      66        87        87        64        87
## 6 0840109864 REX H...      73        87        84        67        91
## 7 0840513552 SCL H...      58        83        76        58        78
## 8 0941545784 GRITM...      46        86        81        54        NA
## 9 1052612785 COMMU...      65        84        80        58        87
## 10 1254237779 OUR L...      61        NA        NA        65        NA
## # i 85 more rows
## # i 1 more variable: CAHPS_GRP_12 <dbl>
```