

# INTRODUCTION TO TENSORFLOW


Dr. Ram Prasad K VisionCog R&D



### Tensorflow

- Open source library for numerical computation by Google
- Well suited for large scale Machine Learning
- Basic principle: Graph Computation defined using Python
- Run efficiently on a C++ library
- Can run in **parallel** across multiple CPU or GPU
  - Also supports **distributed** computing runs across several servers





# 2.0.0-rc1





 $f(x,y) = x^2y + y + 2$ 

```
# https://www.tensorflow.org/tensorboard/r2/graphs
# Install TensorFlow
try:
  # %tensorflow_version only exists in Colab.
  %tensorflow version 2.x
except Exception:
  pass
import tensorflow as t
# TensorFlow 2.x selected.
print(tf Sversion )
```












```
f(x,y) = x^2y + y + 2
# Set up logging.
logdir = 'outGraph/'
writer = tf.summary.create file writer(logdir)
x = tf.Variable(4, name="x")
y = tf.Variable(5, name="y")
@tf.function
def my_func(x, y):
    f = x*x*y + y +
    return f
```



 $f(x,y) = x^2y + y + 2$ 


```
# Bracket the function call with
# tf.summary.trace on() and tf.summary.trace export().
tf.summary.trace on(graph=True, profiler=True)
# Call only one tf.function when tracing.
z = my func(x,y)
print(z)
# tf.Tensor(87, shape=(), dtype=int32
with writer.as default()
  tf.summary.trace export(
      name="my graph",
      step=0)
      profiler outdir=logdir)
```









- - •
- outGraph
  - plugins
    - profile
    - events.out.tfevents.1569770488.8a045053...
    - events.out.tfevents.1569770491.8a045053...
- sample\_data











%load\_ext tensorboard
%tensorboard --logdir outGraph/

