# Rajalakshmi Engineering College

Name: Sherin Katherina

Email: 240701495@rajalakshmi.edu.in

Roll no: 240701495 Phone: 9150930353

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

### 1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

## **Input Format**

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

## **Output Format**

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

Refer to the sample output for formatting specifications.

### Sample Test Case

```
Input: 4
    101 102 103 104
    Output: Node Inserted
240/101
   Node Inserted
    102 101
    Node Inserted
    103 102 101
    Node Inserted
    104 103 102 101
    Answer
    #include <iostream>
    using namespace std;
    struct node {
      int info;
      struct node* prev, * next;
    };
    struct node* start = NULL:
    // You are using GCC
    void traverse() {
      struct node*Position=start:
      printf("Node Inserted\n");
      while(Position!=NULL){
         printf("%d ",Position->info);
       Position=Position->next;
      printf("\n");
```

```
240/01495
 void insertAtFront(int data) {
       struct node*Newnode=(struct node*)malloc(sizeof(struct node));
       Newnode->info=data;
       Newnode->prev=NULL;
       Newnode->next=start;
       if(start!=NULL){
         start->prev=Newnode;
       start=Newnode;
     }
     int main() {
     int n, data;
       cin >> n;
       for (int i = 0; i < n; ++i) {
         cin >> data;
         insertAtFront(data);
         traverse();
       }
       return 0;
     }
     Status: Correct
                                                                       Marks: 10/10
240101495
```

240707495

240707495

240701495

240707495