

```
1 # mounting the drive
2 from google.colab import drive
3 drive.mount('/content/drive')
4
```

Drive already mounted at /content/drive; to attempt to forcibly remount, call

```
1 import pandas as pd
2
3 # Loading the dataset
4 file_path = "/content/drive/MyDrive/VSTT_Project_Superstore/sample_-_supe
5 df = pd.read_excel(file_path)
```

```
1 # Basic structure of my dataset
2 print("Shape:", df.shape)
3 print("\nColumns:", df.columns)
```

Shape: (10194, 21)

Columns: Index(['Row ID', 'Order ID', 'Order Date', 'Ship Date', 'Ship Mode',
'Customer ID', 'Customer Name', 'Segment', 'Country/Region', 'City',
'State/Province', 'Postal Code', 'Region', 'Product ID', 'Category',
'Sub-Category', 'Product Name', 'Sales', 'Quantity', 'Discount',
'Profit'],
dtype='object')

```
1 # Data types of the picked dataset
2 print("\nData Types:")
3 print(df.dtypes)
```

Data Types:

Row ID	int64
Order ID	object
Order Date	datetime64[ns]
Ship Date	datetime64[ns]
Ship Mode	object
Customer ID	object
Customer Name	object
Segment	object
Country/Region	object
City	object
State/Province	object
Postal Code	object
Region	object
Product ID	object
Category	object
Sub-Category	object
Product Name	object
Sales	float64
Quantity	
Discount	
Profit	
dtype:	object

Translate Dual Settings ✕

```
1 # Missing values in the dataset
2 print("\nMissing Values:")
3 print(df.isnull().sum())
```

Missing Values:

Row ID	0
Order ID	0
Order Date	0
Ship Date	0
Ship Mode	0
Customer ID	0
Customer Name	0
Segment	0
Country/Region	0
City	0
State/Province	0
Postal Code	0
Region	0
Product ID	0
Category	0
Sub-Category	0
Product Name	0
Sales	0
Quantity	0
Discount	0
Profit	0

dtype: int64

```
1 # Duplicates in the dataset
2 print("\nDuplicate Rows:", df.duplicated().sum())
```

Duplicate Rows: 0

```
1 # Summary statistics of the dataset
2 print("\nSummary Statistics:")
3 print(df.describe(include='all'))
```

50%	5037.500000	NaN	2025-05-25 00:00:00
75%	7645.750000	NaN	2026-05-14 00:00:00
max	10194.000000	NaN	2026-12-30 00:00:00
std	2942.898656	NaN	NaN

	Ship Date	Ship Mode	Customer ID \
count	10194	10194	10194
unique	NaN	4	804
top	NaN	Standard Class	WB-21850

unique	800	3	2	542	...
top	William Brown	Consumer	United States	New York City	...
freq	41	5281	9994	915	...
mean	NaN	NaN	NaN	NaN	...
min	NaN	NaN	NaN	NaN	...
25%	NaN	NaN	NaN	NaN	...
50%	NaN	NaN	NaN	NaN	...
75%	NaN	NaN	NaN	NaN	...
max	NaN	NaN	NaN	NaN	...
std	NaN	NaN	NaN	NaN	...

	Postal Code	Region	Product ID	Category	Sub-Category \
count	10194.0	10194	10194	10194	10194
unique	654.0	4	1862	3	17
top	10035.0	West	FUR-FU-10004270	Office Supplies	Binders
freq	263.0	3253	20	6128	1548
mean	NaN	NaN	NaN	NaN	NaN
min	NaN	NaN	NaN	NaN	NaN
25%	NaN	NaN	NaN	NaN	NaN
50%	NaN	NaN	NaN	NaN	NaN
75%	NaN	NaN	NaN	NaN	NaN
max	NaN	NaN	NaN	NaN	NaN
std	NaN	NaN	NaN	NaN	NaN

	Product Name	Sales	Quantity	Discount	Profit
count	10194	10194.000000	10194.000000	10194.000000	10194.000000
unique	1849	NaN	NaN	NaN	NaN
top	Staples	NaN	NaN	NaN	NaN
freq	50	NaN	NaN	NaN	NaN
mean	NaN	228.225854	3.791838	0.155385	28.673417
min	NaN	0.444000	1.000000	0.000000	-6599.978000
25%	NaN	17.220000	2.000000	0.000000	1.760800
50%	NaN	53.910000	3.000000	0.200000	8.690000
75%	NaN	209.500000	5.000000	0.200000	29.297925
max	NaN	22638.480000	14.000000	0.800000	8399.976000
std	NaN	619.906839	2.228317	0.206249	232.465115

[11 rows x 21 columns]

