



SYMBOL OF QUALITY

Pioneers in Solderless Terminals, Crimping Tools & Cable Glands







PRICE LIST	CONTENTS
ABOUT DOWELL'S	1
DOWELL'S PRODUCT CATEGORY	2
CONNECTORS FOR 2C, 3C, 3.5C, 4C SE	CTOR SHAPED CONDUCTORS 3 - 7
Copper Sector Lugs - Long Barrel	5
Copper Sector Lugs - Long Barrel	6
Copper & Aluminium connectors	6
Aluminium Sector Lugs- Long Barrel	7
Aluminium Sector Lugs- Short Barrel	7
COPPER SERIES	8 - 11
Copper Tube Terminals Medium Dut	у 8
Copper Tube Terminals Heavy Duty I	Long Barrel 8
Copper Tube Terminals Heavy Duty I	BS 4579 8
Copper Tube Terminals Extended Pa	Im (Blank) 8
Copper Reducer Terminals	
Copper Tublar Terminals Long Barre	9
Copper Tube Terminals Heavy Duty I	n- line Connectors 9
Copper Tube Terminals Heavy Duty I	n- line Connectors 9
Copper DIN Type Terminals	10
Copper Tube Terminals ICF Series	10
Copper Tube Light Duty In- line Conr	nectors 10
ALUMINIUM SERIES	11 - 12
Aluminium Tube Terminals	11
Aluminium Tube Terminals Long Bar	rel 11
Aluminium Terminals for Al. XLPE Cor	ndctors 11
Aluminium Tube Terminals Two Hole	s 11
Aluminium Reducer Terminals	12
Aluminium In- line Connectors	12
Aluminium In- line Connectors for Al	. XLPE Condctors 12
BI-METTALIC SERIES	13
Bi-Mettalic Connectors (Friction We	lded) 13
Bi-Mettalic Terminals (Friction Weld	ed) 13
Aluminium Alloy Tublar Bi-Mettalic T	erminals 13





PRICE LIST	CONTENTS	
COPPER RING, PIN & FORK TERMINALS	14 - 16	
Pin Terminals non- insulated	14	
Pin Terminals Double Grip (Pre -insulated)	14	
Pin Terminals Double Grip (Pre -insulated)	14	
End Sealing Ferrules non- insulated	14	
Non- insulated Ring Terminals	14	
Ring Terminals insulated	15	
Ring Terminals Double Grip (Pre -insulated)	15	
Fork Terminals non- insulated	15	
Fork Terminals Insulated	15	
Fork Terminals Pre- insulated	15	
Snap on Terminals	15	
End Sealing Ferrules Insulated	16	
Copper Twin Type Lugs	16	
COPPER GLANDS	17- 20	
COPPER GLANDS Double Compression Armoured weather and		
	Frame Proof Brass Cable Glands 17	
Double Compression Armoured weather and	Frame Proof Brass Cable Glands 17 Glands 18	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable	Frame Proof Brass Cable Glands 17 Glands 18 Ible Glands 18	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Co	Frame Proof Brass Cable Glands 17 Glands 18 Ible Glands 18	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Ca Single Compression & SIBG Brass Cable Gland	Frame Proof Brass Cable Glands 17 Glands 18 able Glands 18 ds 19	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Cable Single Compression & SIBG Brass Cable Gland Brass PG Gland	Frame Proof Brass Cable Glands 17 Glands 18 Ible Glands 18 Is 19	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Casingle Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland	Frame Proof Brass Cable Glands 17 Glands 18 Ible Glands 18 Islands 19 In 19	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Ca Single Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland Flange Type Cable Glands	Frame Proof Brass Cable Glands 17 Glands 18 able Glands 18 ds 19 19	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Ca Single Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland Flange Type Cable Glands	Frame Proof Brass Cable Glands 17 Glands 18 able Glands 18 ds 19 19	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Casingle Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland Flange Type Cable Glands Earth Tag & LSF/ LSZH Shroud	Frame Proof Brass Cable Glands 17 Glands 18 able Glands 18 ds 19 19 19 20	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Ca Single Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland Flange Type Cable Glands Earth Tag & LSF/ LSZH Shroud	Frame Proof Brass Cable Glands Glands IB Ible Glands IB IP IP IP IP 20	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Ca Single Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland Flange Type Cable Glands Earth Tag & LSF/ LSZH Shroud TOOLS & ACCESSORIES Hand Operated Crimping Tools	Frame Proof Brass Cable Glands 17 Glands 18 Ible Glands 18 Isls 19 Ip	
Double Compression Armoured weather and DC Type Medium Duty Armoured Brass Cable Double Compression Un- Armoured Brass Co Single Compression & SIBG Brass Cable Gland Brass PG Gland Nylon PG Gland Flange Type Cable Glands Earth Tag & LSF/ LSZH Shroud TOOLS & ACCESSORIES Hand Operated Crimping Tools Hydraulic Crimping Tools	Frame Proof Brass Cable Glands 17 Glands 18 Ible Glands 18 Ids 19 19 19 20 21 - 22	





Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Termnals, Connectors, Cable Glands, Crimping system & Accessories since 1961.

At present, Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track recordof over 4 decades having their manufacturing facilities at Halol, Daman, Nashik & Roorkee in India, and this subsidiary company i.e M/S. Dowells Cable Accessories Pvt Ltd have set up their manufacturing plant at Halol in Gujarat state having admeasuring area of 1,00,000 Sq. ft with in - house manufacturing facilities where more than 2500 line items with production capacity of 5000 metric tons per annum with an aim to serve world best technology in cable and termination

OUR MISSION


we will create a great place to work by inspiring our people to continuosly innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.

OUR VISION

Enhance and strengthen our leadership position in wires and cables, Continue to invest in technology to improve operational efficiencies, customer satisfaction, and sales and strengthen brand recognition.







CABLE GLANDS



DOWELL's electrical armoured and unarmored cable glands are designed for usage in including oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining to name a few. Electrical cable glands can be used with a range of cable types, including armoured and unarmoured and are available in nickel plated brass, stainless steel, polyamide.

CONNECTORS & SHEET TERMINALS



DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium, copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded(CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals.

TOOLS & ACCESSORIES



The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.

CONNECTORS FOR 2C,3C,3.5C, 4C SECTOR SHAPED CONDUCTORS



Designed primarily for solid or stranded sector shape conductors for all angular arrangement of 2C,3C,3.5C or 4C cables. Precision fit on the sector conductor, allows for perfect and reliable connection. This eliminated the process of rounding of the conductors for fitment during crimping in case of round connectors. This design also gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

FEATURES

Reduces contact Resistance > 10%
Drastic Reduction in hot spots when compared with circular connector for the same applications
Improved conductivity
Increase in the contact surface area





COPPER SECTOR LUGS - LONG BARREL











SIZE	E-BOLT		DOWELL'S CAT	TALOGUE NO.		PRICE	STD
(SQ - MM)	HOLE	2 CORE	3 CORE	3.5 CORE	4 CORE	(₹)	PKG.
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	67.15	25
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	67.15	25
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	67.15	25
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	106.04	25
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	106.04	25
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	151.66	25
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	151.66	25
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	151.66	25
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	244.27	15
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	244.27	15
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	244.27	15
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	302.14	10
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	302.14	10
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	302.14	10
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	415.59	10
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	415.59	10
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	415.59	10
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	526.73	15
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	526.73	15
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	526.73	15
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	661.01	10
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	661.01	10
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	661.01	10
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	1,010.61	10
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	1,010.61	10
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1,264.13	10
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1,264.13	10
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	1,787.38	8
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	2,102.25	5
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	3,155.70	5





COPPER SECTOR LUGS - SHORT BARREL







SIZE	E-BOLT		DOWELL'S CA	TALOGUE NO.		PRICE	STD
(SQ - MM)	HOLE	2 CORE	3 CORE	3.5 CORE	4 CORE	(₹)	PKG.
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	47.00	25
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	47.00	25
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	47.00	25
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	68.31	25
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	68.31	25
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	106.04	25
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	106.04	25
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	106.04	25
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	169.02	15
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	169.02	15
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	169.02	15
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	207.22	10
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	207.22	10
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	207.22	10
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	309.09	10
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	309.09	10
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	309.09	10
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	388.97	15
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	388.97	15
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	388.97	15
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	500.10	10
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	500.10	10
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	500.10	10
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	788.34	10
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	788.34	10
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	1,008.30	10
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	1,008.30	10
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1,495.66	8
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	1,735.29	5
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	2,602.35	5





COPPER SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
(34)	2 CORE	3 CORE	3.5 CORE	4 CORE	(\)	TRO.
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	31.73	50
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	49.44	50
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	81.16	50
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	138.92	50
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	203.75	25
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	278.99	20
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	375.08	25
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	496.62	25
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	769.82	20
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	1,069.65	10
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	1,641.52	8
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	1,881.14	5
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	2,576.88	5

ALUMINIUM SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.			PRICE (₹)	STD PKG.	
(94)	2 CORE	3 CORE	3.5 CORE	4 CORE	(()	i ko.
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	5.67	100
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	8.46	100
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	13.78	100
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	24.31	100
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	35.32	50
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	49.09	35
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	66.80	50
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	86.60	40
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	137.76	20
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	187.55	15
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	289.42	10
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	282.47	5
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	373.92	5





ALUMINIUM SECTOR LUGS - LONG BARREL











SIZE (sq - mm)	E-BOLT HOLE		DOWELL'S CAT	ALOGUE NO.		PRICE (₹)	STD PKG.
(,	11011	2 CORE	3 CORE	3.5 CORE	4 CORE	(()	
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	9.84	50
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	9.84	50
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	9.84	50
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	15.51	50
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	15.51	50
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	22.70	50
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	22.70	50
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	22.70	50
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	33.69	30
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	33.69	30
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	33.69	30
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	40.29	20
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	40.29	20
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	40.29	20
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	56.26	20
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	56.26	20
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	56.26	20
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	71.66	25
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	71.66	25
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	71.66	25
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	90.42	20
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	90.42	20
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	90.42	20
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	138.92	15
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	138.92	15
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	172.49	10
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	172.49	10
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	243.11	8
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	380.86	5
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	498.94	5





ALUMINIUM SECTOR LUGS - SHORT BARREL







		į.					
SIZE (SQ - MM)	E-BOLT HOLE		DOWELL'S CAT	ALOGUE NO.		PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	7.19	50
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	7.19	50
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	7.19	50
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	9.84	50
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	9.84	50
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	15.51	50
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	15.51	50
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	15.51	50
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	24.31	30
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	24.31	30
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	24.31	30
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	30.34	20
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	30.34	20
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	30.34	20
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	44.12	20
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	44.12	20
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	44.12	20
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	55.11	25
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	55.11	25
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	55.11	25
185	10.5	2S-ALS-131	3S-ALS-131	3.5S-ALS-131	4S-ALS-131	70.04	20
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	70.04	20
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	70.04	20
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	110.21	15
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	110.21	15
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	140.07	10
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	140.07	10
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	210.70	8
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	314.88	5
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	420.23	5





COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV

















COPPER TUBE TERMINALHEAVY DUTYBS-4579



L		
COPPER TU	BE TERMINALME	DIUM DUTY
mm²-E	CAT. NO.	PRICE (₹)
2.5-5	CUS-05	7.30
4-6	CUS-06	10.42
6-6	CUS-07	11.34
10-6	CUS-08	14.59
16-6	CUS-09	18.99
25-6	CUS-10	31.73
35-6	CUS-11	34.27
35-8	CUS-12	34.27
50-6	CUS-13	45.73
50-8	CUS-14	45.73
50-10	CUS-15	45.73
70-8	CUS-16	79.88
70-10	CUS-17	79.88
70-12	CUS-18	79.88
95-10	CUS-19	113.46
95-12	CUS-20	108.83
120-10	CUS-21	145.87
120-12	CUS-22	145.87
120-16	CUS-23	145.87
150-10	CUS-24	214.16
150-12	CUS-25	211.85
150-16	CUS-26	207.22
185-12	CUS-27	319.51
185-16	CUS-28	312.57
225-16	CUS-231	378.55
240-16	CUS-29	428.33
240-20	CUS-30	428.33
300-16	CUS-31	636.70
300-20	CUS-32	629.75
400-20	CUS-33	867.06
500-20	CUS-34	1,158.78
630-20	CUS-35	1,624.16
800	CUS-062	2,674.12

COPPER TUBE TE	RMINALHEAVY DUT	YLONG BARREL
mm²-E	CAT. NO.	PRICE (₹)
25-8	CUS-282	36.59
35-8	CUS-283	58.58
50-8	CUS-284	97.59
70-10	CUS-285	150.50
95-12	CUS-286	236.16
120-12	CUS-287	336.88
150-12	CUS-288	414.44
185-12	CUS-289	600.81
240-16	CUS-290	842.76
300-16	CUS-291	1,111.32
400-20	CUS-292	1,694.77
500-21	CUS-293	3,008.67



5,901.58

CUS-076

630-21



CUS-294



4,008.86

	Taxas !	
COPPER TUBE T	ERMINALEXTENDED	PALM (BLANK)
mm²-E	CAT. NO.	PRICE (₹)
50	CUS-466	125.03
70	CUS-467	207.22
95	CUS-468	296.36
120	CUS-469	356.55
150	CUS-470	467.69
185	CUS-471	693.42
240	CUS-472	1,023.35
300	CUS-473	1,480.61
400	CUS-474	2,562.99
500	CUS-475	3,074.66
630	CUS-476	4,735.85

mm²-E	CAT. NO.	PRICE (₹)
1.5-5	CUS-538	9.15
1.5-6	CUS-539	9.50
2.5-4	CUS-388	9.50
2.5-5	CUS-540	9.96
2.5-6	CUS-541	9.96
4-5	CUS-389	12.16
4-6	CUS-543	12.16
6-5	CUS-390	14.59
6-6	CUS-544	14.59
6-8	CUS-545	14.59
10-6	CUS-353	15.28
10-8	CUS-547	16.45
16-8	CUS-549	22.00
16-6	CUS-354	20.72
20-8	CUS-550	23.27
25-6	CUS-355	33.57
25-8	CUS-551	33.57
25-10	CUS-552	33.57
35-8	CUS-356	43.87
35-6	CUS-542	43.87
35-10	CUS-554	45.73
50-8	CUS-357	72.01
50-10	CUS-556	72.01
70-10	CUS-358	119.24
70-8	CUS-557	119.24
70-13	CUS-559	119.24
95-10	CUS-359	166.70
95-13	CUS-561	166.70
120-17	CUS-546	226.90
120-13	CUS-241	226.90
150-13	CUS-242	296.36
150-17	CUS-564	274.36
185-17	CUS-243	388.97
240-17	CUS-244	575.34
240-21	CUS-567	575.34
300-17	CUS-245	836.97
300-21	CUS-569	836.97
400-17	CUS-246	1,317.39
400-21	CUS-571	1,345.17
500-21	CUS-247	1,796.64
550-21	CUS-573	2,200.65
630-21	CUS-248	2,694.96
800	CUS-599	4,683.76
1000	CUS-590	6,663.29

1000























COP	PPER REDUCER TI	ERMINAL
mm²	CAT. NO.	PRICE (₹)
2.5	WPC-01	23.27
2.5	WPC-07	22.00
4	WPC-15	23.27
4	WPC-16	22.00
6	WPC-17	23.73
6	WPC-18	22.00
10	WPC-19	28.13
10	WPC-20	25.12
10	WPC-21	33.57
10	WPC-22	30.57
16	WPC-23	56.73
16	WPC-24	56.73
16	WPC-02	40.87
25	WPC-25	65.87
25	WPC-03	87.18
35	WPC-04	86.02
50	WPC-26	96.32
50	WPC-05	226.90
70	WPC-27	149.34
70	WPC-6	226.90
70	WPC-28	223.42
95	WPC-29	215.33
95	WPC-08	302.14
95	WPC-31	200.27
95	WPC-32	317.20
120	WPC-33	261.63
120	WPC-34	260.47
120	WPC-35	302.14
120	WPC-36	406.33
150	WPC-10	474.64
150	WPC-37	369.29
185	WPC-30	603.12
185	WPC-38	485.05
225	WPC-39	792.98
225	WPC-46	1,090.49
225	WPC-42	1,007.14
240	WPC-44	1,038.39
240	WPC-43	759.41
300	WPC-45	961.99
300	WPC-47	1,026.82
400	WPC-101	2,172.86

COPPER TUB	JLAR TERMINAL	S LONG BARREL
mm²	CAT. NO.	PRICE (₹)
2.5-5	CEB-05	10.88
4-6	CEB-06	15.28
6-6	CEB-07	16.45
10-6	CEB-08	20.72
16-6	CEB-09	26.86
25-6	CEB-10	34.27
35-6	CEB-11	40.87
35-8	CEB-12	48.16
50-6	CEB-13	62.16
50-8	CEB-14	62.16
50-10	CEB-15	62.16
70-8	CEB-16	102.45
70-10	CEB-17	102.45
70-12	CEB-18	102.45
95-10	CEB-19	133.13
95-12	CEB-20	133.13
120-10	CEB-21	181.75
120-12	CEB-22	181.75
120-16	CEB-23	181.75
150-10	CEB-24	261.63
150-12	CEB-25	258.16
150-16	CEB-26	253.53
185-12	CEB-27	382.03
185-16	CEB-28	382.03
225-16	CEB-231	496.62
240-16	CEB-29	526.73
240-20	CEB-30	526.73
300-16	CEB-31	728.15
300-20	CEB-32	728.15
400-20	CEB-33	1,055.76
500-20	CEB-34	1,422.72
630-20	CEB-35	1,981.86
800	CEB-62	3,173.05
1000	CEB-76	7,173.80

COPPER TUBE HEAVY DUTY IN-LINE CONNECORS			
mm ²	CAT. NO.	PRICE (₹)	
1.5	EH-453	4.06	
1.5	CB-41	6.25	
2.5	EH-454	4.87	
4	CB-3	6.96	
4.6	EH-455	8.11	
6	CB-4	9.15	
10	EH-460	12.86	
16	CB-6	14.59	
20	CB-47	16.45	
25	CB-24	34.27	
35	CB-25	47.00	
50	CB-26	71.31	
70	CB-27	136.61	
70	CB-51	120.40	
95	CB-28	192.18	
95	CB-52	156.29	
120	CB-29	257.00	
120	CB-53	184.07	
150	CB-30	316.03	
150	CB-54	261.63	
185	CB-55	358.87	
185	CB-31	413.27	
240	CB-32	634.38	
240	CB-56	549.88	
300	CB-33	900.64	
300	CB-57	781.40	
400	CB-34	1,596.37	
400	CB-58	1,151.84	
500	CB-35	2,050.16	
500	CB-59	1,684.35	
550	CB-60	1,866.10	
630	CB-36	2,920.70	
630	CB-61	2,493.53	
800	CB-42	4,195.24	
1000	CB-43	6,244.24	



COPPER TU	COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS		
mm ²	CAT. NO.	PRICE (₹)	
1.5	EH-463	4.98	
2.5	EH-464	6.14	
4-6	EH-465	9.27	

















	C	OPPER DIN T	YPE TERMIN	ALS	
mm ² -E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)
6-5	DIN-6-5	23.27	95-16	DIN-95-16	608.92
6-6	DIN-6-6	23.27	120-10	DIN-120-10	764.04
6-8	DIN-6-8	23.27	120-12	DIN-120-12	764.04
10-5	DIN-10-5	23.73	120-14	DIN-120-14	764.04
10-6	DIN-10-6	23.73	120-16	DIN-120-16	764.04
10-8	DIN-10-8	23.73	120-20	DIN-120-20	764.04
16-6	DIN-16-6	86.02	150-10	DIN-150-10	1,090.49
16-8	DIN-16-8	86.02	150-12	DIN-150-12	1,090.49
16-10	DIN-16-10	86.02	150-14	DIN-150-14	1,090.49
16-12	DIN-16-12	86.02	150-16	DIN-150-16	1,090.49
25-6	DIN-25-6	108.83	150-20	DIN-150-20	1,090.49
25-8	DIN-25-8	108.83	185-10	DIN-185-10	1,247.93
25-10	DIN-25-10	108.83	185-12	DIN-185-12	1,247.93
25-12	DIN-25-12	108.83	185-14	DIN-185-14	1,247.93
35-6	DIN-35-6	211.85	185-16	DIN-185-16	1,247.93
35-8	DIN-35-8	211.85	185-20	DIN-185-20	1,247.93
35-10	DIN-35-10	211.85	240-12	DIN-240-12	1,789.70
35-12	DIN-35-12	211.85	240-14	DIN-240-14	1,789.70
35-14	DIN-35-14	211.85	240-16	DIN-240-16	1,789.70
50-8	DIN-50-8	314.88	240-20	DIN-240-20	1,789.70
50-10	DIN-50-10	314.88	300-14	DIN-300-14	2,163.60
50-12	DIN-50-12	314.88	300-16	DIN-300-16	2,163.60
50-14	DIN-50-14	314.88	300-20	DIN-300-20	2,163.60
50-16	DIN-50-16	314.88	400-14	DIN-400-14	4,251.96
70-8	DIN-70-8	415.59	400-16	DIN-400-16	4,251.96
70-10	DIN-70-10	415.59	400-20	DIN-400-20	4,251.96
70-12	DIN-70-12	415.59	500-16	DIN-500-16	5,039.14
70-14	DIN-70-14	415.59	500-20	DIN-500-20	5,039.14
70-16	DIN-70-16	415.59	625-16	DIN-625-16	4,989.37
95-8	DIN-95-8	608.92	625-20	DIN-625-20	4,989.37
95-10	DIN-95-10	608.92	800-16	DIN-800-16	9,002.85
95-12	DIN-95-12	608.92	800-20	DIN-800-20	9,002.85
95-14	DIN-95-14	608.92	1000-21	DIN-1000-21	11,351.68

COPPER TUBE TERMINALICF SERIES					
mm²-E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)
17-5	CUS-106	42.72	90-8	CUS-161	314.88
17-6	CUS-145	42.72	90-10	CUS-162	314.88
17-8	CUS-146	42.72	110-6	CUS-115	384.34
17-10	CUS-109	43.87	110-8	CUS-164	384.34
23-5	CUS-107	70.73	110-10	CUS-165	384.34
23-6	CUS-147	70.73	110-13	CUS-166	384.34
23-8	CUS-148	70.73	146-8	CUS-138	562.62
23-10	CUS-108	74.44	146-10	CUS-167	562.62
29-5	CUS-110	104.89	146-13	CUS-168	562.62
29-6	CUS-149	96.32	146-17	CUS-169	562.62
29-8	CUS-150	96.32	183-10	CUS-128	735.10
29-10	CUS-151	98.75	183-13	CUS-170	773.30
29-13	CUS-111	96.32	183-17	CUS-171	773.30
45-5	CUS-116	136.61	225-10	CUS-139	889.06
45-6	CUS-152	136.61	225-13	CUS-172	889.06
45-8	CUS-153	136.61	225-17	CUS-173	889.06
45-10	CUS-154	136.61	225-21	CUS-174	889.06
45-10	CUS-113	136.61	299-13	CUS-140	1,257.19
57-6	CUS-112	223.42	299-17	CUS-175	1,272.24
57-8	CUS-155	223.42	299-21	CUS-176	1,257.19
57-10	CUS-156	223.42	366-13	CUS-141	1,770.01
57-13	CUS-157	223.42	366-17	CUS-177	1,770.01
75-6	CUS-114	284.79	366-21	CUS-178	1,770.01
75-8	CUS-158	284.79	437-13	CUS-142	2,427.54
75-10	CUS-159	284.79	437-17	CUS-179	2,428.71
75-13	CUS-160	284.79	437-21	CUS-180	2,428.71
90-6	CUS-137	314.88			







	COPPER TUBE LIGHT DUTYIN-LINE CONNECORS				
mm ² -E	CAT. NO.	PRICE (₹)	mm²	CAT. NO.	PRICE (₹)
2.5	CB-23	6.83	225	CB-20	428.33
25	CB-7	34.27	240	CB-15	448.01
35	CB-8	45.73	300	CB-16	677.21
50	CB-9	68.31	400	CB-17	1,025.67
70	CB-10	98.75	500	CB-18	1,330.11
95	CB-11	140.07	630	CB-19	1,832.53
120	CB-12	193.33	800	CB-21	2,867.44
150	CB-13	246.58	1000	CB-22	4,269.33
185	CB-14	309.09			





ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.









1000

ALS-319

948.10



2.5-3

2.5-3.5

4-4

4-5

6-5

6-6

10-6

10-8

16-6

16-8

16-10

25-8

25-10

25-12

35-8

35-10

50-8

50-10

50-12

70-8

70-10

70-12

95-10

95-12

95-16

120-10

120-12

120-16

150-10

150-12

150-16

185-10

185-12

185-16

225-12

240-12

240-16

300-16

300-20

400-20

500-20

630-20

800

1000



CAT. NO.

ALS-551

ALS-509

ALS-555

ALS-517

ALS-558

ALS-513

ALS-514

ALS-515

ALS-552

ALS-516

ALS-617

ALS-518

ALS-519

ALS-520

ALS-521

ALS-522

ALS-655

ALS-512

ALS-524

ALS-556

ALS-525

ALS-526

ALS-527

ALS-528

ALS-529

ALS-557

ALS-530

ALS-531

ALS-658

ALS-532

ALS-533

ALS-511

ALS-534

ALS-535

ALS-620

ALS-536

ALS-537

ALS-500

ALS-559

ALS-560

ALS-596

ALS-561


ALS-618

ALS-619

781.40

1,171.52











ALUMINIUM TERMINALS FOR AL. XLPE CONDUCTORS			
mm²-E	CAT. NO.	PRICE (₹)	
25-8	ALS-XL17	12.16	
35-8	ALS-XL18	16.56	
50-10	ALS-XL19	26.52	
70-10	ALS-XL20	35.32	
95-12	ALS-XL21	55.11	
120-12	ALS-XL22	70.04	
150-12	ALS-XL23	101.41	
185-12	ALS-XL24	134.29	
225-12	ALS-XL25	166.70	
240-12	ALS-XL26	185.22	
300-20	ALS-XL27	241.95	
400-20	ALS-XL28	385.49	
500-20	ALS-XL29	535.99	
630-20	ALS-XL30	766.36	
800-20	ALS-XL31	1,034.93	
1000-20	ALS-XL32	2,204.12	







ALUMINIUM TUBE TERMINALS TWO HOLES			
mm ² -E	CAT. NO.	PRICE (₹)	
150	ALS-701	112.18	
240	ALS-702	201.44	
300	ALS-703	309.09	
630	ALS-706	816.13	
300	ALS-704	309.09	
300	ALS-705	339.19	











ALUMINIUM REDUCER TERMINALS			
mm²-E	CAT. NO.	PRICE (₹)	
2.5	AWP-01	10.31	
2.5	AWP-07	10.31	
4	AWP-15	10.31	
4	AWP-16	9.50	
6	AWP-17	10.88	
6	AWP-18	9.50	
10	AWP-19	11.82	
10	AWP-20	11.82	
10	AWP-21	11.82	
10	AWP-22	11.82	
16	AWP-23	24.31	
16	AWP-24	24.31	
16	AWP-02	16.56	
25	AWP-25	26.52	
25	AWP-03	33.69	
35	AWP-04	35.32	
50	AWP-26	40.29	
50	AWP-05	67.85	
70	AWP-27	61.70	
70	AWP-06	78.84	
70	AWP-28	93.77	
95	AWP-29	89.25	
95	AWP-08	125.03	
95	AWP-31	81.62	
95	AWP-32	131.98	
120	AWP-33	107.31	
120	AWP-34	107.31	
120	AWP-35	125.03	
120	AWP-36	169.02	
150	AWP-10	196.81	
150	AWP-37	153.97	
185	AWP-30	250.05	
185	AWP-38	201.44	
225	AWP-39	328.77	
225	AWP-46	472.32	
225	AWP-42	417.90	
240	AWP-44	430.64	
240	AWP-43	314.88	
300	AWP-45	397.07	
300	AWP-47	426.01	







	ALUMINIUM IN LINE CON	NECTORS
mm ² -E	CAT. NO.	PRICE (₹)
2.5	ALS-145	2.56
2.5	ALS-6	2.56
4	ALS-5	2.67
6	ALS-13	2.67
10	ALS-14	3.25
10	ALS-146	3.13
16	ALS-4	4.06
25	ALS-3	6.71
35	ALS-2	6.71
50	ALS-12	12.16
70	ALS-1	20.03
95	ALS-15	23.73
120	ALS-9	33.69
150	ALS-10	40.18
185	ALS-11	51.40
225	ALS-147	79.65
240	ALS-16	80.57
300	ALS-17	119.24
400	ALS-18	180.59
500	ALS-19	289.42
630	ALS-20	371.60
800	ALS-148	515.15
1000	ALS-149	860.12







ALUMINIUM IN L	INE CONNECTORS FOR A	L. XLPE CONDUTORS
mm²-E	CAT. NO.	PRICE (₹)
25	ALS-XL01	10.31
35	ALS-XL02	16.09
50	ALS-XL03	25.48
70	ALS-XL04	35.32
95	ALS-XL05	49.09
120	ALS-XL06	62.40
150	ALS-XL07	83.35
185	ALS-XL08	125.03
225	ALS-XL09	151.66
240	ALS-XL10	175.96
300	ALS-XL11	228.05
400	ALS-XL12	349.61
500	ALS-XL13	457.27
630	ALS-XL14	629.75
800	ALS-XL15	862.43
1000	ALS-XL16	1,187.73





BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.







	BI-METALLIC CONNECTORS (FRICTION WELDED)					
Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)			
1	CACF-16-16	16-16	343.82			
2	CACF-25-16	25-16	343.82			
3	CACF-25-25	25-25	343.82			
4	CACF-35-16	35-16	343.82			
5	CACF-35-25	35-25	336.88			
6	CACF-35-35	35-35	332.25			
7	CACF-50-25	50-25	422.54			
8	CACF-50-35	50-35	422.54			
9	CACF-50-50	50-50	409.81			
10	CACF-70-35	70-35	417.90			
11	CACF-70-50	70-50	408.64			
12	CACF-70-70	70-70	392.44			
13	CACF-95-50	95-50	522.10			
14	CACF-95-70	95-75	507.05			
15	CACF-95-95	95-95	504.73			
16	CACF-120-70	120-70	659.86			
17	CACF-120-95	120-95	648.27			
18	CACF-120-120	120-120	632.07			
19	CACF-150-95	150-95	643.64			
20	CACF-150-120	150-120	629.75			
21	CACF-150-150	150-150	605.45			
22	CACF-185-120	185-120	898.32			
23	CACF-185-150	185-150	876.32			
24	CACF-185-185	185-185	1,093.96			
25	CACF-240-150	240-150	974.73			
26	CACF-240-185	240-185	1,085.86			
27	CACF-240-240	240-240	1,045.34			







BI-METALLIC TERMINALS (FRICTION WELDED)							
Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)				
1	CAF-25-10	25	275.52				
2	CAF-35-10	35	302.14				
3	CAF-50-13	50	344.98				
4	CAF-70-13	70	404.01				
5	CAF-95-13	95	410.96				
6	CAF-120-13	120	471.16				
7	CAF-150-13	150	520.94				
8	CAF-185-13	185	872.86				
9	CAF-240-13	240	893.69				
10	CAF-300-17	300	1,136.80				
11	CAF-400-17	400	1,149.52				
12	CAF-500	500	2,991.31				
13	CAF-630	630	3,483.30				







ALUMINIUMALLOY TUBULAR BI-METALLIC TERMINALS							
mm²-E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)		
10-6	BL-01	5.67	120-12	BL-16	49.09		
10-8	BL-02	6.25	150-12	BL-17	67.85		
16-6	BL-03	8.00	150-16	BL-18	67.85		
16-8	BL-04	8.00	185-12	BL-19	84.86		
25-8	BL-05	10.31	185-16	BL-20	84.86		
25-10	BL-06	10.31	225-12	BL-21	119.13		
35-8	BL-07	12.16	240-12	BL-22	144.71		
35-10	BL-08	12.16	240-16	BL-23	144.71		
50-8	BL-09	21.54	300-16	BL-24	230.37		
50-10	BL-10	21.54	300-20	BL-25	230.37		
70-10	BL-11	33.11	400-20	BL-26	289.42		
70-12	BL-12	33.11	500-20	BL-27	416.75		
95-10	BL-13	33.69	630-20	BL-28	542.93		
95-12	BL-14	33.69	800-20	BL-29	814.97		
120-10	BL-15	49.09	1000-20	BL-30	1,333.59		





COPPER RING, PIN AND FORK TERMINALS



mm²-E

0.75

1.5

1.5

2.5

2.5

35



3.60

3.25

3.25

35.43

47.00




18.99

71.31

96.55

126.18



16

50

70

95



CP-35

CP-1

CP-2

CP-86

CP-87





CP-8

CP-88

CP-89

CP-90

PIN TERMINAL(INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)		
0.75	CPI-60	3.60	4	CPI-20	7.30		
1	CPI-45	3.60	4	CPI-21	9.61		
1.5	CPI-17	3.60	6	CPI-22	10.54		
1.5	CPI-40	4.06	6	CPI-23	11.11		
2.5	CPI-18	3.71	10	CPI-24	12.86		
2.5	CPI-19	3.71	16	CPI-25	23.73		







PIN TERMINALDOUBLE GRIP (PRE-INSULATED)							
mm²-E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)		
1.5	CPD-26	4.87	2.5	CPD-28	5.10		
2.5	CPD-27	5.10	4	CPD-29	8.80		

END SEALING FERRULES NON-INSULATED						
mm²-L	CAT. NO.	PRICE (₹)	mm²-L	CAT. NO.	PRICE (₹)	
0.5-6	EH-508	1.04	6-10	EH-518	1.85	
0.75-6	EH-509	1.04	6-12	EH-519	2.08	
1-6	EH-510	1.04	6-15	EH-520	2.90	
1-10	EH-511	1.04	10-12	EH-521	3.36	
1.5-7	EH-512	1.04	10-15	EH-522	3.48	
1.5-10	EH-513	1.16	10-18	EH-523	4.06	
2.5-7	EH-514	1.16	16-12	EH-524	3.48	
2.5-12	EH-515	1.28	16-15	EH-525	4.06	
4-9	EH-516	1.28	16-18	EH-526	4.75	
4-12	EH-517	1.51	-	-	-	







NON INSULATED RING TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)		
0.75-4	RS-7317	3.02	10-5	RS-7026	8.23		
1-3.5	RS-7318	3.02	10-6	RS-7120	8.92		
1.5-3	RS-7001	3.25	10-8	RS-7121	11.34		
1.5-3.5	RS-7002	3.25	10-10	RS-7027	15.28		
1.5-3.5	RS-7048	3.25	10-10	RS-7123	16.45		
1.5-4	RS-7003	3.25	10-12	RS-7028	15.63		
1.5-4	RS-7049	3.25	16-5	RS-7124	14.13		
1.5-4	RS-7004	3.36	16-6	RS-7029	15.28		
1.5-4	RS-7154	3.48	16-6	RS-7031	20.72		
1.5-5	RS-7005	3.36	16-8	RS-7030	18.99		
1.5-5	RS-7006	4.06	16-10	RS-7032	23.27		
1.5-6	RS-7007	4.06	16-10	RS-7128	23.73		
1.5-6	RS-7106	4.17	16-12	RS-7033	22.00		
2.5-3	RS-7107	3.71	25-6	RS-7156	33.57		
2.5-3.5	RS-7008	4.06	25-8	RS-7034	34.97		
2.5-3.5	RS-7108	4.06	25-8	RS-7036	38.90		
2.5-4	RS-7009	3.48	25-10	RS-7035	33.57		
2.5-5	RS-7010	3.48	25-10	RS-7132	49.44		
2.5-5	RS-7109	3.48	25-12	RS-7037	49.44		
2.5-5	RS-7110	4.87	35-6	RS-7133	40.87		
2.5-6	RS-7011	3.48	35-8	RS-7038	43.87		
2.5-6	RS-7012	4.87	35-10	RS-7135	55.57		
2.5-8	RS-7013	5.67	35-12	RS-7040	51.75		
2.5-8	RS-7014	6.83	50-8	RS-7136	62.16		
2.5-10	RS-7015	8.00	50-10	RS-7137	67.15		
2.5-10	RS-7151	8.00	50-12	RS-7042	72.82		
4.6-4	RS-7155	6.25	50-16	RS-7139	90.77		
4.6-5	RS-7050	6.25	70-10	RS-7140	91.81		
4.6-5	RS-7016	7.42	70-12	RS-7141	94.12		
4.6-6	RS-7017	6.37	70-16	RS-7142	109.29		
4.6-6	RS-7019	8.46	95-10	RS-7144	133.13		
4.6-6	RS-7115	9.27	95-12	RS-7044	127.35		
4.6-8	RS-7018	7.42	95-16	RS-7145	144.71		
4.6-8	RS-7020	9.84	120-12	RS-7146	165.55		
4.6-8	RS-7116	12.16	120-16	RS-7147	204.90		
4.6-10	RS-7022	12.16	120-20	RS-7148	236.16		
4.6-10	RS-7023	10.88	150-12	RS-7149	351.92		
4.6-12	RS-7024	10.88	150-16	RS-7045	346.14		
10-5	RS-7025	9.15	150-20	RS-7046	386.66		

















RING TERMINALS INSULATED						
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)	
0.75-4	RSI-7501	3.48	2.5-5	RSI-7073	5.10	
1-4	RSI-7502	3.48	2.5-5	RSI-7075	6.96	
1.5-3	RSI-7054	4.87	2.5-6	RSI-7074	5.10	
1.5-3.5	RSI-7055	4.87	2.5-6	RSI-7076	6.14	
1.5-3.5	RSI-7058	4.98	2.5-8	RSI-7077	6.25	
1.5-4	RSI-7056	4.87	2.5-8	RSI-7079	7.42	
1.5-4	RSI-7059	4.98	2.5-10	RSI-7081	8.80	
1.5-4	RSI-7061	3.71	4.6-4	RSI-7083	7.42	
1.5-4	RSI-7063	4.87	4.6-5	RSI-7084	7.42	
1.5-5	RSI-7062	3.71	4.6-5	RSI-7086	8.80	
1.5-5	RSI-7065	5.91	4.6-6	RSI-7089	8.46	
1.5-5	RSI-7066	5.67	4.6-6	RSI-7092	9.84	
1.5-6	RSI-7067	5.91	4.6-6	RSI-7093	10.65	
2.5-3	RSI-7068	4.98	4.6-8	RSI-7090	8.80	
2.5-3.5	RSI-7069	4.98	4.6-8	RSI-7094	10.65	
2.5-3.5	RSI-7070	5.67	4.6-8	RSI-7096	12.86	
2.5-4	RSI-7071	4.87	4.6-10	RSI-7099	12.16	
2.5-5	RSI-7072	4.87	4.6-12	RSI-7100	12.16	







FORK TERMINALNON-INSULATED						
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)	
1-3	RS-7249SPL	2.90	2.5-5	RS-7280	8.34	
1.5-3.5	RS-7249	2.90	4.6-3	RS-7252	5.10	
2.5-3.5	RS-7251	3.13	4.6-3.5	RS-7253	5.10	







FORK TERMINALINSULATED							
mm²-E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)		
1-3	RSI-7926SPI	3.48	2.5-5	RSI-7929	9.50		
1.5-3.5	RSI-7926	3.48	4.6-3	RSI-7930	6.83		
2.5-3.5	RSI-7928	4.06	4.6-3.5	RSI-7931	6.83		

FORK TERMINALS PRE INSULATED						
mm²-E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)	
1.5-3.5	PSD-7935	4.75	4.6-3	PSD-7939	8.46	
2.5-3.5	PSD-7937	5.10	4.6-3.5	PSD-7940	8.46	
2.5-5	PSD-7938	12.16				

	RING TERMI	NALS DOUB	LE GRIP (PRI	E-INSULATED)	
mm²-E	CAT. NO.	PRICE (₹)	mm²-E	CAT. NO.	PRICE (₹)
1.5-3	PSD-7437	5.10	4.6-5	PSD-7469	10.54
1.5-3.5	PSD-7438	5.10	4.6-6	PSD-7472	9.61
1.5-4	PSD-7439	5.10	4.6-8	PSD-7473	10.42
1.5-3.5	PSD-7441	5.10	4.6-6	PSD-7475	11.46
1.5-4	PSD-7442	5.10	4.6-6	PSD-7476	12.86
1.5-4	PSD-7444	4.98	4.6-8	PSD-7477	12.86
1.5-5	PSD-7445	4.98	4.6-8	PSD-7479	14.13
1.5-4	PSD-7446	5.79	4.6-8	PSD-7482	15.28
1.5-5	PSD-7448	6.14	4.6-12	PSD-7483	14.13
1.5-6	PSD-7449	6.14			
1.5-6	PSD-7450	6.37			
2.5-3	PSD-7451	6.14			
2.5-3.5	PSD-7452	6.14			
2.5-3.5	PSD-7453	6.25			
2.5-4	PSD-7454	5.33			
2.5-5	PSD-7455	5.33			
2.5-5	PSD-7456	5.33			
2.5-6	PSD-7457	5.33			
2.5-5	PSD-7458	7.42			
2.5-6	PSD-7459	6.83			
2.5-8	PSD-7460	7.42			
2.5-8	PSD-7462	8.80			
2.5-10	PSD-7464	9.84			
4.6-4	PSD-7466	9.27			
4.6-5	PSD-7467	9.27			







SNAPON TERMINALS					
mm ² -E	CAT. NO.	PRICE (₹)			
1.5	SNP-8351	4.29			
1.5	SND-8352	6.02			
2.5	SNP-8347	4.40			
2.5	SND-8348	6.48			
4	SND-8476	11.23			
1.5	SND-8359	7.88			
1.5	SND-8362	7.88			
1.5	SNP-8336	4.29			
1.5	SNP-8356	4.29			
1.5	SNP-8358	4.98			












END SEALING FERRULES INSULATED					
mm²-L	CAT. NO.	PRICE (₹)			
0.5-8	EHI-508	1.28			
0.75-8	EHI-509	1.28			
1-6	EHI-510	1.51			
1–10	EHI-511	1.51			
1.5-10	EHI-513	1.74			
2.5-8	EHI-514	1.74			
2.5-12	EHI-515	1.97			
412	EHI-517	2.56			
6-12	EHI-519	3.02			
10-12	EHI-521	3.60			
16-15	EHI-525	6.14			
1- 1-					



COPPER TWIN TYPE LUGS						
mm²-E	LENGTH mm	CAT. NO.	COLOUR NA TURAL	PRICE (₹)		
0.5-8	8	TW-0.5-8	WHITE	3.02		
0.5-10	10	TW-0.5-10	WHITE	3.13		
0.75-8	8	TW-0.75-8	GREY	3.02		
0.75-10	10	TW-0.75-10	GREY	3.02		
1-8	8	TW-1-8	RED	3.13		
1-10	10	TW-1-10	RED	3.13		
1.5-8	8	TW-1.5-8	BLACK	3.13		
1.5-10	10	TW-1.5-10	BLACK	3.13		
2.5-8	8	TW-2.5-8	BLUE	3.36		
2.5-10	10	TW-2.5-10	BLUE	3.71		
4-12	12	TW-4-12	GREY	4.29		
6-12	12	TW-6-12	YELLOW	4.29		







CABLE GLANDS







DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF BRASS CABLE GLANDS								
		V	/EATHER PROOF		F	LAME PROOF	OF	
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	
6.0-12.0	3/4"	DBW-01SS	280.16	56	DBF-01SS	361.18	50	
12.0-16.5	3/4"	DBW-01S	321.83	50	DBF-01S	388.97	40	
16.5-18.5	3/4"	DBW-01	360.03	36	DBF-01	429.49	24	
16.5-18.5	1"	DBW-01A	412.12	30	DBF-01A	486.21	30	
18.5-20.0	1"	DBW-02	460.74	20	DBF-02	563.77	20	
18.5-20.0	3/4"	DBW-02A	475.79	20	DBF-02A	593.86	20	
20.0-23.0	1"	DBW-03	488.53	20	DBF-03	637.86	20	
23.0-26.0	1"	DBW-04	637.86	12	DBF-04	810.34	12	
23.0-26.0	1.1/4"	DBW-04A	717.73	12	DBF-04A	905.27	12	
26.0-30.0	1.1/4"	DBW-05	798.77	12	DBF-05	941.15	12	
26.0-30.0	1.1/2"	DBW-05A	956.21	12	DBF-05A	1,091.65	12	
30.0-33.0	1.1/2"	DBW-06	1,148.37	10	DBF-06	1,346.33	8	
30.0-33.0	1.1/4"	DBW-06A	1,187.73	8	DBF-06A	1,407.68	8	
33.0-37.0	1.1/2"	DBW-07	1,341.69	6	DBF-07	1,514.18	6	
37.0-41.0	2"	DBW-08	1,721.40	6	DBF-08	1,876.51	6	
41.0-46.0	2"	DBW-09	1,899.66	5	DBF-09	2,169.40	5	
46.0-52.0	2"	DBW-10	2,084.88	4	DBF-10	2,441.43	4	
46.0-52.0	2.1/2"	DBW-10A	2,545.62	3	DBF-010A	2,773.67	3	
52.0-54.0	2.1/2"	DBW-011A	3,094.33	2	DBF-011A	3,721.77	2	
54.0-61.0	2.1/2"	DBW-011	3,102.44	2	DBF-011	3,409.21	2	
61.0-66.0	3"	DBW-012	3,788.91	2	DBF-012	4,115.36	2	
66.0-72.0	3"	DBW-013A	4,746.27	1	DBF-013A	5,777.71	1	
72.0-78.0	3.1/4"	DBW-013	5,357.49	1	DBF-013	6,486.18	1	
78.0-84.0	3.1/2"	DBW-014	6,428.29	1	DBF-014	6,886.71	1	
84.0-94.0	4"	DBW-015	8,609.26	1	DBF-015	9,370.98	1	
94.0-104.0	4.1/2"	DBW-016	11,094.68	1	DBF-016	12,052.04	1	











DC TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS					
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER P ACKING (NOS.)
07.0-14.0	DC-3/8"	DGP10036	5/8″	217.64	64
14.1-15.5	DC-1/2"	DGP10037	5/8″	260.47	50
15.6-17.0	DC-5/8"	DGP10038	3/4"	266.26	46
17.1-18.5	DC-3/4"	DGP10039	3/4"	307.94	28
18.6-19.5	DC-7/8"	DGP10040	3/4"	371.60	24
19.6-22.5	DC-1"	DGP10041	1″	413.27	20
22.6-25.5	DC-1.1/8"	DGP10042	1.1/8"	527.88	15
25.6-31.5	DC-1.1/4"	DGP10043	1.1/4"	695.73	12
31.6-34.5	DC-1.3/8"	DGP10044	1.1/2"	831.18	12
34.6-36.5	DC-1.1/2"	DGP10045	1.1/2"	978.2	8
36.6-44.5	DC-1.3/4"	DGP10046	2"	1,345.17	5
44.6-49.5	DC-2"	DGP10047	2"	1,541.96	5
49.6-54.5	DC-2.1/4"	DGP10048	2.1/4"	1,800.11	4
54.6-63.5	DC-2.1/2"	DGP10049	2.1/2"	2,475.01	2
63.6-69.5	DC-2.3/4"	DGP10050	2.3/4"	2,794.52	2
69.6-74.5	DC-3"	DGP10051	3″	3,440.47	2
74.6-81.0	DC-3.1/4"	DGP10052	3.1/4"	3,984.56	1
81.1-86.0	DC-3.1/2"	DGP10053	3.1/2"	5,197.75	1
86.1-100.0	DC-4"	DGP10054	4"	7,060.36	1

	DOUBLE COMPRESSION	N UN-ARMOURED BRASS C	CABLE GLANDS	
SR. NO.	SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
1	6.0-12.5	DBW-01SS(UN)	297.51	50
2	12.6-14.0	DBW-01S(UN)	325.29	50
3	14.1-17.0	DBW-01A(UN)	394.75	30
4	17.1-19.0	DBW-02(UN)	502.42	20
5	19.1-22.0	DBW-03SP(UN)	535.99	20
6	22.1-25.0	DBW-04A(UN)	760.56	12
7	25.1-29.0	DBW-05A(UN)	833.49	12
8	29.1-32.0	DBW-06SP(UN)	1,165.74	10
9	32.1-35.0	DBW-07SP(UN)	1,341.69	6
10	35.1-40.0	DBW-08(UN)	1,684.35	6
11	40.1-43.0	DBW-09(UN)	1,994.60	5
12	43.1-51.0	DBW-010A(UN)	2,457.65	3
13	51.1-59.0	DBW-011SP(UN)	3,248.31	2
14	59.1-65.0	DBW-012(UN)	3,815.54	2
15	65.1-71.0	DBW-013(UN)	4,838.88	1
16	71.1-79.0	DBW-014(UN)	5,900.42	1
17	79.1-89.0	DBW-015(UN)	8,852.37	1













SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS							
	SINGLE COMPRESSION GLANDS				(SIBG SERIES	
DOWELLS	S CAT. NO.	PRODUCT CODE	PRICE (₹)	BOX PKG.	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG.
INCH	MM				CAI. NO.		
3/8"	10	DGP10001	82.55	64	1616	145.87	70
1/2"	12	DGP10002	82.55	128	1619	150.50	50
5/8"	16	DGP10003	82.55	135	2119	241.95	40
3/4"	19	DGP10004	91.81	105	2125	219.96	40
7/8"	22	DGP10005	113.33	84	2925	294.05	24
1"	25	DGP10006	164.39	60	2932	323.03	20
1.1/8"	28	DGP10007	203.75	30	2938	350.77	20
1.1/4"	32	DGP10008	274.36	24	3638	505.88	10
1.3/8"	35	DGP10009	341.51	24	4251	880.95	5
1.1/2"	38	DGP10010	402.86	16	5451	1,003.67	4
1.3/4"	45	DGP10011	488.53	12	5463	1,044.19	4
2"	50	DGP10012	597.34	10	6063	1,531.55	4
2.1/4"	57	DGP10013	767.51	6	6675	1,855.68	3
2.1/2"	63	DGP10014	886.75	5	7882	2,677.59	3
2.3/4"	70	DGP10015	1,302.33	5			
3"	75	DGP10016	1,531.55	4			
3.1/4"	82	DGP10017	1,627.63	3			
3.1/2"	88	DGP10018	2,146.25	3			
4"	100	DGP10019	2,546.78	3			
4.1/2"	112	DGP10020	4,055.17	2			









BRASS PG GLAND					
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)			
2-5	MPG-7	91.62			
3-8	MPG-9	119.07			
4-10	MPG-11	146.63			
5-12	MPG-13.5	191.84			
8-14	MPG-16	201.76			
12-17	MPG-21	336.26			
16-25	MPG-29	678.04			
20-32	MPG-36	747.50			
28-37	MPG-42	1,476.25			
32-40	MPG-48	1,550.12			

NYLON PG GLAND					
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)			
3.5-6	PG-7	23.15			
4-8	PG-9	28.67			
5-10	PG-11	38.59			
6-12	PG-13.5	48.51			
10-14	PG-16	57.33			
13-18	PG-21	76.07			
18-25	PG-29	119.07			
22-32	PG-36	189.63			
30-38	PG-42	238.14			
34-44	PG-48	285.55			







FLANGE TYPE CABLE GLANDS					
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	PRICE (₹)		
12.0-16.0	DOWELLS-5	DGP10021	151.66		
16.1-18.0	DOWELLS-4	DGP10022	193.33		
18.1-21.0	DOWELLS-3	DGP10023	208.38		
21.1-25.0	DOWELLS-2	DGP10024	258.16		
25.1-29.0	DOWELLS-1	DGP10025	299.83		
29.1-33.0	DOWELLS-1	DGP10026	373.92		
33.1-35.0	DOWELLS-0	DGP10027	463.05		
35.1-38.0	DOWELLS-00	DGP10028	527.88		
38.1-41.0	DOWELLS-38	DGP10029	524.41		
41.1-45.0	DOWELLS-001	DGP10030	666.80		
45.1-52.0	DOWELLS-002	DGP10031	761.73		
52.1-59.0	DOWELLS-003	DGP10032	825.39		
59.1-67.0	DOWELLS-0033	DGP10033	999.04		
67.1-76.0	DOWELLS-004	DGP10034	1,332.43		

















	EART	'H TAG	LSF/LSZH	SHROUD
FOR GLAND SIZE	DOWELL'S CAT. NO.	PRICE (₹)	SHROUD SIZE/CODE	PRICE (₹)
DBW -01SS/DBF-01SS	DET-20	57.55	2023	35.28
DBW -01S/DBF-01S	DET-20	57.55	2026	44.10
DBW -01/DBF-01	DET-20	57.55	2030	45.20
DBW -01A/DBF-01A	DET-25	59.87	2030A	45.20
DBW -02/DBF-02	DET-25	59.87	2533	55.13
DBW -02A/DBF-02A	DET-20	57.55	2533A	55.13
DBW -03/DBF-03	DET-25	59.87	2535	55.13
DBW -04/DBF-04	DET-25	59.87	4000	111.35
DBW -04A/DBF-04A	DET-32	104.74	4000A	111.35
DBW -05/DBF-05	DET-32	104.74	3246	95.92
DBW -05A/DBF-05A	DET-40	115.76	3246A	95.92
DBW -06/DBF-06	DET-40	115.76	3251	93.71
DBW -06A/DBF-06A	DET-32	104.74	3251A	93.71
DBW -07/DBF-07	DET-40	115.76	4053	111.35
DBW -08/DBF-08	DET-50	155.45	5063	165.38
DBW -09/DBF-09	DET-50	155.45	5068	180.81
DBW -010/DBF-010	DET-50	155.45	6371	282.24
DBW -010A/DBF-010A	DET-63	197.35	6371A	282.24
DBW -011A/DBF-011A	DET-63	197.35	6388A	313.11
DBW -011/DBF-011	DET-63	197.35	6388	313.11
DBW -012/DBF-012	DET-75	274.52	7595	323.03
DBW -013A/DBF-013A	DET-75	274.52	7595A	323.03
DBW -013/DBF-013	DET-82	296.57	7595B	323.03
DBW -014/DBF-014	DET-90	330.75		
DBW -015/DBF-015	DET-100	463.05		
DBW -016/DBF-016	DET-110			




FIG 1 Terminating the armouring of an swa cable to metallic enclosures





TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity




	HAND OPERATED CRIMPING TOOLS					
mm² Range	CAT. NO.	PRICE (₹)	mm ² Range	CAT. NO.	 PRICE (₹)	
-		(),	<u> </u>			
1.5-6	SYT-17	1,126.65	6-50	SYT-9	3,165.75	
0.5-16	SYT-2	1,432.20	16-50	SYT-50	4,392.15	
0.75	SYG-2622	2,058.37	25-400	SYT-7	20,647.20	
1.5	SYG-2216	2,058.37	10-35	SYT-53M	3,073.35	
2.5	SYH-1614	2,058.37	0.25-6	SYT-6-6	4,482.45	
4-6	SYI-1210/SYO-1210	3,499.34	120	SYT-120	2,464.09	
10-95	SYB-95	9,215.85	240	SYT-240	3,714.33	
10-185	SYB-9502	12,770.10	500	SYT-500	6,368.04	
1.5-10	SYA-427	1,231.65	0.5-6	SYT-52M	2,259.60	
10-185	SYT-185	8,958.60	1.5-4.6	SYT-1546	2,259.60	
25-400	SYT-400	16,176.30	10-185	SYB-9502H	14,071.21	
16-300	SYM-300	20,507.61	240	SYXL-240	8,758.26	





HYDRAULIC CRIMPING TOOLS								
mm² Range	CAT. NO.	PRICE (₹)	mm² Range	CAT. NO.	PRICE (₹)			
10-300	SYD-20A	33,791.10	10-1000	SYE-150B	60,602.85			
50-400	SYD-20B	41,503.35	10-1000	SYE-150C	53,489.10			
10-300	SYD-20C	43,095.15	16-300	SYT-106	12,081.30			
10-1000	SYE-150A	54,909.75	50-630	SYT-102R	54,428.22			
10-120	SYT-107	13,343.56	50-400	SYT-109	74,926.95			

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)	
Hand Operated Hydraullic Pump (Max. Pressure 10000 P.S.I.)	R-T1242	10,797.89	
Jack Hose Pipe Standard 2 meters	R-T1349	3,084.80	
Special features: Electrically Operated Pump Electric Motor	ally Operated Power Pack Capacity = Max. pressure 700 Bar atures: Electrically Operated Pump Electric Motor: 2HP SYT - 117 Tank Capacity: 25 Ltr. Oil: Hydraullic Oil no. 68		















mm² Range	DOWELL'S CAT. NO.	PRICE (₹)
UPTO 300	JACK FOR SYD-20A (SPD-2034)	28,779.66
UPTO 400	JACK FOR SYD-20B (SPD-2036)(PORTABLE JACK)	26,995.82
UPTO 630	JACK FOR SYT-102R (HY-282)(portable jack)	30,209.61
UPTO 1000	JACK FOR SYE-150A (SPE-1709)	34,195.14
UPTO 1000	JACK FOR SYE-150B (SPE-1713)(PORTABLE JACK)	48,592.69







SPECS.	DOWELL'S CAT. NO.	PRODUCT CODE	PRICE (₹)
CRIMPING JIGS FOR SYD-20BTOOL	JDA-50, JDA-70, JDA-95, JDA-120, JDA-150, JDA-240, JDA-300, JDA-400	W-TSA1080, W-TSA1081, W-TSA1082, W-TSA1083, W-TSA1084, W-TSA1085, W-TSA1086, W-TSA1087, W-TSA1088	Rs. 1,743.06/- (each)
CRIMPING JIGS FOR SYE-150 A TOOL	JER-11, JER-12, JER-13, JER-14	W-TSA1125, W-TSA1126, W-TSA1127, W-TSA1128	Rs. 2,397.94/- (each)
	JER-15, JER-16, JER-17, JER-18	W-TSA1129, W-TSA1130, W-TSA1131, W-TSA1132	Rs. 2,615.13/- (each)
	JEA-10, JEA-16, JEA-25, JEA-35	W-TSA1063, W-TSA1064, W-TSA1065, W-TSA1066	Rs. 2,070.50/- (each)
CRIMPING JIGS FOR SYE-150 BTOOL	JEA-50, JEA-70, JEA-95, JEA-120, JEA-150	W-TSA1067, W-TSA1068, W-TSA1069, W-TSA1070, W-TSA1071	Rs. 2,941.47/- (each)
	JEA-185, JEA-140, JEA-300, JEA-400	W-TSA1072, W-TSA1073, W-TSA1074, W-TSA1075	Rs. 4,118.94/- (each)
	JEA-500, JEA-600, JEA-800, JEA-1000	W-TSA1076, W-TSA1077, W-TSA1078, W-TSA1079	Rs. 5,577.55/- (each)
JIG FOR SYB-95/9502 RING DIES	JBR-1, JBR-2, JBR-3, JBR-4, JBR-5, JBR-6, JBR-7, JBR-9, JBR-10, JBR-11	W-TSA1024, W-TSA1025, W-TSA1026, W-TSA1027, W-TSA1037, W-TSA1028, W-TSA1029, W-TSA1030, W-TSA1031, W-TSA1032	Rs. 379.26 /- (each)
JIG FOR SYB-95/9502 PUNCH TYPE RING DIES	JBR-12, JBR-13	W-TSA1033, W-TSA1043	Rs. 464.16 /- (each)
CRIMPING JIG FOR SYT-185 (PLIERTYPE)	R-1, R-2, R-3, R-4, R-5, R-6, R-7, R-9, R-10, R-11, R-12, R-13	W-TSA1034, W-TSA1035, W-TSA1145, W-TSA1036, W-TSA1146, W-TSA1147, W-TSA1038, W-TSA1039, W-TSA1040, W-TSA1041, W-TSA1042, W-TSA1148	Rs. 456.44 /- (each)
CRIMPING JIG FOR SYT-7 (Hex profile) (Mechanical gear power)	JRH-25, JRH-35, JRH-50, JRH-70, JRH-95, JRH-120, JRH-150, JRH-185, JRH-240, JRH-300, JRH-400	W-TSA1150, W-TSA1151, W-TSA1152, W-TSA1153, W-TSA1154, W-TSA1155, W-TSA1156, W-TSA1157, W-TSA1158, W-TSA1159, W-TSA1160	Rs. 1,197.32/- (each)
JIG FOR SYT-102R (Hex profile) (Foot operated hydraullic crimping tool)	HY-267 (50 mm²), HY-268 (70 mm²), HY-269 (95 mm²), HY-270 (120 mm²), HY-271 (150 mm²), HY-272 (185 mm²), HY-273 (240 mm²), HY-274 (300 mm²), HY-275 (400 mm²), HY-279 (500 mm²), HY-280 (630 mm²)	W-TSA1114, W-TSA1115, W-TSA1116, W-TSA1117, W-TSA1118, W-TSA1119, W-TSA1120, W-TSA1121, W-TSA1122	Rs. 2,252.41/- (each)
JIG FOR SYT-400 Hex Profile (plier type)	J-25, J-35, J-50, J-70, J-95, J-120, J-150, J-185, J-240, J-300, J-400	W-TSA1044, W-TSA1045, W-TSA1046, W-TSA1047, W-TSA1048, W-TSA1049, W-TSA1050, W-TSA1051, W-TSA1052, W-TSA1053, W-TSA1054	Rs. 895.23/- (each)
CRIMPING JIGS FOR SYD-20 A TOOL	JDR-11, JDR-12, JDR-13, JDR-14, JDR-15	W-TSA1161, W-TSA1162, W-TSA1163, W-TSA1164, W-TSA1 165	Rs. 1,525.86/- (each)
CRIMPING JIGS FOR SYD-20A TOOL	JDR-16	W-TSA1166	Rs. 2,614.03/- (each)





Manufactured By: Dowells Cable Accessories Pvt. Ltd.

(Subsidiary company of POLYCAB INDIA LIMITED) Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2,80, Village:Vaseti,

Taluka : Halol, Dist.: Panchmahals, Gujarat 389352, India.

Corporate & Head Office: POLYCAB INDIA LIMITED,

The Ruby, 20th & 21st floor, Senapati Bapat Marg, Tulsi Pipe Road, Dadar West, Mumbai – 400 028, Maharashtra, India.

Email: customercare@polycab.com | Toll Free No.: 1800 267 0008

Website: www.dowellscableaccesories.com

Authorised Dealer