




1 _ _ Acc_x_ 津波避難VR準備



	MEAN	MAX	MIN	MED
A	0.00844	0.28	-0.38	-0.025
B	0.000208	0.28	-0.22	-0.0462




2 _ _ Acc_x_ 5分休憩




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0.0429	0.28	-0.211	0.0357	0.142	0.0202	13.1	0.0766
B	0.00329	0.291	-0.21	-0.0212	0.169	0.0284		


3 _ _ LF_ 心理的安定化




	MEAN	MAX	MIN	MED
A	4.14e+03	5.53e+04	337	605
B	791	1.7e+03	135	670





4 _ _ LF_ 津波避難VR準備





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	3.08e+03	2.85e+04	242	1.14e+03	6.87e+03	4.72e+07	4.54	0.22
B	678	2.2e+03	9.1	575	610	3.72e+05		





5 _ _ L F / H F _ 津波避難VR準備





6 _ _ 唾液 (k U / l) _ 実験教示




7 _ _ Acc_z_5分休憩




8 _ _ L F _ テスト歩行




9_2. 教示後_唾液kU/I




	MEAN	MAX	MIN	MED
A	19.8	71	3	11.5
B	11.5	45	2	5




11_ LF 実験前準備・評価



	MEAN	MAX	MIN	MED
A	4.25e+03	2.87e+04	271	705
B	2.62e+03	2.28e+04	4.76	791




10_ LF/HF 心理的安定化




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	3.2	8.91	0.987	2.51	2.15	4.61	1.69	0.593
B	1.9	4.74	0.392	1.54	1.23	1.52		



12_ LF 実験教示





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	1.74e+03	7.22e+03	300	992	1.87e+03	3.51e+06	1.59	0.628
B	1.09e+03	3.09e+03	20.7	708	934	8.73e+05		





13 _ _ LF / HF _ テスト歩行





14 _ _ HF _ 津波避難VR準備





15 _ _ Acc_z_ 心理的安定化



16 _ _ LF _ 5分休憩





17 _ _ HF _ 実験教示





	MEAN	MAX	MIN	MED
A	810	3.44e+03	180	445
B	612	1.93e+03	16.7	478

	STD	VAR	A/B	B/A
A	884	7.81e+05	1.32	0.756
B	573	3.29e+05		

18 _ _ NN50 _ 実験前準備・評価





19 _ _ DC _ 実験前準備・評価



	MEAN	MAX	MIN	MED
A	7.91	10.9	6.23	7.93
B	6.13	9.27	1.8	7.32

	STD	VAR	A/B	B/A
A	1.34	1.8	1.29	0.775
B	2.53	6.42		



20 _ _ HF _ テスト歩行





	MEAN	MAX	MIN	MED
A	855	3.81e+03	147	532
B	667	2.29e+03	119	499

	STD	VAR	A/B	B/A
A	1.03e+03	1.07e+06	1.28	0.781
B	3.45e+05			



21_ 命の危険





22_ pNN50_ 津波避難VR準備





23_ RMSSD_ 津波避難VR準備





24_ Acc_z_ 津波避難VR





25_LF / HF_5分休憩





26_pNN50_実験前準備・評価





27_HF_実験前準備・評価





28_LF / (LF + HF)_津波避難VR準備





29 _ _ Acc_z_ 実験前準備・評価





30 _ _ 家屋被災





31 _ _ CVRR_ 実験教示





32 _ _ SDNN_ 津波避難VR準備





33_ _ NN50_ 津波避難VR準備





34_ _ LF / (LF+HF)_ 心理的安定化





35_ _ RMSSD_SD_ テスト歩行





36_ _ SDNN_ 実験教示





37_ _ 1. 安静時_ 唾液k U / I





38_ _ CVRR_ 津波避難VR準備



39_ _ Acc_z_ テスト歩行



40_ _ DCAnchor_ 実験前準備・評価





	MEAN	MAX	MIN	MED
A	-0.114	0.284	-0.75	-0.12
B	-0.102	0.225	-0.462	-0.0796



	STD	VAR	A/B	B/A
A	0.279	0.0781	1.12	0.889
B	0.198	0.0391		

	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	141	245	68.2	134	46.5	2.16e+03	1.12	0.896
B	126	233	26	129	59.7	3.56e+03		



4 1 _ _ R M S S D _ 実験教示





4 2 _ _ D C _ 実験教示





4 3 _ _ C V R R _ 実験前準備・評価





4 4 _ _ S D N N _ 実験前準備・評価





45 __ RMS SD_ 実験前準備・評価





46 __ DC_ 5分休憩





47 __ AC_ テスト歩行





48 __ AC_ 5分休憩





49 _ AC_ 実験教示





50 _ LF / (LF+HF)_ 実験教示



51 _ LF / (LF+HF)_ 津波避難VR



52 _ SDNN_ 津波避難VR



MEAN MAX MIN MED

	MEAN	MAX	MIN	MED
A	0.679	0.888	0.435	0.708
B	0.621	0.93	0.335	0.659



STD VAR A/B B/A

	STD	VAR	A/B	B/A
A	0.145	0.021	1.09	0.916
B	0.196	0.0386		

MED STD VAR A/B B/A

	MED	STD	VAR	A/B	B/A
A	49.4	21.2	448	1.09	0.917
B	46.8	28.6	820		



53_DC_テスト歩行



	MEAN	MAX	MIN	MED
A	7.59	9.08	6.25	7.48
B	6.98	9.33	2.68	7.24



	STD	VAR	A/B	B/A
A	0.979	0.958	1.09	0.919
B	2.08	4.32		

54_pNN50_実験教示



	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	19.5	53.9	1.11	15.8	15.7	246	1.09	0.92
B	17.9	52.2	0	14.9	16.6	276		



55_DC_心理的安定化



	MEAN	MAX	MIN	MED
A	7.43	8.67	6.45	7.31
B	6.84	8.72	2.68	7.26



	STD	VAR	A/B	B/A
A	0.677	0.458	1.09	0.921
B	1.8	3.26		

56_fantasy後_唾液kU/I





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	11.4	28	3	7.5	8.89	79.1	1.09	0.921
B	10.5	33	3	9	7.96	63.4		



57_NN50_実験教示





58_LF / (LF+HF)_5分休憩



59_CVRR_テスト歩行



60_AC_津波避難VR



	MEAN	MAX	MIN	MED
A	13.2	32.7	1	11.2
B	12.2	35	0	10.3


	STD	VAR	A/B	B/A
A	9.6	92.2	1.08	0.924
B	10.7	115		

	MEAN	MAX	MIN	MED
A	0.622	0.792	0.44	0.611
B	0.575	0.752	0.316	0.613


	STD	VAR	A/B	B/A
A	2.16	4.68	1.08	0.925
B	1.98	3.92		

	STD	VAR	A/B	B/A
A	1.52	2.32	1.08	0.927
B	2.45	6.02		


6 1 _ _ DC_ 津波避難VR



	MEAN	MAX	MIN	MED
A	7.37	8.69	6.42	7.47
B	6.84	9.06	2.63	7.22




6 2 _ _ DCAnchor_ 実験教示




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	321	536	147	305	107	1.15e+04	1.08	0.93
B	298	506	109	297	114	1.29e+04		


6 3 _ _ AC_ 心理的安定化



	MEAN	MAX	MIN	MED
A	-9.21	-7.25	-12.2	-8.81
B	-8.59	-2.41	-11.6	-9.38





6 4 _ _ DCAnchor_ 津波避難VR





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	680	979	417	664	179	3.2e+04	1.07	0.938
B	638	998	308	599	202	4.09e+04		



65_DCAnchor_テスト歩行





66_SDNN_5分休憩



67_AC_津波避難VR準備



68_DCAnchor_5分休憩




	群	MEAN	MAX	MIN	MED
A	B	-9.48	-7.24	-12.5	-9.4
B	A	-8.97	-2.48	-12.5	-9.48

	群	MEAN	MAX	MIN	MED
A	B	481	722	282	475
B	A	454	719	238	427


	群	MEAN	MAX	MIN	MED
A	B	60.3	93.7	40.8	51.9
B	A	57	83	18	59.3

	群	MEAN	MAX	MIN	MED
A	B	809	1.19e+03	490	790
B	A	767	1.17e+03	377	742



69 _ _ DCAnchor_ 心理的安定化




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	1.04e+03	1.51e+03	623	1.04e+03	271	7.37e+04	1.05	0.949
B	986	1.46e+03	499	965	284	8.08e+04		




70 _ _ AC_ 実験前準備・評価





71 _ _ 唾液 (kU/I) _ 心理的安定化



	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	11.4	28	3	7.5	8.89	79.1	1.05	0.956
B	10.9	33	3	10	8.11	65.8		





72 _ _ DCAnchor_ 津波避難VR準備





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	630	891	388	622	164	2.7e+04	1.05	0.956
B	602	930	386	547	183	3.36e+04		



73_ _ pNN50_ テスト歩行





74_ _ LF / (LF+HF)_ テスト歩行





75_ _ DC_ 津波避難VR準備





76_ _ 唾液 (kU/I)_ 実験前準備・評価





77 __ RRI _ 実験前準備・評価





78 __ CVRR_ 心理的安定化





79 __ SDNN_ テスト歩行





80 __ 不安 (80点中) _ 実験教示





81_ _ NN50_ 津波避難VR





82_ _ 不安(80点中)_ 心理的安定化





83_ _ Temp_ 実験教示





84_ _ SDNN_ 心理的安定化





85 _ _ RRI _ テスト歩行





86 _ _ RRI _ 5分休憩





87 _ _ CVRR_ 5分休憩





88 _ _ Temp _ テスト歩行





89 _ _ Temp_ 実験前準備・評価





90 _ _ RMSSD_ 5分休憩




91 _ _ 2. 教示後_ 状態不安




92 _ _ RRI_ 津波避難VR




93 _ _ RRI _ 実験教示




	MEAN	MAX	MIN	MED
A	833	1.07e+03	630	823
B	834	1.11e+03	648	813




94 _ _ Temp _ 津波避難VR



	MEAN	MAX	MIN	MED
A	28.2	29.6	26.2	28.5
B	28.3	30.2	26.2	28.1




95 _ _ Temp _ 心理的安定化




	MEAN	MAX	MIN	MED
A	28.7	30.4	26.9	28.7
B	28.7	30.8	27	28.5

	STD	VAR	A/B	B/A
A	123	1.5e+04	0.999	1
B	126	1.59e+04		




96 _ _ ACAnchor _ 実験教示




	MEAN	MAX	MIN	MED
A	232	418	139	202
B	233	392	72.3	226


	STD	VAR	A/B	B/A
A	91.1	8.29e+03	0.996	1
B	102	1.05e+04		




97_ _ RRI_ _ 津波避難VR準備



	MEAN	MAX	MIN	MED
A	758	898	566	763
B	760	937	632	733




98_ _ Temp_ _ 5分休憩




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	28.4	29.8	26.6	28.5	0.963	0.927	0.996	1
B	28.5	30.5	26.6	28.3	1.14	1.31		


99_ _ Temp_ _ 津波避難VR準備



	MEAN	MAX	MIN	MED
A	28.2	29.5	26	28.4
B	28.3	30.2	26.1	28.1





100_ _ ACAnchor_ _ 津波避難VR





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	524	754	340	519	146	2.13e+04	0.996	1
B	526	806	200	504	192	3.67e+04		



101_外向性





102_ACAnchor_心理的安定化



103_特性不安total



104_ACAnchor_テスト歩行



MEAN MAX MIN MED

	MEAN	MAX	MIN	MED
A	24.2	32	17	24
B	24.3	31	17	25

STD VAR A/B B/A

	STD	VAR	A/B	B/A
A	4.85	23.5	0.994	1.01
B	4.61	21.2		

MEAN MAX MIN MED

	MEAN	MAX	MIN	MED
A	50.2	54	44	51
B	51	59	46	50

STD VAR A/B B/A

	STD	VAR	A/B	B/A
A	2.96	8.73	0.985	1.01
B	3.78	14.3		



MEAN MAX MIN MED

	MEAN	MAX	MIN	MED
A	363	535	217	357
B	369	597	156	346



STD VAR A/B B/A

	STD	VAR	A/B	B/A
A	112	1.25e+04	0.985	1.02
B	147	2.17e+04		



105_ _ RRI_ _ 心理的安定化





106_ _ 6. fantasy 後_ 狀態不安




107_ _ 悲觀的自己感情




108_ _ ACAnchor_ _ 實驗前準備・評価




109_ACAnchor_5分休憩




	MEAN	MAX	MIN	MED
A	627	924	417	620
B	638	970	262	635



110_NN50_5分休憩




	MEAN	MAX	MIN
A	12.3	27.6	2
B	12.5	30.4	0




	MED	STD	VAR	A/B	B/A
A	10	7.94	63	0.98	1.02
B	9.57	9.92	98.4		


111_Acc_z_実験教示




	MEAN	MAX	MIN	MED
A	-0.234	0.223	-0.9	-0.23
B	-0.239	0.205	-0.537	-0.328



112_誠実性





	MEAN	MAX	MIN
A	25.7	45	15
B	26.3	39	16





	MED	STD	VAR	A/B	B/A
A	22.5	8.1	65.6	0.978	1.02
B	25	6.83	46.6		



113_ACAnchor_津波避難VR準備





114_NN50_テスト歩行





115_開放性





116_pNN50_5分休憩





117_ _ 情緒不安定性





118_ _ LF / HF_ 津波避難VR





119_ _ pNN50_ 津波避難VR





120_ _ CVRR_ 津波避難VR





121_不安(80点中) _ テスト歩行





122_ 楽観的自己感情



123_ 不安(80点中) _ 実験前準備・評価



124_ 不安(80点中) _ 5分休憩





	群	MEAN	MAX	MIN	MED
A	B	34.8	50	25	37.5
B	A	36.4	43	26	38



	群	MEAN	MAX	MIN	MED
A	B	36.7	55	20	37.5
B	A	38.4	48	28	37

	群	MEAN	MAX	MIN	MED
A	B	9.5	13	4	9.5
B	A	9.93	15	5	10



125_5. 休憩後_ 狀態不安





126_RMS SD_ 津波避難VR



127_調和性



128_1. 安静時_ 狀態不安



125_5. 休憩後_ 狀態不安

	MEAN	MAX	MIN	MED
A	37.1	54	22	38
B	38.9	55	27	38

	STD	VAR	A/B	B/A
A	9.55	91.2	0.954	1.05
B	7.36	54.2		

126_RMS SD_ 津波避難VR

	MEAN	MAX	MIN	MED
A	32.9	54.8	12	32
B	34.8	77.7	8.89	29.7

	STD	VAR	A/B	B/A
A	11.2	125	0.947	1.06
B	20.9	436		

127_調和性

	MEAN	MAX	MIN	MED
A	29	36	23	28.5
B	30.9	41	24	30



	STD	VAR	A/B	B/A
A	3.58	12.8	0.938	1.07
B	5.08	25.8		

128_1. 安静時_ 狀態不安

	MEAN	MAX	MIN	MED
A	34.8	50	25	37.5
B	37.3	48	26	38



	STD	VAR	A/B	B/A
A	8.06	65	0.932	1.07
B	6.04	36.5		

129_3. テスト歩行後_ 状態不安





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	36.7	55	20	37.5	8.88	78.9	0.931	1.07
B	39.4	54	28	37	6.93	48		

130_4. 津波後_ 状態不安





131_LF / (LF + HF) _ 実験前準備・評価




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0.533	0.789	0.361	0.5	0.137	0.0188	0.921	1.09
B	0.579	0.743	0.21	0.621	0.159	0.0254		

132_RMSSD_ 心理的安定化




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	35.5	74.9	13.9	31.5	14.6	214	0.897	1.12
B	39.6	71.2	20.9	38.5	14.9	222		

133_ HF_5分休憩




	MEAN	MAX	MIN	MED
A	598	1.28e+03	186	519
B	668	1.79e+03	17.1	684




	STD	VAR	A/B	B/A
A	329	1.08e+05	0.896	1.12
B	490	2.4e+05		

134_ 避難行動に関する知識の正答率




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0.516	0.875	0.25	0.5	0.164	0.0268	0.884	1.13
B	0.583	0.875	0.125	0.625	0.235	0.0551		

135_ 4. 津波後_唾液kU/l




	MEAN	MAX	MIN	MED
A	13.7	36	2	12.5
B	15.5	49	3	9



	STD	VAR	A/B	B/A
A	10.6	112	0.881	1.13
B	15.4	238		



136_ 唾液(kU/l)_5分休憩





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	11.5	36.5	2.5	10.8	8.98	80.6	0.859	1.16
B	13.4	40	2.5	9.25	13	169		





137__Acc_y_実験前準備・評価





138__LF/HF_実験教示



139__Acc_y_津波避難VR準備



140__Acc_y_実験教示




	群	MEAN	MAX	MIN	MED
A	B	-0.806	1.01	-1.2	-1.02
B	A	-1.03	-0.88	-1.17	-1.04


	群	MEAN	MAX	MIN	MED
A	B	-0.806	1.01	-1.2	-1.02
B	A	-1.03	-0.88	-1.17	-1.04

	群	MEAN	MAX	MIN	MED
A	B	-0.771	0.987	-1.11	-0.97
B	A	-0.985	-0.915	-1.06	-0.977


141__Acc_y_津波避難VR



	MEAN	MAX	MIN	MED
A	-0.783	1.04	-1.07	-1.02
B	-1	-0.6	-1.13	-1.01




142__Acc_y_心理的安定化




	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	-0.787	0.982	-1.08	-1.02	0.631	0.399	0.776	1.29
B	-1.01	-0.838	-1.06	-1.04	0.0591	0.00349		


143__NN50_心理的安定化




	MEAN	MAX	MIN	MED
A	10.3	30	0.125	6.79
B	13.3	34.1	1.57	11.1





144__Acc_y_5分休憩





	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	-0.765	1.02	-1.05	-1	0.652	0.426	0.762	1.31
B	-1.01	-0.936	-1.04	-1.01	0.0282	0.000798		





145__Acc_y_テスト歩行





146__pNN50_心理的安定化





147__HF_心理的安定化





148__5. 休憩後_唾液kU/I





149 _ _ HF _ 津波避難VR





150 _ _ 唾液 (kU/I) _ テスト歩行



151 _ _ 3. テスト歩行後_唾液kU/I



152 _ _ LF _ 津波避難VR



MEAN MAX MIN MED

	群	MEAN	MAX	MIN	MED
A	B	415	1.32e+03	46.6	272
B	A	702	4.45e+03	11	219

STD VAR A/B B/A

	群	STD	VAR	A/B	B/A
A	B	401	1.61e+05	0.591	1.69
B	A	1.22e+03	1.49e+06		

3. テスト歩行後_唾液kU/I

	群	MEAN	MAX	MIN	MED
A	B	10.5	49	3	6.5
B	A	18.3	129	3	11

STD VAR A/B B/A

	群	STD	VAR	A/B	B/A
A	B	11.8	139	0.575	1.74
B	A	31.7	1.01e+03		



LF_TsunamiVR

	群	MEAN	MAX	MIN	MED
A	B	857	3.82e+03	164	580
B	A	1.89e+03	1.97e+04	19.4	499



STD VAR A/B B/A

	群	STD	VAR	A/B	B/A
A	B	924	8.54e+05	0.453	2.21
B	A	5.14e+03	2.65e+07		



153__Acc_x_ 実験前準備・評価





154__LF/HF_ 実験前準備・評価





155__Acc_x_ 実験教示





156__Acc_x_ テスト歩行





157 _ _ Acc_x_ 心理的安定化





158 _ _ Acc_x_ 津波避難VR



159 _ _ 樂觀主義バイアスtotal (自己-他者)



160 _ _ Acc_z_ 津波避難VR準備



157 _ _ Acc_c_ 心理的安定化

	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0.0398	0.349	-0.189	-0.0193	0.171	0.0293	-1.83	-0.547
B	-0.0218	0.334	-0.203	-0.0646	0.161	0.0258		



	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0.0381	0.35	-0.25	0.045	0.17	0.0288	-2.03	-0.493
B	-0.0188	0.35	-0.25	-0.0517	0.19	0.0361		

158 _ _ Acc_x_ 津波避難VR

	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	-0.0635	0.41	-0.82	0.0225	0.331	0.11	-102	-0.00984
B	0.000625	0.38	-0.38	0.0363	0.229	0.0526		



	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	-0.0635	0.41	-0.82	0.0225	0.331	0.11	-102	-0.00984
B	0.000625	0.38	-0.38	0.0363	0.229	0.0526		

161_ 家族喪失



	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0	0	0	0	0	0	nan	nan
B	0	0	0	0	0	0	nan	nan

162_ 知人喪失



	MEAN	MAX	MIN	MED	STD	VAR	A/B	B/A
A	0	0	0	0	0	0	nan	nan
B	0	0	0	0	0	0	nan	nan

