

$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle

$$lacksquare 0 o 5 o 1 \leftarrow 0$$
 is not



■ 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle


 $\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$  is not




00

$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle


$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not






• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cvcle


$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not






$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle


$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not






• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cvcle


 $\blacksquare \ 0 \to 5 \to 1 \leftarrow 0$  is not






• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cvcle


$$lacksquare 0 o 5 o 1 \leftarrow 0$$
 is not







$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$


$$\text{cvcle}$$







$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle







• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cvcle






$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle







$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle


 $\blacksquare \ 0 \to 5 \to 1 \leftarrow 0$  is not






$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle






$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cycle


$$lacksquare 0 o 5 o 1 \leftarrow 0$$
 is not







• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle


$$lacksquare 0 o 5 o 1 \leftarrow 0$$
 is not






• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle






• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cvcle

$$lacksquare 0 o 5 o 1 \leftarrow 0$$
 is not







• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle

$$lacksquare 0 o 5 o 1 \leftarrow 0$$
 is not

Tree edges







• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle

$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not

- Tree edges
- Different types of non-tree edges







• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle

$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not

- Tree edges
- Different types of non-tree edges
- Forward edges







• 
$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0$$
 is a cycle

$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not

- Tree edges
- Different types of non-tree edges
- Forward edges
- Back edges






$$0 \rightarrow 2 \rightarrow 3 \rightarrow 0 \text{ is a}$$
 cvcle


$$\blacksquare \ 0 \rightarrow 5 \rightarrow 1 \leftarrow 0$$
 is not

- Tree edges
- Different types of non-tree edges




- Back edges
- Cross edges







- In a directed graph, a cycle must follow same direction
- $0 \rightarrow 2 \rightarrow 3 \rightarrow 0$  is a
- $\blacksquare \ 0 \to 5 \to 1 \leftarrow 0$  is not
- Tree edges
- Different types of non-tree edges
- Forward edges
- Back edges
- Cross edges









Use pre/post numbers






# Classifying non-tree edges in directed graphs

- Use pre/post numbers
- Interval [pre(u), post(u)] contains [pre(v), post(v)]Tree edge/forward edge (u, v)







# Classifying non-tree edges in directed graphs

- Use pre/post numbers
- Tree edge/forward edge (u, v) Interval [pre(u), post(u)] contains [pre(v), post(v)]
- Back edge (u, v) Interval [pre(v), post(v)] contains

[pre(u), post(u)]






# Classifying non-tree edges in directed graphs


- Use pre/post numbers
- Tree edge/forward edge (u, v) Interval [pre(u), post(u)] contains [pre(v), post(v)]
- Back edge (u, v)

Interval [pre(v), post(v)] contains [pre(u), post(u)]




Intervals [pre(u), post(u)] and [pre(v), post(v)] are disjoint







Take directions into account




- Take directions into account
- Vertices i and j are strongly connected if there is a path from i to j and a path from j to i



- Take directions into account
- Vertices i and j are strongly connected if there is a path from i to j and a path from j to i
- Directed graphs can be decomposed into strongly connected components (SCCs)
- Within an SCC, each pair of vertices is strongly connected



- Take directions into account
- Vertices i and j are strongly connected if there is a path from i to j and a path from j to i
- Directed graphs can be decomposed into strongly connected components (SCCs)
- Within an SCC, each pair of vertices is strongly connected
- DFS numbering can be used to compute SCCs



- BFS and DFS can be used to identify connected components in an undirected graph
- BFS and DFS identify an underlying tree, non-tree edges generate cycles

- BFS and DFS can be used to identify connected components in an undirected graph
- BFS and DFS identify an underlying tree, non-tree edges generate cycles
- In a directed graph, non-tree edges can be forward / back / cross
- Only back edges generate cycles
- Classify non-tree edges using DFS numbering

- BFS and DFS can be used to identify connected components in an undirected graph
- BFS and DFS identify an underlying tree, non-tree edges generate cycles
- In a directed graph, non-tree edges can be forward / back / cross
- Only back edges generate cycles
- Classify non-tree edges using DFS numbering
- Directed graphs decompose into strongly connected components
- DFS numbering can be used to compute SCC decomposition

- BFS and DFS can be used to identify connected components in an undirected graph
- BFS and DFS identify an underlying tree, non-tree edges generate cycles
- In a directed graph, non-tree edges can be forward / back / cross
- Only back edges generate cycles
- Classify non-tree edges using DFS numbering
- Directed graphs decompose into strongly connected components
- DFS numbering can be used to compute SCC decomposition
- DFS numbering can also be used to identify other features such as articulation points (cut vertices) and bridges (cut edges)

- BFS and DFS can be used to identify connected components in an undirected graph
- BFS and DFS identify an underlying tree, non-tree edges generate cycles
- In a directed graph, non-tree edges can be forward / back / cross
- Only back edges generate cycles
- Classify non-tree edges using DFS numbering
- Directed graphs decompose into strongly connected components
- DFS numbering can be used to compute SCC decomposition
- DFS numbering can also be used to identify other features such as articulation points (cut vertices) and bridges (cut edges)
- Directed acyclic graphs are useful for representing dependencies
- Given course prerequisites, find a valid sequence to complete a programme