#### Statistics for Data Science -1

Lecture 6.5: Probability- Application of addition rule

Usha Mohan

Indian Institute of Technology Madras

1. Understand uncertainty and concept of a random experiment.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.
- 3. Understand the notion of simple event and compound events.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.
- 3. Understand the notion of simple event and compound events.
- 4. Basic laws of probability.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.
- 3. Understand the notion of simple event and compound events.
- 4. Basic laws of probability.
- 5. Calculate probabilities of events and use a tree diagram to compute probabilities.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.
- 3. Understand the notion of simple event and compound events.
- 4. Basic laws of probability.
- 5. Calculate probabilities of events and use a tree diagram to compute probabilities.
- 6. Understand notion of conditional probability, i.e find the probability of an event given another event has occurred.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.
- 3. Understand the notion of simple event and compound events.
- 4. Basic laws of probability.
- 5. Calculate probabilities of events and use a tree diagram to compute probabilities.
- 6. Understand notion of conditional probability, i.e find the probability of an event given another event has occurred.
- 7. Distinguish between independent and dependent events.

- 1. Understand uncertainty and concept of a random experiment.
- 2. Describe sample spaces, events of random experiments.
- 3. Understand the notion of simple event and compound events.
- 4. Basic laws of probability.
- 5. Calculate probabilities of events and use a tree diagram to compute probabilities.
- 6. Understand notion of conditional probability, i.e find the probability of an event given another event has occurred.
- 7. Distinguish between independent and dependent events.
- 8. Solve applications of probability.

Statistics for Data Science -1

Application of addition rule

A customer that goes to the clothing store will purchase a shirt with probability 0.3. The customer will purchase a pant with probability 0.2 and will purchase both a shirt and a pant with probability 0.1. What proportion of customers purchases neither a shirt nor a pant?

Let S denote the event of a customer purchasing a shirt

- ▶ Let S denote the event of a customer purchasing a shirt
- ▶ Let P denote the event of a customer purchasing a pant

- Let S denote the event of a customer purchasing a shirt
- ▶ Let P denote the event of a customer purchasing a pant
- Proportion of customers purchases neither a shirt nor a pant?

- ▶ Let S denote the event of a customer purchasing a shirt
- ▶ Let *P* denote the event of a customer purchasing a pant
- Proportion of customers purchases neither a shirt nor a pant?
- ▶ Neither a shirt nor a pant is complement of the event of either shirt or pant.

- ▶ Let S denote the event of a customer purchasing a shirt
- ▶ Let *P* denote the event of a customer purchasing a pant
- Proportion of customers purchases neither a shirt nor a pant?
- Neither a shirt nor a pant is complement of the event of either shirt or pant. What we seek is  $P(S \cup P)^c$

- ▶ Let S denote the event of a customer purchasing a shirt
- Let P denote the event of a customer purchasing a pant
- Proportion of customers purchases neither a shirt nor a pant?
- Neither a shirt nor a pant is complement of the event of either shirt or pant. What we seek is  $P(S \cup P)^c$
- ▶ We know  $P(S \cup P)^c = 1 P(S \cup P)$

- ▶ Let S denote the event of a customer purchasing a shirt
- Let P denote the event of a customer purchasing a pant
- Proportion of customers purchases neither a shirt nor a pant?
- Neither a shirt nor a pant is complement of the event of either shirt or pant. What we seek is  $P(S \cup P)^c$
- ▶ We know  $P(S \cup P)^c = 1 P(S \cup P)$
- $P(S \cup P) = P(S) + P(P) P(S \cap P) = 0.3 + 0.2 0.1 = 0.4$

- ▶ Let S denote the event of a customer purchasing a shirt
- Let P denote the event of a customer purchasing a pant
- Proportion of customers purchases neither a shirt nor a pant?
- Neither a shirt nor a pant is complement of the event of either shirt or pant. What we seek is  $P(S \cup P)^c$
- ▶ We know  $P(S \cup P)^c = 1 P(S \cup P)$
- $P(S \cup P) = P(S) + P(P) P(S \cap P) = 0.3 + 0.2 0.1 = 0.4$
- ► Hence,  $P(S \cup P)^c = 1 0.4 = 0.6$

A student has a 40 percent chance of receiving an A grade in statistics, a 60 percent chance of receiving an A in mathematics, and an 86 percent chance of receiving an A in either statistics or mathematics. Find the probability that she

1. Does not receive an A in either statistics or mathematics.

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let S denote the event of obtaining a A grade in statistics

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let *S* denote the event of obtaining a *A* grade in statistics
- ▶ Let *M* denote the event of obtaining a *A* grade in mathematics

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let *S* denote the event of obtaining a *A* grade in statistics
- ▶ Let *M* denote the event of obtaining a *A* grade in mathematics
- Event does not receive an A in either statistics or mathematics=

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let *S* denote the event of obtaining a *A* grade in statistics
- ▶ Let *M* denote the event of obtaining a *A* grade in mathematics
- Event does not receive an A in either statistics or mathematics= complement of the event that student receives an A in at least one of the subjects=

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let *S* denote the event of obtaining a *A* grade in statistics
- ▶ Let *M* denote the event of obtaining a *A* grade in mathematics
- ▶ Event does not receive an A in either statistics or mathematics= complement of the event that student receives an A in at least one of the subjects=  $(S \cup M)^c$ .

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let *S* denote the event of obtaining a *A* grade in statistics
- ▶ Let *M* denote the event of obtaining a *A* grade in mathematics
- ▶ Event does not receive an A in either statistics or mathematics= complement of the event that student receives an A in at least one of the subjects=  $(S \cup M)^c$ .
- Event receives A's in both statistics and mathematics=

- 1. Does not receive an A in either statistics or mathematics.
- 2. Receives A's in both statistics and mathematics.
- ▶ Let *S* denote the event of obtaining a *A* grade in statistics
- ▶ Let *M* denote the event of obtaining a *A* grade in mathematics
- ▶ Event does not receive an A in either statistics or mathematics= complement of the event that student receives an A in at least one of the subjects=  $(S \cup M)^c$ .
- ► Event receives A's in both statistics and mathematics=  $(S \cap M)$

$$\triangleright$$
  $P(S \cup M)^c =$ 

► 
$$P(S \cup M)^c = 1 - P(S \cup M) =$$

$$P(S \cup M)^c = 1 - P(S \cup M) = 1 - .86 =$$

$$P(S \cup M)^c = 1 - P(S \cup M) = 1 - .86 = 0.14$$

- $P(S \cup M)^c = 1 P(S \cup M) = 1 .86 = 0.14$
- $\triangleright$   $P(S \cap M) =$

- $P(S \cup M)^c = 1 P(S \cup M) = 1 .86 = 0.14$
- ►  $P(S \cap M) = P(S) + P(M) P(S \cup M) =$

- $P(S \cup M)^c = 1 P(S \cup M) = 1 .86 = 0.14$
- $P(S \cap M) = P(S) + P(M) P(S \cup M) = 0.40 + 0.60 0.86 =$

- $P(S \cup M)^c = 1 P(S \cup M) = 1 .86 = 0.14$
- $P(S \cap M) = P(S) + P(M) P(S \cup M) = 0.40 + 0.60 0.86 = 0.14$

## Section summary

1. Addition rule of probability.