RNA-Seq Now What?

BIS180L Professor Maloof May 24, 2018

- What biological processes are affected by:
 - treatment
 - genotype
 - genotype x treatment interaction


- What biological processes are affected by:
 - treatment
 - genotype
 - genotype x treatment interaction
- What transcription factors might control expression of these genes?

- What biological processes are affected by:
 - treatment
 - genotype
 - genotype x treatment interaction
- What transcription factors might control expression of these genes?
- We have hundreds of differentially expressed genes, how do we figure this out?


Gene Ontology (GO) terms

 GO terms are a defined hierarchical vocabulary for describing gene functions

GO term example: response to auxin




More of the auxin GO hierarchy




GO and differential expression analysis

- Alternative to analyzing individual genes
- Determine which GO terms are over-represented among the differentially expressed genes




Jar with 1000 marbles 800 white, 200 blue



Remove 20 How many white and blue do you expect?


Jar with 1000 marbles 800 white, 200 blue




What if you find 10 white and 10 blue?

Blues are **over-represented** in your sample

Jar with 1000 marbles 800 white, 200 blue




Genome with 34,000 genes 340 have GO term: "Cell wall modification"



Find 1,000 genes differentially expressed in response to shade.

How many do you expect to have the GO term "cell wall modification"?


Genome with 34,000 genes 340 have GO term: "Cell wall modification"




Find 1,000 genes differentially expressed in response to shade.


50 of these 1,000 have the GO term "Cell wall modification"

Genome with 34,000 genes 340 have GO term: "Cell wall modification"




The Jar (aka Universe) should only contain **expressed genes.** (Why?)





The Jar (aka Universe) should only contain **expressed genes.** (Why?)



Biases in detecting differentially expressed genes should be considered

The Jar (aka Universe) should only contain **expressed genes.** (Why?)

Statistical tests for over (or under) representation:

Build a contingency table categorizing genes by D.E. and GO

lion"		Differential NO	ly Expressed YES
GO term "cell wall modificat present?	NO	32,710	950
	YES	290	50

 Use a (modified) Fisher's Exact Test to look for unequal ratios (is 32710:950 different from 290:50)

 As you know transcription factors bind to specific DNA sequences or "motifs".

- As you know transcription factors bind to specific DNA sequences or "motifs".
- Similar to looking for enrichment of GO terms among our DE genes we can also look for enrichment of transcription factor binding motifs in the promoters of DE genes.

- As you know transcription factors bind to specific DNA sequences or "motifs".
- Similar to looking for enrichment of GO terms among our DE genes we can also look for enrichment of transcription factor binding motifs in the promoters of DE genes.
- Why would we want to do this? (What hypotheses might be generated by such an analysis?)