
VULNERABILITY ASSESSMENT & PENETRATION TESTING REPORT

Target	example.com
Scan ID	670e4bc2-2ffd-44...
Date	2026-09-29 09:59:02
Classification	CONFIDENTIAL
Tool	Advanced VAPT Scanner v1.0
Methodology	OWASP Top 10 / PTES / NIST SP 800-115

1. Executive Summary

A comprehensive vulnerability assessment and penetration test was conducted against the target 'example.com'. The assessment identified 8 security findings, comprising 0 Critical, 0 High, 3 Medium, and 5 Low severity issues. The overall risk rating for the target is assessed as **Medium**. Immediate remediation of Critical and High severity findings is strongly recommended.

Risk Level	Critical	High	Medium	Low
Count	0	0	3	5

Overall Risk Rating: Medium

2. Scope & Methodology

The assessment was conducted against the target: **example.com**. The scope included all web-facing assets, open ports, subdomains, APIs, and the application layer. The methodology followed OWASP Testing Guide v4, PTES (Penetration Testing Execution Standard), and NIST SP 800-115.

Phase	Description	Tools/Techniques
Reconnaissance	Technology detection, crawling, subdomain discovery, dir fuzzing	Custom scanner, HTTP analysis
Enumeration	Port scanning, service enum, OS detection, banner grabbing	Socket scanning, banner analysis
Vulnerability Scanning	XSS, SQLi, IDOR, header analysis, SSL, API discovery, OWASP	Payload injection, header inspection
Analysis	CVSS scoring, severity classification, PoC simulation, remediation	CVSS v3.1 calculator, risk matrix

3. Reconnaissance Findings

3.1 Technology Detection

Component	Detected Value
Server	cloudflare
Powered By	
CMS	
Frameworks	None detected
Languages	None detected

3.2 Web Crawl Results

Pages crawled: 1 | Links found: 0 | Forms discovered: 0

3.3 Directory Fuzzing

Total paths checked: 29 | Paths found: 0 | Interesting: 0

4. Enumeration Findings

4.1 Port Scan Results

Host: **example.com** | IP: **172.66.147.243** | Ports scanned: **26** | Open ports: **4**

4.2 Service Enumeration

Port	Service	Risk	Banner
80	HTTP	Low	HTTP/1.1 403 Forbidden■ Date: Tue, 29 Se
443	HTTPS	Low	SSL/TLS Service
8080	HTTP-Alt	Low	HTTP/1.1 403 Forbidden■ Date: Tue, 29 Se
8443	HTTPS-Alt	Low	

5. Vulnerability Details

1.	Finding	[Medium]	CVSS:	{'version':	'CVSS	v3.1',	'score':	4.3,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing X-Frame-Options - Clickjacking vulnerability									
Evidence: ['X-FRAME-OPTIONS header not present in the response.']}									
Remediation: Add: X-Frame-Options: DENY or SAMEORIGIN									
2.	Finding	[Medium]	CVSS:	{'version':	'CVSS	v3.1',	'score':	5.0,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing Content-Security-Policy header									
Evidence: ['CONTENT-SECURITY-POLICY header not present in the response.']}									
Remediation: Implement a strict CSP policy									
3.	Finding	[Medium]	CVSS:	{'version':	'CVSS	v3.1',	'score':	4.8,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing HSTS header - downgrade attack possible									
Evidence: ['STRICT-TRANSPORT-SECURITY header not present in the response.']}									
Remediation: Add: Strict-Transport-Security: max-age=31536000; includeSubDomains									
4.	Finding	[Low]	CVSS:	{'version':	'CVSS	v3.1',	'score':	3.1,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing X-Content-Type-Options - MIME sniffing vulnerability									
Evidence: ['X-CONTENT-TYPE-OPTIONS header not present in the response.']}									
Remediation: Add: X-Content-Type-Options: nosniff									
5.	Finding	[Low]	CVSS:	{'version':	'CVSS	v3.1',	'score':	3.1,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing X-XSS-Protection header									
Evidence: ['X-XSS-PROTECTION header not present in the response.']}									
Remediation: Add: X-XSS-Protection: 1; mode=block									
6.	Finding	[Low]	CVSS:	{'version':	'CVSS	v3.1',	'score':	2.6,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing Referrer-Policy header - information leakage									
Evidence: ['REFERRER-POLICY header not present in the response.']}									
Remediation: Add: Referrer-Policy: strict-origin-when-cross-origin									
7.	Finding	[Low]	CVSS:	{'version':	'CVSS	v3.1',	'score':	2.0,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Missing Permissions-Policy header									
Evidence: ['PERMISSIONS-POLICY header not present in the response.']}									
Remediation: Add: Permissions-Policy: camera=(), microphone=(), geolocation=()									
8.	Finding	[Low]	CVSS:	{'version':	'CVSS	v3.1',	'score':	2.0,	'vector':
'CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N'}									
Description: Server header reveals: cloudflare									
Evidence: ['Server header exposed value: cloudflare.']}									
Remediation: Remove or obfuscate the Server header.									

6. Risk Ratings

OWASP Category	Status	Severity	CVSS
A01 - Broken Access Control	Checked	High	7.5
A02 - Cryptographic Failures	HTTPS not enforced	High	7.5
A03 - Injection	Checked via payload testing	Critical	9.8
A05 - Security Misconfiguration	Checked	Medium	5.3
A06 - Vulnerable and Outdated Components	Component versions analyzed	Medium	5.5
A08 - Software and Data Integrity Failures	SRI check performed	Medium	4.8
A09 - Security Logging and Monitoring Failures	Manual review recommended	Medium	4.3
A10 - Server-Side Request Forgery (SSRF)	Basic SSRF patterns checked	High	7.2

7. Remediation Recommendations

Finding

Priority: Medium | Add: X-Frame-Options: DENY or SAMEORIGIN

Finding

Priority: Medium | Implement a strict CSP policy

Finding

Priority: Medium | Add: Strict-Transport-Security: max-age=31536000; includeSubDomains

Finding

Priority: Low | Add: X-Content-Type-Options: nosniff

Finding

Priority: Low | Add: X-XSS-Protection: 1; mode=block

Finding

Priority: Low | Add: Referrer-Policy: strict-origin-when-cross-origin

Finding

Priority: Low | Add: Permissions-Policy: camera=(), microphone=(), geolocation=()

Finding

Priority: Low | Remove or obfuscate the Server header.

8. Conclusion

The automated VAPT assessment of 'example.com' has been completed. The target demonstrates a Medium overall security posture. Key areas requiring immediate attention include: 0 critical vulnerabilities and 0 high-severity issues. It is recommended that the development and security teams prioritize remediation of critical and high-severity findings before re-assessment. A follow-up pentest is advised after remediation to validate that all identified vulnerabilities have been resolved. All testing was performed in a controlled, authorized manner following ethical security research practices.

This report was generated automatically by Advanced VAPT Scanner v1.0 on 2026-09-29 09:59:02. For academic and authorized security testing use only.