Group 2 Web Project for ITC 6355 Web Application Design & Dev

Media Website

The Team

GROUP 2 CONTRIBUTORS

- Rasesh Saraiya
- Soledad Sugai
- Shifa Zhang
- Preeyanan Wachirakantapong
- Aniket Ankush Kondhalkar
- Dongjun Park
- Susan Vecchi

Website
Architecture
(Ubuntu server and web platform built by Shifa)

We built our site in an encapsulated development environment, but in the industry, we would have placed our project files under a "site" in the web root folder of a server with Windows **Apache, Windows IIS (Internet Information Services) or Unix** Apache/Tomcat web platform.

Launching web sites

Under whatever platform you build your website, you must know a few basic bits of information in order to launch it or make it accessible to your audience:

- Protocol: http or https (secure)
- Hostname or URL for web root
- Port

Launching Web Sites URL examples

To illustrate, you have a website application called 'studentproject.com' on a server named 'NU3456.neu.edu', and you wish to host it on a secure port (443), you could launch it as follows:

From anywhere:

https://studentproject.com:443

https://studentproject.com

From the server where you built it:


https://localhost/index.html

https://127.0.0.1/index.html

The Group 2 Project Concept

Our project methodology was to incorporate the key technologies of our class into a collaborative and interactive media website utilizing HTML, CSS, Logo Design, Javascript, PHP and a backend MySQL database).


The Mockup (Built by Sue using Balsamiq)



First iteration



About Group 4	VIDEO ARCHIVE	HTML	CSS	JAVASCRIPT	ABOUT
---------------	---------------	------	-----	------------	-------



COURSE CONTENT

HTML

[<u>Item 1</u>]

[<u>Item 2</u>]

[Item 1]

[<u>Item 2</u>]

Javascript

[<u>Item 1</u>]

First Layout Index.html (preview)

```
<!doctype html>
2 ▼ <html>
3 ▼ <head>
   <meta_charset="utf-8">
   <title>Group4Project</title>
   </head>
8 ▼ <body>
9
     <img src="logo 1.png" width="250" height="100" alt=""/>
10
        <div class="PRIMARYhdr"></div>
11
12 ₹
     <nav class="SECONDhdr" id="menu">
       13 ₹
14 ₹
    15
16 ₹
      17
        <h3>About Group 4</h3>
        <\td>
18
        19
20
        21
22
        <h3>ABOUT</h3>
23
     24
    26
     </nav>
27
    </header>
28
   <HR>
29
30
      <BR>
31
      <BR>
```

The Logo (developed by Preeyanan)

Logo file >



Site directory structure



MYSQL Backend Database (Built by Soledad)

http://40.121.141.32/about.php

Renders the following HTML

Group 4 is composed of:

of:

Aniket Ankush Kondhalkar

Tongjun

Park

Rasesh

Saraiya

Soledad

Sugai

Susan

Vecchi

br>Preeyanan

Wachirakantapong


Shifa

Zhang

About.php to pull data from MySQL (written by Soledad)

```
vecchi@GtITC:/var/www/html$
vecchi@GtITC:/var/www/html$
vecchi@GtITC:/var/www/html$ cat about.php
<?php
$link = mysqli connect('localhost', 'sole', 'neu5355');
$db='PRODWEB';
if (!$link) {
        echo 'Unable to connect to the database server.';
        exit();
if (!mysqli select db($link, $db)) {
        echo 'Unable to locate the '.$db.' database.';
        exit();
echo "Group 4 is composed of:<br>>";
$sql = "SELECT * FROM PERSON ORDER BY LNAME ASC;";
$results = mysqli query($link,$sql);
while ($row = mysqli fetch assoc ($results)) {
  echo $row['FNAME'].' '.$row['LNAME'].'<br>';
```

Videos and Captions (Built by Dongjun Park)



CSS (Applied by Rasesh) A sample screenshot of the index.css file

```
*.nav tab:hover
  background-color: #555;
  color: white;
#group info {
  display: none;
#video area {
  display: block;
#video::cue {
  background-image: linear-gradient(to bottom, dimgray, lightgray);
  color: papayawhip;
#video::cue(b) {
  color: peachpuff;
#media-player {
  float: left;
  padding: 1em 1em .5em;
```

Javascript (Designed & developed by Rasesh)

Index.js (page 1 of 4)

```
let captionLanguage;
     let mediaPlayer;
     let playPauseBtn;
     let muteBtn;
     let progressBar;
    document.addEventListener("DOMContentLoaded", function () {
        initialiseMediaPlayer():
     }, false);
    □ function initialiseMediaPlayer() {
        mediaPlayer = document.getElementById('video1');
        captionLanguage = document.getElementById("captionLanguage")
        playPauseBtn = document.getElementById('play-pause-button');
        muteBtn = document.getElementById('mute-button');
        progressBar = document.getElementById('progress-bar');
        //mediaPlayer.controls = false;
16
        mediaPlayer.addEventListener('play', function () {
          playPauseBtn.classList.remove("fa-play");
19
          playPauseBtn.classList.add("fa-pause");
20
        }, false);
        mediaPlayer.addEventListener('pause', function () {
          playPauseBtn.classList.remove("fa-pause");
          playPauseBtn.classList.add("fa-play");
        }, false);
```

Javascript (Designed & developed by Rasesh)

Index.js (page 2 of 4)

```
mediaPlayer.addEventListener('volumechange', function (e) {
           if (mediaPlayer.muted) {
             //console.log("In if")
30
             muteBtn.classList.remove("fa-volume-up");
             muteBtn.classList.add("fa-volume-off");
           } else {
             //console.log("In else")
34
             muteBtn.classList.remove("fa-volume-off");
35
             muteBtn.classList.add("fa-volume-up");
36
        }, false);
38
39
        mediaPlayer.addEventListener('timeupdate', updateProgressBar, false);
40
        captionLanguage.addEventListener("change", changeCaptionLanguage);
41
42
      function togglePlayPause() {
        if (mediaPlayer.paused | mediaPlayer.ended) {
           playPauseBtn.classList.remove("fa-play");
45
           playPauseBtn.classList.add("fa-pause");
46
47
           //changeButtonType(btn, 'Pause')
48
           mediaPlayer.play();
49
          else {
50
           playPauseBtn.classList.remove("fa-pause");
           playPauseBtn.classList.add("fa-play");
```

Javascript (Designed & developed by Rasesh)

Index.js (page 3 of 4)

```
mediaPlayer.pause();
53
54
55
      function stopPlayer() {
        mediaPlayer.pause();
        mediaPlayer.currentTime = 0;
59
        playPauseBtn.classList.remove("fa-pause");
        playPauseBtn.classList.add("fa-play");
60
61
62
63
      function toggleMute() {
        if (mediaPlayer.muted) {
           muteBtn.classList.remove("fa-volume-off");
66
           muteBtn.classList.add("fa-volume-up");
           mediaPlayer.muted = false;
69
          else {
70
           muteBtn.classList.remove("fa-volume-up");
           muteBtn.classList.add("fa-volume-off");
          mediaPlayer.muted = true;
73
75
     function updateProgressBar() {
        var percentage = Math.floor((100 / mediaPlayer.duration) *
```

Javascript (Designed & developed by Rasesh) Index.js (page 4 of 4)

```
83
       function changeCaptionLanguage() {
 85
         for (i = 0; i < mediaPlayer.textTracks.length; i++) {
 86
            if (mediaPlayer.textTracks[i].kind == "subtitles" && mediaPlayer.textTracks
 87
              mediaPlayer.textTracks[i].mode = "showing";
              //break:
 89
            } else {
 90
              mediaPlayer.textTracks[i].mode = "disabled";
 91
 92
 93
 94
       function toggleControls() {
 96
         var btn = document.getElementById('show-controls');
 97
         var controls = document.getElementById('media-controls');
 98
 99
         if (mediaPlayer.hasAttribute("controls")) {
            btn.title = 'Hide Custom controls';
100
101
            btn.innerHTML = 'Hide Custom controls';
```

controls.className = 'show-custom-controls':

mediaPlayer.removeAttribute("controls")

78

79

80

81

82

102

103

mediaPlayer.currentTime);

progressBar.value = percentage;

progressBar.style.width = percentage + '%';

progressBar.innerHTML = percentage + '% played';

Presentation of Final Site

http://40.121.141.32/

Here we are launching the finished version of the Group 4 website.

Thank you for your time.

Group 2

QUESTIONS?