

Pineapple Cakes In the Plate

Team ID: 8

Team Member: B04705043 B04705031 B04705003

1. Topic

Dynamic Programing

2. Description

In this question, you will need to help John to count how many pineapple cakes in the plate.

For example, We will give you a matrix composed of 0 and 1, your mission is to count how many submatrix is in the given matrix . **A submatrix is only composed by 1** ,for example:

```
1 1 0 0
1 1 0 0
0 0 0 0
0 0 0 0
```

the above matrix is composed by four 1*1 matrices and one 2*2 matrix. So the pineapple cakes in the plate will be 5.

Another example:

```
1 1 1
1 1 1
1 1 1
```

the above matrix is composed by nine 1*1 matrices, four 2*2 matrices and one matrix. So the pineapple cakes in the plate will be 14.

3. Input and output format

The first line is T($1 \leq T \leq 10$), which stands for the number of test cases below.

Then the follow number N($1 \leq N \leq 1000$) represent that there is a N *N matrix in the plate. For the following N lines, each line will contain N numbers, which is 1 or 0 with no whitespace.

Input:

T

N₁

m₁₁ m₁₂ m₁₃ m₁₄.....m_{1n}

m₂₁ m₂₂ m₂₃ m₂₄.....m_{2n}

.....
 $m_{n1} m_{n2} m_{n3} m_{n4} \dots m_{nn}$
 N_2
 $m_{11} m_{12} m_{13} m_{14} \dots m_{1n}$
 $m_{21} m_{22} m_{23} m_{24} \dots m_{2n}$
.....
 $m_{n1} m_{n2} m_{n3} m_{n4} \dots m_{nn}$
.....
.....
.....

Constraints:

$1 \leq N \leq 1000$

$1 \leq T \leq 10$

Output:

The number of pineapple in the plate.

4. Sample input and output

Input:

1

4

1110

1110

1110

0000

Output:

14

Input:

2

3

111

111

111

2

10

11

Output:

14

3

