
Dataset
SEED
SEED-IV
DEAP
DREAMER
HBUED
Task
3-class = Three-class emotion recognition
4-class = Four-class emotion recognition
V = Valence
A = Arousal
D = Dominance
VA 4-class = Four-class valence-arousal classification
Window = Window-level accuracy
Trial-wise = Trial-wise grouped accuracy
Reported = Reported overall accuracy
Accuracy (%)
0
10
20
30
40
50
60
70
80
90
100
110
120
130
140
90.40
99.19
96.02
93.83
94.00
97.45
97.66
98.52
84.92
93.55
93.19
90.03
91.33
89.16
98.03
97.81
98.11
99.61
99.30
97.44
97.70
97.97
98.88
97.20
96.49
97.04
99.66
99.78
99.80
89.55
99.85
Song et al. (3-class)
Deng et al. (3-class)
Jia et al. (3-class)
Guo et al. (3-class)
Ding et al. (3-class)
Xiong et al. (3-class)
Liu et al. (Reported)
Venkannagari et al. (Reported)
Jia et al. (4-class)
Ding et al. (V)
Ding et al. (A)
Xiong et al. (V)
Xiong et al. (A)
Xiong et al. (VA 4-class)
Lin et al. (A)
Lin et al. (V)
Lin et al. (D)
Soundariya & Thangaraj (Window)
Soundariya & Thangaraj (Trial-wise)
Hua et al. (V)
Hua et al. (A)
Hua et al. (D)
Liu et al. (Reported)
Lin et al. (A)
Lin et al. (V)
Lin et al. (D)
Hua et al. (V)
Hua et al. (A)
Hua et al. (D)
Liu et al. (Reported)
Liu et al. (Reported)