

Crimap App Summary

Repo-based one-page overview generated from code, config, routes, and local data files.

What It Is

Crimap is a Next.js safety app focused on South Africa that combines mapped district views, historical crime data, and community-submitted incident reports. The repo shows a mobile-friendly interface with auth, account settings, emergency actions, district analytics, and report submission workflows.

Who It's For

Primary persona: a South African resident or community member who wants to monitor local crime patterns, review nearby district risk, and submit or discuss incidents.

What It Does

- Shows a South Africa map with district boundaries, click popups, and location search.
- Lists districts with computed crime index and risk labels from aggregated crime records.
- Provides district detail pages with charts, recent incidents, a map, and safety tips.
- Displays community crime reports with offence, location, relative time, media, and upvotes.
- Lets signed-in users submit crime reports with time, place, severity, witness, and media fields.
- Includes account tools for profile, password, alerts, saved location, and emergency contacts.
- Offers an emergency page with quick-call and share-location actions.

How It Works

- UI: Next.js App Router pages in **src/app** render the map, areas, reports, emergency, auth, and account flows; shared nav and session state come from layout components and **SessionProvider**.
- Data flow: client components call internal **/api/*** routes for districts, crime areas, reports, auth, and account updates, while some server pages query the database directly.
- Persistence: Drizzle schema in **src/lib/schema.ts** models users, districts, stations, crime records, real-time reports, media, comments, upvotes, preferences, and emergency contacts.
- Storage/services: current dev wiring uses **better-sqlite3** with **data/saps_crime_stats.db**; a commented Postgres/Supabase path exists in **src/lib/drizzle.ts**.
- External/data assets: district geometry comes from **data/MDB_District_Municipal_Boundary_2018.geojson**; uploads are written to **public/uploads**; map search hits OpenStreetMap Nominatim.
- Auth: NextAuth credentials login validates hashed passwords against the **user** table and enriches session data with stored profile/location fields.

How To Run

- Install dependencies: **npm install**.
- Start the dev server: **npm run dev**.
- Open: **http://localhost:3000**.
- Setup notes from repo evidence: local dev DB is already pointed at **data/saps_crime_stats.db**; full env/bootstrap instructions are **Not found in repo**.
- Auth env detail: **NEXTAUTH_SECRET** is referenced in code; complete secret/setup guidance is **Not found in repo**.

Evidence basis: README, package.json, src/app pages, src/app/api routes, src/lib schema/db/auth files, and data/ assets.