Ex. No.: 12 Date: 11.6.24

CUSTOMIZATION OF LINUX KERNEL

Aim:

To download the vanilla Linux kernel from repository and customize to our requirements.


Customization Steps:


- 1. Download the vanilla kernel from www.kernel.org
- 2. Switch to root user using the command [root@localhost os]#su
- 3. Use dnf to install kernel-devel package [root@localhost os]#dnf install kernel-devel
- 4. Install gcc development tools

 [root@localhost os]#dnf group install "Development Tools"
- 5. Install additional software packages
 [root@localhost os]#dnf install ncurses-devel bison flex
 elfutils-libelf-devel openssl-devel
- 6. Copy the downloaded kernel source to /usr/src/kernels [root@localhost os]#cp linux-5.0.0.tar.xz /usr/src/kernels
- 7. Go to kernel source directory [root@localhost os]#cd/usr/src/kernels
- 8. Extract the downloaded vanilla kernel [root@localhost os]#unxz linux-5.0.2.tar.xz [root@localhost os]#tar xvf linux-5.0.2.tar
- 9. Remove all old configuration files [root@localhost os]#make mrproper
- 10. Configure the Kernel [root@localhost os]#make menuconfig
- 11. Build the Kernel(For faster build use –j 2 option)
 [root@localhost os]#make all
- 12. Remove all temporary files [root@localhost os]#make clean

- 13.Install Kernel and its modules
 [root@localhost os]#make modules_install
 [root@localhost os]#make install
- 14. Reboot the system

Output:





RESULT

The following software has been installed and customized successfully.