



PR5-0 Bases de datos desde la interfaz gráfica

Francisco Michael Moise

07/12/2025

Índice

1. AbogadosMichael	3
Diagrama	3
Tabla1	4
Tabla2	5
Tabla3	6
Tabla4	7
2. AeropuertoMichael	8
Diagrama	8
Tabla1	9
Tabla2	10
Tabla3	11
Tabla4	12
Tabla5	13
Tabla6	14
Tabla7	15
3. AmarreMichael	16
Diagrama	16
Tabla1	17
Tabla2	18
Tabla3	19
Tabla4	20
Tabla5	21
4. VideoclubMichael	22
Diagrama	22
Tabla1	23
Tabla2	24
Tabla3	25
Tabla4	26
Tabla5	27
Tabla6	28
Tabla7	29
Tabla8	30
Tabla9	31

Tabla10	32
Tabla11	33
Tabla12	34
Tabla13	35
Tabla14	36
Tabla15	37
5. ZoológicosMichael	38
Diagrama	38
Tabla1	39
Tabla2	40
Tabla3	41
Tabla4	42
Tabla5	43
Tabla6	44
Tabla7	45
Tabla8	46

1. AbogadosMichael

Diagrama




Figura 1: Diagrama de AbogadosMichael

Tabla1

DBeaver 25.2.5 - asunto

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

localhost localhost:3306

AbogadosMichael

- asunto
- cliente
- procurador
- procurador_asunto

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)


	num_exp	f_inicio	f_archivo	f_finalizacion	estado	dni
1	1	2025-07-11	2025-07-17	2025-07-16	0	98261628N

Refresh Save Cancel Export data 200

1 row(s) fetched - 0.0s, on 2025-12-09 at 08:07:05

localhost AbogadosMichael asunto

Figura 2: Tabla1 de AbogadosMichael

Tabla2

DBeaver 25.2.5 - cliente

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
 - asunto 48K
 - cliente 48K
 - procurador 48K
 - procurador_asunto
- Views
- Indexes
- Procedures
- Packages
- Sequences
- Triggers
- Events
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
- sys

Users

- Administer
- System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	AZ dni	AZ nombre	AZ direccion	123 movil
1	98261628N	Diego López	C/ Santo Domingo 6,4	645,524,562

Refresh Save Cancel Export data 200

1 1 row(s) fetched - 0.0s, on 2025-12-09 at 08:07:23

localhost AbogadosMichael cliente

Figura 3: Tabla2 de AbogadosMichael

Tabla3

DBeaver 25.2.5 - procurador

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
 - asunto 48K
 - cliente 48K
 - procurador 48K
 - procurador_asunto
- Views
- Indexes
- Procedures
- Packages
- Sequences
- Triggers
- Events
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
- sys
- Users
- Administer
- System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)


	AZ dni	AZ nombre	AZ direccion	123 movil
1	52869246L	Mauricio Palomo	C/ Benlloch 7,2	643,785,213

Refresh Save Cancel Export data 200

1 1 row(s) fetched - 0.0s, on 2025-12-09 at 08:07:24

localhost AbogadosMichael procurador

Figura 4: Tabla3 de AbogadosMichael

Tabla4

DBeaver 25.2.5 - procurador_asunto

Database Navigator X

Filter connections by name

localhost localhost:3306

AbogadosMichael

- Tables
 - asunto 48K
 - cliente 48K
 - procurador 48K
 - procurador_asunto
- Views
- Indexes
- Procedures
- Packages
- Sequences
- Triggers
- Events
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
- sys
- Users
- Administer
- System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	num_exp	dni
1	1	52869246L

Refresh Save Cancel

Export data 200

1 row(s) fetched - 0.0s, on 2025-12-09 at 08:07:25

localhost AbogadosMichael procurador_asunto

Figura 5: Tabla4 de AbogadosMichael

2. AeropuertoMichael

Diagrama





Figura 6: Diagrama de AeropuertoMichael

Tabla1

DBeaver 25.2.5 - aeropuerto

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
 - Tables
 - aeropuerto 32K
 - avion 32K
 - base 48K
 - miembro 48K
 - piloto 48K
 - viaje 48K
 - vuelo**
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
- sys
- Users
- Administer

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

Grid	123 id	A-Z nombre
1	1	Barajas

Refresh Save Cancel

Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

localhost AeropuertoMichael aeropuerto CET en

Figura 7: Tabla1 de AbogadosMichael

The screenshot shows the DBeaver 25.2.5 - avion window. The main area displays a table view of the 'avion' table. The table has three columns: 'id' (integer), 'AZ tipo' (text), and 'id_base' (integer). The first row contains the values '1', 'jet', and '1'. The 'Value X' dialog is open, showing the 'id' column selected and the value '1' entered. The status bar at the bottom indicates 'Inserted: 1 / Deleted: 0 / Updated: 0'.

id	AZ tipo	id_base
1	jet	1

Francisco Michael Moise


Tabla3**Figura 9:** Tabla3 de AeropuertoMichael



Tabla4**Figura 10:** Tabla4 de AeropuertoMichael

Tabla5

DBeaver 25.2.5 - piloto

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

AeropuertoMichael

aeropuerto avion base miembro piloto X viaje vuelo

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

id	nombre	horas_vuelo	id_base
1	Martin	1,080	1

Value X

Edit value:

base

Type part of dictionary value to s...

Value	Description
1	Madrid


Refresh Save Cancel Export data 200

Apply changes Deleted: 0 / Updated: 0

localhost > AeropuertoMichael > piloto

CET en

Figura 11: Tabla5 de AeropuertoMichael

Tabla6

DBeaver 25.2.5 - viaje

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

AeropuertoMichael

aeropuerto avion base miembro piloto viaje X vuelo

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_vuelo	id_piloto	id_miembro
1	1	123	1

Value X

Edit value:

miembro

Type part of dictionary value to s...

Value	Description
1	Michael

Refresh Save Cancel

Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

localhost AeropuertoMichael viaje

CET en

Figura 12: Tabla6 de AeropuertoMichael

Tabla 7

DBeaver 25.2.5 - vuelo

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

AeropuertoMichael aeropuerto avion base miembro piloto viaje vuelo X

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

Grid	123 id_vuelo	123 id_avion	123 llegada_aero	123 salida_aero	fecha	hora
1	1	1	1	1	2025-12-11	08:17:00

Refresh Save Cancel

Export data

200

Inserted: 1 / Deleted: 0 / Updated: 0

localhost AeropuertoMichael vuelo

CET en

Figura 13: Tabla7 de AeropuertoMichael

3. AmarreMichael

Diagrama





Figura 14: Diagrama de AmarreMichael

Tabla1

DBeaver 25.2.5 - socio

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
 - Tables
 - amarre 32K
 - barco 32K
 - patron 48K
 - salidas 48K
 - socio**
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- VideoclubMichael
- ZoológicosMichael
- sys
- Users
- Administer
- System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

id	nif	nombre	apellidos	móvil
1	2345234L	Michael	Moise	634

Refresh Save Cancel Export data 200

Apply changes Deleted: 0 / Updated: 0


localhost BarcosMichael socio CET en

Figura 15: Tabla1 de AmarreMichael

The screenshot shows the DBeaver 25.2.5 - barco application window. The interface is divided into several panels:

- Database Navigator (Left):** A tree view showing the database structure. The 'socio' table is selected under the 'BarcosMichael' database.
- Properties Panel (Top Right):** Shows the 'Data' tab for the selected table.
- Main Table View (Center):** Displays the data from the 'socio' table. The table has three columns: 'matricula', 'nombre', and 'id_socio'. The first row contains the values 'X8975LV', 'Pepita', and '1'.
- Status Bar (Bottom):** Shows the execution status: 'Inserted: 1 / Deleted: 0 / Updated: 0'.

Francisco Michael Moise

Tabla3

DBeaver 25.2.5 - amarre

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
 - amarre 32K
 - barco 32K
 - patron 48K
 - salidas 48K
 - socio
- Views
- Indexes
- Procedures
- Packages
- Sequences
- Triggers
- Events
- VideoclubMichael
- ZoológicosMichael
- sys
- Users
- Administer
- System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

Grid	id	cuota	matricula_barco
1	1	225	X8975LV

Record

Refresh Save Cancel


Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

localhost BarcosMichael amarre

CET en

Figura 17: Tabla2 de AmarreMichael

Tabla4

DBeaver 25.2.5 - patron

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
 - Tables
 - amarre 32K
 - barco 32K
 - patron 48K
 - salidas 48K
 - socio
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
 - VideoclubMichael
 - ZoológicosMichael
 - sys
- Users
- Administer
- System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)


	id	nif	nombre	apellidos	móvil
1	1	724569V	Martin	Hristov	672

Refresh Save Cancel Export data 200

Apply changes Deleted: 0 / Updated: 0

localhost BarcosMichael patron CET en

Figura 18: Tabla3 de AmarreMichael

Tabla5

DBeaver 25.2.5 - salidas

Database Navigator: localhost:3306, BarcosMichael, salidas

Properties: Data, Diagram

Show SQL: Enter a SQL expression to filter results (use Ctrl+Space)

	AZ	matricula_barco	fecha	hora	AZ destino	id_patron
1		X8975LV	2025-12-11 GMT+	09:52:00	Puerto de Valencia	1

Refresh, Save, Cancel, Export data, 200

localhost: BarcosMichael: salidas

Figura 19: Tabla4 de AmarreMichael

4. VideoclubMichael

Diagrama





Figura 20: Diagrama de VideoclubMichael

Tabla1

DBeaver 25.2.5 - actor

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 16K
 - cinta 32K
 - director 16K
 - genero 32K
 - lista_espera 32K
 - pele_actor 32K
 - pele_director 32K
 - pele_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 32K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

Grid	id	AZ nombre	AZ apellido1	AZ apellido2
1	1	Michael	Moise	

Refresh Save Cancel

Export data 200

Inserted: 0 / Deleted: 0 / Updated: 1

localhost VideoclubMichael actor

Figura 21: Tabla1 de VideoclubMichael

Tabla2

DBeaver 25.2.5 - cinta

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 16K
 - cinta 32K
 - director 16K
 - genero 32K
 - lista_espera 32K
 - pele_actor 32K
 - pele_director 32K
 - pele_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 32K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)


id	123
1	1

Refresh Save Cancel Export data 200

1 Apply changes Deleted: 0 / Updated: 0

localhost VideoclubMichael cinta

Figura 22: Tabla2 de VideoclubMichael

Tabla3

DBeaver 25.2.5 - director

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor
 - cinta
 - director
 - genero
 - lista_espera
 - pele_actor
 - pele_director
 - pele_genero
 - pelicula
 - socio
 - socio_actor
 - socio_cinta
 - socio_director
 - socio_genero
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

Grid	123 id	AZ nombre	AZ apellido1	AZ apellido2
1	1	Jorge	López	Pérez

Record

Refresh Save Cancel

Export data 200

1 Inserted: 1 / Deleted: 0 / Updated: 0

localhost VideoclubMichael director


Figura 23: Tabla3 de VideoclubMichael

Tabla4

The screenshot shows the DBeaver 25.2.5 - genero interface. The main window displays a table with one row. The table has two columns: 'id' and 'nombre'. The first row contains the values '1' and 'Terror'. The table is titled 'Tabla4' and is located in the 'VideoclubMichael' database. The interface includes a menu bar, a toolbar, and a sidebar with various tools and panels.

id	nombre
1	Terror

Figura 24: Tabla4 de VideoclubMichael

Tabla5

DBeaver 25.2.5 - pelicula

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - peli_actor 32K
 - peli_director 32K
 - peli_genero 32K
 - pelicula 16K**
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 32K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram


Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

id	titulo
1	

Refresh Save Cancel Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

Figura 25: Tabla5 de VideoclubMichael

Tabla6

DBeaver 25.2.5 - socio

Database Navigator X

Filter connections by name

DBeaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - peli_actor 32K
 - peli_director 32K
 - peli_genero 32K
 - pelicula 16K
 - socio 32K**
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 32K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id	dni	nombre	direccion	telefono
1	1	324643H	Jousep	C/ Av. el Vedat 5,6	643,652,672

Refresh Save Cancel ... Export data 200

1 Inserted: 1 / Deleted: 0 / Updated: 0

localhost VideoclubMichael socio

Figura 26: Tabla6 de VideoclubMichael

Tabla7

DBeaver 25.2.5 - socio_actor

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pele_actor 32K
 - pele_director 32K
 - pele_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 2K**
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 32K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_socio	id_actor
1	1	1

Refresh Save Cancel Export data 200

Apply changes Deleted: 0 / Updated: 0

localhost VideoclubMichael socio_actor

Figura 27: Tabla7 de VideoclubMichael

Tabla8

DBeaver 25.2.5 - lista_espera

Database Navigator: Filter connections by name. Databases: DBeaver Sample Database (SQLite), localhost:localhost:3306. Tables: actor (32K), cinta (16K), director (32K), genero (16K), lista_espera (32K), peli_actor (32K), peli_director (32K), peli_genero (32K), pelicula (16K), socio (48K), socio_actor (32K), socio_cinta (32K), socio_director (32K), socio_genero (32K), Views, Indexes, Procedures, Packages.

Properties: Data Diagram. Show SQL: Enter a SQL expression to filter results (use Ctrl+Space).

	id_socio	id_pelicula	fecha_orden
1	1	1	2025-11-12 GMT+01:00

Refresh Save Cancel Export data 200. Inserted: 1 / Deleted: 0 / Updated: 0

Figura 28: Tabla8 de VideoclubMichael

Tabla9

DBeaver 25.2.5 - socio_cinta

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pele_actor 32K
 - pele_director 32K
 - pele_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K**
 - socio_director 32K
 - socio_genero 32K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_socio	id_cinta	fecha_prestamo	fecha_devol
1	123	123	2025-11-12 GMT+01:00	[NULL]

Refresh Save Cancel Insert Update Delete Filter

Inserted: 1 / Deleted: 0 / Updated: 0

localhost VideoclubMichael socio_cinta CET en

Figura 29: Tabla9 de VideoclubMichael

Tabla10

DBeaver 25.2.5 - socio_director

Database Navigator: Filter connections by name. Databases: AbogadosMichael, AeropuertoMichael, BarcosMichael, VideoclubMichael. Tables: actor (32K), cinta (16K), director (32K), genero (16K), lista_espera (32K), peli_actor (32K), peli_director (32K), peli_genero (32K), pelicula (16K), socio (48K), socio_actor (32K), socio_cinta (32K), **socio_director (2K)**, socio_genero (32K). Views, Indexes, Procedures, Packages.

SQL Editor: Show SQL. Enter a SQL expression to filter results (use Ctrl+Space).

Data Grid:

	id_socio	id_director
1	123	1

Grid | Text | Record | Refresh | Save | Cancel | Export data | 200 | Deleted: 0 / Updated: 0 | Apply changes

Figura 30: Tabla10 de VideoclubMichael

Tabla11

DBeaver 25.2.5 - socio_genero

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pele_actor 32K
 - pele_director 32K
 - pele_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 2K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_socio	id_genero
1	1	1

Refresh Save Cancel

Export data 200

Apply changes Deleted: 0 / Updated: 0

localhost VideoclubMichael socio_genero

Figura 31: Tabla11 de VideoclubMichael

Tabla12

DBeaver 25.2.5 - peligenero

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pel_actor 32K
 - pel_director 32K
 - peligenero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 2K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_peli	id_genero
1	1	1

Refresh Save Cancel

Export data 200

localhost VideoclubMichael peligenero

Figura 32: Tabla12 de VideoclubMichael

Tabla13

DBeaver 25.2.5 - pel_director

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pel_actor 32K
 - pel_director 32K
 - pel_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 2K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_peli	id_director
1	1	1

Refresh Save Cancel

Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

localhost VideoclubMichael pel_director

Figura 33: Tabla13 de VideoclubMichael

Tabla14

DBeaver 25.2.5 - pel_actor

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pel_actor 32K
 - pel_director 32K
 - pel_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 2K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id_peli	id_actor
1	1	1

Refresh Save Cancel


Export data 200

localhost VideoclubMichael pel_actor

CET en

Inserted: 1 / Deleted: 0 / Updated: 0

Figura 34: Tabla14 de VideoclubMichael

Tabla15

DBeaver 25.2.5 - genero

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
 - Tables
 - actor 32K
 - cinta 16K
 - director 32K
 - genero 16K
 - lista_espera 32K
 - pele_actor 32K
 - pele_director 32K
 - pele_genero 32K
 - pelicula 16K
 - socio 48K
 - socio_actor 32K
 - socio_cinta 32K
 - socio_director 32K
 - socio_genero 2K
 - Views
 - Indexes
 - Procedures
 - Packages

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

id	nombre
1	Terror

Refresh Save Cancel Export data 200

Inserted: 0 / Deleted: 0 / Updated: 1

Figura 35: Tabla15 de VideoclubMichael

5. ZoológicosMichael

Diagrama





Figura 36: Diagrama de ZoológicosMichael

Tabla1

DBeaver 25.2.5 - continente

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
 - Tables
 - animal 48K
 - ciudad 32K
 - continente 32K
 - especie 16K
 - especie_zoo 32K
 - nombre_especie 64K
 - país 48K
 - zoo 32K
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- sys
- Users

Properties Data Diagram


Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	id	código	AZ nombre
1	1		Europa

Refresh Save Cancel Apply changes Deleted: 0 / Updated: 0

localhost ZoológicosMichael continente CET en

Figura 37: Tabla1 de ZoológicosMichael

Tabla2

DBeaver 25.2.5 - pais

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
 - Tables
 - animal 48K
 - ciudad 32K
 - continente 32K
 - especie 16K
 - especie_zoo 32K
 - nombre_especie 64K
 - país 48K
 - zoo 32K
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- sys
- Users

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	código	AZ nombre	cod_contin
1	1	España	1

Refresh Cancel Apply changes Deleted: 0 / Updated: 0

Export data 200


localhost ZoológicosMichael país CET en

Figura 38: Tabla2 de ZoológicosMichael

The screenshot displays the DBeaver 25.2.5 application window. The title bar reads 'DBeaver 25.2.5 - nombre_especie'. The top menu bar includes 'File', 'Edit', 'Navigate', 'Search', 'SQL Editor', 'Database', 'Window', and 'Help'. Below the menu is a toolbar with icons for various database operations. The main window is divided into several panes:

- Database Navigator (Left):** Shows a tree view of the database structure. The 'ZoológicosMichael' database is expanded, showing tables like 'animal', 'ciudad', 'continente', 'especie', 'especie_zoo', and 'nombre_especie'. The 'nombre_especie' table is selected and highlighted in blue.
- Properties, Data, Diagram (Top Center):** The 'Data' tab is active, showing the table's data.
- SQL Editor (Top Right):** A text area for entering SQL queries, with a placeholder 'Enter a SQL expression to filter results (use Ctrl+Space)'.
- Data Grid (Center):** Displays the data from the 'nombre_especie' table. It has two columns: 'nom_cientifico' and 'nom_vulgar'. The first row shows 'Canis lupus familiaris' and 'Perro doméstico'.
- Bottom Status Bar:** Shows the current state of the data: 'Inserted: 1 / Deleted: 0 / Updated: 0'.

Francisco Michael Moise

Tabla4

DBeaver 25.2.5 - ciudad

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
 - Tables
 - animal 48K
 - ciudad 32K
 - continente 32K
 - especie 16K
 - especie_zoo 32K
 - nombre_especie 64K
 - pais 48K
 - zoo 32K
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- sys
- Users

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)


	código	AZ nombre	123 cod_pais
1	1	Valencia	1

Refresh Save Cancel Export data 200

1 Inserted: 1 / Deleted: 0 / Updated: 0

localhost ZoológicosMichael ciudad CET en

Figura 40: Tabla4 de ZoológicosMichael

Tabla5

DBeaver 25.2.5 - zoo

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
 - Tables
 - animal 48K
 - ciudad 32K
 - continente 32K
 - especie 16K
 - especie_zoo 32K
 - nombre_especie 64K
 - país 48K
 - zoo 32K
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- sys
- Users

Properties Data Diagram


Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	AZ nombre	AZ presupuesto	AZ tamaño	123 código
1	BioParc	325643€	875m	1

Refresh Save Cancel Export data 200

Apply changes Deleted: 0 / Updated: 0

Figura 41: Tabla5 de ZoológicosMichael

Tabla6

DBeaver 25.2.5 - especie

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
 - Tables
 - animal 48K
 - ciudad 32K
 - continente 32K
 - especie 16K
 - especie_zoo 32K
 - nombre_especie 64K
 - país 48K
 - zoo 32K
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- sys
- Users

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	animal	nombre_especie	país	zoo	continente	especie
1	Can	No				Canis lupus familiaris


Refresh Save Cancel

Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

localhost ZoológicosMichael especie CET en

Figura 42: Tabla6 de ZoológicosMichael

Tabla7

DBeaver 25.2.5 - animal

Database Navigator: DBeaver Sample Database (SQLite) - localhost:3306


- Databases
 - AbogadosMichael
 - AeropuertoMichael
 - BarcosMichael
 - VideoclubMichael
 - ZoológicosMichael
 - Tables
 - animal (48K)
 - ciudad (32K)
 - continente (32K)
 - especie (16K)
 - especie_zoo (32K)
 - nombre_especie (64K)
 - país (48K)
 - zoo (32K)
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
 - sys
 - Users

Table: animal

	código	género	fecha_nacim	nom_cientif	cod_pais
1	1	Can	0025-11-12	Canis lupus familiaris	1

Buttons: Refresh, Save, Cancel, Apply changes, Export data, 200

Figura 43: Tabla7 de ZoológicosMichael

Tabla8

DBeaver 25.2.5 - especie_zoo

Database Navigator X

Filter connections by name

DBEaver Sample Database (SQLite)

localhost localhost:3306

Databases

- AbogadosMichael
- AeropuertoMichael
- BarcosMichael
- VideoclubMichael
- ZoológicosMichael
 - Tables
 - animal 48K
 - ciudad 32K
 - continente 32K
 - especie 16K
 - especie_zoo 32K
 - nombre_especie 64K
 - pais 48K
 - zoo 32K
 - Views
 - Indexes
 - Procedures
 - Packages
 - Sequences
 - Triggers
 - Events
- sys
- Users

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

	animal	nombre_especie	pais	zoo	continente	especie	especie_zoo
1	BioParc	Canis lupus familiaris					

Refresh Save Cancel Export data 200

Inserted: 1 / Deleted: 0 / Updated: 0

Figura 44: Tabla8 de ZoológicosMichael