



TAREA: VLAN 1

Hector.sH

30.3.2026




Figure 1: alt 1

```
[admin@MikroTik] > ip add p
Columns: ADDRESS, NETWORK, INTERFACE
# ADDRESS          NETWORK    INTERFACE
0 192.168.1.254/24  192.168.1.0 ether8
[admin@MikroTik] >
```

Figure 2: alt 2



```
Trying 127.0.0.1...
Connected to localhost.
Escape character is '^]'.

Welcome to Virtual PC Simulator, version 0.8.3
Dedicated to Daling.
Build time: Sep  9 2023 11:15:00
Copyright (c) 2007-2015, Paul Meng (mirnshi@gmail.com)
All rights reserved.

VPCS is free software, distributed under the terms of the "BSD" licence.
Source code and license can be found at vpcs.sf.net.
For more information, please visit wiki.freecode.com.cn.

Press '?' to get help.

Executing the startup file

DDD
Can't find dhcp server

PC1> dhcp
DDD
Can't find dhcp server

PC1> █
```

**Figure 3:** alt 3

```
PC2> dhcp
DORA IP 192.168.1.252/24 GW 192.168.1.254

PC2> █
```

**Figure 4:** alt 4

Al cuando los apagas no reciben el dhcp porque estan en subredes diferentes, ya que el puerto 0 esta juto con los pcs 2, 4 y 6 que si que reciben el dhcp