## WEEK 3

```
cqlsh>
cqlsh> CREATE KEYSPACE Students1 WITH REPLICATION =
   ... {'class':'SimpleStrategy','replication_factor':1};
cqlsh> DESCRIBE KEYSPACES;
                     system_auth system_schema system_views
system_distributed system_traces system_virtual_schema
employee students1 system_auth
students system
cqlsh> SELECT * FROM system.schema keyspaces;
cqlsh> SELECT * FROM system_schema_keyspaces;
cqlsh> SELECT * FROM system.Students1;
cqlsh> SELECT * FROM system.students1;
cqlsh> USE Students;
cqlsh:students> CREATE TABLE Students_Info (Roll_No int PRIMARY KEY, StudName text,
             ... DateOfJoining timestamp, last_exam_Percent double);
cqlsh:students> DESCRIBE TABLES;
students_info
```

```
cqlsh:students> DESCRIBE TABLE Students_Info;
CREATE TABLE students.students_info (
    roll_no int PRIMARY KEY,
    dateofjoining timestamp,
    last_exam_percent double,
    studname text
) WITH additional_write_policy = '99p'
    AND bloom_filter_fp_chance = 0.01
    AND caching = {'keys': 'ALL', 'rows_per_partition': 'NONE'}
    AND cdc = false
    AND comment = ''
    AND compaction = {'class': 'org.apache.cassandra.db.compaction.SizeTieredCompactionStrategy',
x_threshold': '32', 'min_threshold': '4'}
    AND compression = {'chunk_length_in_kb': '16', 'class': 'org.apache.cassandra.io.compress.LZ4Co
ressor'}
    AND memtable = 'default'
    AND crc_check_chance = 1.0
    AND default_time_to_live = 0
    AND extensions = {}
    AND gc_grace_seconds = 864000
    AND max_index_interval = 2048
AND memtable_flush_period_in_ms = 0
    AND min index interval = 128
    AND read_repair = 'BLOCKING'
    AND speculative_retry = '99p';
```

```
calsh:students> BEGIN BATCH
               ... INSERT INTO Students_Info(Roll_No, StudName, DateOfJoining, last_exam_Percent)
               ... VALUES (1,'Asha','2012-03-12',79.9)
               ... INSERT INTO Students_Info(Roll_No, StudName, DateOfJoining, last_exam_Percent)
               ... VALUES (2, 'Krian', '2012-03-12',89.9)
... INSERT INTO Students_Info(Roll_No, StudName, DateOfJoining, last_exam_Percent)
               ... VALUES (3, 'Tarun', '2012-03-12', 78.9)
               ... VALUES (3, 13 dul, 2012-03-12, 70.9)
... INSERT INTO Students_Info(Roll_No, StudName, DateOfJoining, last_exam_Percent)
... VALUES (4, 'Samrth', '2012-03-12', 90.9)
... INSERT INTO Students_Info(Roll_No, StudName, DateOfJoining, last_exam_Percent)
               ... VALUES (5,'Smitha','2012-03-12',67.9)
... INSERT INTO Students_Info(Roll_No, StudName, DateOfJoining, last_exam_Percent)
... VALUES (6,'Rohan','2012-03-12',56.9)
                ... APPLY BATCH;
cqlsh:students> SELECT * FROM Students_Info;
                                                        | last_exam_percent | studname
 roll_no | dateofjoining
                                                                                          Asha
                                                                                         Krian
        4 | 2012-03-11 18:30:00.000000+0000 | 6 | 2012-03-11 18:30:00.000000+0000 | 3 | 2012-03-11 18:30:00.000000+0000
                                                                          90.9 | Samrth
56.9 | Rohan
78.9 | Tarun
(6 rows)
cqlsh:students> SELECT * FROM Students Info WHERE Roll No IN (1,2,3)
               ... select * from students_info where Studname= 'Asha';
cqlsh:students> SELECT * FROM Students_Info WHERE Roll_No IN (1,2,3);
       _no | dateofjoining
       1 | 2012-03-11 18:30:00.000000+0000 | 79.9 | Asha
2 | 2012-03-11 18:30:00.000000+0000 | 89.9 | Krian
                                                                          78.9 Tarun
(3 rows)
cqlsh:students> select * from students_info where Studname= 'Asha';
                                                      | last_exam_percent | studname
(1 rows)
cqlsh:students> CREATE INDEX ON Students_Info ( StudName);
cqlsh:students> select * from students info where Studname= 'Asha';
```

```
cqlsh:students> UPDATE students_info SET StudName='David Sheen' WHERE Roll_No=2;
cqlsh:students> UPDATE students_info SET Roll_No=6 WHERE Roll_No=3
...;
InvalidRequest: Error from server: code=2200 [Invalid query] message="PRIMARY KEY part roll_no found in SET part"
cqlsh:students> UPDATE students_info SET Roll_No=6 WHERE Roll_No=3;
InvalidRequest: Error from server: code=2200 [Invalid query] message="PRIMARY KEY part roll_no found in SET part"
cqlsh:students> UPDATE students_info SET Roll_No=6 WHERE StudName=Tarun;
syntaxException: line 1:55 no viable alternative at input ';' (...SET Roll_No=6 WHERE StudName=[Taru];)
cqlsh:students> UPDATE students_info SET Roll_No=6 WHERE StudName='Tarun';
InvalidRequest: Error from server: code=2200 [Invalid query] message="PRIMARY KEY part roll_no found in SET part"
cqlsh:students> DELETE LastExamPercent FROM students_info WHERE Roll_No=2;
InvalidRequest: Error from server: code=2200 [Invalid query] message="Undefined column name lastexam arcent in table students.students info"
cqlsh:students> DELETE FROM student_info WHERE Roll_No=2;
InvalidRequest: Error from server: code=2200 [Invalid query] message="table student_info does not executed to the student of the stu
```