

Agenda:

- Table Revision
- Last Classes Revision

4 columns 9 rows

head { 1. 2. 3. }

body { 1. 2. 3. 4. 5. 6. }

Day	Seminar		
	Schedule		Topic
	Begin	End	
Monday	8:00 AM	5:00 PM	Introduction To HTML
			Basic Command Line
Tuesday	8:00 AM	11:00 AM	Git Command Line
	11:00 AM	2:00 PM	
	11:00 AM	2:00 PM	Git & Github
Wednesday	8:00 AM	12:00 PM	Introduction to CSS

- Forms [Input And Label]

```
<table border="1">
  <thead>
    <tr>
      <th rowspan = "3">Day</th>
      <th colspan = "3">Seminar</th>
    </tr>
    <tr>
      <th colspan = "2">Schedule</th>
      <th rowspan = "2">Topic</th>
    </tr>
    <tr>
      <th>Begin</th>
      <th>End</th>
    </tr>
  </thead>
```

```
<tbody>
  <tr>
    <td rowspan="2">Monday</td>
    <td rowspan="2">8:00 AM</td>
    <td rowspan="2">5:00 PM</td>
    <td>Introduction to HTML</td>
  </tr>
  <tr>
    <td>Basic Command Line</td>
  </tr>
  <tr>
    <td rowspan="3">Tuesday</td>
    <td>8:00 AM</td>
    <td>11:00 AM</td>
    <td rowspan="2">Git Command Line</td>
  </tr>
  <tr>
    <td>11:00 AM</td>
    <td>2:00 PM</td>
  </tr>
  <tr>
    <td>2:00 PM</td>
    <td>5:00 PM</td>
    <td>Git & Github</td>
  </tr>
  <tr>
    <td>Wednesday</td>
    <td>8:00 AM</td>
    <td>12:00 PM</td>
    <td>Introduction to CSS</td>
  </tr>
</tbody>
```

Form Element :

-> To collect **data** from the user.

->

The form contains the following elements and annotations:

- Email field:**
 - Label: Email *
 - Placeholder: example@gmail.com
 - Attribute: `name = 'email'`
 - Value: `value = 'NA'`
 - Input type: `type = email`
- Password field:**
 - Label: Password *
 - Placeholder: Enter Your Password
 - Attribute: `name = password`
 - Value: `value`
 - Input type: `type = password`
- Remember Me:**
 - Checkbox: ☒
 - Label: Remember Me
 - Link: Forgot Password?
- Sign In button:**
 - Method: `get/post`
- Annotations:**
 - `required` (pointing to asterisks)
 - `placeholder` (pointing to input fields)
 - `attribute` (pointing to `name` and `type`)
 - `min-length = 6` and `max-length = 15` (circled in pink)
 - `input type` (circled in blue)
 - `button` (pointing to Sign In)

HashMap [key, value]

email : krishna@geekster.in
password : krishna@123

```
<form action="">
  <label for="firstname">First Name: </label>
  <input type="text" id="firstname" name="firstname" required
    placeholder="Enter Your First Name">
  <br>
  <label for="lastname">Last Name: </label>
  <input type="text" id="lastname" name="lastname" required
    placeholder="Enter Your Last Name">
  <br>
  <label for="email">Email</label>
  <input type="email" name="email" id="email" required placeholder
    = "Enter your Mail">
  <br>
  <label for="password">Password</label>
  <input type="password" name="password" id="password" required
    placeholder="Enter your Secret Key">
  <br>
  <input type="submit">
  <!-- <button type="reset">Reset</button> -->
</form>
```

First Name:

Last Name:

Email

Password