Supplemental Material for "Large Berry curvature effects induced by extended nodal structures: rational design strategy and high-throughput materials predictions": I. Theoretical results

Wencheng Wang[1,2], Minxue Yang[1], Wei Chen[1], Xiangang Wan[1,3,4], and Feng Tang[1*]
[1]*National Laboratory of Solid State Microstructures and School of Physics, Nanjing University, Nanjing 210093, China and Collaborative Innovation Center of Advanced Microstructures, Nanjing University, Nanjing 210093, China*
[2]*International Quantum Academy, Shenzhen 518048, China*
[3]*Hefei National Laboratory, Hefei 230088, China and*
[4]*Jiangsu Physical Science Research Center*
(Dated: August 12, 2025)

CONTENTS

SI1. Preliminary remarks 1

SI2. Tabulation of SNLs, FNSs, and AHC tensors in the 1651 MSGs 2
1. Type-I MSGs 3
2. Type-II MSGs 207
3. Type-III MSGs 397
4. Type-IV MSGs 938

SI3. 158 MSGs hosting SNLs, FNSs, or both and allowing for nonvanishing AHC 1421

SI4. Tuning of AHC through symmetry-breaking 1422
1. From vanishing to nonvanishing AHC 1422
a. Double-valued 1422
b. Single-valued 1454
2. MSGs suitable for tuning by applied magnetic field 1503
3. From one to two nonvanishing components 1505

SI5. Correspondence between MSGs and MPGs 1508
Symmery-adapted AHC tensors of MPGs 1511

SI6. Statistics on MSGs based on the nodal structure types and AHC 1512

SI1. PRELIMINARY REMARKS

In supplemental Material I, we provide all the theoretical results in this work, including the tabulation of all possible straight nodal line (SNLs) and flat nodal surfaces (FNSs) as well as the symmetry-adapted anomalous Hall conductivity (AHC) tensors in the 1651 magnetic space groups (MSGs) in Sec. SI2, the highlighted 158 type-III MSGs that host SNLs, FNSs, or both and allow for nonvanishing AHC Sec. SI3, the results of tuning of AHC through symmetry-breaking SI4, the correspondence between the MSGs and the magnetic point groups (MPGs) in Sec. SI5, and the statistics of MSGs based on nodal structure types and symmetry-adapted AHC in Sec. SI6.

* fengtang@nju.edu.cn

SI2. TABULATION OF SNLS, FNSS, AND AHC TENSORS IN THE 1651 MSGS

In this section, we exhaustively list all possible SNLs and FNSs in the 1651 MSGs, based on both single-valued and double-valued representations. The results for single-valued representations apply to spinless (bosonic) systems such as phonons, while the results for double-valued representations apply to spinful (fermionic) systems such as electrons. For each MSG, we provide the symmetry-adapted AHC tensor, the positions of SNLs and FNSs in the Brillouin zone (BZ), the symmetry-related SNLs or FNSs, and the corresponding little groups of SNLs or FNSs. As an illustrative example, We first present the tabulation for type-III MSG 64.475 with double-valued representations. Subsequently, all possible SNLs and FNSs in type-I, II, III, and IV MSGs for both single-valued and double-valued representations are listed in subSec. SI2 1, SI2 2, SI2 3, and SI2 4, respectively.

As an example, we illustrate the tabulation of type-III MSG 64.475 with double-valued representations, as shown in Table SI1. The symmetry-adapted AHC tensor for this MSG is $(\sigma_{yz}, 0, 0)$, as shown in the first row. This MSG hosts one SNL and one FNS, listed sequentially in the table. For the SNL, its fractional coordinates in the BZ are given by $\boldsymbol{k} = \left(0, \frac{1}{2}, w\right)$, where w is a real parameter. These coordinates are expressed with respected to the reciprocal lattice basis vectors $\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$ defined in the last row. These coordinates are highlighted in red, indicating that this SNL necessarily exists. The little group $G(k)$ of this SNL is $\{E, \Theta\sigma_z\}$, and the symmetry-adapted Berry curvature vector of this little group is $(\Omega_x, \Omega_y, 0)$. Therefore, the Berry curvature contribution from the vicinity of the SNL can be inferred. Additionally, all symmetry-related SNLs can be obtained by applying MSG operations, denoted by β. Accordingly, a symmetry-related SNL can be found at $C_{2x} \cdot \boldsymbol{k}$. Similarly, the FNS is located at $\boldsymbol{k} = \left(u, v, \frac{1}{2}\right)$, where u and v are real parameters. These coordinates are also highlighted in red, indicating that the FNS necessarily exists. The little group $G(k)$ of this FNS is $\{E, \Theta C_{2z}\}$, and the symmetry-adapted Berry curvature vector of this little group is also $(\Omega_x, \Omega_y, 0)$. Additionally, no symmetry-related FNS exists for this FNS.

TABLE SI1. Results of type-III MSG 64.475 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

1. Type-I MSGs

TABLE SI2. Results of type-I MSG 1.1 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3. Results of type-I MSG 1.1 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI4. Results of type-I MSG 2.4 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI5. Results of type-I MSG 2.4 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI6. Results of type-I MSG 3.1 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI7. Results of type-I MSG 3.1 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI8. Results of type-I MSG 4.7 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI9. Results of type-I MSG 4.7 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI10. Results of type-I MSG 5.13 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI11. Results of type-I MSG 5.13 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI12. Results of type-I MSG 6.18 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI13. Results of type-I MSG 6.18 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI14. Results of type-I MSG 7.24 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI15. Results of type-I MSG 7.24 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI16. Results of type-I MSG 8.32 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI17. Results of type-I MSG 8.32 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI18. Results of type-I MSG 9.37 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI19. Results of type-I MSG 9.37 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI20. Results of type-I MSG 10.42 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI21. Results of type-I MSG 10.42 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI22. Results of type-I MSG 11.50 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI23. Results of type-I MSG 11.50 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI24. Results of type-I MSG 12.58 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI25. Results of type-I MSG 12.58 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI26. Results of type-I MSG 13.65 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI27. Results of type-I MSG 13.65 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI28. Results of type-I MSG 14.75 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI29. Results of type-I MSG 14.75 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI30. Results of type-I MSG 15.85 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI31. Results of type-I MSG 15.85 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI32. Results of type-I MSG 16.1 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI33. Results of type-I MSG 16.1 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI34. Results of type-I MSG 17.7 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI35. Results of type-I MSG 17.7 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI36. Results of type-I MSG 18.16 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI37. Results of type-I MSG 18.16 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI38. Results of type-I MSG 19.25 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI39. Results of type-I MSG 19.25 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI40. Results of type-I MSG 20.31 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI41. Results of type-I MSG 20.31 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI42. Results of type-I MSG 21.38 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI43. Results of type-I MSG 21.38 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI44. Results of type-I MSG 22.45 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI45. Results of type-I MSG 22.45 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI46. Results of type-I MSG 23.49 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI47. Results of type-I MSG 23.49 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI48. Results of type-I MSG 24.53 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI49. Results of type-I MSG 24.53 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI50. Results of type-I MSG 25.57 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI51. Results of type-I MSG 25.57 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI52. Results of type-I MSG 26.66 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI53. Results of type-I MSG 26.66 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI54. Results of type-I MSG 27.78 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI55. Results of type-I MSG 27.78 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI56. Results of type-I MSG 28.87 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI57. Results of type-I MSG 28.87 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI58. Results of type-I MSG 29.99 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI59. Results of type-I MSG 29.99 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI60. Results of type-I MSG 30.111 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI61. Results of type-I MSG 30.111 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI62. Results of type-I MSG 31.123 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI63. Results of type-I MSG 31.123 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI64. Results of type-I MSG 32.135 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI65. Results of type-I MSG 32.135 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI66. Results of type-I MSG 33.144 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI67. Results of type-I MSG 33.144 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI68. Results of type-I MSG 34.156 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI69. Results of type-I MSG 34.156 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI70. Results of type-I MSG 35.165 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI71. Results of type-I MSG 35.165 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI72. Results of type-I MSG 36.172 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI73. Results of type-I MSG 36.172 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI74. Results of type-I MSG 37.180 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI75. Results of type-I MSG 37.180 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI76. Results of type-I MSG 38.187 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI77. Results of type-I MSG 38.187 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI78. Results of type-I MSG 39.195 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI79. Results of type-I MSG 39.195 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI80. Results of type-I MSG 40.203 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI81. Results of type-I MSG 40.203 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI82. Results of type-I MSG 41.211 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI83. Results of type-I MSG 41.211 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI84. Results of type-I MSG 42.219 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI85. Results of type-I MSG 42.219 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w, w, 0)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI86. Results of type-I MSG 43.224 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w+\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI87. Results of type-I MSG 43.224 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI88. Results of type-I MSG 44.229 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI89. Results of type-I MSG 44.229 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI90. Results of type-I MSG 45.235 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI91. Results of type-I MSG 45.235 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI92. Results of type-I MSG 46.241 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI93. Results of type-I MSG 46.241 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI94. Results of type-I MSG 47.249 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI95. Results of type-I MSG 47.249 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI96. Results of type-I MSG 48.257 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI97. Results of type-I MSG 48.257 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI98. Results of type-I MSG 49.265 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI99. Results of type-I MSG 49.265 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI100. Results of type-I MSG 50.277 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI101. Results of type-I MSG 50.277 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI102. Results of type-I MSG 51.289 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI103. Results of type-I MSG 51.289 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI104. Results of type-I MSG 52.305 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI105. Results of type-I MSG 52.305 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI106. Results of type-I MSG 53.321 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI107. Results of type-I MSG 53.321 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI108. Results of type-I MSG 54.337 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI109. Results of type-I MSG 54.337 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI110. Results of type-I MSG 55.353 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI111. Results of type-I MSG 55.353 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI112. Results of type-I MSG 56.365 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI113. Results of type-I MSG 56.365 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI114. Results of type-I MSG 57.377 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI115. Results of type-I MSG 57.377 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI116. Results of type-I MSG 58.393 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI117. Results of type-I MSG 58.393 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI118. Results of type-I MSG 59.405 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI119. Results of type-I MSG 59.405 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI120. Results of type-I MSG 60.417 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI121. Results of type-I MSG 60.417 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI122. Results of type-I MSG 61.433 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI123. Results of type-I MSG 61.433 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI124. Results of type-I MSG 62.441 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI125. Results of type-I MSG 62.441 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI126. Results of type-I MSG 63.457 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI127. Results of type-I MSG 63.457 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI128. Results of type-I MSG 64.469 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI129. Results of type-I MSG 64.469 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI130. Results of type-I MSG 65.481 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI131. Results of type-I MSG 65.481 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI132. Results of type-I MSG 66.491 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI133. Results of type-I MSG 66.491 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI134. Results of type-I MSG 67.501 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI135. Results of type-I MSG 67.501 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI136. Results of type-I MSG 68.511 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI137. Results of type-I MSG 68.511 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI138. Results of type-I MSG 69.521 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI139. Results of type-I MSG 69.521 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(w,0,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(0,-w,-w)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI140. Results of type-I MSG 70.527 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI141. Results of type-I MSG 70.527 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,0,w)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,-w,-w)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI142. Results of type-I MSG 71.533 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI143. Results of type-I MSG 71.533 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,-w)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI144. Results of type-I MSG 72.539 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI145. Results of type-I MSG 72.539 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,w)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,-w)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI146. Results of type-I MSG 73.548 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI147. Results of type-I MSG 73.548 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,-w)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI148. Results of type-I MSG 74.554 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI149. Results of type-I MSG 74.554 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,w)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,-w,-w)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI150. Results of type-I MSG 75.1 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI151. Results of type-I MSG 75.1 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI152. Results of type-I MSG 76.7 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI153. Results of type-I MSG 76.7 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI154. Results of type-I MSG 77.13 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI155. Results of type-I MSG 77.13 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI156. Results of type-I MSG 78.19 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI157. Results of type-I MSG 78.19 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI158. Results of type-I MSG 79.25 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI159. Results of type-I MSG 79.25 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI160. Results of type-I MSG 80.29 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI161. Results of type-I MSG 80.29 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI162. Results of type-I MSG 81.33 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI163. Results of type-I MSG 81.33 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI164. Results of type-I MSG 82.39 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI165. Results of type-I MSG 82.39 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI166. Results of type-I MSG 83.43 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI167. Results of type-I MSG 83.43 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI168. Results of type-I MSG 84.51 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI169. Results of type-I MSG 84.51 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI170. Results of type-I MSG 85.59 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI171. Results of type-I MSG 85.59 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI172. Results of type-I MSG 86.67 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI173. Results of type-I MSG 86.67 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI174. Results of type-I MSG 87.75 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI175. Results of type-I MSG 87.75 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI176. Results of type-I MSG 88.81 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI177. Results of type-I MSG 88.81 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI178. Results of type-I MSG 89.87 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI179. Results of type-I MSG 89.87 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI180. Results of type-I MSG 90.95 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI181. Results of type-I MSG 90.95 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI182. Results of type-I MSG 91.103 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI183. Results of type-I MSG 91.103 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI184. Results of type-I MSG 92.111 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI185. Results of type-I MSG 92.111 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI186. Results of type-I MSG 93.119 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI187. Results of type-I MSG 93.119 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI188. Results of type-I MSG 94.127 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI189. Results of type-I MSG 94.127 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI190. Results of type-I MSG 95.135 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI191. Results of type-I MSG 95.135 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI192. Results of type-I MSG 96.143 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI193. Results of type-I MSG 96.143 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI194. Results of type-I MSG 97.151 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI195. Results of type-I MSG 97.151 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI196. Results of type-I MSG 98.157 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI197. Results of type-I MSG 98.157 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI198. Results of type-I MSG 99.163 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI199. Results of type-I MSG 99.163 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI200. Results of type-I MSG 100.171 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI201. Results of type-I MSG 100.171 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI202. Results of type-I MSG 101.179 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI203. Results of type-I MSG 101.179 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI204. Results of type-I MSG 102.187 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI205. Results of type-I MSG 102.187 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI206. Results of type-I MSG 103.195 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI207. Results of type-I MSG 103.195 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI208. Results of type-I MSG 104.203 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI209. Results of type-I MSG 104.203 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI210. Results of type-I MSG 105.211 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI211. Results of type-I MSG 105.211 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI212. Results of type-I MSG 106.219 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI213. Results of type-I MSG 106.219 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI214. Results of type-I MSG 107.227 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI215. Results of type-I MSG 107.227 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI216. Results of type-I MSG 108.233 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI217. Results of type-I MSG 108.233 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI218. Results of type-I MSG 109.239 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI219. Results of type-I MSG 109.239 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI220. Results of type-I MSG 110.245 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI221. Results of type-I MSG 110.245 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI222. Results of type-I MSG 111.251 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI223. Results of type-I MSG 111.251 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI224. Results of type-I MSG 112.259 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI225. Results of type-I MSG 112.259 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI226. Results of type-I MSG 113.267 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI227. Results of type-I MSG 113.267 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI228. Results of type-I MSG 114.275 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI229. Results of type-I MSG 114.275 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI230. Results of type-I MSG 115.283 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI231. Results of type-I MSG 115.283 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI232. Results of type-I MSG 116.291 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI233. Results of type-I MSG 116.291 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI234. Results of type-I MSG 117.299 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y$
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI235. Results of type-I MSG 117.299 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI236. Results of type-I MSG 118.307 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y$
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI237. Results of type-I MSG 118.307 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI238. Results of type-I MSG 119.315 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI239. Results of type-I MSG 119.315 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI240. Results of type-I MSG 120.321 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI241. Results of type-I MSG 120.321 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI242. Results of type-I MSG 121.327 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI243. Results of type-I MSG 121.327 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI244. Results of type-I MSG 122.333 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI245. Results of type-I MSG 122.333 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI246. Results of type-I MSG 123.339 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI247. Results of type-I MSG 123.339 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI248. Results of type-I MSG 124.351 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI249. Results of type-I MSG 124.351 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI250. Results of type-I MSG 125.363 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI251. Results of type-I MSG 125.363 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI252. Results of type-I MSG 126.375 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI253. Results of type-I MSG 126.375 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI254. Results of type-I MSG 127.387 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI255. Results of type-I MSG 127.387 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI256. Results of type-I MSG 128.399 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI257. Results of type-I MSG 128.399 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI258. Results of type-I MSG 129.411 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI259. Results of type-I MSG 129.411 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI260. Results of type-I MSG 130.423 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI261. Results of type-I MSG 130.423 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI262. Results of type-I MSG 131.435 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI263. Results of type-I MSG 131.435 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI264. Results of type-I MSG 132.447 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI265. Results of type-I MSG 132.447 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI266. Results of type-I MSG 133.459 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI267. Results of type-I MSG 133.459 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI268. Results of type-I MSG 134.471 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI269. Results of type-I MSG 134.471 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI270. Results of type-I MSG 135.483 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI271. Results of type-I MSG 135.483 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI272. Results of type-I MSG 136.495 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI273. Results of type-I MSG 136.495 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI274. Results of type-I MSG 137.507 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI275. Results of type-I MSG 137.507 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI276. Results of type-I MSG 138.519 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI277. Results of type-I MSG 138.519 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI278. Results of type-I MSG 139.531 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI279. Results of type-I MSG 139.531 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI280. Results of type-I MSG 140.541 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI281. Results of type-I MSG 140.541 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-w, w, w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI282. Results of type-I MSG 141.551 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI283. Results of type-I MSG 141.551 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI284. Results of type-I MSG 142.561 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI285. Results of type-I MSG 142.561 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI286. Results of type-I MSG 143.1 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI287. Results of type-I MSG 143.1 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI288. Results of type-I MSG 144.4 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI289. Results of type-I MSG 144.4 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI290. Results of type-I MSG 145.7 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI291. Results of type-I MSG 145.7 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI292. Results of type-I MSG 146.10 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI293. Results of type-I MSG 146.10 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI294. Results of type-I MSG 147.13 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI295. Results of type-I MSG 147.13 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI296. Results of type-I MSG 148.17 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI297. Results of type-I MSG 148.17 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI298. Results of type-I MSG 149.21 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI299. Results of type-I MSG 149.21 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI300. Results of type-I MSG 150.25 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI301. Results of type-I MSG 150.25 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI302. Results of type-I MSG 151.29 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI303. Results of type-I MSG 151.29 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI304. Results of type-I MSG 152.33 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI305. Results of type-I MSG 152.33 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI306. Results of type-I MSG 153.37 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI307. Results of type-I MSG 153.37 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI308. Results of type-I MSG 154.41 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI309. Results of type-I MSG 154.41 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI310. Results of type-I MSG 155.45 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI311. Results of type-I MSG 155.45 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI312. Results of type-I MSG 156.49 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI313. Results of type-I MSG 156.49 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v2}, σ_{v3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI314. Results of type-I MSG 157.53 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI315. Results of type-I MSG 157.53 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI316. Results of type-I MSG 158.57 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI317. Results of type-I MSG 158.57 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI318. Results of type-I MSG 159.61 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI319. Results of type-I MSG 159.61 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI320. Results of type-I MSG 160.65 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI321. Results of type-I MSG 160.65 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI322. Results of type-I MSG 161.69 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI323. Results of type-I MSG 161.69 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI324. Results of type-I MSG 162.73 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	I
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI325. Results of type-I MSG 162.73 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	I
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI326. Results of type-I MSG 163.79 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	I
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI327. Results of type-I MSG 163.79 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	I
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI328. Results of type-I MSG 164.85 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI329. Results of type-I MSG 164.85 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v2}, σ_{v3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI330. Results of type-I MSG 165.91 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI331. Results of type-I MSG 165.91 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v2}, σ_{v3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI332. Results of type-I MSG 166.97 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI333. Results of type-I MSG 166.97 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI334. Results of type-I MSG 167.103 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI335. Results of type-I MSG 167.103 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI336. Results of type-I MSG 168.109 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI337. Results of type-I MSG 168.109 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI338. Results of type-I MSG 169.113 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI339. Results of type-I MSG 169.113 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI340. Results of type-I MSG 170.117 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI341. Results of type-I MSG 170.117 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI342. Results of type-I MSG 171.121 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI343. Results of type-I MSG 171.121 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI344. Results of type-I MSG 172.125 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI345. Results of type-I MSG 172.125 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI346. Results of type-I MSG 173.129 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI347. Results of type-I MSG 173.129 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI348. Results of type-I MSG 174.133 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI349. Results of type-I MSG 174.133 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI350. Results of type-I MSG 175.137 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI351. Results of type-I MSG 175.137 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI352. Results of type-I MSG 176.143 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI353. Results of type-I MSG 176.143 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI354. Results of type-I MSG 177.149 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI355. Results of type-I MSG 177.149 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI356. Results of type-I MSG 178.155 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI357. Results of type-I MSG 178.155 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI358. Results of type-I MSG 179.161 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI359. Results of type-I MSG 179.161 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI360. Results of type-I MSG 180.167 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI361. Results of type-I MSG 180.167 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI362. Results of type-I MSG 181.173 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI363. Results of type-I MSG 181.173 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI364. Results of type-I MSG 182.179 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI365. Results of type-I MSG 182.179 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI366. Results of type-I MSG 183.185 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI367. Results of type-I MSG 183.185 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI368. Results of type-I MSG 184.191 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI369. Results of type-I MSG 184.191 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI370. Results of type-I MSG 185.197 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI371. Results of type-I MSG 185.197 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI372. Results of type-I MSG 186.203 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI373. Results of type-I MSG 186.203 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI374. Results of type-I MSG 187.209 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI375. Results of type-I MSG 187.209 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(0, w, 0)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI376. Results of type-I MSG 188.215 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI377. Results of type-I MSG 188.215 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI378. Results of type-I MSG 189.221 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{2}{3}, \frac{1}{3}, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI379. Results of type-I MSG 189.221 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{2}{3}, \frac{1}{3}, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-w, 2w, 0)$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$(-w, 2w, \frac{1}{2})$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI380. Results of type-I MSG 190.227 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{2}{3},\frac{1}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI381. Results of type-I MSG 190.227 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{2}{3},\frac{1}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,2w,0)$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI382. Results of type-I MSG 191.233 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI383. Results of type-I MSG 191.233 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_3}^-$, ${C_3}^+$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,0)$
$G(k)$	E, C_{22}'', σ_h, σ_{d2}
BC vector	$(0,0,0)$
β	C_{23}', C_{21}'
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, C_{22}'', σ_h, σ_{d2}
BC vector	$(0,0,0)$
β	C_{23}', C_{21}'
SNL k	$(0,w,0)$
$G(k)$	E, C_{21}', σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{21}', σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI384. Results of type-I MSG 192.243 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, C''_{22}, σ_{d2}, σ_h
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI385. Results of type-I MSG 192.243 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_3}^-$, ${C_3}^+$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,0)$
$G(k)$	E, C''_{22}, σ_h, σ_{d2}
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,0)$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI386. Results of type-I MSG 193.253 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI387. Results of type-I MSG 193.253 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_3}^-$, ${C_3}^+$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,0)$
$G(k)$	E, C''_{22}, σ_h, σ_{d2}
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C''_{22}, σ_h, σ_{d2}
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,0)$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI388. Results of type-I MSG 194.263 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C''_{22}, σ_{d2}, σ_h
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI389. Results of type-I MSG 194.263 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_3}^-$, ${C_3}^+$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,0)$
$G(k)$	E, C''_{22}, σ_h, σ_{d2}
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,0)$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI390. Results of type-I MSG 195.1 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI391. Results of type-I MSG 195.1 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI392. Results of type-I MSG 196.4 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI393. Results of type-I MSG 196.4 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI394. Results of type-I MSG 197.7 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI395. Results of type-I MSG 197.7 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI396. Results of type-I MSG 198.9 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI397. Results of type-I MSG 198.9 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI398. Results of type-I MSG 199.12 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI399. Results of type-I MSG 199.12 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI400. Results of type-I MSG 200.14 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI401. Results of type-I MSG 200.14 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^+,\ {C_{31}}^-$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_y,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^+,\ {C_{31}}^-$
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^+,\ {C_{33}}^-$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y$
BC vector	$(0,0,0)$
β	${C_{31}}^+,\ {C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI402. Results of type-I MSG 201.18 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{33}}^{-}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI403. Results of type-I MSG 201.18 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI404. Results of type-I MSG 202.22 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI405. Results of type-I MSG 202.22 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_y,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI406. Results of type-I MSG 203.26 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2}, w, w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI407. Results of type-I MSG 203.26 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI408. Results of type-I MSG 204.30 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI409. Results of type-I MSG 204.30 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI410. Results of type-I MSG 205.33 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI411. Results of type-I MSG 205.33 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_y,\ \sigma_z$
BC vector	$(0,0,0)$
β	${C_{31}}^{+},\ {C_{31}}^{-}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI412. Results of type-I MSG 206.37 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI413. Results of type-I MSG 206.37 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, -w, w)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI414. Results of type-I MSG 207.40 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI415. Results of type-I MSG 207.40 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI416. Results of type-I MSG 208.44 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI417. Results of type-I MSG 208.44 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI418. Results of type-I MSG 209.48 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI419. Results of type-I MSG 209.48 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI420. Results of type-I MSG 210.52 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI421. Results of type-I MSG 210.52 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI422. Results of type-I MSG 211.56 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI423. Results of type-I MSG 211.56 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI424. Results of type-I MSG 212.59 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI425. Results of type-I MSG 212.59 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI426. Results of type-I MSG 213.63 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI427. Results of type-I MSG 213.63 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI428. Results of type-I MSG 214.67 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI429. Results of type-I MSG 214.67 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI430. Results of type-I MSG 215.70 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI431. Results of type-I MSG 215.70 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI432. Results of type-I MSG 216.74 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI433. Results of type-I MSG 216.74 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI434. Results of type-I MSG 217.78 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI435. Results of type-I MSG 217.78 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI436. Results of type-I MSG 218.81 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI437. Results of type-I MSG 218.81 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI438. Results of type-I MSG 219.85 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI439. Results of type-I MSG 219.85 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI440. Results of type-I MSG 220.89 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI441. Results of type-I MSG 220.89 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI442. Results of type-I MSG 221.92 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^-$, ${C_{4z}}^+$, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI443. Results of type-I MSG 221.92 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, C_{2c}, σ_y, σ_{de}
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{33}}^-$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$, ${C_{4z}}^+$, ${C_{4y}}^-$, ${S_{4x}}^+$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI444. Results of type-I MSG 222.98 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, C_{2c}, σ_{de}
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{33}}^-$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$, ${C_{4z}}^+$, ${C_{4y}}^-$, ${S_{4x}}^+$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^-$, ${C_{4z}}^+$, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI445. Results of type-I MSG 222.98 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI446. Results of type-I MSG 223.104 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, C_{2c}, σ_{de}
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{33}}^-$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^-$, ${C_{4z}}^+$, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI447. Results of type-I MSG 223.104 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$, ${C_{4z}}^+$, ${C_{4y}}^-$, ${S_{4x}}^+$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI448. Results of type-I MSG 224.110 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$, ${C_{4z}}^+$, ${C_{4y}}^-$, ${S_{4x}}^+$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^-$, ${C_{4z}}^+$, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI449. Results of type-I MSG 224.110 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, ${C_{2y}}$, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, C_{2c}, σ_y, σ_{de}
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{33}}^-$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_x, σ_y, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI450. Results of type-I MSG 225.116 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI451. Results of type-I MSG 225.116 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,w,2w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
SNL k	$\left(\frac{1}{2}, w, w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI452. Results of type-I MSG 226.122 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI453. Results of type-I MSG 226.122 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,w,2w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
SNL k	$\left(\frac{1}{2}, w, w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI454. Results of type-I MSG 227.128 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI455. Results of type-I MSG 227.128 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,w,2w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI456. Results of type-I MSG 228.134 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI457. Results of type-I MSG 228.134 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,w,2w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI458. Results of type-I MSG 229.140 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI459. Results of type-I MSG 229.140 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,-w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI460. Results of type-I MSG 230.145 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, -w, w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}
BC vector	$(0, 0, 0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w, w, w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w, w, \frac{1}{2} - w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	${C_{34}}^+$, ${C_{31}}^-$
SNL k	$(w, -w, \frac{1}{2})$
$G(k)$	E, σ_z, C_{2b}, σ_{da}
BC vector	$(0, 0, 0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI461. Results of type-I MSG 230.145 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
SNL k	$(w, -w, w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_x, σ_z, σ_{dc}, σ_{de}
BC vector	$(0, 0, 0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w, w, w)
$G(k)$	E, ${C_{31}}^-$, ${C_{31}}^+$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

2. Type-II MSGs

TABLE SI462. Results of type-II MSG 1.2 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI463. Results of type-II MSG 1.2 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI464. Results of type-II MSG 2.5 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI465. Results of type-II MSG 2.5 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI466. Results of type-II MSG 3.2 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI467. Results of type-II MSG 3.2 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI468. Results of type-II MSG 4.8 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI469. Results of type-II MSG 4.8 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI470. Results of type-II MSG 5.14 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI471. Results of type-II MSG 5.14 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI472. Results of type-II MSG 6.19 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI473. Results of type-II MSG 6.19 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI474. Results of type-II MSG 7.25 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI475. Results of type-II MSG 7.25 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI476. Results of type-II MSG 8.33 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI477. Results of type-II MSG 8.33 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI478. Results of type-II MSG 9.38 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI479. Results of type-II MSG 9.38 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI480. Results of type-II MSG 10.43 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI481. Results of type-II MSG 10.43 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI482. Results of type-II MSG 11.51 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI483. Results of type-II MSG 11.51 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI484. Results of type-II MSG 12.59 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI485. Results of type-II MSG 12.59 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI486. Results of type-II MSG 13.66 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI487. Results of type-II MSG 13.66 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI488. Results of type-II MSG 14.76 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI489. Results of type-II MSG 14.76 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI490. Results of type-II MSG 15.86 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI491. Results of type-II MSG 15.86 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI492. Results of type-II MSG 16.2 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI493. Results of type-II MSG 16.2 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI494. Results of type-II MSG 17.8 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI495. Results of type-II MSG 17.8 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI496. Results of type-II MSG 18.17 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI497. Results of type-II MSG 18.17 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI498. Results of type-II MSG 19.26 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI499. Results of type-II MSG 19.26 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI500. Results of type-II MSG 20.32 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI501. Results of type-II MSG 20.32 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI502. Results of type-II MSG 21.39 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI503. Results of type-II MSG 21.39 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI504. Results of type-II MSG 22.46 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI505. Results of type-II MSG 22.46 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI506. Results of type-II MSG 23.50 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI507. Results of type-II MSG 23.50 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI508. Results of type-II MSG 24.54 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI509. Results of type-II MSG 24.54 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI510. Results of type-II MSG 25.58 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI511. Results of type-II MSG 25.58 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI512. Results of type-II MSG 26.67 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI513. Results of type-II MSG 26.67 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI514. Results of type-II MSG 27.79 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI515. Results of type-II MSG 27.79 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI516. Results of type-II MSG 28.88 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI517. Results of type-II MSG 28.88 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI518. Results of type-II MSG 29.100 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI519. Results of type-II MSG 29.100 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI520. Results of type-II MSG 30.112 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI521. Results of type-II MSG 30.112 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI522. Results of type-II MSG 31.124 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI523. Results of type-II MSG 31.124 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI524. Results of type-II MSG 32.136 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI525. Results of type-II MSG 32.136 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI526. Results of type-II MSG 33.145 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI527. Results of type-II MSG 33.145 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI528. Results of type-II MSG 34.157 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI529. Results of type-II MSG 34.157 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI530. Results of type-II MSG 35.166 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI531. Results of type-II MSG 35.166 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI532. Results of type-II MSG 36.173 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI533. Results of type-II MSG 36.173 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI534. Results of type-II MSG 37.181 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI535. Results of type-II MSG 37.181 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI536. Results of type-II MSG 38.188 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI537. Results of type-II MSG 38.188 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI538. Results of type-II MSG 39.196 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI539. Results of type-II MSG 39.196 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI540. Results of type-II MSG 40.204 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI541. Results of type-II MSG 40.204 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI542. Results of type-II MSG 41.212 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI543. Results of type-II MSG 41.212 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI544. Results of type-II MSG 42.220 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI545. Results of type-II MSG 42.220 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI546. Results of type-II MSG 43.225 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI547. Results of type-II MSG 43.225 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI548. Results of type-II MSG 44.230 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI549. Results of type-II MSG 44.230 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI550. Results of type-II MSG 45.236 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI551. Results of type-II MSG 45.236 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI552. Results of type-II MSG 46.242 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI553. Results of type-II MSG 46.242 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI554. Results of type-II MSG 47.250 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI555. Results of type-II MSG 47.250 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI556. Results of type-II MSG 48.258 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(-w, \frac{1}{2}, 0)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-w, 0, \frac{1}{2})$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{2}, w, 0)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{2}, 0, w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI557. Results of type-II MSG 48.258 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI558. Results of type-II MSG 49.266 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI559. Results of type-II MSG 49.266 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI560. Results of type-II MSG 50.278 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI561. Results of type-II MSG 50.278 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI562. Results of type-II MSG 51.290 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI563. Results of type-II MSG 51.290 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI564. Results of type-II MSG 52.306 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI565. Results of type-II MSG 52.306 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI566. Results of type-II MSG 53.322 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI567. Results of type-II MSG 53.322 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI568. Results of type-II MSG 54.338 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI569. Results of type-II MSG 54.338 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI570. Results of type-II MSG 55.354 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI571. Results of type-II MSG 55.354 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI572. Results of type-II MSG 56.366 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI573. Results of type-II MSG 56.366 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI574. Results of type-II MSG 57.378 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI575. Results of type-II MSG 57.378 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI576. Results of type-II MSG 58.394 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI577. Results of type-II MSG 58.394 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI578. Results of type-II MSG 59.406 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI579. Results of type-II MSG 59.406 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI580. Results of type-II MSG 60.418 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI581. Results of type-II MSG 60.418 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI582. Results of type-II MSG 61.434 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI583. Results of type-II MSG 61.434 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI584. Results of type-II MSG 62.442 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI585. Results of type-II MSG 62.442 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI586. Results of type-II MSG 63.458 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI587. Results of type-II MSG 63.458 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI588. Results of type-II MSG 64.470 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI589. Results of type-II MSG 64.470 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI590. Results of type-II MSG 65.482 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI591. Results of type-II MSG 65.482 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI592. Results of type-II MSG 66.492 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI593. Results of type-II MSG 66.492 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI594. Results of type-II MSG 67.502 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI595. Results of type-II MSG 67.502 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI596. Results of type-II MSG 68.512 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI597. Results of type-II MSG 68.512 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI598. Results of type-II MSG 69.522 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI599. Results of type-II MSG 69.522 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI600. Results of type-II MSG 70.528 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI601. Results of type-II MSG 70.528 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI602. Results of type-II MSG 71.534 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI603. Results of type-II MSG 71.534 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI604. Results of type-II MSG 72.540 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI605. Results of type-II MSG 72.540 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI606. Results of type-II MSG 73.549 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI607. Results of type-II MSG 73.549 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI608. Results of type-II MSG 74.555 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI609. Results of type-II MSG 74.555 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI610. Results of type-II MSG 75.2 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI611. Results of type-II MSG 75.2 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI612. Results of type-II MSG 76.8 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI613. Results of type-II MSG 76.8 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI614. Results of type-II MSG 77.14 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI615. Results of type-II MSG 77.14 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI616. Results of type-II MSG 78.20 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI617. Results of type-II MSG 78.20 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI618. Results of type-II MSG 79.26 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI619. Results of type-II MSG 79.26 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI620. Results of type-II MSG 80.30 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI621. Results of type-II MSG 80.30 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI622. Results of type-II MSG 81.34 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI623. Results of type-II MSG 81.34 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI624. Results of type-II MSG 82.40 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI625. Results of type-II MSG 82.40 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI626. Results of type-II MSG 83.44 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI627. Results of type-II MSG 83.44 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI628. Results of type-II MSG 84.52 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI629. Results of type-II MSG 84.52 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI630. Results of type-II MSG 85.60 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI631. Results of type-II MSG 85.60 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI632. Results of type-II MSG 86.68 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI633. Results of type-II MSG 86.68 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI634. Results of type-II MSG 87.76 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI635. Results of type-II MSG 87.76 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI636. Results of type-II MSG 88.82 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI637. Results of type-II MSG 88.82 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI638. Results of type-II MSG 89.88 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI639. Results of type-II MSG 89.88 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI640. Results of type-II MSG 90.96 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI641. Results of type-II MSG 90.96 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI642. Results of type-II MSG 91.104 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI643. Results of type-II MSG 91.104 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI644. Results of type-II MSG 92.112 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI645. Results of type-II MSG 92.112 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI646. Results of type-II MSG 93.120 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI647. Results of type-II MSG 93.120 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI648. Results of type-II MSG 94.128 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI649. Results of type-II MSG 94.128 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI650. Results of type-II MSG 95.136 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI651. Results of type-II MSG 95.136 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI652. Results of type-II MSG 96.144 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI653. Results of type-II MSG 96.144 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI654. Results of type-II MSG 97.152 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI655. Results of type-II MSG 97.152 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI656. Results of type-II MSG 98.158 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI657. Results of type-II MSG 98.158 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI658. Results of type-II MSG 99.164 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI659. Results of type-II MSG 99.164 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI660. Results of type-II MSG 100.172 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI661. Results of type-II MSG 100.172 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI662. Results of type-II MSG 101.180 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI663. Results of type-II MSG 101.180 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^+$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI664. Results of type-II MSG 102.188 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI665. Results of type-II MSG 102.188 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI666. Results of type-II MSG 103.196 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI667. Results of type-II MSG 103.196 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI668. Results of type-II MSG 104.204 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI669. Results of type-II MSG 104.204 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI670. Results of type-II MSG 105.212 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI671. Results of type-II MSG 105.212 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI672. Results of type-II MSG 106.220 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI673. Results of type-II MSG 106.220 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI674. Results of type-II MSG 107.228 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI675. Results of type-II MSG 107.228 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI676. Results of type-II MSG 108.234 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI677. Results of type-II MSG 108.234 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI678. Results of type-II MSG 109.240 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI679. Results of type-II MSG 109.240 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI680. Results of type-II MSG 110.246 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI681. Results of type-II MSG 110.246 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI682. Results of type-II MSG 111.252 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI683. Results of type-II MSG 111.252 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI684. Results of type-II MSG 112.260 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI685. Results of type-II MSG 112.260 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI686. Results of type-II MSG 113.268 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI687. Results of type-II MSG 113.268 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI688. Results of type-II MSG 114.276 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI689. Results of type-II MSG 114.276 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI690. Results of type-II MSG 115.284 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI691. Results of type-II MSG 115.284 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI692. Results of type-II MSG 116.292 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI693. Results of type-II MSG 116.292 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI694. Results of type-II MSG 117.300 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI695. Results of type-II MSG 117.300 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI696. Results of type-II MSG 118.308 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI697. Results of type-II MSG 118.308 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI698. Results of type-II MSG 119.316 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI699. Results of type-II MSG 119.316 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI700. Results of type-II MSG 120.322 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2b}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI701. Results of type-II MSG 120.322 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI702. Results of type-II MSG 121.328 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI703. Results of type-II MSG 121.328 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI704. Results of type-II MSG 122.334 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI705. Results of type-II MSG 122.334 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI706. Results of type-II MSG 123.340 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI707. Results of type-II MSG 123.340 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI708. Results of type-II MSG 124.352 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI709. Results of type-II MSG 124.352 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI710. Results of type-II MSG 125.364 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI711. Results of type-II MSG 125.364 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI712. Results of type-II MSG 126.376 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI713. Results of type-II MSG 126.376 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI714. Results of type-II MSG 127.388 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI715. Results of type-II MSG 127.388 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI716. Results of type-II MSG 128.400 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI717. Results of type-II MSG 128.400 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI718. Results of type-II MSG 129.412 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI719. Results of type-II MSG 129.412 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI720. Results of type-II MSG 130.424 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI721. Results of type-II MSG 130.424 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI722. Results of type-II MSG 131.436 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI723. Results of type-II MSG 131.436 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI724. Results of type-II MSG 132.448 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI725. Results of type-II MSG 132.448 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI726. Results of type-II MSG 133.460 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI727. Results of type-II MSG 133.460 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI728. Results of type-II MSG 134.472 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI729. Results of type-II MSG 134.472 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI730. Results of type-II MSG 135.484 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI731. Results of type-II MSG 135.484 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI732. Results of type-II MSG 136.496 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI733. Results of type-II MSG 136.496 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI734. Results of type-II MSG 137.508 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI735. Results of type-II MSG 137.508 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI736. Results of type-II MSG 138.520 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI737. Results of type-II MSG 138.520 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI738. Results of type-II MSG 139.532 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI739. Results of type-II MSG 139.532 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI740. Results of type-II MSG 140.542 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI741. Results of type-II MSG 140.542 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI742. Results of type-II MSG 141.552 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI743. Results of type-II MSG 141.552 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI744. Results of type-II MSG 142.562 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI745. Results of type-II MSG 142.562 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI746. Results of type-II MSG 143.2 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI747. Results of type-II MSG 143.2 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI748. Results of type-II MSG 144.5 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI749. Results of type-II MSG 144.5 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI750. Results of type-II MSG 145.8 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI751. Results of type-II MSG 145.8 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI752. Results of type-II MSG 146.11 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI753. Results of type-II MSG 146.11 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI754. Results of type-II MSG 147.14 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	${S_6}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI755. Results of type-II MSG 147.14 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI756. Results of type-II MSG 148.18 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI757. Results of type-II MSG 148.18 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI758. Results of type-II MSG 149.22 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI759. Results of type-II MSG 149.22 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI760. Results of type-II MSG 150.26 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI761. Results of type-II MSG 150.26 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI762. Results of type-II MSG 151.30 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI763. Results of type-II MSG 151.30 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI764. Results of type-II MSG 152.34 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI765. Results of type-II MSG 152.34 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI766. Results of type-II MSG 153.38 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI767. Results of type-II MSG 153.38 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI768. Results of type-II MSG 154.42 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI769. Results of type-II MSG 154.42 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI770. Results of type-II MSG 155.46 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI771. Results of type-II MSG 155.46 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI772. Results of type-II MSG 156.50 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI773. Results of type-II MSG 156.50 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v2}, σ_{v3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI774. Results of type-II MSG 157.54 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI775. Results of type-II MSG 157.54 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI776. Results of type-II MSG 158.58 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	σ_{v3}, σ_{v1}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI777. Results of type-II MSG 158.58 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_{v3}, σ_{v1}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI778. Results of type-II MSG 159.62 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{d2}, σ_{d3}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI779. Results of type-II MSG 159.62 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{d2}, σ_{d3}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI780. Results of type-II MSG 160.66 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0. & 0.288675 & -0.288675\\ -0.333333 & 0.166667 & 0.166667\\ 0.333333 & 0.333333 & 0.333333\end{pmatrix}$

TABLE SI781. Results of type-II MSG 160.66 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI782. Results of type-II MSG 161.70 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},-w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI783. Results of type-II MSG 161.70 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},-w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI784. Results of type-II MSG 162.74 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	I
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI785. Results of type-II MSG 162.74 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI786. Results of type-II MSG 163.80 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	I
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, C'_{21}, ΘI
BC vector	$(0, 0, 0)$
β	${S_6}^+$, ${S_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI787. Results of type-II MSG 163.80 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI788. Results of type-II MSG 164.86 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	σ_{v2}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI789. Results of type-II MSG 164.86 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI790. Results of type-II MSG 165.92 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	σ_{v2}
SNL k	$(-w, 2w, \frac{1}{2})$
$G(k)$	E, C_{22}'', ΘI
BC vector	$(0, 0, 0)$
β	${S_6}^+$, ${S_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI791. Results of type-II MSG 165.92 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI792. Results of type-II MSG 166.98 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI793. Results of type-II MSG 166.98 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI794. Results of type-II MSG 167.104 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},-w\right)$
$G(k)$	E, C_{22}', ΘI
BC vector	$(0,0,0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI795. Results of type-II MSG 167.104 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI796. Results of type-II MSG 168.110 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI797. Results of type-II MSG 168.110 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI798. Results of type-II MSG 169.114 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI799. Results of type-II MSG 169.114 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI800. Results of type-II MSG 170.118 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI801. Results of type-II MSG 170.118 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI802. Results of type-II MSG 171.122 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI803. Results of type-II MSG 171.122 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI804. Results of type-II MSG 172.126 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI805. Results of type-II MSG 172.126 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI806. Results of type-II MSG 173.130 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI807. Results of type-II MSG 173.130 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI808. Results of type-II MSG 174.134 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta {S_3}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI809. Results of type-II MSG 174.134 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta {S_3}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI810. Results of type-II MSG 175.138 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	C_2
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI811. Results of type-II MSG 175.138 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI812. Results of type-II MSG 176.144 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	C_2
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI813. Results of type-II MSG 176.144 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI814. Results of type-II MSG 177.150 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI815. Results of type-II MSG 177.150 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI816. Results of type-II MSG 178.156 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI817. Results of type-II MSG 178.156 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI818. Results of type-II MSG 179.162 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI819. Results of type-II MSG 179.162 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI820. Results of type-II MSG 180.168 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI821. Results of type-II MSG 180.168 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI822. Results of type-II MSG 181.174 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI823. Results of type-II MSG 181.174 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI824. Results of type-II MSG 182.180 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI825. Results of type-II MSG 182.180 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI826. Results of type-II MSG 183.186 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI827. Results of type-II MSG 183.186 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI828. Results of type-II MSG 184.192 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI829. Results of type-II MSG 184.192 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI830. Results of type-II MSG 185.198 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI831. Results of type-II MSG 185.198 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI832. Results of type-II MSG 186.204 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI833. Results of type-II MSG 186.204 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI834. Results of type-II MSG 187.210 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI835. Results of type-II MSG 187.210 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI836. Results of type-II MSG 188.216 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,\Omega_z)$
β	C'_{23}, C'_{21}
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI837. Results of type-II MSG 188.216 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,\Omega_z)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,0)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI838. Results of type-II MSG 189.222 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI839. Results of type-II MSG 189.222 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
SNL k	$(-w,2w,0)$
$G(k)$	E, σ_h, C''_{22}, σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, C''_{22}, σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI840. Results of type-II MSG 190.228 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0,0,\Omega_z)$
β	C_{22}'', C_{23}''
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI841. Results of type-II MSG 190.228 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
SNL k	$(-w,2w,0)$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0,0,\Omega_z)$
β	C_{22}'', C_{23}''
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI842. Results of type-II MSG 191.234 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI843. Results of type-II MSG 191.234 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI844. Results of type-II MSG 192.244 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C''_{22}, σ_{d2}, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}, ΘC_2
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI845. Results of type-II MSG 192.244 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI846. Results of type-II MSG 193.254 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI847. Results of type-II MSG 193.254 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, C''_{22}, σ_h, σ_{d2}, ΘC_2
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI848. Results of type-II MSG 194.264 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI849. Results of type-II MSG 194.264 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{21}',\ \sigma_h,\ \sigma_{v1},\ \Theta C_2$
BC vector	$(0,0,0)$
β	${C_6}^+, {C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI850. Results of type-II MSG 195.2 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI851. Results of type-II MSG 195.2 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI852. Results of type-II MSG 196.5 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI853. Results of type-II MSG 196.5 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI854. Results of type-II MSG 197.8 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI855. Results of type-II MSG 197.8 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI856. Results of type-II MSG 198.10 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI857. Results of type-II MSG 198.10 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI858. Results of type-II MSG 199.13 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI859. Results of type-II MSG 199.13 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI860. Results of type-II MSG 200.15 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI861. Results of type-II MSG 200.15 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI862. Results of type-II MSG 201.19 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{33}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI863. Results of type-II MSG 201.19 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI864. Results of type-II MSG 202.23 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI865. Results of type-II MSG 202.23 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI866. Results of type-II MSG 203.27 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI867. Results of type-II MSG 203.27 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI868. Results of type-II MSG 204.31 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI869. Results of type-II MSG 204.31 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI870. Results of type-II MSG 205.34 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI871. Results of type-II MSG 205.34 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI872. Results of type-II MSG 206.38 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI873. Results of type-II MSG 206.38 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI874. Results of type-II MSG 207.41 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI875. Results of type-II MSG 207.41 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI876. Results of type-II MSG 208.45 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI877. Results of type-II MSG 208.45 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI878. Results of type-II MSG 209.49 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI879. Results of type-II MSG 209.49 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI880. Results of type-II MSG 210.53 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI881. Results of type-II MSG 210.53 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI882. Results of type-II MSG 211.57 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI883. Results of type-II MSG 211.57 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI884. Results of type-II MSG 212.60 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI885. Results of type-II MSG 212.60 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI886. Results of type-II MSG 213.64 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI887. Results of type-II MSG 213.64 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI888. Results of type-II MSG 214.68 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI889. Results of type-II MSG 214.68 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI890. Results of type-II MSG 215.71 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI891. Results of type-II MSG 215.71 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI892. Results of type-II MSG 216.75 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI893. Results of type-II MSG 216.75 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI894. Results of type-II MSG 217.79 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, -w, w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w, w, w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI895. Results of type-II MSG 217.79 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, -w, w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w, w, w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI896. Results of type-II MSG 218.82 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,\frac{1}{2},w)$
$G(k)$	E, σ_{de}, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2x}, σ_{df}, ${S_{4x}}^{-}$, σ_{db}, ${S_{4z}}^{+}$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1.&0.&0.\\0.&1.&0.\\0.&0.&1.\end{pmatrix}$

TABLE SI897. Results of type-II MSG 218.82 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,\frac{1}{2},w)$
$G(k)$	E, σ_{de}, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2x}, σ_{df}, ${S_{4x}}^{-}$, σ_{db}, ${S_{4z}}^{+}$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1.&0.&0.\\0.&1.&0.\\0.&0.&1.\end{pmatrix}$

TABLE SI898. Results of type-II MSG 219.86 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI899. Results of type-II MSG 219.86 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI900. Results of type-II MSG 220.90 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,w,\frac{1}{2}-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
SNL k	$(w,-w,\frac{1}{2})$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2x}, ${S_{4y}}^{+}$, ${S_{4y}}^{-}$, ${S_{4x}}^{-}$, ${S_{4x}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI901. Results of type-II MSG 220.90 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(w,-w,\frac{1}{2})$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2x}, ${S_{4y}}^{+}$, ${S_{4y}}^{-}$, ${S_{4x}}^{-}$, ${S_{4x}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI902. Results of type-II MSG 221.93 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, σ_{db}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI903. Results of type-II MSG 221.93 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI904. Results of type-II MSG 222.99 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, C_{2c}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${C_{4z}}^{+}$, ${C_{4y}}^{-}$, ${S_{4x}}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, σ_{db}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI905. Results of type-II MSG 222.99 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI906. Results of type-II MSG 223.105 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, C_{2c}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, σ_{db}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI907. Results of type-II MSG 223.105 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI908. Results of type-II MSG 224.111 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$, ${C_{4z}}^+$, ${C_{4y}}^-$, ${S_{4x}}^+$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, ${C_{4z}}^-$, ${C_{4z}}^+$, σ_{db}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI909. Results of type-II MSG 224.111 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI910. Results of type-II MSG 225.117 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI911. Results of type-II MSG 225.117 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI912. Results of type-II MSG 226.123 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2}, \frac{1}{2}-w, w+\frac{1}{2}\right)$
$G(k)$	E, C_{2f}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI913. Results of type-II MSG 226.123 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI914. Results of type-II MSG 227.129 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI915. Results of type-II MSG 227.129 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI916. Results of type-II MSG 228.135 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2f}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI917. Results of type-II MSG 228.135 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI918. Results of type-II MSG 229.141 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI919. Results of type-II MSG 229.141 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI920. Results of type-II MSG 230.146 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
SNL k	$\left(w,-w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, C_{2b}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	σ_y, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI921. Results of type-II MSG 230.146 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

3. Type-III MSGs

TABLE SI922. Results of type-III MSG 2.6 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI923. Results of type-III MSG 2.6 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI924. Results of type-III MSG 3.3 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI925. Results of type-III MSG 3.3 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI926. Results of type-III MSG 4.9 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI927. Results of type-III MSG 4.9 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI928. Results of type-III MSG 5.15 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI929. Results of type-III MSG 5.15 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI930. Results of type-III MSG 6.20 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI931. Results of type-III MSG 6.20 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI932. Results of type-III MSG 7.26 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI933. Results of type-III MSG 7.26 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI934. Results of type-III MSG 8.34 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI935. Results of type-III MSG 8.34 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI936. Results of type-III MSG 9.39 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, -w, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI937. Results of type-III MSG 9.39 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, -w, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI938. Results of type-III MSG 10.44 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI939. Results of type-III MSG 10.44 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI940. Results of type-III MSG 10.45 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI941. Results of type-III MSG 10.45 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI942. Results of type-III MSG 10.46 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI943. Results of type-III MSG 10.46 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI944. Results of type-III MSG 11.52 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI945. Results of type-III MSG 11.52 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI946. Results of type-III MSG 11.53 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI947. Results of type-III MSG 11.53 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI948. Results of type-III MSG 11.54 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI949. Results of type-III MSG 11.54 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI950. Results of type-III MSG 12.60 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI951. Results of type-III MSG 12.60 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI952. Results of type-III MSG 12.61 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI953. Results of type-III MSG 12.61 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI954. Results of type-III MSG 12.62 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI955. Results of type-III MSG 12.62 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI956. Results of type-III MSG 13.67 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI957. Results of type-III MSG 13.67 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI958. Results of type-III MSG 13.68 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI959. Results of type-III MSG 13.68 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI960. Results of type-III MSG 13.69 with single-valued representations.

AHC tensor	$(\sigma_{yz},\sigma_{zx},0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI961. Results of type-III MSG 13.69 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI962. Results of type-III MSG 14.77 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI963. Results of type-III MSG 14.77 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI964. Results of type-III MSG 14.78 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI965. Results of type-III MSG 14.78 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI966. Results of type-III MSG 14.79 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI967. Results of type-III MSG 14.79 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI968. Results of type-III MSG 15.87 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI969. Results of type-III MSG 15.87 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI970. Results of type-III MSG 15.88 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, -w, w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI971. Results of type-III MSG 15.88 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI972. Results of type-III MSG 15.89 with single-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, -w, w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI973. Results of type-III MSG 15.89 with double-valued representations.

AHC tensor	$(\sigma_{yz}, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, -w, w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 1.41421 \\ -0.5 & 0. & 0. \\ 0. & -0.333333 & 0.333333 \end{pmatrix}$

TABLE SI974. Results of type-III MSG 16.3 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI975. Results of type-III MSG 16.3 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI976. Results of type-III MSG 17.9 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI977. Results of type-III MSG 17.9 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI978. Results of type-III MSG 17.10 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI979. Results of type-III MSG 17.10 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI980. Results of type-III MSG 18.18 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI981. Results of type-III MSG 18.18 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI982. Results of type-III MSG 18.19 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI983. Results of type-III MSG 18.19 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI984. Results of type-III MSG 19.27 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI985. Results of type-III MSG 19.27 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI986. Results of type-III MSG 20.33 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI987. Results of type-III MSG 20.33 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI988. Results of type-III MSG 20.34 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI989. Results of type-III MSG 20.34 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI990. Results of type-III MSG 21.40 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI991. Results of type-III MSG 21.40 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI992. Results of type-III MSG 21.41 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI993. Results of type-III MSG 21.41 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI994. Results of type-III MSG 22.47 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI995. Results of type-III MSG 22.47 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI996. Results of type-III MSG 23.51 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI997. Results of type-III MSG 23.51 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI998. Results of type-III MSG 24.55 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI999. Results of type-III MSG 24.55 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1000. Results of type-III MSG 25.59 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1001. Results of type-III MSG 25.59 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1002. Results of type-III MSG 25.60 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1003. Results of type-III MSG 25.60 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1004. Results of type-III MSG 26.68 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1005. Results of type-III MSG 26.68 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1006. Results of type-III MSG 26.69 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1007. Results of type-III MSG 26.69 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1008. Results of type-III MSG 26.70 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1009. Results of type-III MSG 26.70 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1010. Results of type-III MSG 27.80 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1011. Results of type-III MSG 27.80 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1012. Results of type-III MSG 27.81 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1013. Results of type-III MSG 27.81 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1014. Results of type-III MSG 28.89 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1015. Results of type-III MSG 28.89 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1016. Results of type-III MSG 28.90 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1017. Results of type-III MSG 28.90 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1018. Results of type-III MSG 28.91 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1019. Results of type-III MSG 28.91 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1020. Results of type-III MSG 29.101 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1021. Results of type-III MSG 29.101 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1022. Results of type-III MSG 29.102 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1023. Results of type-III MSG 29.102 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1024. Results of type-III MSG 29.103 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1025. Results of type-III MSG 29.103 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1026. Results of type-III MSG 30.113 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1027. Results of type-III MSG 30.113 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1028. Results of type-III MSG 30.114 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1029. Results of type-III MSG 30.114 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1030. Results of type-III MSG 30.115 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$(-w, \frac{1}{2}, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$(-w, 0, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$(-\frac{1}{2}, w, 0)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1031. Results of type-III MSG 30.115 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$(-w, \frac{1}{2}, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$(-w, 0, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$(-\frac{1}{2}, w, 0)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1032. Results of type-III MSG 31.125 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1033. Results of type-III MSG 31.125 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1034. Results of type-III MSG 31.126 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1035. Results of type-III MSG 31.126 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1036. Results of type-III MSG 31.127 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1037. Results of type-III MSG 31.127 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1038. Results of type-III MSG 32.137 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1039. Results of type-III MSG 32.137 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1040. Results of type-III MSG 32.138 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1041. Results of type-III MSG 32.138 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1042. Results of type-III MSG 33.146 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1043. Results of type-III MSG 33.146 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1044. Results of type-III MSG 33.147 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1045. Results of type-III MSG 33.147 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1046. Results of type-III MSG 33.148 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1047. Results of type-III MSG 33.148 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1048. Results of type-III MSG 34.158 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1049. Results of type-III MSG 34.158 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1050. Results of type-III MSG 34.159 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1051. Results of type-III MSG 34.159 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1052. Results of type-III MSG 35.167 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1053. Results of type-III MSG 35.167 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1054. Results of type-III MSG 35.168 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1055. Results of type-III MSG 35.168 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1056. Results of type-III MSG 36.174 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1057. Results of type-III MSG 36.174 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1058. Results of type-III MSG 36.175 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1059. Results of type-III MSG 36.175 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1060. Results of type-III MSG 36.176 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1061. Results of type-III MSG 36.176 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1062. Results of type-III MSG 37.182 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1063. Results of type-III MSG 37.182 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1064. Results of type-III MSG 37.183 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1065. Results of type-III MSG 37.183 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1066. Results of type-III MSG 38.189 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1067. Results of type-III MSG 38.189 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1068. Results of type-III MSG 38.190 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1069. Results of type-III MSG 38.190 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1070. Results of type-III MSG 38.191 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1071. Results of type-III MSG 38.191 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1072. Results of type-III MSG 39.197 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	σ_x
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1073. Results of type-III MSG 39.197 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	σ_x
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1074. Results of type-III MSG 39.198 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1075. Results of type-III MSG 39.198 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1076. Results of type-III MSG 39.199 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1077. Results of type-III MSG 39.199 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1078. Results of type-III MSG 40.205 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1079. Results of type-III MSG 40.205 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1080. Results of type-III MSG 40.206 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1081. Results of type-III MSG 40.206 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1082. Results of type-III MSG 40.207 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1083. Results of type-III MSG 40.207 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1084. Results of type-III MSG 41.213 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	σ_x
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1085. Results of type-III MSG 41.213 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	σ_x
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1086. Results of type-III MSG 41.214 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$(w, w, \frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1087. Results of type-III MSG 41.214 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$(w, w, \frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1088. Results of type-III MSG 41.215 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
SNL k	$(w, w, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1089. Results of type-III MSG 41.215 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1090. Results of type-III MSG 42.221 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1091. Results of type-III MSG 42.221 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1092. Results of type-III MSG 42.222 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1093. Results of type-III MSG 42.222 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1094. Results of type-III MSG 43.226 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1095. Results of type-III MSG 43.226 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1096. Results of type-III MSG 43.227 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(\frac{1}{2}, -w, \frac{1}{2}-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1097. Results of type-III MSG 43.227 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(\frac{1}{2}, -w, \frac{1}{2}-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1098. Results of type-III MSG 44.231 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1099. Results of type-III MSG 44.231 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1100. Results of type-III MSG 44.232 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1101. Results of type-III MSG 44.232 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1102. Results of type-III MSG 45.237 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1103. Results of type-III MSG 45.237 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1104. Results of type-III MSG 45.238 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1105. Results of type-III MSG 45.238 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1106. Results of type-III MSG 46.243 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1107. Results of type-III MSG 46.243 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1108. Results of type-III MSG 46.244 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1109. Results of type-III MSG 46.244 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1110. Results of type-III MSG 46.245 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1111. Results of type-III MSG 46.245 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1112. Results of type-III MSG 47.251 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1113. Results of type-III MSG 47.251 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1114. Results of type-III MSG 47.252 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1115. Results of type-III MSG 47.252 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1116. Results of type-III MSG 47.253 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1117. Results of type-III MSG 47.253 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1118. Results of type-III MSG 48.259 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1119. Results of type-III MSG 48.259 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1120. Results of type-III MSG 48.260 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1121. Results of type-III MSG 48.260 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1122. Results of type-III MSG 48.261 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1123. Results of type-III MSG 48.261 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1124. Results of type-III MSG 49.267 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1125. Results of type-III MSG 49.267 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1126. Results of type-III MSG 49.268 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1127. Results of type-III MSG 49.268 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1128. Results of type-III MSG 49.269 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1129. Results of type-III MSG 49.269 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1130. Results of type-III MSG 49.270 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1131. Results of type-III MSG 49.270 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1132. Results of type-III MSG 49.271 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1133. Results of type-III MSG 49.271 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1134. Results of type-III MSG 50.279 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1135. Results of type-III MSG 50.279 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1136. Results of type-III MSG 50.280 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1137. Results of type-III MSG 50.280 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1138. Results of type-III MSG 50.281 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1139. Results of type-III MSG 50.281 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1140. Results of type-III MSG 50.282 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1141. Results of type-III MSG 50.282 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1142. Results of type-III MSG 50.283 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1143. Results of type-III MSG 50.283 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1144. Results of type-III MSG 51.291 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1145. Results of type-III MSG 51.291 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1146. Results of type-III MSG 51.292 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1147. Results of type-III MSG 51.292 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1148. Results of type-III MSG 51.293 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1149. Results of type-III MSG 51.293 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1150. Results of type-III MSG 51.294 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1151. Results of type-III MSG 51.294 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1152. Results of type-III MSG 51.295 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1153. Results of type-III MSG 51.295 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1154. Results of type-III MSG 51.296 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1155. Results of type-III MSG 51.296 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1156. Results of type-III MSG 51.297 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1157. Results of type-III MSG 51.297 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1158. Results of type-III MSG 52.307 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1159. Results of type-III MSG 52.307 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1160. Results of type-III MSG 52.308 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1161. Results of type-III MSG 52.308 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1162. Results of type-III MSG 52.309 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1163. Results of type-III MSG 52.309 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1164. Results of type-III MSG 52.310 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1165. Results of type-III MSG 52.310 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1166. Results of type-III MSG 52.311 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1167. Results of type-III MSG 52.311 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1168. Results of type-III MSG 52.312 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1169. Results of type-III MSG 52.312 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1170. Results of type-III MSG 52.313 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1171. Results of type-III MSG 52.313 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1172. Results of type-III MSG 53.323 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1173. Results of type-III MSG 53.323 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1174. Results of type-III MSG 53.324 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1175. Results of type-III MSG 53.324 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1176. Results of type-III MSG 53.325 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1177. Results of type-III MSG 53.325 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1178. Results of type-III MSG 53.326 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1179. Results of type-III MSG 53.326 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1180. Results of type-III MSG 53.327 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1181. Results of type-III MSG 53.327 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1182. Results of type-III MSG 53.328 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1183. Results of type-III MSG 53.328 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1184. Results of type-III MSG 53.329 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1185. Results of type-III MSG 53.329 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1186. Results of type-III MSG 54.339 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1187. Results of type-III MSG 54.339 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1188. Results of type-III MSG 54.340 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1189. Results of type-III MSG 54.340 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1190. Results of type-III MSG 54.341 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1191. Results of type-III MSG 54.341 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1192. Results of type-III MSG 54.342 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1193. Results of type-III MSG 54.342 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1194. Results of type-III MSG 54.343 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1195. Results of type-III MSG 54.343 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1196. Results of type-III MSG 54.344 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1197. Results of type-III MSG 54.344 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1198. Results of type-III MSG 54.345 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1199. Results of type-III MSG 54.345 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1200. Results of type-III MSG 55.355 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1201. Results of type-III MSG 55.355 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1202. Results of type-III MSG 55.356 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1203. Results of type-III MSG 55.356 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1204. Results of type-III MSG 55.357 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1205. Results of type-III MSG 55.357 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1206. Results of type-III MSG 55.358 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1207. Results of type-III MSG 55.358 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1208. Results of type-III MSG 55.359 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \Theta I$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1209. Results of type-III MSG 55.359 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1210. Results of type-III MSG 56.367 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1211. Results of type-III MSG 56.367 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1212. Results of type-III MSG 56.368 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1213. Results of type-III MSG 56.368 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1214. Results of type-III MSG 56.369 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1215. Results of type-III MSG 56.369 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1216. Results of type-III MSG 56.370 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1217. Results of type-III MSG 56.370 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1218. Results of type-III MSG 56.371 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1219. Results of type-III MSG 56.371 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1220. Results of type-III MSG 57.379 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1221. Results of type-III MSG 57.379 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1222. Results of type-III MSG 57.380 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1223. Results of type-III MSG 57.380 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1224. Results of type-III MSG 57.381 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1225. Results of type-III MSG 57.381 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1226. Results of type-III MSG 57.382 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1227. Results of type-III MSG 57.382 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1228. Results of type-III MSG 57.383 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, ΘC_{2y}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1229. Results of type-III MSG 57.383 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1230. Results of type-III MSG 57.384 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1231. Results of type-III MSG 57.384 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1232. Results of type-III MSG 57.385 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1233. Results of type-III MSG 57.385 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1234. Results of type-III MSG 58.395 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1235. Results of type-III MSG 58.395 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1236. Results of type-III MSG 58.396 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1237. Results of type-III MSG 58.396 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1238. Results of type-III MSG 58.397 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1239. Results of type-III MSG 58.397 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1240. Results of type-III MSG 58.398 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1241. Results of type-III MSG 58.398 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1242. Results of type-III MSG 58.399 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \Theta I$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1243. Results of type-III MSG 58.399 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1244. Results of type-III MSG 59.407 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1245. Results of type-III MSG 59.407 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1246. Results of type-III MSG 59.408 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1247. Results of type-III MSG 59.408 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1248. Results of type-III MSG 59.409 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1249. Results of type-III MSG 59.409 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1250. Results of type-III MSG 59.410 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, ΘC_{2y}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1251. Results of type-III MSG 59.410 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, ΘC_{2y}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1252. Results of type-III MSG 59.411 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1253. Results of type-III MSG 59.411 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1254. Results of type-III MSG 60.419 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1255. Results of type-III MSG 60.419 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1256. Results of type-III MSG 60.420 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1257. Results of type-III MSG 60.420 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1258. Results of type-III MSG 60.421 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1259. Results of type-III MSG 60.421 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1260. Results of type-III MSG 60.422 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1261. Results of type-III MSG 60.422 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1262. Results of type-III MSG 60.423 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1263. Results of type-III MSG 60.423 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1264. Results of type-III MSG 60.424 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1265. Results of type-III MSG 60.424 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1266. Results of type-III MSG 60.425 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1267. Results of type-III MSG 60.425 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1268. Results of type-III MSG 61.435 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1269. Results of type-III MSG 61.435 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1270. Results of type-III MSG 61.436 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1271. Results of type-III MSG 61.436 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1272. Results of type-III MSG 61.437 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1273. Results of type-III MSG 61.437 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1274. Results of type-III MSG 62.443 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1275. Results of type-III MSG 62.443 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1276. Results of type-III MSG 62.444 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1277. Results of type-III MSG 62.444 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1278. Results of type-III MSG 62.445 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1279. Results of type-III MSG 62.445 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1280. Results of type-III MSG 62.446 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1281. Results of type-III MSG 62.446 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1282. Results of type-III MSG 62.447 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, ΘC_{2y}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1283. Results of type-III MSG 62.447 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, ΘC_{2y}
BC vector	$(\Omega_x, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1284. Results of type-III MSG 62.448 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1285. Results of type-III MSG 62.448 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1286. Results of type-III MSG 62.449 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1287. Results of type-III MSG 62.449 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1288. Results of type-III MSG 63.459 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1289. Results of type-III MSG 63.459 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1290. Results of type-III MSG 63.460 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1291. Results of type-III MSG 63.460 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1292. Results of type-III MSG 63.461 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1293. Results of type-III MSG 63.461 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1294. Results of type-III MSG 63.462 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1295. Results of type-III MSG 63.462 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1296. Results of type-III MSG 63.463 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1297. Results of type-III MSG 63.463 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1298. Results of type-III MSG 63.464 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1299. Results of type-III MSG 63.464 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1300. Results of type-III MSG 63.465 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1301. Results of type-III MSG 63.465 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1302. Results of type-III MSG 64.471 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1303. Results of type-III MSG 64.471 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1304. Results of type-III MSG 64.472 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1305. Results of type-III MSG 64.472 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1306. Results of type-III MSG 64.473 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	σ_y
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1307. Results of type-III MSG 64.473 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1308. Results of type-III MSG 64.474 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1309. Results of type-III MSG 64.474 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1310. Results of type-III MSG 64.475 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1311. Results of type-III MSG 64.475 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1312. Results of type-III MSG 64.476 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1313. Results of type-III MSG 64.476 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1314. Results of type-III MSG 64.477 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1315. Results of type-III MSG 64.477 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1316. Results of type-III MSG 65.483 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1317. Results of type-III MSG 65.483 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1318. Results of type-III MSG 65.484 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1319. Results of type-III MSG 65.484 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1320. Results of type-III MSG 65.485 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1321. Results of type-III MSG 65.485 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1322. Results of type-III MSG 65.486 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1323. Results of type-III MSG 65.486 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1324. Results of type-III MSG 65.487 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1325. Results of type-III MSG 65.487 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1326. Results of type-III MSG 66.493 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1327. Results of type-III MSG 66.493 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1328. Results of type-III MSG 66.494 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1329. Results of type-III MSG 66.494 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1330. Results of type-III MSG 66.495 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1331. Results of type-III MSG 66.495 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1332. Results of type-III MSG 66.496 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1333. Results of type-III MSG 66.496 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1334. Results of type-III MSG 66.497 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1335. Results of type-III MSG 66.497 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1336. Results of type-III MSG 67.503 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1337. Results of type-III MSG 67.503 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1338. Results of type-III MSG 67.504 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	σ_y
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1339. Results of type-III MSG 67.504 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1340. Results of type-III MSG 67.505 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1341. Results of type-III MSG 67.505 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1342. Results of type-III MSG 67.506 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1343. Results of type-III MSG 67.506 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1344. Results of type-III MSG 67.507 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1345. Results of type-III MSG 67.507 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1346. Results of type-III MSG 68.513 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1347. Results of type-III MSG 68.513 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1348. Results of type-III MSG 68.514 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	σ_y
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1349. Results of type-III MSG 68.514 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1350. Results of type-III MSG 68.515 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1351. Results of type-III MSG 68.515 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1352. Results of type-III MSG 68.516 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1353. Results of type-III MSG 68.516 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2x}
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1354. Results of type-III MSG 68.517 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1355. Results of type-III MSG 68.517 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1356. Results of type-III MSG 69.523 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI1357. Results of type-III MSG 69.523 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI1358. Results of type-III MSG 69.524 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1359. Results of type-III MSG 69.524 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1360. Results of type-III MSG 69.525 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1361. Results of type-III MSG 69.525 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1362. Results of type-III MSG 70.529 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1363. Results of type-III MSG 70.529 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1364. Results of type-III MSG 70.530 with single-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w+\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1365. Results of type-III MSG 70.530 with double-valued representations.

AHC tensor	$(0, \sigma_{zx}, 0)$
SNL k	$\left(w+\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2x}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(w, -\frac{1}{2}, w-\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI1366. Results of type-III MSG 70.531 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI1367. Results of type-III MSG 70.531 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI1368. Results of type-III MSG 71.535 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1369. Results of type-III MSG 71.535 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1370. Results of type-III MSG 71.536 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1371. Results of type-III MSG 71.536 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1372. Results of type-III MSG 71.537 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1373. Results of type-III MSG 71.537 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1374. Results of type-III MSG 72.541 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1375. Results of type-III MSG 72.541 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1376. Results of type-III MSG 72.542 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1377. Results of type-III MSG 72.542 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1378. Results of type-III MSG 72.543 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1379. Results of type-III MSG 72.543 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1380. Results of type-III MSG 72.544 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1381. Results of type-III MSG 72.544 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1382. Results of type-III MSG 72.545 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1383. Results of type-III MSG 72.545 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1384. Results of type-III MSG 73.550 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1385. Results of type-III MSG 73.550 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1386. Results of type-III MSG 73.551 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1387. Results of type-III MSG 73.551 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1388. Results of type-III MSG 73.552 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1389. Results of type-III MSG 73.552 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1390. Results of type-III MSG 74.556 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1391. Results of type-III MSG 74.556 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1392. Results of type-III MSG 74.557 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1393. Results of type-III MSG 74.557 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1394. Results of type-III MSG 74.558 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1395. Results of type-III MSG 74.558 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1396. Results of type-III MSG 74.559 with single-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(w + \frac{1}{2}, w - \frac{1}{2}, -w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1397. Results of type-III MSG 74.559 with double-valued representations.

AHC tensor	$(\sigma_{yz}, 0, 0)$
SNL k	$\left(w + \frac{1}{2}, w - \frac{1}{2}, -w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1398. Results of type-III MSG 74.560 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1399. Results of type-III MSG 74.560 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1400. Results of type-III MSG 75.3 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1401. Results of type-III MSG 75.3 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1402. Results of type-III MSG 76.9 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1403. Results of type-III MSG 76.9 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1404. Results of type-III MSG 77.15 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1405. Results of type-III MSG 77.15 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1406. Results of type-III MSG 78.21 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1407. Results of type-III MSG 78.21 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1408. Results of type-III MSG 79.27 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1409. Results of type-III MSG 79.27 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1410. Results of type-III MSG 80.31 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1411. Results of type-III MSG 80.31 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1412. Results of type-III MSG 81.35 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1413. Results of type-III MSG 81.35 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1414. Results of type-III MSG 82.41 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1415. Results of type-III MSG 82.41 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1416. Results of type-III MSG 83.45 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1417. Results of type-III MSG 83.45 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{-}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1418. Results of type-III MSG 83.46 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1419. Results of type-III MSG 83.46 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1420. Results of type-III MSG 83.47 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1421. Results of type-III MSG 83.47 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1422. Results of type-III MSG 84.53 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1423. Results of type-III MSG 84.53 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1424. Results of type-III MSG 84.54 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1425. Results of type-III MSG 84.54 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1426. Results of type-III MSG 84.55 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1427. Results of type-III MSG 84.55 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1428. Results of type-III MSG 85.61 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1429. Results of type-III MSG 85.61 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1430. Results of type-III MSG 85.62 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1431. Results of type-III MSG 85.62 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1432. Results of type-III MSG 85.63 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1433. Results of type-III MSG 85.63 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1434. Results of type-III MSG 86.69 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1435. Results of type-III MSG 86.69 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1436. Results of type-III MSG 86.70 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1437. Results of type-III MSG 86.70 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1438. Results of type-III MSG 86.71 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1439. Results of type-III MSG 86.71 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1440. Results of type-III MSG 87.77 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1441. Results of type-III MSG 87.77 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1442. Results of type-III MSG 87.78 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, $C_{4z}{}^{+}$, C_{2z}, $C_{4z}{}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1443. Results of type-III MSG 87.78 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1444. Results of type-III MSG 87.79 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1445. Results of type-III MSG 87.79 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1446. Results of type-III MSG 88.83 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1447. Results of type-III MSG 88.83 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{-}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1448. Results of type-III MSG 88.84 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1449. Results of type-III MSG 88.84 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1450. Results of type-III MSG 88.85 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1451. Results of type-III MSG 88.85 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1452. Results of type-III MSG 89.89 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1453. Results of type-III MSG 89.89 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1454. Results of type-III MSG 89.90 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1455. Results of type-III MSG 89.90 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1456. Results of type-III MSG 89.91 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1457. Results of type-III MSG 89.91 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1458. Results of type-III MSG 90.97 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1459. Results of type-III MSG 90.97 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1460. Results of type-III MSG 90.98 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1461. Results of type-III MSG 90.98 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1462. Results of type-III MSG 90.99 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1463. Results of type-III MSG 90.99 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1464. Results of type-III MSG 91.105 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1465. Results of type-III MSG 91.105 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1466. Results of type-III MSG 91.106 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1467. Results of type-III MSG 91.106 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1468. Results of type-III MSG 91.107 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1469. Results of type-III MSG 91.107 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1470. Results of type-III MSG 92.113 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1471. Results of type-III MSG 92.113 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1472. Results of type-III MSG 92.114 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1473. Results of type-III MSG 92.114 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1474. Results of type-III MSG 92.115 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1475. Results of type-III MSG 92.115 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1476. Results of type-III MSG 93.121 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1477. Results of type-III MSG 93.121 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1478. Results of type-III MSG 93.122 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1479. Results of type-III MSG 93.122 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1480. Results of type-III MSG 93.123 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1481. Results of type-III MSG 93.123 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1482. Results of type-III MSG 94.129 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1483. Results of type-III MSG 94.129 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1484. Results of type-III MSG 94.130 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1485. Results of type-III MSG 94.130 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1486. Results of type-III MSG 94.131 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1487. Results of type-III MSG 94.131 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1488. Results of type-III MSG 95.137 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1489. Results of type-III MSG 95.137 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1490. Results of type-III MSG 95.138 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1491. Results of type-III MSG 95.138 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1492. Results of type-III MSG 95.139 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1493. Results of type-III MSG 95.139 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1494. Results of type-III MSG 96.145 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1495. Results of type-III MSG 96.145 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1496. Results of type-III MSG 96.146 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1497. Results of type-III MSG 96.146 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1498. Results of type-III MSG 96.147 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1499. Results of type-III MSG 96.147 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1500. Results of type-III MSG 97.153 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1501. Results of type-III MSG 97.153 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1502. Results of type-III MSG 97.154 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1503. Results of type-III MSG 97.154 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1504. Results of type-III MSG 97.155 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1505. Results of type-III MSG 97.155 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1506. Results of type-III MSG 98.159 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1507. Results of type-III MSG 98.159 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1508. Results of type-III MSG 98.160 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1509. Results of type-III MSG 98.160 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1510. Results of type-III MSG 98.161 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1511. Results of type-III MSG 98.161 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1512. Results of type-III MSG 99.165 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1513. Results of type-III MSG 99.165 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1514. Results of type-III MSG 99.166 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1515. Results of type-III MSG 99.166 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1516. Results of type-III MSG 99.167 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1517. Results of type-III MSG 99.167 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1518. Results of type-III MSG 100.173 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1519. Results of type-III MSG 100.173 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1520. Results of type-III MSG 100.174 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	$\Theta{C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1521. Results of type-III MSG 100.174 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1522. Results of type-III MSG 100.175 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1523. Results of type-III MSG 100.175 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1524. Results of type-III MSG 101.181 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1525. Results of type-III MSG 101.181 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1526. Results of type-III MSG 101.182 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1527. Results of type-III MSG 101.182 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1528. Results of type-III MSG 101.183 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1529. Results of type-III MSG 101.183 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1530. Results of type-III MSG 102.189 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1531. Results of type-III MSG 102.189 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1532. Results of type-III MSG 102.190 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1533. Results of type-III MSG 102.190 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1534. Results of type-III MSG 102.191 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1535. Results of type-III MSG 102.191 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1536. Results of type-III MSG 103.197 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1537. Results of type-III MSG 103.197 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1538. Results of type-III MSG 103.198 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_x
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1539. Results of type-III MSG 103.198 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_x
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1540. Results of type-III MSG 103.199 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1541. Results of type-III MSG 103.199 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1542. Results of type-III MSG 104.205 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1543. Results of type-III MSG 104.205 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{da}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1544. Results of type-III MSG 104.206 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	σ_x
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	$\Theta{C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1545. Results of type-III MSG 104.206 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	σ_x
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1546. Results of type-III MSG 104.207 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1547. Results of type-III MSG 104.207 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1548. Results of type-III MSG 105.213 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1549. Results of type-III MSG 105.213 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1550. Results of type-III MSG 105.214 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_x
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1551. Results of type-III MSG 105.214 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_x
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1552. Results of type-III MSG 105.215 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1553. Results of type-III MSG 105.215 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1554. Results of type-III MSG 106.221 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1555. Results of type-III MSG 106.221 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1556. Results of type-III MSG 106.222 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	σ_x
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	$\Theta{C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1557. Results of type-III MSG 106.222 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	σ_x
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1558. Results of type-III MSG 106.223 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1559. Results of type-III MSG 106.223 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1560. Results of type-III MSG 107.229 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1561. Results of type-III MSG 107.229 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1562. Results of type-III MSG 107.230 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1563. Results of type-III MSG 107.230 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1564. Results of type-III MSG 107.231 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1565. Results of type-III MSG 107.231 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1566. Results of type-III MSG 108.235 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1567. Results of type-III MSG 108.235 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1568. Results of type-III MSG 108.236 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1569. Results of type-III MSG 108.236 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1570. Results of type-III MSG 108.237 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1571. Results of type-III MSG 108.237 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1572. Results of type-III MSG 109.241 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1573. Results of type-III MSG 109.241 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1574. Results of type-III MSG 109.242 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_y
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1575. Results of type-III MSG 109.242 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_y
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1576. Results of type-III MSG 109.243 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1577. Results of type-III MSG 109.243 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1578. Results of type-III MSG 110.247 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w, w, \frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}-w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1579. Results of type-III MSG 110.247 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}-w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1580. Results of type-III MSG 110.248 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_y
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1581. Results of type-III MSG 110.248 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_{db}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	σ_y
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1582. Results of type-III MSG 110.249 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1583. Results of type-III MSG 110.249 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1584. Results of type-III MSG 111.253 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta{S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta{S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1585. Results of type-III MSG 111.253 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1586. Results of type-III MSG 111.254 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1587. Results of type-III MSG 111.254 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1588. Results of type-III MSG 111.255 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1589. Results of type-III MSG 111.255 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1590. Results of type-III MSG 112.261 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1591. Results of type-III MSG 112.261 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1592. Results of type-III MSG 112.262 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1593. Results of type-III MSG 112.262 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1594. Results of type-III MSG 112.263 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1595. Results of type-III MSG 112.263 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1596. Results of type-III MSG 113.269 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta{S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1597. Results of type-III MSG 113.269 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1598. Results of type-III MSG 113.270 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1599. Results of type-III MSG 113.270 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1600. Results of type-III MSG 113.271 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1601. Results of type-III MSG 113.271 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1602. Results of type-III MSG 114.277 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1603. Results of type-III MSG 114.277 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1604. Results of type-III MSG 114.278 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1605. Results of type-III MSG 114.278 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1606. Results of type-III MSG 114.279 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1607. Results of type-III MSG 114.279 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{da}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1608. Results of type-III MSG 115.285 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta{S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta{S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1609. Results of type-III MSG 115.285 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1610. Results of type-III MSG 115.286 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1611. Results of type-III MSG 115.286 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	$\Theta {S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1612. Results of type-III MSG 115.287 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1613. Results of type-III MSG 115.287 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1614. Results of type-III MSG 116.293 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1615. Results of type-III MSG 116.293 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1616. Results of type-III MSG 116.294 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1617. Results of type-III MSG 116.294 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1618. Results of type-III MSG 116.295 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1619. Results of type-III MSG 116.295 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1620. Results of type-III MSG 117.301 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1621. Results of type-III MSG 117.301 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1622. Results of type-III MSG 117.302 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	$\Theta {S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1623. Results of type-III MSG 117.302 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1624. Results of type-III MSG 117.303 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	${S_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1625. Results of type-III MSG 117.303 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1626. Results of type-III MSG 118.309 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1627. Results of type-III MSG 118.309 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1628. Results of type-III MSG 118.310 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1629. Results of type-III MSG 118.310 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1630. Results of type-III MSG 118.311 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1631. Results of type-III MSG 118.311 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0, \Omega_y, \Omega_z)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1632. Results of type-III MSG 119.317 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta{S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1633. Results of type-III MSG 119.317 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1634. Results of type-III MSG 119.318 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1635. Results of type-III MSG 119.318 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1636. Results of type-III MSG 119.319 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1637. Results of type-III MSG 119.319 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1638. Results of type-III MSG 120.323 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2b}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1639. Results of type-III MSG 120.323 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2b}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1640. Results of type-III MSG 120.324 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1641. Results of type-III MSG 120.324 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1642. Results of type-III MSG 120.325 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1643. Results of type-III MSG 120.325 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1644. Results of type-III MSG 121.329 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta{S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1645. Results of type-III MSG 121.329 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta{S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1646. Results of type-III MSG 121.330 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1647. Results of type-III MSG 121.330 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1648. Results of type-III MSG 121.331 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1649. Results of type-III MSG 121.331 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1650. Results of type-III MSG 122.335 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1651. Results of type-III MSG 122.335 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1652. Results of type-III MSG 122.336 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2x}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1653. Results of type-III MSG 122.336 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	C_{2x}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1654. Results of type-III MSG 122.337 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1655. Results of type-III MSG 122.337 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1656. Results of type-III MSG 123.341 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1657. Results of type-III MSG 123.341 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1658. Results of type-III MSG 123.342 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1659. Results of type-III MSG 123.342 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${\Theta C_{4z}}^{-}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${\Theta C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1660. Results of type-III MSG 123.343 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1661. Results of type-III MSG 123.343 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1662. Results of type-III MSG 123.344 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1663. Results of type-III MSG 123.344 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1664. Results of type-III MSG 123.345 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1665. Results of type-III MSG 123.345 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1666. Results of type-III MSG 123.346 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1667. Results of type-III MSG 123.346 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1668. Results of type-III MSG 123.347 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1669. Results of type-III MSG 123.347 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1670. Results of type-III MSG 124.353 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1671. Results of type-III MSG 124.353 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1672. Results of type-III MSG 124.354 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	C_{2b}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1673. Results of type-III MSG 124.354 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1674. Results of type-III MSG 124.355 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1675. Results of type-III MSG 124.355 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1676. Results of type-III MSG 124.356 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1677. Results of type-III MSG 124.356 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1678. Results of type-III MSG 124.357 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1679. Results of type-III MSG 124.357 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1680. Results of type-III MSG 124.358 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1681. Results of type-III MSG 124.358 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1682. Results of type-III MSG 124.359 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1683. Results of type-III MSG 124.359 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1684. Results of type-III MSG 125.365 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1685. Results of type-III MSG 125.365 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1686. Results of type-III MSG 125.366 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	C_{2a}
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1687. Results of type-III MSG 125.366 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1688. Results of type-III MSG 125.367 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1689. Results of type-III MSG 125.367 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1690. Results of type-III MSG 125.368 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	σ_{da}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1691. Results of type-III MSG 125.368 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1692. Results of type-III MSG 125.369 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1693. Results of type-III MSG 125.369 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1694. Results of type-III MSG 125.370 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1695. Results of type-III MSG 125.370 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1696. Results of type-III MSG 125.371 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^+$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1697. Results of type-III MSG 125.371 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1698. Results of type-III MSG 126.377 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1699. Results of type-III MSG 126.377 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1700. Results of type-III MSG 126.378 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1701. Results of type-III MSG 126.378 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1702. Results of type-III MSG 126.379 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1703. Results of type-III MSG 126.379 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1704. Results of type-III MSG 126.380 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	σ_{da}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1705. Results of type-III MSG 126.380 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1706. Results of type-III MSG 126.381 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1707. Results of type-III MSG 126.381 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1708. Results of type-III MSG 126.382 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1709. Results of type-III MSG 126.382 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1710. Results of type-III MSG 126.383 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1711. Results of type-III MSG 126.383 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1712. Results of type-III MSG 127.389 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1713. Results of type-III MSG 127.389 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1714. Results of type-III MSG 127.390 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1715. Results of type-III MSG 127.390 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${\Theta C_{4z}}^-$
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${\Theta C_{4z}}^-$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1716. Results of type-III MSG 127.391 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	ΘC_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1717. Results of type-III MSG 127.391 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, w, 0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1718. Results of type-III MSG 127.392 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2x},\ \Theta I$
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \Theta I$
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1719. Results of type-III MSG 127.392 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1720. Results of type-III MSG 127.393 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1721. Results of type-III MSG 127.393 with double-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1722. Results of type-III MSG 127.394 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1723. Results of type-III MSG 127.394 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1724. Results of type-III MSG 127.395 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^+$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1725. Results of type-III MSG 127.395 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1726. Results of type-III MSG 128.401 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1727. Results of type-III MSG 128.401 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1728. Results of type-III MSG 128.402 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta{C_{4z}}^{-}$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1729. Results of type-III MSG 128.402 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1730. Results of type-III MSG 128.403 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1731. Results of type-III MSG 128.403 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$(w,\frac{1}{2},0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1732. Results of type-III MSG 128.404 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},0)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1733. Results of type-III MSG 128.404 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1734. Results of type-III MSG 128.405 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1735. Results of type-III MSG 128.405 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1736. Results of type-III MSG 128.406 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1737. Results of type-III MSG 128.406 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1738. Results of type-III MSG 128.407 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1739. Results of type-III MSG 128.407 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1740. Results of type-III MSG 129.413 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1741. Results of type-III MSG 129.413 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1742. Results of type-III MSG 129.414 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1743. Results of type-III MSG 129.414 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(w, w, 0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(w, w, \frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1744. Results of type-III MSG 129.415 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1745. Results of type-III MSG 129.415 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1746. Results of type-III MSG 129.416 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0, 0, 0)$
β	σ_{da}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1747. Results of type-III MSG 129.416 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1748. Results of type-III MSG 129.417 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1749. Results of type-III MSG 129.417 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1750. Results of type-III MSG 129.418 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1751. Results of type-III MSG 129.418 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1752. Results of type-III MSG 129.419 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1753. Results of type-III MSG 129.419 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1754. Results of type-III MSG 130.425 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1755. Results of type-III MSG 130.425 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1756. Results of type-III MSG 130.426 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1757. Results of type-III MSG 130.426 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1758. Results of type-III MSG 130.427 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1759. Results of type-III MSG 130.427 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1760. Results of type-III MSG 130.428 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	σ_{da}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1761. Results of type-III MSG 130.428 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1762. Results of type-III MSG 130.429 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1763. Results of type-III MSG 130.429 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1764. Results of type-III MSG 130.430 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1765. Results of type-III MSG 130.430 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1766. Results of type-III MSG 130.431 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1767. Results of type-III MSG 130.431 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1768. Results of type-III MSG 131.437 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1769. Results of type-III MSG 131.437 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1770. Results of type-III MSG 131.438 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1771. Results of type-III MSG 131.438 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1772. Results of type-III MSG 131.439 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0, 0, \Omega_z)$
β	C_{2y}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1773. Results of type-III MSG 131.439 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$(w,\frac{1}{2},0)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1774. Results of type-III MSG 131.440 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1775. Results of type-III MSG 131.440 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1776. Results of type-III MSG 131.441 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1777. Results of type-III MSG 131.441 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1778. Results of type-III MSG 131.442 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1779. Results of type-III MSG 131.442 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1780. Results of type-III MSG 131.443 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1781. Results of type-III MSG 131.443 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1782. Results of type-III MSG 132.449 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1783. Results of type-III MSG 132.449 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1784. Results of type-III MSG 132.450 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1785. Results of type-III MSG 132.450 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1786. Results of type-III MSG 132.451 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1787. Results of type-III MSG 132.451 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0, w, 0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1788. Results of type-III MSG 132.452 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1789. Results of type-III MSG 132.452 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1790. Results of type-III MSG 132.453 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1791. Results of type-III MSG 132.453 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1792. Results of type-III MSG 132.454 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1793. Results of type-III MSG 132.454 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1794. Results of type-III MSG 132.455 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1795. Results of type-III MSG 132.455 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1796. Results of type-III MSG 133.461 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1797. Results of type-III MSG 133.461 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1798. Results of type-III MSG 133.462 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	C_{2a}
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1799. Results of type-III MSG 133.462 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1800. Results of type-III MSG 133.463 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1801. Results of type-III MSG 133.463 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1802. Results of type-III MSG 133.464 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	σ_{da}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1803. Results of type-III MSG 133.464 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1804. Results of type-III MSG 133.465 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1805. Results of type-III MSG 133.465 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1806. Results of type-III MSG 133.466 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1807. Results of type-III MSG 133.466 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1808. Results of type-III MSG 133.467 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1809. Results of type-III MSG 133.467 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1810. Results of type-III MSG 134.473 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1811. Results of type-III MSG 134.473 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1812. Results of type-III MSG 134.474 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	C_{2b}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1813. Results of type-III MSG 134.474 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	C_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1814. Results of type-III MSG 134.475 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1815. Results of type-III MSG 134.475 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1816. Results of type-III MSG 134.476 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	σ_{da}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1817. Results of type-III MSG 134.476 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1818. Results of type-III MSG 134.477 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1819. Results of type-III MSG 134.477 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1820. Results of type-III MSG 134.478 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_x,\ \sigma_y,\ \Theta C_{2x}$
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1821. Results of type-III MSG 134.478 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1822. Results of type-III MSG 134.479 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1823. Results of type-III MSG 134.479 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1824. Results of type-III MSG 135.485 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1825. Results of type-III MSG 135.485 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1826. Results of type-III MSG 135.486 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(w, w, \frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1827. Results of type-III MSG 135.486 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(w, w, 0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1828. Results of type-III MSG 135.487 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1829. Results of type-III MSG 135.487 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1830. Results of type-III MSG 135.488 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1831. Results of type-III MSG 135.488 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1832. Results of type-III MSG 135.489 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1833. Results of type-III MSG 135.489 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1834. Results of type-III MSG 135.490 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1835. Results of type-III MSG 135.490 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1836. Results of type-III MSG 135.491 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1837. Results of type-III MSG 135.491 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1838. Results of type-III MSG 136.497 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1839. Results of type-III MSG 136.497 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1840. Results of type-III MSG 136.498 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	C_{2b}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1841. Results of type-III MSG 136.498 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1842. Results of type-III MSG 136.499 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1843. Results of type-III MSG 136.499 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0, w, 0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1844. Results of type-III MSG 136.500 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1845. Results of type-III MSG 136.500 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1846. Results of type-III MSG 136.501 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1847. Results of type-III MSG 136.501 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1848. Results of type-III MSG 136.502 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1849. Results of type-III MSG 136.502 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1850. Results of type-III MSG 136.503 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1851. Results of type-III MSG 136.503 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1852. Results of type-III MSG 137.509 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1853. Results of type-III MSG 137.509 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1854. Results of type-III MSG 137.510 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1855. Results of type-III MSG 137.510 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1856. Results of type-III MSG 137.511 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0, 0, \Omega_z)$
β	C_{2y}
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1857. Results of type-III MSG 137.511 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2b}
BC vector	$(0,0,\Omega_z)$
β	C_{2y}
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1858. Results of type-III MSG 137.512 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	σ_{da}
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1859. Results of type-III MSG 137.512 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1860. Results of type-III MSG 137.513 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0,0,\Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1861. Results of type-III MSG 137.513 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2b}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1862. Results of type-III MSG 137.514 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1863. Results of type-III MSG 137.514 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1864. Results of type-III MSG 137.515 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1865. Results of type-III MSG 137.515 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1866. Results of type-III MSG 138.521 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1867. Results of type-III MSG 138.521 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1868. Results of type-III MSG 138.522 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0, 0, \Omega_z)$
β	C_{2b}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1869. Results of type-III MSG 138.522 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2x}
BC vector	$(0,0,\Omega_z)$
β	C_{2b}
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,0)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1870. Results of type-III MSG 138.523 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1871. Results of type-III MSG 138.523 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_z, σ_x
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	ΘC_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1872. Results of type-III MSG 138.524 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	σ_{da}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1873. Results of type-III MSG 138.524 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1874. Results of type-III MSG 138.525 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1875. Results of type-III MSG 138.525 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2x}$
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \Theta C_{2y}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1876. Results of type-III MSG 138.526 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1877. Results of type-III MSG 138.526 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	C_{2a}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1878. Results of type-III MSG 138.527 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1879. Results of type-III MSG 138.527 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1880. Results of type-III MSG 139.533 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1881. Results of type-III MSG 139.533 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1882. Results of type-III MSG 139.534 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1883. Results of type-III MSG 139.534 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	${\Theta C_{4z}}^-$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	${\Theta C_{4z}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1884. Results of type-III MSG 139.535 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1885. Results of type-III MSG 139.535 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1886. Results of type-III MSG 139.536 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1887. Results of type-III MSG 139.536 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1888. Results of type-III MSG 139.537 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1889. Results of type-III MSG 139.537 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1890. Results of type-III MSG 139.538 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1891. Results of type-III MSG 139.538 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1892. Results of type-III MSG 139.539 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1893. Results of type-III MSG 139.539 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1894. Results of type-III MSG 140.543 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1895. Results of type-III MSG 140.543 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1896. Results of type-III MSG 140.544 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2b}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1897. Results of type-III MSG 140.544 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2b}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1898. Results of type-III MSG 140.545 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1899. Results of type-III MSG 140.545 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-w, w, w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1900. Results of type-III MSG 140.546 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1901. Results of type-III MSG 140.546 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1902. Results of type-III MSG 140.547 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1903. Results of type-III MSG 140.547 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1904. Results of type-III MSG 140.548 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1905. Results of type-III MSG 140.548 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1906. Results of type-III MSG 140.549 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(w,\frac{1}{2}-w,w)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1907. Results of type-III MSG 140.549 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1908. Results of type-III MSG 141.553 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2}-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1909. Results of type-III MSG 141.553 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1910. Results of type-III MSG 141.554 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1911. Results of type-III MSG 141.554 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1912. Results of type-III MSG 141.555 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0,0,\Omega_z)$
β	C_{2x}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1913. Results of type-III MSG 141.555 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,w,w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0,0,0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0,0,\Omega_z)$
β	C_{2x}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1914. Results of type-III MSG 141.556 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1915. Results of type-III MSG 141.556 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1916. Results of type-III MSG 141.557 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1917. Results of type-III MSG 141.557 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1918. Results of type-III MSG 141.558 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1919. Results of type-III MSG 141.558 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1920. Results of type-III MSG 141.559 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1921. Results of type-III MSG 141.559 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1922. Results of type-III MSG 142.563 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1923. Results of type-III MSG 142.563 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1924. Results of type-III MSG 142.564 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}
BC vector	$(0,0,0)$
β	$\Theta{C_{4z}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI1925. Results of type-III MSG 142.564 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C_{2b}
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1926. Results of type-III MSG 142.565 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0, 0, \Omega_z)$
β	C_{2x}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1927. Results of type-III MSG 142.565 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-w, w, w)$
$G(k)$	E, C_{2x}, σ_z, σ_y
BC vector	$(0, 0, 0)$
β	$\Theta {C_{4z}}^{-}$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0, 0, \Omega_z)$
β	C_{2x}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1928. Results of type-III MSG 142.566 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1929. Results of type-III MSG 142.566 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1930. Results of type-III MSG 142.567 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1931. Results of type-III MSG 142.567 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2} - w, w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^+$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0, 0, \Omega_z)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1932. Results of type-III MSG 142.568 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, ΘI
BC vector	$(0, 0, 0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1933. Results of type-III MSG 142.568 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1934. Results of type-III MSG 142.569 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1935. Results of type-III MSG 142.569 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI1936. Results of type-III MSG 147.15 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1937. Results of type-III MSG 147.15 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1938. Results of type-III MSG 148.19 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1939. Results of type-III MSG 148.19 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1940. Results of type-III MSG 149.23 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1941. Results of type-III MSG 149.23 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1942. Results of type-III MSG 150.27 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1943. Results of type-III MSG 150.27 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1944. Results of type-III MSG 151.31 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1945. Results of type-III MSG 151.31 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1946. Results of type-III MSG 152.35 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1947. Results of type-III MSG 152.35 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1948. Results of type-III MSG 153.39 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1949. Results of type-III MSG 153.39 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1950. Results of type-III MSG 154.43 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1951. Results of type-III MSG 154.43 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1952. Results of type-III MSG 155.47 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1953. Results of type-III MSG 155.47 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1954. Results of type-III MSG 156.51 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1955. Results of type-III MSG 156.51 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1956. Results of type-III MSG 157.55 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1957. Results of type-III MSG 157.55 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1958. Results of type-III MSG 158.59 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1959. Results of type-III MSG 158.59 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1960. Results of type-III MSG 159.63 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1961. Results of type-III MSG 159.63 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1962. Results of type-III MSG 160.67 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1963. Results of type-III MSG 160.67 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1964. Results of type-III MSG 161.71 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, -w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1965. Results of type-III MSG 161.71 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, -w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1966. Results of type-III MSG 162.75 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1967. Results of type-III MSG 162.75 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1968. Results of type-III MSG 162.76 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	C'_{21}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1969. Results of type-III MSG 162.76 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1970. Results of type-III MSG 162.77 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1971. Results of type-III MSG 162.77 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1972. Results of type-III MSG 163.81 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1973. Results of type-III MSG 163.81 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1974. Results of type-III MSG 163.82 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	C'_{21}
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, C'_{21}, ΘI
BC vector	$(0, 0, 0)$
β	${C_3}^+$, ${C_3}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1975. Results of type-III MSG 163.82 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1976. Results of type-III MSG 163.83 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_6}^+$, ${S_6}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1977. Results of type-III MSG 163.83 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${S_6}^+$, ${S_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1978. Results of type-III MSG 164.87 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	σ_{v2}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1979. Results of type-III MSG 164.87 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1980. Results of type-III MSG 164.88 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1981. Results of type-III MSG 164.88 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1982. Results of type-III MSG 164.89 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1983. Results of type-III MSG 164.89 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1984. Results of type-III MSG 165.93 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	σ_{v2}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1985. Results of type-III MSG 165.93 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1986. Results of type-III MSG 165.94 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{2}{3},\frac{1}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C_{22}'', ΘI
BC vector	$(0,0,0)$
β	${C_3}^+$, ${C_3}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1987. Results of type-III MSG 165.94 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1988. Results of type-III MSG 165.95 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	${S_6}^+$, ${S_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI1989. Results of type-III MSG 165.95 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${S_6}^+$, ${S_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI1990. Results of type-III MSG 166.99 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1991. Results of type-III MSG 166.99 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1992. Results of type-III MSG 166.100 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1993. Results of type-III MSG 166.100 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1994. Results of type-III MSG 166.101 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1995. Results of type-III MSG 166.101 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1996. Results of type-III MSG 167.105 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1997. Results of type-III MSG 167.105 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1998. Results of type-III MSG 167.106 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, -w\right)$
$G(k)$	E, C'_{22}, ΘI
BC vector	$(0, 0, 0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI1999. Results of type-III MSG 167.106 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI2000. Results of type-III MSG 167.107 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, -w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI2001. Results of type-III MSG 167.107 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(w, \frac{1}{2}, -w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI2002. Results of type-III MSG 168.111 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2003. Results of type-III MSG 168.111 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2004. Results of type-III MSG 169.115 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2005. Results of type-III MSG 169.115 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2006. Results of type-III MSG 170.119 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2007. Results of type-III MSG 170.119 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2008. Results of type-III MSG 171.123 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2009. Results of type-III MSG 171.123 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2010. Results of type-III MSG 172.127 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2011. Results of type-III MSG 172.127 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2012. Results of type-III MSG 173.131 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2013. Results of type-III MSG 173.131 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2014. Results of type-III MSG 174.135 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta {S_3}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2015. Results of type-III MSG 174.135 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta {S_3}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2016. Results of type-III MSG 175.139 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2017. Results of type-III MSG 175.139 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2018. Results of type-III MSG 175.140 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2019. Results of type-III MSG 175.140 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2020. Results of type-III MSG 175.141 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2021. Results of type-III MSG 175.141 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2022. Results of type-III MSG 176.145 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{2}{3},\frac{1}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2023. Results of type-III MSG 176.145 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2024. Results of type-III MSG 176.146 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	C_2
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2025. Results of type-III MSG 176.146 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2026. Results of type-III MSG 176.147 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2027. Results of type-III MSG 176.147 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2028. Results of type-III MSG 177.151 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2029. Results of type-III MSG 177.151 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2030. Results of type-III MSG 177.152 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2031. Results of type-III MSG 177.152 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2032. Results of type-III MSG 177.153 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2033. Results of type-III MSG 177.153 with double-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2034. Results of type-III MSG 178.157 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2035. Results of type-III MSG 178.157 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2036. Results of type-III MSG 178.158 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2037. Results of type-III MSG 178.158 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2038. Results of type-III MSG 178.159 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2039. Results of type-III MSG 178.159 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2040. Results of type-III MSG 179.163 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2041. Results of type-III MSG 179.163 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2042. Results of type-III MSG 179.164 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2043. Results of type-III MSG 179.164 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2044. Results of type-III MSG 179.165 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2045. Results of type-III MSG 179.165 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2046. Results of type-III MSG 180.169 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2047. Results of type-III MSG 180.169 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2048. Results of type-III MSG 180.170 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2049. Results of type-III MSG 180.170 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2050. Results of type-III MSG 180.171 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2051. Results of type-III MSG 180.171 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2052. Results of type-III MSG 181.175 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2053. Results of type-III MSG 181.175 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2054. Results of type-III MSG 181.176 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2055. Results of type-III MSG 181.176 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2056. Results of type-III MSG 181.177 with single-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2057. Results of type-III MSG 181.177 with double-valued representations.

AHC tensor	$(0,0,\sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2058. Results of type-III MSG 182.181 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2059. Results of type-III MSG 182.181 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2060. Results of type-III MSG 182.182 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2061. Results of type-III MSG 182.182 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2062. Results of type-III MSG 182.183 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2063. Results of type-III MSG 182.183 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2064. Results of type-III MSG 183.187 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2065. Results of type-III MSG 183.187 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2066. Results of type-III MSG 183.188 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2067. Results of type-III MSG 183.188 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{2}{3}, \frac{1}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2068. Results of type-III MSG 183.189 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2069. Results of type-III MSG 183.189 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2070. Results of type-III MSG 184.193 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2071. Results of type-III MSG 184.193 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2072. Results of type-III MSG 184.194 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2073. Results of type-III MSG 184.194 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2074. Results of type-III MSG 184.195 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2075. Results of type-III MSG 184.195 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2076. Results of type-III MSG 185.199 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2077. Results of type-III MSG 185.199 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2078. Results of type-III MSG 185.200 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2079. Results of type-III MSG 185.200 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2080. Results of type-III MSG 185.201 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2081. Results of type-III MSG 185.201 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2082. Results of type-III MSG 186.205 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2083. Results of type-III MSG 186.205 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2084. Results of type-III MSG 186.206 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{2}{3}, \frac{1}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2085. Results of type-III MSG 186.206 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{2}{3}, \frac{1}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2086. Results of type-III MSG 186.207 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2087. Results of type-III MSG 186.207 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2088. Results of type-III MSG 187.211 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2089. Results of type-III MSG 187.211 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2090. Results of type-III MSG 187.212 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2091. Results of type-III MSG 187.212 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2092. Results of type-III MSG 187.213 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2093. Results of type-III MSG 187.213 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2094. Results of type-III MSG 188.217 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C'_{23}, C'_{21}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2095. Results of type-III MSG 188.217 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C'_{23}, C'_{21}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2096. Results of type-III MSG 188.218 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2097. Results of type-III MSG 188.218 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2098. Results of type-III MSG 188.219 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{22}'$
BC vector	$(0, 0, \Omega_z)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2099. Results of type-III MSG 188.219 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{22}'$
BC vector	$(0, 0, \Omega_z)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2100. Results of type-III MSG 189.223 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	$\Theta\sigma_h$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2101. Results of type-III MSG 189.223 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	$\Theta\sigma_h$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2102. Results of type-III MSG 189.224 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2103. Results of type-III MSG 189.224 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2104. Results of type-III MSG 189.225 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2105. Results of type-III MSG 189.225 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2106. Results of type-III MSG 190.229 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2107. Results of type-III MSG 190.229 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2108. Results of type-III MSG 190.230 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C''_{22}, C''_{23}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2109. Results of type-III MSG 190.230 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	C''_{22}, C''_{23}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2110. Results of type-III MSG 190.231 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0, 0, \Omega_z)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2111. Results of type-III MSG 190.231 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0, 0, \Omega_z)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2112. Results of type-III MSG 191.235 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C_{21}'$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}'$
BC vector	$(0, 0, 0)$
β	C_2
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2113. Results of type-III MSG 191.235 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2114. Results of type-III MSG 191.236 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C_{21}''$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	σ_{v1}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2115. Results of type-III MSG 191.236 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2116. Results of type-III MSG 191.237 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}'$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}'$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}'$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2117. Results of type-III MSG 191.237 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2118. Results of type-III MSG 191.238 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2119. Results of type-III MSG 191.238 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2120. Results of type-III MSG 191.239 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C''_{21}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	C'_{21}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2121. Results of type-III MSG 191.239 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}''$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	C_{21}'
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2122. Results of type-III MSG 191.240 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2123. Results of type-III MSG 191.240 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2124. Results of type-III MSG 191.241 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	C_2
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2125. Results of type-III MSG 191.241 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2126. Results of type-III MSG 192.245 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	C_2
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2127. Results of type-III MSG 192.245 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2128. Results of type-III MSG 192.246 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C''_{21}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	σ_{v1}
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}, ΘC_2
BC vector	$(0, 0, 0)$
β	${C_3}^+, {C_3}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2129. Results of type-III MSG 192.246 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2130. Results of type-III MSG 192.247 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{2}{3},\frac{1}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C''_{22}, σ_{d2}, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,0)$
β	${C_3}^+$, ${C_3}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2131. Results of type-III MSG 192.247 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2132. Results of type-III MSG 192.248 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	C''_{22}, C''_{23}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2133. Results of type-III MSG 192.248 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x, 0, 0)$
β	C''_{22}, C''_{23}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2134. Results of type-III MSG 192.249 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}''$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_{21}'
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{23}', C_{21}'
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2135. Results of type-III MSG 192.249 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}''$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_{21}'
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{23}', C_{21}'
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2136. Results of type-III MSG 192.250 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{22}'$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2137. Results of type-III MSG 192.250 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{22}'$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2138. Results of type-III MSG 192.251 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C''_{22}, ΘI
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, ΘI
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2139. Results of type-III MSG 192.251 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2140. Results of type-III MSG 193.255 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2141. Results of type-III MSG 193.255 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2142. Results of type-III MSG 193.256 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C_{21}''$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	σ_{v1}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2143. Results of type-III MSG 193.256 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2144. Results of type-III MSG 193.257 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{2}{3},\frac{1}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2145. Results of type-III MSG 193.257 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, C''_{22}, σ_{d2}, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,0)$
β	${C_3}^+, {C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2146. Results of type-III MSG 193.258 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2147. Results of type-III MSG 193.258 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2148. Results of type-III MSG 193.259 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C''_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C'_{21}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2149. Results of type-III MSG 193.259 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C''_{21}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	C'_{21}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2150. Results of type-III MSG 193.260 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{22}'$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2151. Results of type-III MSG 193.260 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{22}'$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2152. Results of type-III MSG 193.261 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0, 0, 0)$
β	C_2
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, C_{22}'', ΘI
BC vector	$(0, 0, 0)$
β	C_{23}', C_{21}'
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2153. Results of type-III MSG 193.261 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2154. Results of type-III MSG 194.265 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2155. Results of type-III MSG 194.265 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2156. Results of type-III MSG 194.266 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C''_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	σ_{v1}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2157. Results of type-III MSG 194.266 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{21}',\ \sigma_h,\ \sigma_{v1},\ \Theta C_2$
BC vector	$(0, 0, 0)$
β	${C_3}^+, {C_3}^-$
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2158. Results of type-III MSG 194.267 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{2}{3},\frac{1}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2159. Results of type-III MSG 194.267 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2160. Results of type-III MSG 194.268 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2161. Results of type-III MSG 194.268 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2162. Results of type-III MSG 194.269 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}''$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	C_{21}'
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2163. Results of type-III MSG 194.269 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C_{21}''$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	C_{21}'
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2164. Results of type-III MSG 194.270 with single-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2165. Results of type-III MSG 194.270 with double-valued representations.

AHC tensor	$(0, 0, \sigma_{xy})$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C_{21}''$
BC vector	$(0, 0, \Omega_z)$
β	${C_6}^+$, ${C_6}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2166. Results of type-III MSG 194.271 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	C_2
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, ΘI
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2167. Results of type-III MSG 194.271 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2168. Results of type-III MSG 200.16 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2169. Results of type-III MSG 200.16 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2170. Results of type-III MSG 201.20 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{33}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2171. Results of type-III MSG 201.20 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2172. Results of type-III MSG 202.24 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2173. Results of type-III MSG 202.24 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2174. Results of type-III MSG 203.28 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2175. Results of type-III MSG 203.28 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2176. Results of type-III MSG 204.32 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2177. Results of type-III MSG 204.32 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2178. Results of type-III MSG 205.35 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2179. Results of type-III MSG 205.35 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2180. Results of type-III MSG 206.39 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2181. Results of type-III MSG 206.39 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2182. Results of type-III MSG 207.42 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2183. Results of type-III MSG 207.42 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2184. Results of type-III MSG 208.46 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2185. Results of type-III MSG 208.46 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2186. Results of type-III MSG 209.50 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2187. Results of type-III MSG 209.50 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2188. Results of type-III MSG 210.54 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2189. Results of type-III MSG 210.54 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2190. Results of type-III MSG 211.58 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2191. Results of type-III MSG 211.58 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2192. Results of type-III MSG 212.61 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2193. Results of type-III MSG 212.61 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2194. Results of type-III MSG 213.65 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2195. Results of type-III MSG 213.65 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2196. Results of type-III MSG 214.69 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2197. Results of type-III MSG 214.69 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2198. Results of type-III MSG 215.72 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, $\Theta S_{4y}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2199. Results of type-III MSG 215.72 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, $\Theta S_{4y}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2200. Results of type-III MSG 216.76 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, $\Theta S_{4y}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2201. Results of type-III MSG 216.76 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, $\Theta S_{4y}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2202. Results of type-III MSG 217.80 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2203. Results of type-III MSG 217.80 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2204. Results of type-III MSG 218.83 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_{dc}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2205. Results of type-III MSG 218.83 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_{dc}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2206. Results of type-III MSG 219.87 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2207. Results of type-III MSG 219.87 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2208. Results of type-III MSG 220.91 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,-w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2209. Results of type-III MSG 220.91 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, $\Theta {S_{4y}}^{+}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,-w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{db}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2210. Results of type-III MSG 221.94 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2211. Results of type-III MSG 221.94 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2212. Results of type-III MSG 221.95 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, w, 0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	${C_{34}}^{+}, {C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2213. Results of type-III MSG 221.95 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{34}{}^{-}$, $\Theta C_{4z}{}^{-}$, $\Theta C_{4y}{}^{+}$, $\Theta C_{4x}{}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{34}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2214. Results of type-III MSG 221.96 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2215. Results of type-III MSG 221.96 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2216. Results of type-III MSG 222.100 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${S_{4z}}^{+}$, ${S_{4y}}^{-}$, ${S_{4x}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2217. Results of type-III MSG 222.100 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2218. Results of type-III MSG 222.101 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, ΘC_{2e}
BC vector	$(0,\Omega_y,0)$
β	σ_z, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, $\Theta {C_{4z}}^{-}$, $\Theta {C_{4y}}^{+}$, $\Theta {C_{4x}}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2219. Results of type-III MSG 222.101 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, ΘC_{2e}
BC vector	$(0,\Omega_y,0)$
β	σ_z, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2220. Results of type-III MSG 222.102 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, C_{2c}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${C_{4z}}^{+}$, ${C_{4y}}^{-}$, C_{2f}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2221. Results of type-III MSG 222.102 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2222. Results of type-III MSG 223.106 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2223. Results of type-III MSG 223.106 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2224. Results of type-III MSG 223.107 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
SNL k	$\left(w, \frac{1}{2}, w\right)$
$G(k)$	E, σ_y, ΘC_{2e}
BC vector	$(0,\Omega_y,0)$
β	σ_z, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	${C_{34}}^{+}, {C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2225. Results of type-III MSG 223.107 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, σ_y, ΘC_{2e}
BC vector	$(0,\Omega_y,0)$
β	σ_z, $C_{31}{}^{+}$, $C_{32}{}^{+}$, $C_{31}{}^{-}$, $C_{33}{}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{34}{}^{-}$, $\Theta C_{4z}{}^{-}$, $\Theta C_{4y}{}^{+}$, $\Theta C_{4x}{}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{34}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2226. Results of type-III MSG 223.108 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, C_{2c}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2227. Results of type-III MSG 223.108 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2228. Results of type-III MSG 224.112 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${S_{4z}}^{+}$, ${S_{4y}}^{-}$, ${S_{4x}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2229. Results of type-III MSG 224.112 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI2230. Results of type-III MSG 224.113 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{34}{}^{-}$, $\Theta C_{4z}{}^{-}$, $\Theta C_{4y}{}^{+}$, $\Theta C_{4x}{}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{34}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2231. Results of type-III MSG 224.113 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, σ_x, σ_y, C_{2z}, $\Theta S_{4z}{}^{+}$
BC vector	$(0,0,0)$
β	$C_{34}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2232. Results of type-III MSG 224.114 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${C_{4z}}^{+}$, ${C_{4y}}^{-}$, C_{2f}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{-}$, ${C_{4z}}^{+}$, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2233. Results of type-III MSG 224.114 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2234. Results of type-III MSG 225.118 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2235. Results of type-III MSG 225.118 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2236. Results of type-III MSG 225.119 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, 0, w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2237. Results of type-III MSG 225.119 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, 0, w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2}, w, w + \frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2238. Results of type-III MSG 225.120 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2239. Results of type-III MSG 225.120 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2240. Results of type-III MSG 226.124 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2241. Results of type-III MSG 226.124 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2242. Results of type-III MSG 226.125 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, $C_{31}{}^{+}$, $C_{33}{}^{+}$, $C_{31}{}^{-}$, $C_{32}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2243. Results of type-III MSG 226.125 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{34}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, $C_{31}{}^{+}$, $C_{33}{}^{+}$, $C_{31}{}^{-}$, $C_{32}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2244. Results of type-III MSG 226.126 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2f}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2245. Results of type-III MSG 226.126 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2246. Results of type-III MSG 227.130 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}, {C_{34}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi\begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2247. Results of type-III MSG 227.130 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi\begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2248. Results of type-III MSG 227.131 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0,0,0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}, {C_{34}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi\begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2249. Results of type-III MSG 227.131 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, 0, w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0, 0, 0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2250. Results of type-III MSG 227.132 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2251. Results of type-III MSG 227.132 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2252. Results of type-III MSG 228.136 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2253. Results of type-III MSG 228.136 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI2254. Results of type-III MSG 228.137 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{34}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, $C_{31}{}^{+}$, $C_{33}{}^{+}$, $C_{31}{}^{-}$, $C_{32}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2255. Results of type-III MSG 228.137 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, $C_{31}{}^{+}$, $C_{33}{}^{+}$, $C_{31}{}^{-}$, $C_{32}{}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2256. Results of type-III MSG 228.138 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2f}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2257. Results of type-III MSG 228.138 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI2258. Results of type-III MSG 229.142 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2259. Results of type-III MSG 229.142 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2260. Results of type-III MSG 229.143 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, -w, w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2261. Results of type-III MSG 229.143 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, -w, w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta {S_{4y}}^{-}$
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 1. \\ 1. & 0. & 1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2262. Results of type-III MSG 229.144 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2263. Results of type-III MSG 229.144 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2264. Results of type-III MSG 230.147 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2265. Results of type-III MSG 230.147 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2266. Results of type-III MSG 230.148 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$(w,-w,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0,0,\Omega_z)$
β	σ_y, $C_{31}{}^{+}$, $C_{32}{}^{+}$, $C_{31}{}^{-}$, $C_{32}{}^{-}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2267. Results of type-III MSG 230.148 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, $\Theta S_{4y}{}^{-}$
BC vector	$(0,0,0)$
β	$C_{31}{}^{+}$, $C_{31}{}^{-}$
SNL k	$(w,-w,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2a}
BC vector	$(0,0,\Omega_z)$
β	σ_y, $C_{31}{}^{+}$, $C_{32}{}^{+}$, $C_{31}{}^{-}$, $C_{32}{}^{-}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2268. Results of type-III MSG 230.149 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,-w,w)$
$G(k)$	E, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(w,-w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2269. Results of type-III MSG 230.149 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 1.\\ 1. & 0. & 1.\\ 1. & 1. & 0.\end{pmatrix}$

4. Type-IV MSGs

TABLE SI2270. Results of type-IV MSG 1.3 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2271. Results of type-IV MSG 1.3 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2272. Results of type-IV MSG 2.7 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2273. Results of type-IV MSG 2.7 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\,\vec{b}_2,\,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI2274. Results of type-IV MSG 3.4 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2275. Results of type-IV MSG 3.4 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2276. Results of type-IV MSG 3.5 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2277. Results of type-IV MSG 3.5 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2278. Results of type-IV MSG 3.6 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2279. Results of type-IV MSG 3.6 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2280. Results of type-IV MSG 4.10 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2281. Results of type-IV MSG 4.10 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2282. Results of type-IV MSG 4.11 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2283. Results of type-IV MSG 4.11 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2284. Results of type-IV MSG 4.12 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2285. Results of type-IV MSG 4.12 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2286. Results of type-IV MSG 5.16 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2287. Results of type-IV MSG 5.16 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2288. Results of type-IV MSG 5.17 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2289. Results of type-IV MSG 5.17 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2290. Results of type-IV MSG 6.21 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2291. Results of type-IV MSG 6.21 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2292. Results of type-IV MSG 6.22 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2293. Results of type-IV MSG 6.22 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2294. Results of type-IV MSG 6.23 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2295. Results of type-IV MSG 6.23 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2296. Results of type-IV MSG 7.27 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2297. Results of type-IV MSG 7.27 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2298. Results of type-IV MSG 7.28 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2299. Results of type-IV MSG 7.28 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2300. Results of type-IV MSG 7.29 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2301. Results of type-IV MSG 7.29 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2302. Results of type-IV MSG 7.30 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2303. Results of type-IV MSG 7.30 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2304. Results of type-IV MSG 7.31 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2305. Results of type-IV MSG 7.31 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2306. Results of type-IV MSG 8.35 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2307. Results of type-IV MSG 8.35 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2308. Results of type-IV MSG 8.36 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2309. Results of type-IV MSG 8.36 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2310. Results of type-IV MSG 9.40 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2311. Results of type-IV MSG 9.40 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2312. Results of type-IV MSG 9.41 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2313. Results of type-IV MSG 9.41 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2314. Results of type-IV MSG 10.47 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2315. Results of type-IV MSG 10.47 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2316. Results of type-IV MSG 10.48 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2317. Results of type-IV MSG 10.48 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2318. Results of type-IV MSG 10.49 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2319. Results of type-IV MSG 10.49 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2320. Results of type-IV MSG 11.55 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2321. Results of type-IV MSG 11.55 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2322. Results of type-IV MSG 11.56 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2323. Results of type-IV MSG 11.56 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2324. Results of type-IV MSG 11.57 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2325. Results of type-IV MSG 11.57 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2326. Results of type-IV MSG 12.63 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2327. Results of type-IV MSG 12.63 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2328. Results of type-IV MSG 12.64 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2329. Results of type-IV MSG 12.64 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2330. Results of type-IV MSG 13.70 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2331. Results of type-IV MSG 13.70 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2332. Results of type-IV MSG 13.71 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2333. Results of type-IV MSG 13.71 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2334. Results of type-IV MSG 13.72 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2335. Results of type-IV MSG 13.72 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2336. Results of type-IV MSG 13.73 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2337. Results of type-IV MSG 13.73 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2338. Results of type-IV MSG 13.74 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2339. Results of type-IV MSG 13.74 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2340. Results of type-IV MSG 14.80 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2341. Results of type-IV MSG 14.80 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -0.5 & 1.41421 & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2342. Results of type-IV MSG 14.81 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2343. Results of type-IV MSG 14.81 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2344. Results of type-IV MSG 14.82 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2345. Results of type-IV MSG 14.82 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2346. Results of type-IV MSG 14.83 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2347. Results of type-IV MSG 14.83 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2348. Results of type-IV MSG 14.84 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \Theta I$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2349. Results of type-IV MSG 14.84 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2350. Results of type-IV MSG 15.90 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2351. Results of type-IV MSG 15.90 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2352. Results of type-IV MSG 15.91 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},-w,w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2353. Results of type-IV MSG 15.91 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-0.5 & 1.41421 & 1.41421\\ -0.5 & 0. & 0.\\ 0. & -0.333333 & 0.333333\end{pmatrix}$

TABLE SI2354. Results of type-IV MSG 16.4 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2355. Results of type-IV MSG 16.4 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2356. Results of type-IV MSG 16.5 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2357. Results of type-IV MSG 16.5 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2358. Results of type-IV MSG 16.6 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2359. Results of type-IV MSG 16.6 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2360. Results of type-IV MSG 17.11 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2361. Results of type-IV MSG 17.11 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2362. Results of type-IV MSG 17.12 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2363. Results of type-IV MSG 17.12 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2364. Results of type-IV MSG 17.13 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2365. Results of type-IV MSG 17.13 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2366. Results of type-IV MSG 17.14 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2367. Results of type-IV MSG 17.14 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2368. Results of type-IV MSG 17.15 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2369. Results of type-IV MSG 17.15 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2370. Results of type-IV MSG 18.20 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2371. Results of type-IV MSG 18.20 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2372. Results of type-IV MSG 18.21 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2373. Results of type-IV MSG 18.21 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2374. Results of type-IV MSG 18.22 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2375. Results of type-IV MSG 18.22 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2376. Results of type-IV MSG 18.23 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2377. Results of type-IV MSG 18.23 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2378. Results of type-IV MSG 18.24 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2379. Results of type-IV MSG 18.24 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2380. Results of type-IV MSG 19.28 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2381. Results of type-IV MSG 19.28 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2x}
BC vector	$(0, \Omega_y, \Omega_z)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2382. Results of type-IV MSG 19.29 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2383. Results of type-IV MSG 19.29 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2384. Results of type-IV MSG 19.30 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2385. Results of type-IV MSG 19.30 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2386. Results of type-IV MSG 20.35 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2387. Results of type-IV MSG 20.35 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2388. Results of type-IV MSG 20.36 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2389. Results of type-IV MSG 20.36 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2390. Results of type-IV MSG 20.37 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2391. Results of type-IV MSG 20.37 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2392. Results of type-IV MSG 21.42 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2393. Results of type-IV MSG 21.42 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2394. Results of type-IV MSG 21.43 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2395. Results of type-IV MSG 21.43 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2396. Results of type-IV MSG 21.44 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2397. Results of type-IV MSG 21.44 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2398. Results of type-IV MSG 22.48 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI2399. Results of type-IV MSG 22.48 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI2400. Results of type-IV MSG 23.52 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2401. Results of type-IV MSG 23.52 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2402. Results of type-IV MSG 24.56 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2403. Results of type-IV MSG 24.56 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2404. Results of type-IV MSG 25.61 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2405. Results of type-IV MSG 25.61 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2406. Results of type-IV MSG 25.62 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2407. Results of type-IV MSG 25.62 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2408. Results of type-IV MSG 25.63 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2409. Results of type-IV MSG 25.63 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2410. Results of type-IV MSG 25.64 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2411. Results of type-IV MSG 25.64 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2412. Results of type-IV MSG 25.65 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2413. Results of type-IV MSG 25.65 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2414. Results of type-IV MSG 26.71 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2415. Results of type-IV MSG 26.71 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2416. Results of type-IV MSG 26.72 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2417. Results of type-IV MSG 26.72 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$(0, 0, w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2418. Results of type-IV MSG 26.73 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2419. Results of type-IV MSG 26.73 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2420. Results of type-IV MSG 26.74 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2421. Results of type-IV MSG 26.74 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2422. Results of type-IV MSG 26.75 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2423. Results of type-IV MSG 26.75 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2424. Results of type-IV MSG 26.76 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2425. Results of type-IV MSG 26.76 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2426. Results of type-IV MSG 26.77 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2427. Results of type-IV MSG 26.77 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2428. Results of type-IV MSG 27.82 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2429. Results of type-IV MSG 27.82 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2430. Results of type-IV MSG 27.83 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2431. Results of type-IV MSG 27.83 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2432. Results of type-IV MSG 27.84 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2433. Results of type-IV MSG 27.84 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2434. Results of type-IV MSG 27.85 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2435. Results of type-IV MSG 27.85 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2436. Results of type-IV MSG 27.86 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2437. Results of type-IV MSG 27.86 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2438. Results of type-IV MSG 28.92 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2439. Results of type-IV MSG 28.92 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2440. Results of type-IV MSG 28.93 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2441. Results of type-IV MSG 28.93 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2442. Results of type-IV MSG 28.94 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2443. Results of type-IV MSG 28.94 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2444. Results of type-IV MSG 28.95 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2445. Results of type-IV MSG 28.95 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2446. Results of type-IV MSG 28.96 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2447. Results of type-IV MSG 28.96 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2448. Results of type-IV MSG 28.97 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2449. Results of type-IV MSG 28.97 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2450. Results of type-IV MSG 28.98 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2451. Results of type-IV MSG 28.98 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2452. Results of type-IV MSG 29.104 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2453. Results of type-IV MSG 29.104 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2454. Results of type-IV MSG 29.105 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2455. Results of type-IV MSG 29.105 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2456. Results of type-IV MSG 29.106 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2457. Results of type-IV MSG 29.106 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2458. Results of type-IV MSG 29.107 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2459. Results of type-IV MSG 29.107 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2460. Results of type-IV MSG 29.108 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2461. Results of type-IV MSG 29.108 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2462. Results of type-IV MSG 29.109 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2463. Results of type-IV MSG 29.109 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2464. Results of type-IV MSG 29.110 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2465. Results of type-IV MSG 29.110 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2466. Results of type-IV MSG 30.116 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2467. Results of type-IV MSG 30.116 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2468. Results of type-IV MSG 30.117 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2469. Results of type-IV MSG 30.117 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2470. Results of type-IV MSG 30.118 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2471. Results of type-IV MSG 30.118 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2472. Results of type-IV MSG 30.119 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2473. Results of type-IV MSG 30.119 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2474. Results of type-IV MSG 30.120 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, \Omega_y, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2475. Results of type-IV MSG 30.120 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2476. Results of type-IV MSG 30.121 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2477. Results of type-IV MSG 30.121 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2478. Results of type-IV MSG 30.122 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2479. Results of type-IV MSG 30.122 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2480. Results of type-IV MSG 31.128 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2481. Results of type-IV MSG 31.128 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2482. Results of type-IV MSG 31.129 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2483. Results of type-IV MSG 31.129 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2484. Results of type-IV MSG 31.130 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2485. Results of type-IV MSG 31.130 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2486. Results of type-IV MSG 31.131 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2487. Results of type-IV MSG 31.131 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2488. Results of type-IV MSG 31.132 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2489. Results of type-IV MSG 31.132 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2490. Results of type-IV MSG 31.133 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2491. Results of type-IV MSG 31.133 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2492. Results of type-IV MSG 31.134 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2493. Results of type-IV MSG 31.134 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2494. Results of type-IV MSG 32.139 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2495. Results of type-IV MSG 32.139 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2496. Results of type-IV MSG 32.140 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2497. Results of type-IV MSG 32.140 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2498. Results of type-IV MSG 32.141 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2499. Results of type-IV MSG 32.141 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2500. Results of type-IV MSG 32.142 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2501. Results of type-IV MSG 32.142 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2502. Results of type-IV MSG 32.143 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2503. Results of type-IV MSG 32.143 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2504. Results of type-IV MSG 33.149 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2505. Results of type-IV MSG 33.149 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2506. Results of type-IV MSG 33.150 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2507. Results of type-IV MSG 33.150 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2508. Results of type-IV MSG 33.151 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2509. Results of type-IV MSG 33.151 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2510. Results of type-IV MSG 33.152 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2511. Results of type-IV MSG 33.152 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2512. Results of type-IV MSG 33.153 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2513. Results of type-IV MSG 33.153 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2514. Results of type-IV MSG 33.154 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2515. Results of type-IV MSG 33.154 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2516. Results of type-IV MSG 33.155 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2517. Results of type-IV MSG 33.155 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2518. Results of type-IV MSG 34.160 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2519. Results of type-IV MSG 34.160 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2520. Results of type-IV MSG 34.161 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2521. Results of type-IV MSG 34.161 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2522. Results of type-IV MSG 34.162 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2523. Results of type-IV MSG 34.162 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2524. Results of type-IV MSG 34.163 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2525. Results of type-IV MSG 34.163 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2526. Results of type-IV MSG 34.164 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2527. Results of type-IV MSG 34.164 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2528. Results of type-IV MSG 35.169 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2529. Results of type-IV MSG 35.169 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2530. Results of type-IV MSG 35.170 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2531. Results of type-IV MSG 35.170 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2532. Results of type-IV MSG 35.171 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2533. Results of type-IV MSG 35.171 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2534. Results of type-IV MSG 36.177 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2535. Results of type-IV MSG 36.177 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2536. Results of type-IV MSG 36.178 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2537. Results of type-IV MSG 36.178 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2538. Results of type-IV MSG 36.179 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2539. Results of type-IV MSG 36.179 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2540. Results of type-IV MSG 37.184 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2541. Results of type-IV MSG 37.184 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2542. Results of type-IV MSG 37.185 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2543. Results of type-IV MSG 37.185 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2544. Results of type-IV MSG 37.186 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2545. Results of type-IV MSG 37.186 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2546. Results of type-IV MSG 38.192 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2547. Results of type-IV MSG 38.192 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x, \Omega_y, 0)$
β	C_{2y}
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2548. Results of type-IV MSG 38.193 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2549. Results of type-IV MSG 38.193 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2550. Results of type-IV MSG 38.194 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2551. Results of type-IV MSG 38.194 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2552. Results of type-IV MSG 39.200 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2553. Results of type-IV MSG 39.200 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2554. Results of type-IV MSG 39.201 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2555. Results of type-IV MSG 39.201 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2556. Results of type-IV MSG 39.202 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2557. Results of type-IV MSG 39.202 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2558. Results of type-IV MSG 40.208 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2559. Results of type-IV MSG 40.208 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, $\Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0,0,\Omega_z)$
β	-
SNL k	$(-w,w,0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2560. Results of type-IV MSG 40.209 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2561. Results of type-IV MSG 40.209 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2562. Results of type-IV MSG 40.210 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2563. Results of type-IV MSG 40.210 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2564. Results of type-IV MSG 41.216 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2y}$
BC vector	$(0,0,\Omega_z)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2565. Results of type-IV MSG 41.216 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2y}
BC vector	$(0, 0, \Omega_z)$
β	-
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2566. Results of type-IV MSG 41.217 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2567. Results of type-IV MSG 41.217 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ \Theta\sigma_z$
BC vector	$(\Omega_x,\Omega_y,0)$
β	C_{2y}
SNL k	$(-w,w,0)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2568. Results of type-IV MSG 41.218 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_x,\ \sigma_z$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2569. Results of type-IV MSG 41.218 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(-w, w, 0)$
$G(k)$	E, C_{2y}, σ_x, σ_z
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2570. Results of type-IV MSG 42.223 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI2571. Results of type-IV MSG 42.223 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI2572. Results of type-IV MSG 43.228 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI2573. Results of type-IV MSG 43.228 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,0)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI2574. Results of type-IV MSG 44.233 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2575. Results of type-IV MSG 44.233 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2576. Results of type-IV MSG 44.234 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2577. Results of type-IV MSG 44.234 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2578. Results of type-IV MSG 45.239 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2579. Results of type-IV MSG 45.239 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2580. Results of type-IV MSG 45.240 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2581. Results of type-IV MSG 45.240 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2582. Results of type-IV MSG 46.246 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2583. Results of type-IV MSG 46.246 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2584. Results of type-IV MSG 46.247 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2585. Results of type-IV MSG 46.247 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta\sigma_x$
BC vector	$(0,\Omega_y,\Omega_z)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	$E,\ \Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2586. Results of type-IV MSG 46.248 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2587. Results of type-IV MSG 46.248 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2588. Results of type-IV MSG 47.254 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2589. Results of type-IV MSG 47.254 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2590. Results of type-IV MSG 47.255 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2591. Results of type-IV MSG 47.255 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2592. Results of type-IV MSG 47.256 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2593. Results of type-IV MSG 47.256 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2594. Results of type-IV MSG 48.262 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2595. Results of type-IV MSG 48.262 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2596. Results of type-IV MSG 48.263 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2597. Results of type-IV MSG 48.263 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2598. Results of type-IV MSG 48.264 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2599. Results of type-IV MSG 48.264 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2600. Results of type-IV MSG 49.272 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2601. Results of type-IV MSG 49.272 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2602. Results of type-IV MSG 49.273 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2603. Results of type-IV MSG 49.273 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2604. Results of type-IV MSG 49.274 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2605. Results of type-IV MSG 49.274 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2606. Results of type-IV MSG 49.275 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(-\frac{1}{2},u,v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2607. Results of type-IV MSG 49.275 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,\frac{1}{2},0)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},w,0)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2608. Results of type-IV MSG 49.276 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2609. Results of type-IV MSG 49.276 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2610. Results of type-IV MSG 50.284 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2611. Results of type-IV MSG 50.284 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2612. Results of type-IV MSG 50.285 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2613. Results of type-IV MSG 50.285 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2614. Results of type-IV MSG 50.286 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2615. Results of type-IV MSG 50.286 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2616. Results of type-IV MSG 50.287 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2617. Results of type-IV MSG 50.287 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2618. Results of type-IV MSG 50.288 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2619. Results of type-IV MSG 50.288 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2620. Results of type-IV MSG 51.298 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2621. Results of type-IV MSG 51.298 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2622. Results of type-IV MSG 51.299 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2623. Results of type-IV MSG 51.299 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2624. Results of type-IV MSG 51.300 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2625. Results of type-IV MSG 51.300 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2626. Results of type-IV MSG 51.301 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2627. Results of type-IV MSG 51.301 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2628. Results of type-IV MSG 51.302 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2629. Results of type-IV MSG 51.302 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2630. Results of type-IV MSG 51.303 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2631. Results of type-IV MSG 51.303 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2632. Results of type-IV MSG 51.304 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2633. Results of type-IV MSG 51.304 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2634. Results of type-IV MSG 52.314 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2635. Results of type-IV MSG 52.314 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2636. Results of type-IV MSG 52.315 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2637. Results of type-IV MSG 52.315 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2638. Results of type-IV MSG 52.316 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2639. Results of type-IV MSG 52.316 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2640. Results of type-IV MSG 52.317 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2641. Results of type-IV MSG 52.317 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2642. Results of type-IV MSG 52.318 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2643. Results of type-IV MSG 52.318 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2644. Results of type-IV MSG 52.319 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2645. Results of type-IV MSG 52.319 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2646. Results of type-IV MSG 52.320 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2647. Results of type-IV MSG 52.320 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2648. Results of type-IV MSG 53.330 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2649. Results of type-IV MSG 53.330 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2650. Results of type-IV MSG 53.331 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2651. Results of type-IV MSG 53.331 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2652. Results of type-IV MSG 53.332 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2653. Results of type-IV MSG 53.332 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2654. Results of type-IV MSG 53.333 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2655. Results of type-IV MSG 53.333 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2656. Results of type-IV MSG 53.334 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2657. Results of type-IV MSG 53.334 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2658. Results of type-IV MSG 53.335 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2659. Results of type-IV MSG 53.335 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2660. Results of type-IV MSG 53.336 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2661. Results of type-IV MSG 53.336 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2662. Results of type-IV MSG 54.346 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2663. Results of type-IV MSG 54.346 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2664. Results of type-IV MSG 54.347 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2665. Results of type-IV MSG 54.347 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2666. Results of type-IV MSG 54.348 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2667. Results of type-IV MSG 54.348 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2668. Results of type-IV MSG 54.349 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2669. Results of type-IV MSG 54.349 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2670. Results of type-IV MSG 54.350 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2671. Results of type-IV MSG 54.350 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2672. Results of type-IV MSG 54.351 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2673. Results of type-IV MSG 54.351 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2674. Results of type-IV MSG 54.352 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2675. Results of type-IV MSG 54.352 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2676. Results of type-IV MSG 55.360 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2677. Results of type-IV MSG 55.360 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2678. Results of type-IV MSG 55.361 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2679. Results of type-IV MSG 55.361 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2680. Results of type-IV MSG 55.362 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2681. Results of type-IV MSG 55.362 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2682. Results of type-IV MSG 55.363 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2683. Results of type-IV MSG 55.363 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2684. Results of type-IV MSG 55.364 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2685. Results of type-IV MSG 55.364 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2686. Results of type-IV MSG 56.372 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2687. Results of type-IV MSG 56.372 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2688. Results of type-IV MSG 56.373 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2689. Results of type-IV MSG 56.373 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2690. Results of type-IV MSG 56.374 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2691. Results of type-IV MSG 56.374 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2692. Results of type-IV MSG 56.375 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2693. Results of type-IV MSG 56.375 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2694. Results of type-IV MSG 56.376 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2695. Results of type-IV MSG 56.376 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2696. Results of type-IV MSG 57.386 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2697. Results of type-IV MSG 57.386 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2698. Results of type-IV MSG 57.387 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2699. Results of type-IV MSG 57.387 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2700. Results of type-IV MSG 57.388 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2701. Results of type-IV MSG 57.388 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2702. Results of type-IV MSG 57.389 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2703. Results of type-IV MSG 57.389 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2704. Results of type-IV MSG 57.390 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2705. Results of type-IV MSG 57.390 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2706. Results of type-IV MSG 57.391 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2707. Results of type-IV MSG 57.391 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2708. Results of type-IV MSG 57.392 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2709. Results of type-IV MSG 57.392 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2710. Results of type-IV MSG 58.400 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2711. Results of type-IV MSG 58.400 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2712. Results of type-IV MSG 58.401 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2713. Results of type-IV MSG 58.401 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2714. Results of type-IV MSG 58.402 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2715. Results of type-IV MSG 58.402 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2716. Results of type-IV MSG 58.403 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2717. Results of type-IV MSG 58.403 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2718. Results of type-IV MSG 58.404 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2719. Results of type-IV MSG 58.404 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2720. Results of type-IV MSG 59.412 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2721. Results of type-IV MSG 59.412 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2722. Results of type-IV MSG 59.413 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2723. Results of type-IV MSG 59.413 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2724. Results of type-IV MSG 59.414 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2725. Results of type-IV MSG 59.414 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2726. Results of type-IV MSG 59.415 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2727. Results of type-IV MSG 59.415 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2728. Results of type-IV MSG 59.416 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2729. Results of type-IV MSG 59.416 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2730. Results of type-IV MSG 60.426 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2731. Results of type-IV MSG 60.426 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2732. Results of type-IV MSG 60.427 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2733. Results of type-IV MSG 60.427 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2734. Results of type-IV MSG 60.428 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2735. Results of type-IV MSG 60.428 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2736. Results of type-IV MSG 60.429 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	$E,\ \sigma_x,\ \Theta C_{2x}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2737. Results of type-IV MSG 60.429 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2738. Results of type-IV MSG 60.430 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2739. Results of type-IV MSG 60.430 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2740. Results of type-IV MSG 60.431 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2741. Results of type-IV MSG 60.431 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 1. & 0.\\ -0.5 & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2742. Results of type-IV MSG 60.432 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2743. Results of type-IV MSG 60.432 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2744. Results of type-IV MSG 61.438 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	$E,\ \sigma_y,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2745. Results of type-IV MSG 61.438 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2746. Results of type-IV MSG 61.439 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 0, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2747. Results of type-IV MSG 61.439 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2748. Results of type-IV MSG 61.440 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2749. Results of type-IV MSG 61.440 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2750. Results of type-IV MSG 62.450 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(-\frac{1}{2}, u, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2751. Results of type-IV MSG 62.450 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2752. Results of type-IV MSG 62.451 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-\frac{1}{2}, 0, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2753. Results of type-IV MSG 62.451 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{2}, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2754. Results of type-IV MSG 62.452 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2755. Results of type-IV MSG 62.452 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2756. Results of type-IV MSG 62.453 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,0,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{2},0,w)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_x, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2757. Results of type-IV MSG 62.453 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(-w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2758. Results of type-IV MSG 62.454 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(-\frac{1}{2},u,v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2759. Results of type-IV MSG 62.454 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2760. Results of type-IV MSG 62.455 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2761. Results of type-IV MSG 62.455 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2762. Results of type-IV MSG 62.456 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,\frac{1}{2},0\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,0,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2y},\ \sigma_z,\ \sigma_x,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},0,w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	$E,\ C_{2z},\ \sigma_y,\ \sigma_x,\ \Theta C_{2y}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2763. Results of type-IV MSG 62.456 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 1. & 0. \\ -0.5 & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2764. Results of type-IV MSG 63.466 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	$E,\ C_{2x},\ \sigma_z,\ \sigma_y,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\ \vec{b}_2,\ \vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2765. Results of type-IV MSG 63.466 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2766. Results of type-IV MSG 63.467 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2767. Results of type-IV MSG 63.467 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2768. Results of type-IV MSG 63.468 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2769. Results of type-IV MSG 63.468 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2770. Results of type-IV MSG 64.478 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2771. Results of type-IV MSG 64.478 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2772. Results of type-IV MSG 64.479 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2773. Results of type-IV MSG 64.479 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2774. Results of type-IV MSG 64.480 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2775. Results of type-IV MSG 64.480 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2776. Results of type-IV MSG 65.488 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2777. Results of type-IV MSG 65.488 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2778. Results of type-IV MSG 65.489 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2779. Results of type-IV MSG 65.489 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2780. Results of type-IV MSG 65.490 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2781. Results of type-IV MSG 65.490 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2782. Results of type-IV MSG 66.498 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2783. Results of type-IV MSG 66.498 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2784. Results of type-IV MSG 66.499 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	C_{2y}
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2785. Results of type-IV MSG 66.499 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2786. Results of type-IV MSG 66.500 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2787. Results of type-IV MSG 66.500 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2788. Results of type-IV MSG 67.508 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2789. Results of type-IV MSG 67.508 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2790. Results of type-IV MSG 67.509 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2791. Results of type-IV MSG 67.509 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2792. Results of type-IV MSG 67.510 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2793. Results of type-IV MSG 67.510 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2794. Results of type-IV MSG 68.518 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2795. Results of type-IV MSG 68.518 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2796. Results of type-IV MSG 68.519 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2797. Results of type-IV MSG 68.519 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0.5 & 0.\\ -1. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2798. Results of type-IV MSG 68.520 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \sigma_z,\ \Theta C_{2z}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2799. Results of type-IV MSG 68.520 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & 0.5 & 0. \\ -1. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2800. Results of type-IV MSG 69.526 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI2801. Results of type-IV MSG 69.526 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.5 & -0.5 & 0.5 \\ 0.333333 & -0.333333 & -0.333333 \\ 0.5 & 0.5 & -0.5 \end{pmatrix}$

TABLE SI2802. Results of type-IV MSG 70.532 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},w,\frac{1}{2}\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,-\frac{1}{2},w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},-w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI2803. Results of type-IV MSG 70.532 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & -0.5 & 0.5\\ 0.333333 & -0.333333 & -0.333333\\ 0.5 & 0.5 & -0.5\end{pmatrix}$

TABLE SI2804. Results of type-IV MSG 71.538 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2},-w,-w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2805. Results of type-IV MSG 71.538 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2806. Results of type-IV MSG 72.546 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2807. Results of type-IV MSG 72.546 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2808. Results of type-IV MSG 72.547 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2809. Results of type-IV MSG 72.547 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2810. Results of type-IV MSG 73.553 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2811. Results of type-IV MSG 73.553 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2812. Results of type-IV MSG 74.561 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2}, w-\frac{1}{2}, -w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w+\frac{1}{2}, -w, -w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2813. Results of type-IV MSG 74.561 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.5 & 0. & 0.5 \\ 0. & -1. & -1. \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2814. Results of type-IV MSG 74.562 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w+\frac{1}{2},-w,w-\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2815. Results of type-IV MSG 74.562 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.5 & 0. & 0.5\\ 0. & -1. & -1.\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2816. Results of type-IV MSG 75.4 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2817. Results of type-IV MSG 75.4 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2818. Results of type-IV MSG 75.5 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2819. Results of type-IV MSG 75.5 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2820. Results of type-IV MSG 75.6 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2821. Results of type-IV MSG 75.6 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2822. Results of type-IV MSG 76.10 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2823. Results of type-IV MSG 76.10 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2824. Results of type-IV MSG 76.11 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2825. Results of type-IV MSG 76.11 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2826. Results of type-IV MSG 76.12 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2827. Results of type-IV MSG 76.12 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2828. Results of type-IV MSG 77.16 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2829. Results of type-IV MSG 77.16 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_{2z}$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2830. Results of type-IV MSG 77.17 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2831. Results of type-IV MSG 77.17 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2832. Results of type-IV MSG 77.18 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2833. Results of type-IV MSG 77.18 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2834. Results of type-IV MSG 78.22 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2835. Results of type-IV MSG 78.22 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2836. Results of type-IV MSG 78.23 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2837. Results of type-IV MSG 78.23 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2838. Results of type-IV MSG 78.24 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2839. Results of type-IV MSG 78.24 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2840. Results of type-IV MSG 79.28 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2841. Results of type-IV MSG 79.28 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2842. Results of type-IV MSG 80.32 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2843. Results of type-IV MSG 80.32 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2844. Results of type-IV MSG 81.36 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2845. Results of type-IV MSG 81.36 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2846. Results of type-IV MSG 81.37 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2847. Results of type-IV MSG 81.37 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2848. Results of type-IV MSG 81.38 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2849. Results of type-IV MSG 81.38 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2850. Results of type-IV MSG 82.42 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2851. Results of type-IV MSG 82.42 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2852. Results of type-IV MSG 83.48 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2853. Results of type-IV MSG 83.48 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2854. Results of type-IV MSG 83.49 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2855. Results of type-IV MSG 83.49 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2856. Results of type-IV MSG 83.50 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2857. Results of type-IV MSG 83.50 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2858. Results of type-IV MSG 84.56 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2859. Results of type-IV MSG 84.56 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2860. Results of type-IV MSG 84.57 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2861. Results of type-IV MSG 84.57 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2862. Results of type-IV MSG 84.58 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2863. Results of type-IV MSG 84.58 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2864. Results of type-IV MSG 85.64 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2865. Results of type-IV MSG 85.64 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2866. Results of type-IV MSG 85.65 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2867. Results of type-IV MSG 85.65 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2868. Results of type-IV MSG 85.66 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2869. Results of type-IV MSG 85.66 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2870. Results of type-IV MSG 86.72 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2871. Results of type-IV MSG 86.72 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2872. Results of type-IV MSG 86.73 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2873. Results of type-IV MSG 86.73 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2874. Results of type-IV MSG 86.74 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2875. Results of type-IV MSG 86.74 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2876. Results of type-IV MSG 87.80 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2877. Results of type-IV MSG 87.80 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2878. Results of type-IV MSG 88.86 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, ${C_{4z}}^{+}$, C_{2z}, ${C_{4z}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2879. Results of type-IV MSG 88.86 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2880. Results of type-IV MSG 89.92 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2881. Results of type-IV MSG 89.92 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2882. Results of type-IV MSG 89.93 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2883. Results of type-IV MSG 89.93 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2884. Results of type-IV MSG 89.94 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2885. Results of type-IV MSG 89.94 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2886. Results of type-IV MSG 90.100 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2887. Results of type-IV MSG 90.100 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2888. Results of type-IV MSG 90.101 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2889. Results of type-IV MSG 90.101 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2890. Results of type-IV MSG 90.102 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2891. Results of type-IV MSG 90.102 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2892. Results of type-IV MSG 91.108 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2893. Results of type-IV MSG 91.108 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2894. Results of type-IV MSG 91.109 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2895. Results of type-IV MSG 91.109 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2896. Results of type-IV MSG 91.110 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2897. Results of type-IV MSG 91.110 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2898. Results of type-IV MSG 92.116 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2899. Results of type-IV MSG 92.116 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2900. Results of type-IV MSG 92.117 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2901. Results of type-IV MSG 92.117 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2902. Results of type-IV MSG 92.118 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2903. Results of type-IV MSG 92.118 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2904. Results of type-IV MSG 93.124 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2905. Results of type-IV MSG 93.124 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2906. Results of type-IV MSG 93.125 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2907. Results of type-IV MSG 93.125 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2908. Results of type-IV MSG 93.126 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2909. Results of type-IV MSG 93.126 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2910. Results of type-IV MSG 94.132 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2911. Results of type-IV MSG 94.132 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2912. Results of type-IV MSG 94.133 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2913. Results of type-IV MSG 94.133 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2914. Results of type-IV MSG 94.134 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2915. Results of type-IV MSG 94.134 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2916. Results of type-IV MSG 95.140 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2917. Results of type-IV MSG 95.140 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2918. Results of type-IV MSG 95.141 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2919. Results of type-IV MSG 95.141 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2920. Results of type-IV MSG 95.142 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2921. Results of type-IV MSG 95.142 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2922. Results of type-IV MSG 96.148 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2923. Results of type-IV MSG 96.148 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2924. Results of type-IV MSG 96.149 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2925. Results of type-IV MSG 96.149 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2926. Results of type-IV MSG 96.150 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2927. Results of type-IV MSG 96.150 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2928. Results of type-IV MSG 97.156 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2929. Results of type-IV MSG 97.156 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2930. Results of type-IV MSG 98.162 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2931. Results of type-IV MSG 98.162 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2932. Results of type-IV MSG 99.168 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2933. Results of type-IV MSG 99.168 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2934. Results of type-IV MSG 99.169 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2935. Results of type-IV MSG 99.169 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2936. Results of type-IV MSG 99.170 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2937. Results of type-IV MSG 99.170 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2938. Results of type-IV MSG 100.176 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2939. Results of type-IV MSG 100.176 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2940. Results of type-IV MSG 100.177 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2941. Results of type-IV MSG 100.177 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2942. Results of type-IV MSG 100.178 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2943. Results of type-IV MSG 100.178 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2944. Results of type-IV MSG 101.184 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2945. Results of type-IV MSG 101.184 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2946. Results of type-IV MSG 101.185 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2947. Results of type-IV MSG 101.185 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^+$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2948. Results of type-IV MSG 101.186 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2949. Results of type-IV MSG 101.186 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2950. Results of type-IV MSG 102.192 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2951. Results of type-IV MSG 102.192 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2952. Results of type-IV MSG 102.193 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^+$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2953. Results of type-IV MSG 102.193 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2954. Results of type-IV MSG 102.194 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2955. Results of type-IV MSG 102.194 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2956. Results of type-IV MSG 103.200 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2957. Results of type-IV MSG 103.200 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2958. Results of type-IV MSG 103.201 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2959. Results of type-IV MSG 103.201 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2960. Results of type-IV MSG 103.202 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2961. Results of type-IV MSG 103.202 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2962. Results of type-IV MSG 104.208 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2963. Results of type-IV MSG 104.208 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2964. Results of type-IV MSG 104.209 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${C_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2965. Results of type-IV MSG 104.209 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0, \Omega_y, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2966. Results of type-IV MSG 104.210 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2967. Results of type-IV MSG 104.210 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2968. Results of type-IV MSG 105.216 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2969. Results of type-IV MSG 105.216 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2970. Results of type-IV MSG 105.217 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2971. Results of type-IV MSG 105.217 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2972. Results of type-IV MSG 105.218 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2973. Results of type-IV MSG 105.218 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2974. Results of type-IV MSG 106.224 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2975. Results of type-IV MSG 106.224 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2976. Results of type-IV MSG 106.225 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2977. Results of type-IV MSG 106.225 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2978. Results of type-IV MSG 106.226 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2979. Results of type-IV MSG 106.226 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2980. Results of type-IV MSG 107.232 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2981. Results of type-IV MSG 107.232 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2982. Results of type-IV MSG 108.238 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2983. Results of type-IV MSG 108.238 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2984. Results of type-IV MSG 109.244 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2985. Results of type-IV MSG 109.244 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI2986. Results of type-IV MSG 110.250 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2987. Results of type-IV MSG 110.250 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_y, σ_x, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0. & 0.5 & 0.5\\ 0.5 & 0. & 0.5\\ 1. & 1. & 0.\end{pmatrix}$

TABLE SI2988. Results of type-IV MSG 111.256 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2989. Results of type-IV MSG 111.256 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI2990. Results of type-IV MSG 111.257 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2991. Results of type-IV MSG 111.257 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2992. Results of type-IV MSG 111.258 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2993. Results of type-IV MSG 111.258 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2994. Results of type-IV MSG 112.264 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2995. Results of type-IV MSG 112.264 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2996. Results of type-IV MSG 112.265 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2997. Results of type-IV MSG 112.265 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2998. Results of type-IV MSG 112.266 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI2999. Results of type-IV MSG 112.266 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3000. Results of type-IV MSG 113.272 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3001. Results of type-IV MSG 113.272 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{db}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3002. Results of type-IV MSG 113.273 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3003. Results of type-IV MSG 113.273 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3004. Results of type-IV MSG 113.274 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3005. Results of type-IV MSG 113.274 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3006. Results of type-IV MSG 114.280 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3007. Results of type-IV MSG 114.280 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{db}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3008. Results of type-IV MSG 114.281 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3009. Results of type-IV MSG 114.281 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{db}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3010. Results of type-IV MSG 114.282 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3011. Results of type-IV MSG 114.282 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3012. Results of type-IV MSG 115.288 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3013. Results of type-IV MSG 115.288 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3014. Results of type-IV MSG 115.289 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3015. Results of type-IV MSG 115.289 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3016. Results of type-IV MSG 115.290 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3017. Results of type-IV MSG 115.290 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3018. Results of type-IV MSG 116.296 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3019. Results of type-IV MSG 116.296 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${S_{4z}}^+$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3020. Results of type-IV MSG 116.297 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3021. Results of type-IV MSG 116.297 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3022. Results of type-IV MSG 116.298 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3023. Results of type-IV MSG 116.298 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3024. Results of type-IV MSG 117.304 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3025. Results of type-IV MSG 117.304 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3026. Results of type-IV MSG 117.305 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0, 0, 0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3027. Results of type-IV MSG 117.305 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3028. Results of type-IV MSG 117.306 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3029. Results of type-IV MSG 117.306 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3030. Results of type-IV MSG 118.312 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3031. Results of type-IV MSG 118.312 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3032. Results of type-IV MSG 118.313 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3033. Results of type-IV MSG 118.313 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_x, ΘC_{2z}
BC vector	$(\Omega_x,0,0)$
β	${S_{4z}}^+$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta{S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, σ_y, ΘC_{2z}
BC vector	$(0,\Omega_y,0)$
β	${S_{4z}}^+$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3034. Results of type-IV MSG 118.314 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y
BC vector	$(0,0,0)$
β	${S_{4z}}^+$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3035. Results of type-IV MSG 118.314 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3036. Results of type-IV MSG 119.320 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3037. Results of type-IV MSG 119.320 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, $\Theta\sigma_y$
BC vector	$(\Omega_x,0,\Omega_z)$
β	C_{2b}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3038. Results of type-IV MSG 120.326 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3039. Results of type-IV MSG 120.326 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3040. Results of type-IV MSG 121.332 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3041. Results of type-IV MSG 121.332 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3042. Results of type-IV MSG 122.338 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3043. Results of type-IV MSG 122.338 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, σ_{db}, σ_{da}, $\Theta {S_{4z}}^{+}$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, σ_{da}, ΘC_{2z}
BC vector	$(\Omega_x,\Omega_y,0)$
β	${S_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3044. Results of type-IV MSG 123.348 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3045. Results of type-IV MSG 123.348 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3046. Results of type-IV MSG 123.349 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3047. Results of type-IV MSG 123.349 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(w, \frac{1}{2}, 0)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(w, \frac{1}{2}, \frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3048. Results of type-IV MSG 123.350 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3049. Results of type-IV MSG 123.350 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},0)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3050. Results of type-IV MSG 124.360 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3051. Results of type-IV MSG 124.360 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3052. Results of type-IV MSG 124.361 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3053. Results of type-IV MSG 124.361 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3054. Results of type-IV MSG 124.362 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3055. Results of type-IV MSG 124.362 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3056. Results of type-IV MSG 125.372 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3057. Results of type-IV MSG 125.372 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3058. Results of type-IV MSG 125.373 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3059. Results of type-IV MSG 125.373 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3060. Results of type-IV MSG 125.374 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3061. Results of type-IV MSG 125.374 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3062. Results of type-IV MSG 126.384 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3063. Results of type-IV MSG 126.384 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3064. Results of type-IV MSG 126.385 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3065. Results of type-IV MSG 126.385 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3066. Results of type-IV MSG 126.386 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
FNS k	$(u, \frac{1}{2}, v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3067. Results of type-IV MSG 126.386 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(\frac{1}{2}, \frac{1}{2}, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$(w, \frac{1}{2}, \frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3068. Results of type-IV MSG 127.396 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3069. Results of type-IV MSG 127.396 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},0)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3070. Results of type-IV MSG 127.397 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3071. Results of type-IV MSG 127.397 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3072. Results of type-IV MSG 127.398 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3073. Results of type-IV MSG 127.398 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3074. Results of type-IV MSG 128.408 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3075. Results of type-IV MSG 128.408 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3076. Results of type-IV MSG 128.409 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3077. Results of type-IV MSG 128.409 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3078. Results of type-IV MSG 128.410 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3079. Results of type-IV MSG 128.410 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3080. Results of type-IV MSG 129.420 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3081. Results of type-IV MSG 129.420 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3082. Results of type-IV MSG 129.421 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3083. Results of type-IV MSG 129.421 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3084. Results of type-IV MSG 129.422 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3085. Results of type-IV MSG 129.422 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3086. Results of type-IV MSG 130.432 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3087. Results of type-IV MSG 130.432 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3088. Results of type-IV MSG 130.433 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3089. Results of type-IV MSG 130.433 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3090. Results of type-IV MSG 130.434 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3091. Results of type-IV MSG 130.434 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3092. Results of type-IV MSG 131.444 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3093. Results of type-IV MSG 131.444 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3094. Results of type-IV MSG 131.445 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3095. Results of type-IV MSG 131.445 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3096. Results of type-IV MSG 131.446 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3097. Results of type-IV MSG 131.446 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,\frac{1}{2},0)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3098. Results of type-IV MSG 132.456 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3099. Results of type-IV MSG 132.456 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3100. Results of type-IV MSG 132.457 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3101. Results of type-IV MSG 132.457 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3102. Results of type-IV MSG 132.458 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3103. Results of type-IV MSG 132.458 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3104. Results of type-IV MSG 133.468 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3105. Results of type-IV MSG 133.468 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3106. Results of type-IV MSG 133.469 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3107. Results of type-IV MSG 133.469 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3108. Results of type-IV MSG 133.470 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3109. Results of type-IV MSG 133.470 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3110. Results of type-IV MSG 134.480 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3111. Results of type-IV MSG 134.480 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3112. Results of type-IV MSG 134.481 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3113. Results of type-IV MSG 134.481 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3114. Results of type-IV MSG 134.482 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3115. Results of type-IV MSG 134.482 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3116. Results of type-IV MSG 135.492 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3117. Results of type-IV MSG 135.492 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3118. Results of type-IV MSG 135.493 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3119. Results of type-IV MSG 135.493 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3120. Results of type-IV MSG 135.494 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3121. Results of type-IV MSG 135.494 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3122. Results of type-IV MSG 136.504 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3123. Results of type-IV MSG 136.504 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3124. Results of type-IV MSG 136.505 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, \frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3125. Results of type-IV MSG 136.505 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3126. Results of type-IV MSG 136.506 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(0, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3127. Results of type-IV MSG 136.506 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3128. Results of type-IV MSG 137.516 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3129. Results of type-IV MSG 137.516 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3130. Results of type-IV MSG 137.517 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3131. Results of type-IV MSG 137.517 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3132. Results of type-IV MSG 137.518 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3133. Results of type-IV MSG 137.518 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3134. Results of type-IV MSG 138.528 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3135. Results of type-IV MSG 138.528 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$(w,w,\frac{1}{2})$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(w,\frac{1}{2},\frac{1}{2})$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3136. Results of type-IV MSG 138.529 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3137. Results of type-IV MSG 138.529 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3138. Results of type-IV MSG 138.530 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, σ_z, ΘC_{2z}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3139. Results of type-IV MSG 138.530 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2a}, σ_z, σ_{db}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(w,\frac{1}{2},\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3140. Results of type-IV MSG 139.540 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3141. Results of type-IV MSG 139.540 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3142. Results of type-IV MSG 140.550 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3143. Results of type-IV MSG 140.550 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3144. Results of type-IV MSG 141.560 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,w,-w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,w,\frac{1}{2}-w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2}-w,w\right)$
$G(k)$	E, C_{2y}, ΘI
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
SNL k	$\left(-w,w,\frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3145. Results of type-IV MSG 141.560 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3146. Results of type-IV MSG 142.570 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(w, w, -w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(w, w, \frac{1}{2} - w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2a}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-w, w, \frac{1}{2}\right)$
$G(k)$	E, C_{2b}, σ_z, σ_{da}, ΘC_{2z}
BC vector	$(0, 0, 0)$
β	${C_{4z}}^{+}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3147. Results of type-IV MSG 142.570 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.5 & 0.5 \\ 0.5 & 0. & 0.5 \\ 1. & 1. & 0. \end{pmatrix}$

TABLE SI3148. Results of type-IV MSG 143.3 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3149. Results of type-IV MSG 143.3 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3150. Results of type-IV MSG 144.6 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3151. Results of type-IV MSG 144.6 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3152. Results of type-IV MSG 145.9 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3153. Results of type-IV MSG 145.9 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3154. Results of type-IV MSG 146.12 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3155. Results of type-IV MSG 146.12 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3156. Results of type-IV MSG 147.16 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta{S_6}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta{S_6}^+$
BC vector	$(0, 0, 0)$
β	${S_6}^+$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3157. Results of type-IV MSG 147.16 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3158. Results of type-IV MSG 148.20 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, $\Theta {S_6}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3159. Results of type-IV MSG 148.20 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3160. Results of type-IV MSG 149.24 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3161. Results of type-IV MSG 149.24 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3162. Results of type-IV MSG 150.28 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3163. Results of type-IV MSG 150.28 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3164. Results of type-IV MSG 151.32 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3165. Results of type-IV MSG 151.32 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3166. Results of type-IV MSG 152.36 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3167. Results of type-IV MSG 152.36 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3168. Results of type-IV MSG 153.40 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3169. Results of type-IV MSG 153.40 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3170. Results of type-IV MSG 154.44 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3171. Results of type-IV MSG 154.44 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3172. Results of type-IV MSG 155.48 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3173. Results of type-IV MSG 155.48 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3174. Results of type-IV MSG 156.52 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_{v3}, σ_{v1}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3175. Results of type-IV MSG 156.52 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v2}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w, 2w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{v2}$
BC vector	$(\Omega_x, \Omega_y, \Omega_z)$
β	σ_{v3}, σ_{v1}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3176. Results of type-IV MSG 157.56 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0, w, \frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x, 0, \Omega_z)$
β	σ_{d2}, σ_{d3}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3177. Results of type-IV MSG 157.56 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{d1}$
BC vector	$(\Omega_x,0,\Omega_z)$
β	σ_{d2}, σ_{d3}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3178. Results of type-IV MSG 158.60 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3179. Results of type-IV MSG 158.60 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v1}, σ_{v3}, σ_{v2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3180. Results of type-IV MSG 159.64 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3181. Results of type-IV MSG 159.64 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3182. Results of type-IV MSG 160.68 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},-w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3183. Results of type-IV MSG 160.68 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},-w\right)$
$G(k)$	E, $\Theta\sigma_{d2}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3184. Results of type-IV MSG 161.72 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3185. Results of type-IV MSG 161.72 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	(w, w, w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d2}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3186. Results of type-IV MSG 162.78 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	I
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, ΘI
BC vector	$(0,0,0)$
β	${S_6}^+$, ${S_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3187. Results of type-IV MSG 162.78 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3188. Results of type-IV MSG 163.84 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	I
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3189. Results of type-IV MSG 163.84 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3190. Results of type-IV MSG 164.90 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	σ_{v2}
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C_{22}'', ΘI
BC vector	$(0,0,0)$
β	${S_6}^+$, ${S_6}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3191. Results of type-IV MSG 164.90 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3192. Results of type-IV MSG 165.96 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{v2}, σ_{v1}, σ_{v3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	σ_{v2}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3193. Results of type-IV MSG 165.96 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3194. Results of type-IV MSG 166.102 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(w,\frac{1}{2},-w\right)$
$G(k)$	E, C_{22}', ΘI
BC vector	$(0,0,0)$
β	${C_3}^+$, ${C_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3195. Results of type-IV MSG 166.102 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3196. Results of type-IV MSG 167.108 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}, ΘI
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3197. Results of type-IV MSG 167.108 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0. & 0.288675 & -0.288675 \\ -0.333333 & 0.166667 & 0.166667 \\ 0.333333 & 0.333333 & 0.333333 \end{pmatrix}$

TABLE SI3198. Results of type-IV MSG 168.112 with single-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3199. Results of type-IV MSG 168.112 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3200. Results of type-IV MSG 169.116 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3201. Results of type-IV MSG 169.116 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3202. Results of type-IV MSG 170.120 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3203. Results of type-IV MSG 170.120 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3204. Results of type-IV MSG 171.124 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3205. Results of type-IV MSG 171.124 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	$E,\ \Theta C_2$
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3206. Results of type-IV MSG 172.128 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3207. Results of type-IV MSG 172.128 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3208. Results of type-IV MSG 173.132 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3209. Results of type-IV MSG 173.132 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3210. Results of type-IV MSG 174.136 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta {S_3}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3211. Results of type-IV MSG 174.136 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, $\Theta {S_3}^+$
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3212. Results of type-IV MSG 175.142 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	C_2
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3213. Results of type-IV MSG 175.142 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3214. Results of type-IV MSG 176.148 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, ΘI
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, ΘI
BC vector	$(0,0,0)$
β	C_2
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3215. Results of type-IV MSG 176.148 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3216. Results of type-IV MSG 177.154 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3217. Results of type-IV MSG 177.154 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3218. Results of type-IV MSG 178.160 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3219. Results of type-IV MSG 178.160 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3220. Results of type-IV MSG 179.166 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3221. Results of type-IV MSG 179.166 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3222. Results of type-IV MSG 180.172 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3223. Results of type-IV MSG 180.172 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3224. Results of type-IV MSG 181.178 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3225. Results of type-IV MSG 181.178 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3226. Results of type-IV MSG 182.184 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3227. Results of type-IV MSG 182.184 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3228. Results of type-IV MSG 183.190 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	-
SNL k	$\left(-\frac{1}{3}, \frac{2}{3}, w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0, 0, 0)$
β	C_2
FNS k	$\left(u, v, \frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x, \Omega_y, 0)$
β	-
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3229. Results of type-IV MSG 183.190 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,\frac{1}{2},w\right)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
FNS k	$\left(u,v,\frac{1}{2}\right)$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3230. Results of type-IV MSG 184.196 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3231. Results of type-IV MSG 184.196 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3232. Results of type-IV MSG 185.202 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3233. Results of type-IV MSG 185.202 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_{v1}, ΘC_2
BC vector	$(\Omega_x,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix}0.57735 & 1.1547 & 0.\\ -1. & 0. & 0.\\ 0. & 0. & 0.333333\end{pmatrix}$

TABLE SI3234. Results of type-IV MSG 186.208 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, C_2, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, σ_{v1}, σ_{v3}, σ_{v2}, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d2}, σ_{d1}, σ_{d3}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3235. Results of type-IV MSG 186.208 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_6}^+$, ${C_6}^-$, ${C_3}^+$, ${C_3}^-$, C_2, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v2}, σ_{v1}, σ_{v3}
BC vector	$(0,0,0)$
β	-
SNL k	$(0,\frac{1}{2},w)$
$G(k)$	E, C_2, σ_{d1}, σ_{v1}
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, σ_{d2}, ΘC_2
BC vector	$(\Omega_x,\Omega_y,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3236. Results of type-IV MSG 187.214 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,\Omega_z)$
β	C'_{23}, C'_{21}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3237. Results of type-IV MSG 187.214 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-w,2w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,\Omega_z)$
β	C'_{23}, C'_{21}
SNL k	$(0,w,0)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3238. Results of type-IV MSG 188.220 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3239. Results of type-IV MSG 188.220 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{v3}, σ_{v1}, σ_{v2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$(0,w,0)$
$G(k)$	E, σ_h, C'_{21}, σ_{v1}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3240. Results of type-IV MSG 189.226 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0,0,0)$
β	-
SNL k	$\left(-\frac{1}{3},\frac{2}{3},w\right)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
SNL k	$\left(0,w,\frac{1}{2}\right)$
$G(k)$	E, σ_h, $\Theta C''_{21}$
BC vector	$(0,0,\Omega_z)$
β	C''_{22}, C''_{23}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3241. Results of type-IV MSG 189.226 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta{S_3}^+$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0,0,0)$
β	$\Theta\sigma_h$
SNL k	$(-w,2w,0)$
$G(k)$	E, σ_h, C''_{22}, σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, σ_h, C''_{22}, σ_{d2}
BC vector	$(0,0,0)$
β	${S_3}^+$, ${S_3}^-$
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, σ_h, $\Theta C''_{21}$
BC vector	$(0,0,\Omega_z)$
β	C''_{22}, C''_{23}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3242. Results of type-IV MSG 190.232 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta\sigma_h$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	$\Theta\sigma_h$
SNL k	$(-w, 2w, \frac{1}{2})$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3243. Results of type-IV MSG 190.232 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}, $\Theta{S_3}^+$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^-$, ${C_3}^+$, σ_{d3}, σ_{d1}, σ_{d2}
BC vector	$(0, 0, 0)$
β	$\Theta\sigma_h$
SNL k	$(-w, 2w, 0)$
$G(k)$	E, σ_h, C_{22}'', σ_{d2}
BC vector	$(0, 0, 0)$
β	${S_3}^+$, ${S_3}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3244. Results of type-IV MSG 191.242 with single-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(0, 0, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	-
SNL k	$(-\frac{1}{3}, \frac{2}{3}, w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0, 0, 0)$
β	C_2
FNS k	$(u, v, \frac{1}{2})$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0, 0, 0)$
β	-
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3245. Results of type-IV MSG 191.242 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$(-w, 2w, \frac{1}{2})$
$G(k)$	E, C''_{22}, σ_h, σ_{d2}, ΘC_2
BC vector	$(0, 0, 0)$
β	C'_{23}, C'_{21}
SNL k	$(0, w, \frac{1}{2})$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}, ΘC_2
BC vector	$(0, 0, 0)$
β	${C_6}^+, {C_6}^-$
$(\vec{b}_1, \vec{b}_2, \vec{b}_3)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3246. Results of type-IV MSG 192.252 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
FNS k	$(u,v,\frac{1}{2})$
$G(k)$	E, σ_h, ΘC_2
BC vector	$(0,0,0)$
β	-
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3247. Results of type-IV MSG 192.252 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3248. Results of type-IV MSG 193.262 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
SNL k	$(0,w,\frac{1}{2})$
$G(k)$	E, C'_{21}, σ_h, σ_{v1}, ΘC_2
BC vector	$(0,0,0)$
β	${C_6}^+$, ${C_6}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3249. Results of type-IV MSG 193.262 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3250. Results of type-IV MSG 194.272 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,0,w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, C_2, ${C_6}^-$, ${C_6}^+$, σ_{d1}, σ_{d3}, σ_{d2}, σ_{v1}, σ_{v3}, σ_{v2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	-
SNL k	$(-\frac{1}{3},\frac{2}{3},w)$
$G(k)$	E, ${C_3}^+$, ${C_3}^-$, σ_{d1}, σ_{d3}, σ_{d2}, $\Theta C'_{21}$
BC vector	$(0,0,0)$
β	C_2
SNL k	$(-w,2w,\frac{1}{2})$
$G(k)$	E, C''_{22}, σ_{d2}, σ_h, $\Theta C'_{22}$
BC vector	$(0,0,0)$
β	C'_{23}, C'_{21}
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3251. Results of type-IV MSG 194.272 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 0.57735 & 1.1547 & 0. \\ -1. & 0. & 0. \\ 0. & 0. & 0.333333 \end{pmatrix}$

TABLE SI3252. Results of type-IV MSG 195.3 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$(\vec{b}_1,\vec{b}_2,\vec{b}_3)$	$2\pi\begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3253. Results of type-IV MSG 195.3 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3254. Results of type-IV MSG 196.6 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3255. Results of type-IV MSG 196.6 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3256. Results of type-IV MSG 198.11 with single-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3257. Results of type-IV MSG 198.11 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3258. Results of type-IV MSG 200.17 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3259. Results of type-IV MSG 200.17 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},0\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2y}, σ_x, σ_z, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3260. Results of type-IV MSG 201.21 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3261. Results of type-IV MSG 201.21 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, σ_x, σ_y, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3262. Results of type-IV MSG 202.25 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3263. Results of type-IV MSG 202.25 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3264. Results of type-IV MSG 203.29 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2}, w, w+\frac{1}{2}\right)$
$G(k)$	E, C_{2x}, σ_z, σ_y, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}, {C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3265. Results of type-IV MSG 203.29 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3266. Results of type-IV MSG 205.36 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,0\right)$
$G(k)$	E, C_{2y}, σ_z, σ_x, ΘC_{2z}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{33}}^{-}$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_y, σ_x, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3267. Results of type-IV MSG 205.36 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3268. Results of type-IV MSG 207.43 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3269. Results of type-IV MSG 207.43 with double-valued representations.

AHC tensor	$(0, 0, 0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3270. Results of type-IV MSG 208.47 with single-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3271. Results of type-IV MSG 208.47 with double-valued representations.

AHC tensor	$(0,0,0)$
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3272. Results of type-IV MSG 209.51 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3273. Results of type-IV MSG 209.51 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3274. Results of type-IV MSG 210.55 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3275. Results of type-IV MSG 210.55 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3276. Results of type-IV MSG 212.62 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3277. Results of type-IV MSG 212.62 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3278. Results of type-IV MSG 213.66 with single-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3279. Results of type-IV MSG 213.66 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3280. Results of type-IV MSG 215.73 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$\left(u, \frac{1}{2}, v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x, 0, \Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3281. Results of type-IV MSG 215.73 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3282. Results of type-IV MSG 216.77 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3283. Results of type-IV MSG 216.77 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, $\Theta\sigma_{df}$
BC vector	$(\Omega_x,\Omega_y,\Omega_z)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3284. Results of type-IV MSG 218.84 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3285. Results of type-IV MSG 218.84 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4y}}^{+}$, ${S_{4x}}^{-}$
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, ΘC_{2y}
BC vector	$(\Omega_x,0,\Omega_z)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3286. Results of type-IV MSG 219.88 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, σ_{db}, σ_{df}, σ_{de}, ${C_{31}}^{-}$, ${C_{31}}^{+}$
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3287. Results of type-IV MSG 219.88 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, C_{2y}, σ_{dc}, σ_{de}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${S_{4x}}^{+}$, ${S_{4z}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{-}$, ${C_{31}}^{+}$, σ_{db}, σ_{de}, σ_{df}
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3288. Results of type-IV MSG 221.97 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3289. Results of type-IV MSG 221.97 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2c}, σ_y, σ_{de}, ΘC_{2y}
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^{+}$, ${C_{32}}^{+}$, ${C_{31}}^{-}$, ${C_{33}}^{-}$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z, ΘC_{2y}
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${C_{4z}}^{+}$, ${C_{4y}}^{-}$, ${S_{4x}}^{+}$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3290. Results of type-IV MSG 222.103 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3291. Results of type-IV MSG 222.103 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(\frac{1}{2},\frac{1}{2},w)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3292. Results of type-IV MSG 223.109 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$(u,\frac{1}{2},v)$
$G(k)$	E, σ_y, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3293. Results of type-IV MSG 223.109 with double-valued representations.

AHC tensor	$(0, 0, 0)$
SNL k	$\left(w, \frac{1}{2}, 0\right)$
$G(k)$	E, C_{2x}, σ_y, σ_z, ΘC_{2y}
BC vector	$(0, 0, 0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$, ${C_{4z}}^{+}$, ${C_{4y}}^{-}$, ${S_{4x}}^{+}$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}, w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^{+}$, ${C_{4z}}^{-}$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0, 0, 0)$
β	${C_{34}}^{+}$, ${C_{31}}^{-}$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} 1. & 0. & 0. \\ 0. & 1. & 0. \\ 0. & 0. & 1. \end{pmatrix}$

TABLE SI3294. Results of type-IV MSG 224.115 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(0,w,0)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
FNS k	$\left(u,\frac{1}{2},v\right)$
$G(k)$	E, σ_y, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3295. Results of type-IV MSG 224.115 with double-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$\left(w,\frac{1}{2},w\right)$
$G(k)$	E, C_{2c}, σ_y, σ_{de}, ΘC_{2y}
BC vector	$(0,0,0)$
β	σ_z, ${C_{31}}^+$, ${C_{32}}^+$, ${C_{31}}^-$, ${C_{33}}^-$
SNL k	$\left(\frac{1}{2},\frac{1}{2},w\right)$
$G(k)$	E, C_{2z}, ${C_{4z}}^+$, ${C_{4z}}^-$, σ_x, σ_y, σ_{da}, σ_{db}, ΘC_{2x}
BC vector	$(0,0,0)$
β	${C_{34}}^+$, ${C_{31}}^-$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}1. & 0. & 0.\\ 0. & 1. & 0.\\ 0. & 0. & 1.\end{pmatrix}$

TABLE SI3296. Results of type-IV MSG 225.121 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},\frac{1}{2}-w,w+\frac{1}{2}\right)$
$G(k)$	E, C_{2f}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}, ${C_{31}}^{+}$, ${C_{33}}^{+}$, ${C_{31}}^{-}$, ${C_{32}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3297. Results of type-IV MSG 225.121 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3298. Results of type-IV MSG 226.127 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3299. Results of type-IV MSG 226.127 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3300. Results of type-IV MSG 227.133 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^+$, ${C_{4y}}^-$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{31}}^-$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^+$, ${C_{31}}^-$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2}, w, w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^+$, ${C_{34}}^-$
SNL k	$\left(\frac{1}{2}, \frac{1}{2}-w, w+\frac{1}{2}\right)$
$G(k)$	E, C_{2f}, ΘI
BC vector	$(0,0,0)$
β	C_{2y}, ${C_{31}}^+$, ${C_{33}}^+$, ${C_{31}}^-$, ${C_{32}}^-$
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3301. Results of type-IV MSG 227.133 with double-valued representations.

AHC tensor	$(0, 0, 0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1, \vec{b}_2, \vec{b}_3\right)$	$2\pi \begin{pmatrix} -1. & 1. & 1. \\ 1. & -1. & 1. \\ 1. & 1. & -1. \end{pmatrix}$

TABLE SI3302. Results of type-IV MSG 228.139 with single-valued representations.

AHC tensor	$(0,0,0)$
SNL k	$(w,0,w)$
$G(k)$	E, σ_x, σ_z, C_{2y}, ${C_{4y}}^{+}$, ${C_{4y}}^{-}$, σ_{dc}, σ_{de}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{31}}^{-}$
SNL k	(w,w,w)
$G(k)$	E, ${C_{31}}^{+}$, ${C_{31}}^{-}$, σ_{de}, σ_{db}, σ_{df}, ΘI
BC vector	$(0,0,0)$
β	C_{2x}, C_{2y}, C_{2z}
SNL k	$\left(\frac{1}{2},w,w+\frac{1}{2}\right)$
$G(k)$	E, σ_z, σ_y, C_{2x}, ΘI
BC vector	$(0,0,0)$
β	${C_{31}}^{+}$, ${C_{34}}^{-}$
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

TABLE SI3303. Results of type-IV MSG 228.139 with double-valued representations.

AHC tensor	$(0,0,0)$
No SNL or FNS is found in this setting.	
$\left(\vec{b}_1,\vec{b}_2,\vec{b}_3\right)$	$2\pi\begin{pmatrix}-1. & 1. & 1.\\ 1. & -1. & 1.\\ 1. & 1. & -1.\end{pmatrix}$

SI3. 158 MSGS HOSTING SNLS, FNSS, OR BOTH AND ALLOWING FOR NONVANISHING AHC

In this section, based on the exhaustive tabulation presented in Sec. SI2, we summarize and explicitly list the 158 MSGs that host SNLs, FNSs, or both and allow for nonvanishing AHC, as shown in Table SI3304. This table is applicable to both double-valued and single-valued representations, and is discussed in detail in the main text. For convenience, each MSG name is hyperlinked to its corresponding detailed results in Sec. SI2, thereby one can click on each MSG name to access its detailed results.

TABLE SI3304. The 158 MSGs that host FNSs, SNLs, or both and allow for a nonvanishing AHC tensor. The three columns contain: the symmetry-adapted AHC tensors of the MSGs, the nodal structures hosted by these MSGs, and the corresponding MSGs. Notably, all 158 MSGs belong to type-III MSGs, and the table applies to both double- and single-valued representations.

AHC tensor	**Nodal structures**	**MSGs** (for both double- and single-valued representations)
$(\sigma_{yz}, 0, 0)$	Only SNLs	30.114 39.197 41.213 66.496 67.506 68.516 72.544 74.559
	Only FNSs	18.19 20.34 26.69 29.102 31.126 36.175 51.295 63.463
	SNLs and FNSs	33.147 52.311 53.327 54.343 57.383 58.398 59.410 60.423 62.447 64.475
$(0, \sigma_{zx}, 0)$	Only SNLs	27.80 28.89 30.113 32.137 34.158 37.182 39.199 40.207 41.215 43.226 45.237 46.243 49.270 50.282 70.530
	Only FNSs	17.10 26.68 36.174 51.296 63.464
	SNLs and FNSs	29.101 31.125 33.146 52.312 53.328 54.344 55.358 56.370 57.384 60.424 61.436 62.448 64.476
$(0, 0, \sigma_{xy})$	Only SNLs	26.70 27.81 28.91 29.103 30.115 31.127 32.138 33.148 34.159 36.176 37.183 40.206 41.214 43.227 45.238 46.245 48.260 49.269 50.281 51.294 52.310 53.326 54.342 63.462 64.474 66.495 68.515 72.543 73.551 100.175 101.183 102.191 103.199 104.207 105.215 106.223 108.237 109.243 110.249 112.263 116.295 117.303 118.311 120.325 122.337 124.357 125.369 126.381 131.441 132.453 133.465 134.477 140.547 141.557 142.567 158.59 159.63 161.71 163.83 165.95 167.107 184.195 185.201 186.207 188.219 190.231 192.250 193.260 194.270
	Only FNSs	18.18 19.27 55.357 57.382 59.409 90.98 92.114 94.130 96.146 113.271 127.393 129.417
	SNLs and FNSs	56.369 58.397 60.422 62.446 114.279 128.405 130.429 135.489 136.501 137.513 138.525
$(\sigma_{yz}, \sigma_{zx}, 0)$	Only SNLs	7.26 9.39 13.69 15.89
	Only FNSs	4.9 11.54
	SNLs and FNSs	14.79

SI4. TUNING OF AHC THROUGH SYMMETRY-BREAKING

In this section, we investigate the tuning of AHC through symmetry-breaking. Based on the comprehensive tabulation of FNSs and SNLs, along with the symmetry-adapted AHC tensors in the 1651 MSGs discussed in Sec. SI2, we identify 807 and 1088 MSGs that host FNSs, SNLs, or both but exhibit vanishing AHC for double-valued and single-valued representations, respectively. While these FNSs or SNLs can also generate substantial Berry curvature, the AHC vanishes due to cancellation induced by certain symmetries in the MSGs. In this scenario, if certain symmetries of the system are broken by methods such as applying an external field, the FNSs or SNLs can contribute finite Berry curvature, leading to nonvanishing AHC. In this regard, the MSG of the system will be reduced to a subgroup that allow for nonvanishing AHC. We then examine these 807 and 1088 MSGs to identify those with subgroups that allow for nonvanishing AHC while still hosting FNSs, SNLs or both. In other words, we aim to identify the MSGs that have subgroups belonging to the 158 MSGs listed in Table SI3304. As a result, 583 and 851 MSGs are identified for double-valued and single-valued representations, respectively, and the complete evolution paths of these subgroups are provided in subSec. SI4 1. Notably, among both the 583 and 851 MSGs, 158 and 301 are type-III MSGs, respectivelly, corresponding to magnetic systems that can be manipulated by external magnetic fields to break certain symmetries, as detailed in subSec. SI4 2.

1. From vanishing to nonvanishing AHC

For the 583 and 851 MSGs that host FNSs, SNLs, or both but exhibit vanishing AHC, their subgroups that host FNSs, SNLs, or both and allow for nonvanishing AHC are listed in descending order of symmetry in Table SI3305 and Table SI3306, corresponding to double-valued and single-valued representations, respectively. These supergroup-subgroup relationships offer possible symmetry-breaking pathways, through which certain symmetries can be broken to induce the evolution of MSGs, thereby enabling the emergence of nonvanishing AHC tensors.

a. Double-valued

TABLE SI3305: The 583 MSGs and their subgroups with double-valued representations. The corresponding symmetry-adapted AHC tensor is provided following each MSG name.

Supergroups	Subgroups
IV 3.5: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 3.6: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
II 4.8: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 4.10: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 6.21: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 6.23: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
II 7.25: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 7.27: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 7.29: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 7.30: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 8.35: (0, 0, 0)	III 9.39: (σ_{yz}, σ_{zx}, 0)
II 9.38: (0, 0, 0)	III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 9.41: (0, 0, 0)	III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 16.4: (0, 0, 0)	III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 16.5: (0, 0, 0)	III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 16.6: (0, 0, 0)	III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 17.8: (0, 0, 0)	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 17.11: (0, 0, 0)	III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 17.13: (0, 0, 0)	III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
IV 17.14: (0, 0, 0)	III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 17.15: (0, 0, 0)	III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 18.17: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 18.20: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 18.21: (0, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 18.22: (0, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 18.24: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 19.26: (0, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 19.28: (0, 0, 0) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 19.29: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 20.32: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 20.36: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 21.42: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 21.44: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 25.61: (0, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 25.62: (0, 0, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 25.63: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 25.64: (0, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 25.65: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 26.67: (0, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.71: (0, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.72: (0, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.73: (0, 0, 0) III 27.80: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 26.74: (0, 0, 0) III 31.127: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})

IV 26.75: (0, 0, 0) III 29.103: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 26.76: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.77: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

II 27.79: (0, 0, 0) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 27.82: (0, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 27.83: (0, 0, 0) III 30.115: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 27.84: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 27.85: (0, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 27.86: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 28.88: (0, 0, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})

IV 28.92: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 28.94: (0, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 28.95: (0, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 28.96: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 28.97: (0, 0, 0) III 32.137: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 28.98: (0, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 29.100: (0, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})

	III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 29.104: (0, 0, 0)	III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 29.105: (0, 0, 0)	III 29.102: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 29.106: (0, 0, 0)	III 31.127: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
IV 29.107: (0, 0, 0)	III 27.80: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 29.108: (0, 0, 0)	III 33.148: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 29.109: (0, 0, 0)	III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 29.110: (0, 0, 0)	III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
II 30.112: (0, 0, 0)	III 30.115: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 30.116: (0, 0, 0)	III 34.159: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 30.117: (0, 0, 0)	III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 30.118: (0, 0, 0)	III 31.126: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 30.119: (0, 0, 0)	III 31.126: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 30.120: (0, 0, 0)	III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 30.121: (0, 0, 0)	III 34.158: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 30.122: (0, 0, 0)	III 33.146: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 31.124: (0, 0, 0)	III 31.127: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 31.128: (0, 0, 0)	III 33.148: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 31.129: (0, 0, 0)	III 31.126: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 31.130: (0, 0, 0)	III 30.114: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 31.131: (0, 0, 0)	III 30.114: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
IV 31.132: (0, 0, 0)	III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 31.133: (0, 0, 0)	III 33.146: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 31.134: (0, 0, 0)	III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
II 32.136: (0, 0, 0)	III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 32.139: (0, 0, 0)	III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 32.140: (0, 0, 0)	III 32.137: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
IV 32.142: (0, 0, 0)	III 33.147: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 32.143: (0, 0, 0)	III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 33.145: (0, 0, 0)	III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.146: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 33.149: (0, 0, 0)	III 33.146: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 33.150: (0, 0, 0)	III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 33.151: (0, 0, 0)	III 34.158: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 33.152: (0, 0, 0)	III 32.137: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 33.153: (0, 0, 0)	III 34.158: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 33.154: (0, 0, 0)	III 31.126: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 33.155: (0, 0, 0) III 30.114: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

II 34.157: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 34.160: (0, 0, 0) III 34.158: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 34.161: (0, 0, 0) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 34.162: (0, 0, 0) III 33.146: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 34.163: (0, 0, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 34.164: (0, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 35.169: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 35.171: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 36.173: (0, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (σ_{yz}, 0, 0) III 36.174: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 36.177: (0, 0, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 36.178: (0, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (σ_{yz}, 0, 0) III 36.174: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 36.179: (0, 0, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 37.181: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 37.184: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 37.185: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 37.186: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 38.192: (0, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 38.193: (0, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 38.194: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 39.196: (0, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 39.201: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.214: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 39.202: (0, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

II 40.204: (0, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 40.208: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.213: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 40.210: (0, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 41.212: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 41.216: (0, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

IV 41.217: (0, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 43.225: (0, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 43.228: (0, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 44.233: (0, 0, 0) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 44.234: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy})

II 45.236: (0, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 45.240: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

II 46.242: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

IV 46.246: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 46.247: (0, 0, 0) III 46.243: (0, σ_{zx}, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 47.254: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 49.269: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 26.69: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 47.255: (0, 0, 0) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy})

III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 47.256: (0, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 48.262: (0, 0, 0) III 52.311: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0)
III 34.158: (0, σ_{zx}, 0) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy})
III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 48.263: (0, 0, 0) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 48.264: (0, 0, 0) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy})
III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0)
III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 49.272: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 53.328: (0, 0, σ_{xy}) III 50.282: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy})
III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy})

IV 49.274: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 51.296: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0)
III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy})
III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 49.275: (0, 0, 0) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 49.276: (0, 0, 0) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0)
III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 50.284: (0, 0, 0) III 54.343: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 49.270: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0)
III 31.126: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.91: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 50.285: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 33.147: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 50.286: (0, 0, 0) III 60.422: (σ_{yz}, 0, 0) III 54.344: (0, σ_{zx}, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 33.147: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 30.115: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 50.287: (0, 0, 0) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 50.288: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 51.290: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 51.294: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 51.291: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 49.269: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 26.69: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 51.298: (0, 0, 0) III 57.384: (0, 0, σ_{xy}) III 55.357: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.299: (0, 0, 0) III 59.410: (0, 0, σ_{xy}) III 57.382: (σ_{yz}, 0, 0) III 53.328: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.301: (0, 0, 0) III 57.384: (0, 0, σ_{xy}) III 54.344: (σ_{yz}, 0, 0) III 49.269: (0, σ_{zx}, 0) III 32.138: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 51.302: (0, 0, 0) III 59.410: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 32.137: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 51.303: (0, 0, 0) III 62.448: (0, 0, σ_{xy}) III 60.422: (σ_{yz}, 0, 0) III 58.397: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.304: (0, 0, 0) III 62.448: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 34.159: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 52.306: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 52.310: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 33.148: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 52.307: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})

III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 52.308: (0, 0, 0) III 52.311: $(0, \sigma_{zx}, 0)$ III 52.311: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 34.158: $(\sigma_{yz}, 0, 0)$
III 34.158: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, 0, \sigma_{xy})$
III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$
III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 52.314: (0, 0, 0) III 60.422: $(0, \sigma_{zx}, 0)$ III 58.398: $(0, 0, \sigma_{xy})$ III 53.327: $(\sigma_{yz}, 0, 0)$ III 34.158: $(0, 0, \sigma_{xy})$
III 33.147: $(0, \sigma_{zx}, 0)$ III 31.127: $(0, 0, \sigma_{xy})$ III 31.126: $(0, 0, \sigma_{xy})$ III 31.126: $(\sigma_{yz}, 0, 0)$
III 30.115: $(0, \sigma_{zx}, 0)$ III 30.114: $(\sigma_{yz}, 0, 0)$ III 29.101: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 18.19: $(0, 0, \sigma_{xy})$ III 18.18: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 52.315: (0, 0, 0) III 60.424: $(0, 0, \sigma_{xy})$ III 56.369: $(\sigma_{yz}, 0, 0)$ III 54.344: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, \sigma_{zx}, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 29.103: $(0, 0, \sigma_{xy})$
III 29.102: $(0, \sigma_{zx}, 0)$ III 27.81: $(\sigma_{yz}, 0, 0)$ III 27.80: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$
III 18.18: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 52.317: (0, 0, 0) III 58.398: $(0, 0, \sigma_{xy})$ III 52.311: $(\sigma_{yz}, 0, 0)$ III 49.270: $(0, \sigma_{zx}, 0)$ III 34.158: $(0, 0, \sigma_{xy})$
III 34.158: $(\sigma_{yz}, 0, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, 0, \sigma_{xy})$ III 31.126: $(0, 0, \sigma_{xy})$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 28.91: $(0, \sigma_{zx}, 0)$ III 27.80: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$
III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$

IV 52.318: (0, 0, 0) III 60.424: $(0, 0, \sigma_{xy})$ III 54.343: $(0, \sigma_{zx}, 0)$ III 50.281: $(\sigma_{yz}, 0, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 32.138: $(\sigma_{yz}, 0, 0)$ III 32.137: $(0, \sigma_{zx}, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 30.114: $(\sigma_{yz}, 0, 0)$
III 29.103: $(0, 0, \sigma_{xy})$ III 29.101: $(0, \sigma_{zx}, 0)$ III 27.81: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$
III 17.10: $(0, \sigma_{zx}, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 52.319: (0, 0, 0) III 62.447: $(0, 0, \sigma_{xy})$ III 59.409: $(\sigma_{yz}, 0, 0)$ III 57.382: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 31.126: $(0, 0, \sigma_{xy})$ III 31.126: $(\sigma_{yz}, 0, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$ III 28.91: $(0, \sigma_{zx}, 0)$
III 26.70: $(0, 0, \sigma_{xy})$ III 26.68: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, 0, \sigma_{xy})$ III 18.18: $(0, \sigma_{zx}, 0)$
III 18.18: $(\sigma_{yz}, 0, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 52.320: (0, 0, 0) III 62.447: $(0, 0, \sigma_{xy})$ III 53.327: $(\sigma_{yz}, 0, 0)$ III 51.295: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 31.126: $(\sigma_{yz}, 0, 0)$ III 31.126: $(0, 0, \sigma_{xy})$ III 30.114: $(\sigma_{yz}, 0, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 26.70: $(0, 0, \sigma_{xy})$ III 26.68: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$
III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

II 53.322: (0, 0, 0) III 53.328: $(0, \sigma_{zx}, 0)$ III 53.327: $(\sigma_{yz}, 0, 0)$ III 53.326: $(0, 0, \sigma_{xy})$ III 31.127: $(0, 0, \sigma_{xy})$
III 31.126: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.114: $(\sigma_{yz}, 0, 0)$
III 30.113: $(0, 0, \sigma_{xy})$ III 28.91: $(\sigma_{yz}, 0, 0)$ III 28.89: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$
III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 53.323: (0, 0, 0) III 54.344: $(0, \sigma_{zx}, 0)$ III 53.328: $(0, 0, \sigma_{xy})$ III 50.282: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, \sigma_{zx}, 0)$
III 32.137: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, 0, \sigma_{xy})$ III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.115: $(0, 0, \sigma_{xy})$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$ III 28.89: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 53.330: (0, 0, 0) III 60.423: $(0, 0, \sigma_{xy})$ III 58.397: $(0, \sigma_{zx}, 0)$ III 52.311: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, \sigma_{zx}, 0)$
III 34.158: $(\sigma_{yz}, 0, 0)$ III 33.148: $(0, 0, \sigma_{xy})$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, 0, \sigma_{xy})$ III 29.102: $(0, 0, \sigma_{xy})$ III 18.19: $(0, 0, \sigma_{xy})$
III 18.18: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 53.331: (0, 0, 0) III 59.409: $(\sigma_{yz}, 0, 0)$ III 57.383: $(0, 0, \sigma_{xy})$ III 51.296: $(0, \sigma_{zx}, 0)$ III 31.126: $(\sigma_{yz}, 0, 0)$
III 29.101: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 26.70: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$
III 18.19: $(0, 0, \sigma_{xy})$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 53.334: (0, 0, 0) III 56.370: $(0, 0, \sigma_{xy})$ III 53.328: $(0, \sigma_{zx}, 0)$ III 48.260: $(\sigma_{yz}, 0, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.158: $(\sigma_{yz}, 0, 0)$ III 33.148: $(0, 0, \sigma_{xy})$ III 33.147: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$
III 30.115: $(0, \sigma_{zx}, 0)$ III 28.89: $(0, \sigma_{zx}, 0)$ III 27.80: $(0, 0, \sigma_{xy})$ III 18.19: $(0, 0, \sigma_{xy})$
III 17.10: $(0, \sigma_{zx}, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 53.335: (0, 0, 0) III 61.436: (0, 0, σ_{xy}) III 56.369: (σ_{yz}, 0, 0) III 55.357: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0)
III 32.138: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.101: (0, 0, σ_{xy})
III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 53.336: (0, 0, 0) III 62.446: (0, 0, σ_{xy}) III 52.311: (σ_{yz}, 0, 0) III 51.296: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 33.147: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 26.69: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0)
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

II 54.338: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 54.342: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0)
III 29.101: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 54.339: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 53.328: (0, 0, σ_{xy}) III 50.282: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy})
III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy})

III 54.340: (0, 0, 0) III 54.343: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 49.270: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0)
III 31.126: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.91: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 54.346: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 55.358: (0, 0, σ_{xy}) III 51.295: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy})
III 29.102: (0, σ_{zx}, 0) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.347: (0, 0, 0) III 60.422: (σ_{yz}, 0, 0) III 56.370: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0)
III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy})
III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.349: (0, 0, 0) III 60.423: (0, 0, σ_{xy}) III 52.312: (σ_{yz}, 0, 0) III 50.282: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.113: (0, σ_{zx}, 0) III 30.113: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy})
III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy})

IV 54.350: (0, 0, 0) III 57.383: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 49.270: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy})
III 28.91: (σ_{yz}, 0, 0) III 27.80: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
III 18.19: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 54.351: (0, 0, 0) III 62.446: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy})
III 33.147: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.352: (0, 0, 0) III 61.436: (0, 0, σ_{xy}) III 54.344: (σ_{yz}, 0, 0) III 54.343: (0, σ_{zx}, 0) III 32.138: (σ_{yz}, 0, 0)
III 32.137: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy})
III 29.101: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 55.354: (0, 0, 0) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})

	III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 55.355: (0, 0, 0)	III 57.384: (0, 0, σ_{xy}) III 55.357: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 55.356: (0, 0, 0)	III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 55.360: (0, 0, 0)	III 57.383: (σ_{yz}, 0, 0) III 54.342: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
IV 55.361: (0, 0, 0)	III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 55.362: (0, 0, 0)	III 61.436: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0) III 53.328: (0, 0, σ_{xy}) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.101: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 55.364: (0, 0, 0)	III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 56.366: (0, 0, 0)	III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 56.367: (0, 0, 0)	III 60.424: (0, 0, σ_{xy}) III 56.369: (σ_{yz}, 0, 0) III 54.344: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 30.114: (0, 0, σ_{xy}) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 27.81: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 56.368: (0, 0, 0)	III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 56.372: (0, 0, 0)	III 60.423: (0, σ_{zx}, 0) III 54.342: (σ_{yz}, 0, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})
IV 56.373: (0, 0, 0)	III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})

III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 56.374: (0, 0, 0) III 61.436: $(0, \sigma_{zx}, 0)$ III 55.358: $(\sigma_{yz}, 0, 0)$ III 53.327: $(0, 0, \sigma_{xy})$ III 32.137: $(\sigma_{yz}, 0, 0)$ III 31.126: $(0, 0, \sigma_{xy})$ III 30.114: $(0, 0, \sigma_{xy})$ III 29.103: $(0, \sigma_{zx}, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$ III 29.101: $(0, \sigma_{zx}, 0)$ III 28.91: $(0, 0, \sigma_{xy})$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 19.27: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 56.376: (0, 0, 0) III 57.383: $(0, \sigma_{zx}, 0)$ III 57.383: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.114: $(0, 0, \sigma_{xy})$ III 29.101: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 26.70: $(0, \sigma_{zx}, 0)$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 57.378: (0, 0, 0) III 57.384: $(0, \sigma_{zx}, 0)$ III 57.383: $(\sigma_{yz}, 0, 0)$ III 57.382: $(0, 0, \sigma_{xy})$ III 29.103: $(0, \sigma_{zx}, 0)$ III 29.102: $(0, 0, \sigma_{xy})$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 28.91: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.68: $(0, 0, \sigma_{xy})$ III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

III 57.379: (0, 0, 0) III 59.410: $(0, 0, \sigma_{xy})$ III 57.382: $(\sigma_{yz}, 0, 0)$ III 53.328: $(0, \sigma_{zx}, 0)$ III 31.127: $(0, 0, \sigma_{xy})$ III 31.125: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 29.102: $(\sigma_{yz}, 0, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$ III 28.89: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 18.19: $(0, 0, \sigma_{xy})$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 57.381: (0, 0, 0) III 57.382: $(0, \sigma_{zx}, 0)$ III 54.343: $(\sigma_{yz}, 0, 0)$ III 51.296: $(0, 0, \sigma_{xy})$ III 32.137: $(\sigma_{yz}, 0, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(0, 0, \sigma_{xy})$ III 27.81: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$ III 26.68: $(0, \sigma_{zx}, 0)$ III 18.18: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 57.386: (0, 0, 0) III 55.358: $(\sigma_{yz}, 0, 0)$ III 54.344: $(0, 0, \sigma_{xy})$ III 51.294: $(0, \sigma_{zx}, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 32.137: $(\sigma_{yz}, 0, 0)$ III 29.102: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 27.80: $(0, 0, \sigma_{xy})$ III 26.70: $(0, \sigma_{zx}, 0)$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$

IV 57.387: (0, 0, 0) III 59.410: $(0, \sigma_{zx}, 0)$ III 53.326: $(\sigma_{yz}, 0, 0)$ III 51.295: $(0, 0, \sigma_{xy})$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, 0, \sigma_{xy})$ III 18.19: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 57.388: (0, 0, 0) III 62.448: $(0, \sigma_{zx}, 0)$ III 61.436: $(\sigma_{yz}, 0, 0)$ III 60.422: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$ III 33.147: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.115: $(0, 0, \sigma_{xy})$ III 29.103: $(\sigma_{yz}, 0, 0)$ III 29.102: $(\sigma_{yz}, 0, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 29.101: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, \sigma_{zx}, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 57.389: (0, 0, 0) III 62.448: $(0, \sigma_{zx}, 0)$ III 60.423: $(\sigma_{yz}, 0, 0)$ III 54.343: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$ III 33.148: $(\sigma_{yz}, 0, 0)$ III 32.137: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 29.102: $(\sigma_{yz}, 0, 0)$ III 29.101: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 57.390: (0, 0, 0) III 62.446: $(\sigma_{yz}, 0, 0)$ III 59.410: $(0, \sigma_{zx}, 0)$ III 52.312: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$ III 33.147: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.113: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$ III 18.19: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 57.392: (0, 0, 0) III 57.384: $(0, \sigma_{zx}, 0)$ III 56.370: $(\sigma_{yz}, 0, 0)$ III 50.282: $(0, 0, \sigma_{xy})$ III 33.148: $(\sigma_{yz}, 0, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 32.137: $(0, 0, \sigma_{xy})$ III 30.115: $(0, 0, \sigma_{xy})$ III 30.113: $(0, 0, \sigma_{xy})$ III 29.103: $(0, \sigma_{zx}, 0)$ III 28.89: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 58.394: (0, 0, 0) III 58.398: $(0, \sigma_{zx}, 0)$ III 58.398: $(\sigma_{yz}, 0, 0)$ III 58.397: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$

III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 58.395: (0, 0, 0) III 60.423: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0)
III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 58.396: (0, 0, 0) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 58.400: (0, 0, 0) III 60.424: (σ_{yz}, 0, 0) III 53.328: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0) III 34.158: (0, σ_{zx}, 0)
III 33.148: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (0, 0, σ_{xy})
III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 29.103: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy})
III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy})

IV 58.401: (0, 0, 0) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0)
III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0)
III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 58.402: (0, 0, 0) III 62.447: (σ_{yz}, 0, 0) III 60.424: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0)
III 33.146: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0)
III 28.91: (0, 0, σ_{xy}) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

II 59.406: (0, 0, 0) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0)
III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

III 59.408: (0, 0, 0) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy})
III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 59.412: (0, 0, 0) III 57.384: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 51.294: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy})
III 30.114: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0)
III 28.89: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 59.413: (0, 0, 0) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 59.414: (0, 0, 0) III 62.448: (σ_{yz}, 0, 0) III 57.384: (0, σ_{zx}, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy})
III 29.103: (0, σ_{zx}, 0) III 28.89: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 59.416: (0, 0, 0) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 34.158: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy})

	III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 60.418: (0, 0, 0)	III 60.424: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 60.422: (0, 0, σ_{xy}) III 33.148: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 29.103: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 60.419: (0, 0, 0)	III 60.422: (0, σ_{zx}, 0) III 58.398: (0, 0, σ_{xy}) III 53.327: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 60.420: (0, 0, 0)	III 60.422: (σ_{yz}, 0, 0) III 56.370: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 60.421: (0, 0, 0)	III 60.422: (σ_{yz}, 0, 0) III 54.344: (0, σ_{zx}, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 60.426: (0, 0, 0)	III 56.370: (σ_{yz}, 0, 0) III 54.343: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0) III 34.158: (0, σ_{zx}, 0) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (σ_{yz}, 0, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
IV 60.427: (0, 0, 0)	III 58.398: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 52.312: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 33.147: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.113: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 60.428: (0, 0, 0)	III 62.447: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 57.382: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 31.126: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 26.70: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 60.429: (0, 0, 0)	III 62.447: (0, σ_{zx}, 0) III 57.383: (σ_{yz}, 0, 0) III 54.344: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 29.102: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy}) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 60.430: (0, 0, 0)	III 62.446: (σ_{yz}, 0, 0) III 58.398: (0, σ_{zx}, 0) III 51.295: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 60.432: (0, 0, 0)	III 60.424: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 49.270: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 27.80: (0, 0, σ_{xy}) III 26.70: (σ_{yz}, 0, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 61.434: (0, 0, 0)	III 61.436: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 61.436: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 61.435: (0, 0, 0) III 62.446: $(0, 0, \sigma_{xy})$ III 60.422: $(0, \sigma_{zx}, 0)$ III 57.382: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, 0, \sigma_{xy})$
III 33.147: $(0, \sigma_{zx}, 0)$ III 31.127: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$ III 29.102: $(\sigma_{yz}, 0, 0)$
III 29.101: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$
III 19.27: $(0, 0, \sigma_{xy})$ III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 61.438: (0, 0, 0) III 62.446: $(\sigma_{yz}, 0, 0)$ III 60.423: $(0, \sigma_{zx}, 0)$ III 57.383: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$
III 33.147: $(\sigma_{yz}, 0, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$
III 29.101: $(0, 0, \sigma_{xy})$ III 26.70: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$
III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 61.439: (0, 0, 0) III 56.370: $(\sigma_{yz}, 0, 0)$ III 55.358: $(0, 0, \sigma_{xy})$ III 53.326: $(0, \sigma_{zx}, 0)$ III 33.148: $(\sigma_{yz}, 0, 0)$
III 33.147: $(\sigma_{yz}, 0, 0)$ III 32.137: $(0, 0, \sigma_{xy})$ III 31.127: $(0, \sigma_{zx}, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$
III 27.80: $(\sigma_{yz}, 0, 0)$ III 26.70: $(0, 0, \sigma_{xy})$ III 26.68: $(0, 0, \sigma_{xy})$ III 18.19: $(\sigma_{yz}, 0, 0)$
III 18.19: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$

II 62.442: (0, 0, 0) III 62.448: $(0, \sigma_{zx}, 0)$ III 62.447: $(\sigma_{yz}, 0, 0)$ III 62.446: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$
III 33.147: $(0, 0, \sigma_{xy})$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, 0, \sigma_{xy})$ III 31.126: $(\sigma_{yz}, 0, 0)$
III 31.125: $(0, \sigma_{zx}, 0)$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.68: $(0, 0, \sigma_{xy})$
III 19.27: $(0, \sigma_{zx}, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$ III 19.27: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 62.443: (0, 0, 0) III 62.448: $(0, 0, \sigma_{xy})$ III 60.422: $(\sigma_{yz}, 0, 0)$ III 58.397: $(0, \sigma_{zx}, 0)$ III 34.159: $(0, \sigma_{zx}, 0)$
III 33.148: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$ III 19.27: $(0, 0, \sigma_{xy})$
III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 62.444: (0, 0, 0) III 62.447: $(0, 0, \sigma_{xy})$ III 59.409: $(\sigma_{yz}, 0, 0)$ III 57.382: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 31.126: $(0, 0, \sigma_{xy})$ III 31.126: $(\sigma_{yz}, 0, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$ III 28.91: $(0, \sigma_{zx}, 0)$
III 26.70: $(0, 0, \sigma_{xy})$ III 26.68: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, 0, \sigma_{xy})$ III 18.18: $(0, \sigma_{zx}, 0)$
III 18.18: $(\sigma_{yz}, 0, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 62.445: (0, 0, 0) III 61.436: $(0, 0, \sigma_{xy})$ III 56.369: $(\sigma_{yz}, 0, 0)$ III 55.357: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$
III 32.138: $(0, \sigma_{zx}, 0)$ III 29.103: $(0, 0, \sigma_{xy})$ III 29.102: $(0, 0, \sigma_{xy})$ III 29.101: $(0, 0, \sigma_{xy})$
III 27.81: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, 0, \sigma_{xy})$ III 18.18: $(0, \sigma_{zx}, 0)$
III 18.18: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 62.450: (0, 0, 0) III 62.447: $(\sigma_{yz}, 0, 0)$ III 59.410: $(0, \sigma_{zx}, 0)$ III 56.370: $(0, 0, \sigma_{xy})$ III 33.148: $(0, 0, \sigma_{xy})$
III 33.147: $(0, 0, \sigma_{xy})$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.126: $(\sigma_{yz}, 0, 0)$
III 31.125: $(0, \sigma_{zx}, 0)$ III 27.80: $(0, 0, \sigma_{xy})$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$
III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 62.451: (0, 0, 0) III 62.448: $(0, \sigma_{zx}, 0)$ III 58.398: $(\sigma_{yz}, 0, 0)$ III 55.358: $(0, 0, \sigma_{xy})$ III 34.158: $(\sigma_{yz}, 0, 0)$
III 33.148: $(0, \sigma_{zx}, 0)$ III 32.137: $(0, 0, \sigma_{xy})$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 31.126: $(\sigma_{yz}, 0, 0)$
III 31.125: $(0, \sigma_{zx}, 0)$ III 26.70: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.68: $(0, 0, \sigma_{xy})$
III 19.27: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 18.19: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 62.452: (0, 0, 0) III 61.436: $(0, 0, \sigma_{xy})$ III 60.424: $(\sigma_{yz}, 0, 0)$ III 57.384: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$
III 30.114: $(\sigma_{yz}, 0, 0)$ III 29.103: $(0, \sigma_{zx}, 0)$ III 29.103: $(\sigma_{yz}, 0, 0)$ III 29.103: $(0, 0, \sigma_{xy})$
III 29.102: $(0, 0, \sigma_{xy})$ III 29.101: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 26.69: $(0, \sigma_{zx}, 0)$
III 19.27: $(0, 0, \sigma_{xy})$ III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 62.453: (0, 0, 0) III 59.410: $(0, \sigma_{zx}, 0)$ III 57.383: $(0, 0, \sigma_{xy})$ III 52.310: $(\sigma_{yz}, 0, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$
III 33.148: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.114: $(\sigma_{yz}, 0, 0)$
III 29.101: $(0, 0, \sigma_{xy})$ III 26.70: $(0, 0, \sigma_{xy})$ III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 62.454: (0, 0, 0) III 60.423: (0, 0, σ_{xy}) III 58.398: (σ_{yz}, 0, 0) III 51.294: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 31.127: (σ_{yz}, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 62.455: (0, 0, 0) III 60.424: (σ_{yz}, 0, 0) III 57.384: (0, σ_{zx}, 0) III 54.342: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 63.458: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 63.460: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 63.467: (0, 0, 0) III 64.476: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 41.215: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 64.470: (0, 0, 0) III 64.476: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 64.474: (0, 0, σ_{xy}) III 41.215: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (0, σ_{zx}, 0) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 64.472: (0, 0, 0) III 64.476: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 64.474: (0, 0, σ_{xy}) III 41.215: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (0, σ_{zx}, 0) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 64.479: (0, 0, 0) III 64.474: (0, 0, σ_{xy}) III 63.464: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 65.488: (0, 0, 0) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 65.490: (0, 0, 0) III 66.495: (0, 0, σ_{xy}) III 64.475: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 67.508: (0, 0, 0) III 68.515: (0, 0, σ_{xy}) III 64.475: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 67.510: (0, 0, 0) III 68.515: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 75.4: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 75.6: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 76.8: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 76.11: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 77.16: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 77.18: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 78.20: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 78.23: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 81.36: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 81.38: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 84.53: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 85.61: (0, 0, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 86.69: (0, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 88.83: (0, 0, 0) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 89.92: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 89.93: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 89.94: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 90.96: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 90.99: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 90.100: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 90.102: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 91.104: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 91.109: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 91.110: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 92.112: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 92.115: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 92.116: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 92.117: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 93.124: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 93.125: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 93.126: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 94.128: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 94.131: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 94.132: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 94.134: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 95.136: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 95.141: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 95.142: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 96.144: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 96.147: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 96.148: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 96.149: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 99.168: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 99.169: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 99.170: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 100.172: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 100.173: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 100.174: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 100.176: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 100.178: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 101.180: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 101.181: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 101.182: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 101.184: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 101.185: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 101.186: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 102.188: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 102.189: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 102.190: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 102.192: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 102.193: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 102.194: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 103.196: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 103.197: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 103.198: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 103.200: (0, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 103.201: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 103.202: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 104.204: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 104.205: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 104.206: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 104.208: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 104.209: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 104.210: (0, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 105.212: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

III 105.213: (0, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 105.214: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 105.216: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 105.217: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 105.218: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 106.220: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 106.221: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 106.222: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 106.224: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 106.225: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

IV 106.226: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 107.232: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 108.234: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 108.235: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 108.236: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 109.240: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

III 109.241: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

III 109.242: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

IV 109.244: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 110.246: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 110.247: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 110.248: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 110.250: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

IV 111.256: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 111.257: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 111.258: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 112.260: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

III 112.261: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

III 112.262: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 112.264: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 112.265: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 112.266: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 113.268: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 113.269: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 113.270: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 113.272: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 113.274: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 114.276: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 114.277: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 114.278: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 114.280: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 114.281: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
IV 114.282: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 115.288: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 115.289: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 115.290: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 116.292: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 116.293: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 116.294: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 116.296: (0, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 116.297: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 116.298: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 117.300: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 117.301: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 117.302: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 117.304: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 117.306: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 118.308: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 118.309: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 118.310: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 118.312: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 118.313: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 118.314: (0, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 119.320: (0, 0, 0) III 120.325: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
II 120.322: (0, 0, 0) III 120.325: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0)
III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 120.323: (0, 0, 0) III 120.325: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 120.324: (0, 0, 0) III 120.325: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0)
III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
II 122.334: (0, 0, 0) III 122.337: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})
III 122.335: (0, 0, 0) III 122.337: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})
III 122.336: (0, 0, 0) III 122.337: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})
IV 122.338: (0, 0, 0) III 122.337: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})
IV 123.348: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 123.349: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0)
III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 123.350: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 124.354: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 49.270: (0, σ_{zx}, 0) III 49.270: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 124.355: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 49.270: (0, σ_{zx}, 0) III 49.270: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 124.361: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 124.362: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 125.366: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0)
III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy})
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 125.367: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0)
III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy})
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 125.372: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 125.373: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy})
III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 125.374: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 126.378: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})

III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 126.379: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 126.384: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 52.311: (0, σ_{zx}, 0)
III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 126.385: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0)
III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 126.386: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0)
III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 127.388: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0)
III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

III 127.389: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy})
III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 127.390: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0)
III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 127.391: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0)
III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

III 127.394: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy})
III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 127.396: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})

III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 127.398: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 128.400: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.401: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0)
III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.402: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.403: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.406: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0)
III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 128.408: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 129.412: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0)
III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.413: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0)
III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.414: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy})
III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.415: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0)
III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.418: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0)
III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 129.420: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 129.422: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 130.424: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy})
III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.425: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.426: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0)
III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.427: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy})
III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.430: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)

III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$
III 31.125: $(0, 0, \sigma_{xy})$ III 30.113: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 130.432: (0, 0, 0) III 129.417: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 90.98: $(0, 0, \sigma_{xy})$ III 62.446: $(0, \sigma_{zx}, 0)$
III 62.446: $(\sigma_{yz}, 0, 0)$ III 59.409: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$
III 31.127: $(0, \sigma_{zx}, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 31.126: $(0, 0, \sigma_{xy})$ III 26.68: $(0, \sigma_{zx}, 0)$
III 26.68: $(\sigma_{yz}, 0, 0)$ III 19.27: $(0, \sigma_{zx}, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 130.434: (0, 0, 0) III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 57.383: $(0, \sigma_{zx}, 0)$
III 57.383: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.114: $(0, 0, \sigma_{xy})$
III 29.101: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 26.70: $(0, \sigma_{zx}, 0)$ III 26.70: $(\sigma_{yz}, 0, 0)$
III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 131.438: (0, 0, 0) III 51.295: $(0, \sigma_{zx}, 0)$ III 51.295: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 131.439: (0, 0, 0) III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
III 66.495: $(0, 0, \sigma_{xy})$ III 51.296: $(0, \sigma_{zx}, 0)$ III 51.296: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.69: $(\sigma_{yz}, 0, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 131.444: (0, 0, 0) III 132.453: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 101.183: $(0, 0, \sigma_{xy})$ III 51.296: $(0, \sigma_{zx}, 0)$
III 51.296: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.69: $(\sigma_{yz}, 0, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 131.445: (0, 0, 0) III 135.489: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 106.223: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$ III 55.357: $(0, 0, \sigma_{xy})$ III 53.328: $(0, \sigma_{zx}, 0)$
III 53.328: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$
III 31.125: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, \sigma_{zx}, 0)$ III 28.89: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$ III 18.18: $(0, 0, \sigma_{xy})$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 131.446: (0, 0, 0) III 136.501: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 102.191: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 58.397: $(0, \sigma_{zx}, 0)$ III 58.397: $(\sigma_{yz}, 0, 0)$ III 58.397: $(0, 0, \sigma_{xy})$
III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 31.125: $(0, 0, \sigma_{xy})$
III 31.125: $(0, \sigma_{zx}, 0)$ III 31.125: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$
III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 132.450: (0, 0, 0) III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
III 66.495: $(0, 0, \sigma_{xy})$ III 51.296: $(0, \sigma_{zx}, 0)$ III 51.296: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.69: $(\sigma_{yz}, 0, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 132.451: (0, 0, 0) III 51.295: $(0, \sigma_{zx}, 0)$ III 51.295: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 132.456: (0, 0, 0) III 131.441: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 105.215: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$
III 51.295: $(0, \sigma_{zx}, 0)$ III 51.295: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$
III 26.68: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 132.457: (0, 0, 0) III 136.501: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 102.191: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 58.397: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$ III 52.312: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 33.147: $(0, \sigma_{zx}, 0)$ III 31.125: $(0, 0, \sigma_{xy})$ III 30.113: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$
III 18.18: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 132.458: (0, 0, 0) III 135.489: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 106.223: $(0, 0, \sigma_{xy})$

III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0)
III 55.357: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0)
III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 133.462: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 52.311: (0, σ_{zx}, 0)
III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 133.463: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 133.468: (0, 0, 0) III 134.477: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 133.469: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0)
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 133.470: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy})
III 33.146: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0)
III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0)
III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 134.474: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 134.475: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 52.311: (0, σ_{zx}, 0)
III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 134.480: (0, 0, 0) III 133.465: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 52.311: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 134.481: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0)
III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0)
III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})

III 4.9: (0, σ_{zx}, σ_{xy})

IV 134.482: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 135.484: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 135.485: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 135.486: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 135.487: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 135.490: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 135.492: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 135.494: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 136.496: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 136.497: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0)

III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0)
III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

III 136.498: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 136.499: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 136.502: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0)
III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 136.504: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0)
III 55.357: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0)
III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0)
III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 136.506: (0, 0, 0) III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 137.508: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 137.509: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0)
III 53.328: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 137.510: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0)
III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 137.511: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 137.514: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 137.516: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy})
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0)
III 31.125: (0, σ_{zx}, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 137.518: (0, 0, 0) III 134.477: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0)
III 59.410: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 138.520: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy})
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 33.146: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 138.521: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0)
III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0)
III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0)
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 138.522: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 138.523: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0)
III 62.446: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 138.526: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 138.528: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 138.530: (0, 0, 0) III 133.465: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})

III 68.515: (0, 0, σ_{xy}) III 57.383: (0, σ_{zx}, 0) III 57.383: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy})
III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 140.544: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 140.545: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 72.544: (0, σ_{zx}, 0)
III 72.544: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 141.554: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.555: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 142.564: (0, 0, 0) III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
III 73.551: (0, 0, σ_{xy}) III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0)
III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 142.565: (0, 0, 0) III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 70.530: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 156.52: (0, 0, 0) III 158.59: (0, 0, σ_{xy})

IV 157.56: (0, 0, 0) III 159.63: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 158.58: (0, 0, 0) III 158.59: (0, 0, σ_{xy})

II 159.62: (0, 0, 0) III 159.63: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 160.68: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})

II 161.70: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})

IV 168.112: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 169.114: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 169.115: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 170.118: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 170.119: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 171.124: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 172.128: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 173.130: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 173.131: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 176.147: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 177.154: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 178.156: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 178.157: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 178.158: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 179.162: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 179.163: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 179.164: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 180.172: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 181.178: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 182.180: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 182.181: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 182.182: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 183.190: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

II 184.192: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

III 184.193: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

III 184.194: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 184.196: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 185.198: (0, 0, 0) III 185.201: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 185.199: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 185.200: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 185.202: (0, 0, 0) III 186.207: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 186.204: (0, 0, 0) III 186.207: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 186.205: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 186.206: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 186.208: (0, 0, 0) III 185.201: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy})

IV 187.214: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})

II 188.216: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})

III 188.217: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})

III 188.218: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})

IV 189.226: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 190.228: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

III 190.229: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

III 190.230: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 191.242: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 192.248: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.249: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 193.254: (0, 0, 0) III 193.260: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 185.201: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.257: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.258: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.259: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 194.264: (0, 0, 0) III 194.270: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 186.207: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.266: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.268: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.269: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 195.3: (0, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 198.10: (0, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 200.17: (0, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 201.21: (0, 0, 0) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 205.34: (0, 0, 0) III 61.436: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 61.436: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 207.43: (0, 0, 0) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 208.47: (0, 0, 0) III 94.130: (0, σ_{zx}, 0) III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 212.60: (0, 0, 0) III 96.146: (0, σ_{zx}, 0) III 96.146: (σ_{yz}, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 213.64: (0, 0, 0) III 92.114: (0, σ_{zx}, 0) III 92.114: (σ_{yz}, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 215.73: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy})

	III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 216.77: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
II 218.82: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy})
III 218.83: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 218.84: (0, 0, 0)	III 113.271: (0, σ_{zx}, 0) III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 219.86: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 219.87: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
II 220.90: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy})
III 220.91: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy})
IV 221.97: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 128.405: (0, σ_{zx}, 0) III 128.405: (σ_{yz}, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0) III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 40.206: (0, σ_{zx}, 0) III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 222.101: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 126.381: (0, σ_{zx}, 0) III 126.381: (σ_{yz}, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0) III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 68.515: (0, σ_{zx}, 0) III 68.515: (σ_{yz}, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 41.214: (0, σ_{zx}, 0) III 41.214: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 222.103: (0, 0, 0)	III 129.417: (0, σ_{zx}, 0) III 129.417: (σ_{yz}, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0) III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 223.107: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 128.405: (0, σ_{zx}, 0) III 128.405: (σ_{yz}, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0) III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 40.206: (0, σ_{zx}, 0) III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 223.109: (0, 0, 0)	III 136.501: (0, σ_{zx}, 0) III 136.501: (σ_{yz}, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0) III 113.271: (σ_{yz}, 0, 0)

	III 113.271: (0, 0, σ_{xy}) III 102.191: (0, σ_{zx}, 0) III 102.191: (σ_{yz}, 0, 0) III 102.191: (0, 0, σ_{xy})
	III 94.130: (0, σ_{zx}, 0) III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0)
	III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
	III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
	III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
	III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
	III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 224.113: (0, 0, 0)	III 129.417: (0, σ_{zx}, 0) III 129.417: (σ_{yz}, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0)
	III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
	III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 224.115: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 137.513: (0, σ_{zx}, 0) III 137.513: (σ_{yz}, 0, 0)
	III 137.513: (0, 0, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy})
	III 105.215: (0, σ_{zx}, 0) III 105.215: (σ_{yz}, 0, 0) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, σ_{zx}, 0)
	III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 68.515: (0, σ_{zx}, 0)
	III 68.515: (σ_{yz}, 0, 0) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
	III 41.214: (0, 0, σ_{xy}) III 41.214: (0, σ_{zx}, 0) III 41.214: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0)
	III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
	III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
	III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
	III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 226.125: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 140.547: (0, σ_{zx}, 0) III 140.547: (σ_{yz}, 0, 0)
	III 140.547: (0, 0, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
	III 108.237: (0, σ_{zx}, 0) III 108.237: (σ_{yz}, 0, 0) III 108.237: (0, 0, σ_{xy}) III 72.543: (0, 0, σ_{xy})
	III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0)
	III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 227.131: (0, 0, 0)	III 141.557: (0, σ_{zx}, 0) III 141.557: (σ_{yz}, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0)
	III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, σ_{zx}, 0) III 109.243: (σ_{yz}, 0, 0)
	III 109.243: (0, 0, σ_{xy}) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
	III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy})
	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 228.137: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
	III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
	III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0)
	III 73.551: (σ_{yz}, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
	III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
	III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0)
	III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0)
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 230.148: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
	III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
	III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0)
	III 73.551: (0, 0, σ_{xy}) III 70.530: (0, 0, σ_{xy}) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0)
	III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
	III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0)
	III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0)
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

b. Single-valued

TABLE SI3306: The 851 MSGs and their subgroups with single-valued representations. The corresponding symmetry-adapted AHC tensor is provided following each MSG name.

Supergroups	Subgroups
IV 3.5: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 3.6: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
II 4.8: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 4.10: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 6.21: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 6.23: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
II 7.25: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 7.27: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 7.29: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 7.30: (0, 0, 0)	III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 8.35: (0, 0, 0)	III 9.39: (σ_{yz}, σ_{zx}, 0)
II 9.38: (0, 0, 0)	III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 9.41: (0, 0, 0)	III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 10.47: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 10.48: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 10.49: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 11.51: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 11.52: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 11.55: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 11.57: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 12.63: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
II 13.66: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 13.68: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 13.70: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 13.71: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 13.73: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 13.74: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 14.76: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 14.77: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 14.78: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 14.80: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 14.81: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 14.82: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 14.84: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
II 15.86: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 15.88: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 15.91: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 16.4: (0, 0, 0)	III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 16.5: (0, 0, 0)	III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 16.6: (0, 0, 0)	III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 17.8: (0, 0, 0)	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 17.11: (0, 0, 0)	III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 17.13: (0, 0, 0)	III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
IV 17.14: (0, 0, 0)	III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 17.15: (0, 0, 0)	III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
II 18.17: (0, 0, 0)	III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 18.20: (0, 0, 0)	III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 18.21: (0, 0, 0)	III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 18.22: (0, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 18.24: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 19.26: (0, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 19.28: (0, 0, 0) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 19.29: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 20.32: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 20.36: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 21.42: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 21.44: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 25.61: (0, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 25.62: (0, 0, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 25.63: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 25.64: (0, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 25.65: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 26.67: (0, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.71: (0, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.72: (0, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.73: (0, 0, 0) III 27.80: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 26.74: (0, 0, 0) III 31.127: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})

IV 26.75: (0, 0, 0) III 29.103: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 26.76: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 26.77: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

II 27.79: (0, 0, 0) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 27.82: (0, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 27.83: (0, 0, 0) III 30.115: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 27.84: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 27.85: (0, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 27.86: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 28.88: (0, 0, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})

IV 28.92: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 28.94: (0, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 28.95: (0, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 28.96: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 28.97: (0, 0, 0) III 32.137: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 28.98: (0, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 29.100: (0, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 29.104: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 29.105: (0, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 29.106: (0, 0, 0) III 31.127: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})

IV 29.107: (0, 0, 0) III 27.80: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 29.108: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 29.109: (0, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 29.110: (0, 0, 0) III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

II 30.112: (0, 0, 0) III 30.115: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 30.116: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 30.117: (0, 0, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 30.118: (0, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 30.119: (0, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 30.120: (0, 0, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 30.121: (0, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 30.122: (0, 0, 0) III 33.146: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 31.124: (0, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 31.128: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 31.129: (0, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 31.130: (0, 0, 0) III 30.114: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 31.131: (0, 0, 0) III 30.114: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 31.132: (0, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 31.133: (0, 0, 0) III 33.146: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 31.134: (0, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})

II 32.136: (0, 0, 0) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 32.139: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 32.140: (0, 0, 0) III 32.137: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 32.142: (0, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 32.143: (0, 0, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 33.145: (0, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.146: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 33.149: (0, 0, 0) III 33.146: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 33.150: (0, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 33.151: (0, 0, 0) III 34.158: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 33.152: (0, 0, 0) III 32.137: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 33.153: (0, 0, 0) III 34.158: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 33.154: (0, 0, 0) III 31.126: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 33.155: (0, 0, 0) III 30.114: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

II 34.157: (0, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 34.160: (0, 0, 0) III 34.158: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 34.161: (0, 0, 0) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 34.162: (0, 0, 0) III 33.146: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 34.163: (0, 0, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 34.164: (0, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 35.169: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 35.171: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 36.173: (0, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (σ_{yz}, 0, 0) III 36.174: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 36.177: (0, 0, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 36.178: (0, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (σ_{yz}, 0, 0) III 36.174: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 36.179: (0, 0, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 37.181: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 37.184: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 37.185: (0, 0, 0) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 37.186: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 38.192: (0, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 38.193: (0, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 38.194: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 39.196: (0, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 39.201: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.214: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 39.202: (0, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

II 40.204: (0, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 40.208: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.213: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 40.210: (0, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 41.212: (0, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 41.216: (0, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

IV 41.217: (0, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 43.225: (0, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 43.228: (0, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 44.233: (0, 0, 0) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 44.234: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy})

II 45.236: (0, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 45.240: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

II 46.242: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy})

IV 46.246: (0, 0, 0) III 46.245: (0, 0, σ_{xy}) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 46.247: (0, 0, 0) III 46.243: (0, σ_{zx}, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 47.254: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 49.269: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 26.69: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 47.255: (0, 0, 0) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 47.256: (0, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 48.258: (0, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 48.259: (0, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 48.261: (0, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 48.262: (0, 0, 0) III 52.311: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 48.263: (0, 0, 0) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 48.264: (0, 0, 0) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 49.266: (0, 0, 0) III 49.270: (0, σ_{zx}, 0) III 49.270: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 49.267: (0, 0, 0) III 49.270: (0, σ_{zx}, 0) III 49.270: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 49.271: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 49.269: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 26.69: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 49.272: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 53.328: (0, 0, σ_{xy}) III 50.282: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 49.273: (0, 0, 0) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 49.274: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 51.296: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 49.275: (0, 0, 0) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})

III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 49.276: (0, 0, 0) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0)
III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 50.278: (0, 0, 0) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 30.114: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0)

III 50.279: (0, 0, 0) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 30.114: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0)

III 50.280: (0, 0, 0) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 30.114: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0)

III 50.283: (0, 0, 0) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy})
III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 50.284: (0, 0, 0) III 54.343: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 49.270: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0)
III 31.126: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.91: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 50.285: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 33.147: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 50.286: (0, 0, 0) III 60.422: (σ_{yz}, 0, 0) III 54.344: (0, σ_{zx}, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 33.147: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 30.115: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 50.287: (0, 0, 0) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy})
III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

IV 50.288: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 51.290: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 51.294: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0)
III 28.89: (0, 0, σ_{xy}) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0)
III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 51.291: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 49.269: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0)
III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0)
III 26.69: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 4.9: (0, σ_{zx}, σ_{xy})

III 51.292: (0, 0, 0) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 51.297: (0, 0, 0) III 51.296: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 51.294: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0)
III 28.89: (0, 0, σ_{xy}) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0)
III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.298: (0, 0, 0) III 57.384: (0, 0, σ_{xy}) III 55.357: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy})
III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.299: (0, 0, 0) III 59.410: (0, 0, σ_{xy}) III 57.382: (σ_{yz}, 0, 0) III 53.328: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy})
III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy})
III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.300: (0, 0, 0) III 51.294: (0, 0, σ_{xy}) III 49.270: (σ_{yz}, 0, 0) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy})
III 27.80: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})

IV 51.301: (0, 0, 0) III 57.384: (0, 0, σ_{xy}) III 54.344: (σ_{yz}, 0, 0) III 49.269: (0, σ_{zx}, 0) III 32.138: (σ_{yz}, 0, 0)
III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0)
III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy})
III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 51.302: (0, 0, 0) III 59.410: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 32.137: (σ_{yz}, 0, 0)
III 31.127: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 51.303: (0, 0, 0) III 62.448: (0, 0, σ_{xy}) III 60.422: (σ_{yz}, 0, 0) III 58.397: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0)
III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 51.304: (0, 0, 0) III 62.448: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 34.159: (σ_{yz}, 0, 0)
III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy})
III 30.115: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.69: (0, 0, σ_{xy})
III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 52.306: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 52.310: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 33.148: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 33.146: (σ_{yz}, 0, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 52.307: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 33.147: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 52.308: (0, 0, 0) III 52.311: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0)
III 34.158: (0, σ_{zx}, 0) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy})
III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 52.309: (0, 0, 0) III 52.312: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 52.310: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 33.148: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 33.146: (σ_{yz}, 0, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 4.9: (σ_{yz}, σ_{zx}, 0)

III 52.313: (0, 0, 0) III 62.448: (0, 0, σ_{xy}) III 60.422: (σ_{yz}, 0, 0) III 58.397: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 52.314: (0, 0, 0) III 60.422: (0, σ_{zx}, 0) III 58.398: (0, 0, σ_{xy}) III 53.327: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 52.315: (0, 0, 0) III 60.424: (0, 0, σ_{xy}) III 56.369: (σ_{yz}, 0, 0) III 54.344: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 30.114: (0, 0, σ_{xy}) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 27.81: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 52.316: (0, 0, 0) III 52.310: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 34.159: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.114: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 52.317: (0, 0, 0) III 58.398: (0, 0, σ_{xy}) III 52.311: (σ_{yz}, 0, 0) III 49.270: (0, σ_{zx}, 0) III 34.158: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 33.146: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 27.80: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 52.318: (0, 0, 0) III 60.424: (0, 0, σ_{xy}) III 54.343: (0, σ_{zx}, 0) III 50.281: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 32.138: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0) III 30.114: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 27.81: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 52.319: (0, 0, 0) III 62.447: (0, 0, σ_{xy}) III 59.409: (σ_{yz}, 0, 0) III 57.382: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 52.320: (0, 0, 0) III 62.447: (0, 0, σ_{xy}) III 53.327: (σ_{yz}, 0, 0) III 51.295: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 28.91: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 53.322: (0, 0, 0) III 53.328: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 53.326: (0, 0, σ_{xy}) III 31.127: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 53.323: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 53.328: (0, 0, σ_{xy}) III 50.282: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

III 53.324: (0, 0, 0) III 54.343: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 49.270: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0) III 31.126: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

III 53.325: (0, 0, 0) III 53.328: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 53.326: (0, 0, σ_{xy}) III 31.127: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 53.329: (0, 0, 0) III 59.410: (0, 0, σ_{xy}) III 57.382: (σ_{yz}, 0, 0) III 53.328: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy})
III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy})
III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 53.330: (0, 0, 0) III 60.423: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0)
III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 53.331: (0, 0, 0) III 59.409: (σ_{yz}, 0, 0) III 57.383: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0)
III 29.101: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0)
III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 53.332: (0, 0, 0) III 54.342: (0, 0, σ_{xy}) III 50.281: (σ_{yz}, 0, 0) III 49.269: (0, σ_{zx}, 0) III 32.138: (σ_{yz}, 0, 0)
III 32.137: (0, 0, σ_{xy}) III 30.114: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0)
III 27.81: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 53.333: (0, 0, 0) III 55.358: (0, 0, σ_{xy}) III 53.327: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0)
III 30.114: (σ_{yz}, 0, 0) III 28.91: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, 0, σ_{xy})
III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy})

IV 53.334: (0, 0, 0) III 56.370: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 30.115: (0, σ_{zx}, 0) III 28.89: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 53.335: (0, 0, 0) III 61.436: (0, 0, σ_{xy}) III 56.369: (σ_{yz}, 0, 0) III 55.357: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0)
III 32.138: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.101: (0, 0, σ_{xy})
III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 53.336: (0, 0, 0) III 62.446: (0, 0, σ_{xy}) III 52.311: (σ_{yz}, 0, 0) III 51.296: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 33.147: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 26.69: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0)
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

II 54.338: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 54.342: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0)
III 29.101: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 54.339: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 53.328: (0, 0, σ_{xy}) III 50.282: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy})
III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy})

III 54.340: (0, 0, 0) III 54.343: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 49.270: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0)
III 31.126: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.91: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0)
III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

III 54.341: (0, 0, 0) III 54.344: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 54.342: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0)
III 29.101: (σ_{yz}, 0, 0) III 27.81: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy})

III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 54.345: (0, 0, 0) III 57.384: (0, 0, σ_{xy}) III 55.357: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy})
III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.346: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 55.358: (0, 0, σ_{xy}) III 51.295: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy})
III 29.102: (0, σ_{zx}, 0) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.347: (0, 0, 0) III 60.422: (σ_{yz}, 0, 0) III 56.370: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0)
III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy})
III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.348: (0, 0, 0) III 53.326: (0, 0, σ_{xy}) III 50.282: (σ_{yz}, 0, 0) III 49.270: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0)
III 31.127: (0, 0, σ_{xy}) III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 27.80: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 54.349: (0, 0, 0) III 60.423: (0, 0, σ_{xy}) III 52.312: (σ_{yz}, 0, 0) III 50.282: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 32.137: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.113: (0, σ_{zx}, 0) III 30.113: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy})
III 18.19: (0, 0, σ_{xy}) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy})

IV 54.350: (0, 0, 0) III 57.383: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 49.270: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy})
III 28.91: (σ_{yz}, 0, 0) III 27.80: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
III 18.19: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 54.351: (0, 0, 0) III 62.446: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy})
III 33.147: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 54.352: (0, 0, 0) III 61.436: (0, 0, σ_{xy}) III 54.344: (σ_{yz}, 0, 0) III 54.343: (0, σ_{zx}, 0) III 32.138: (σ_{yz}, 0, 0)
III 32.137: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy})
III 29.101: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 27.81: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 55.354: (0, 0, 0) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 55.355: (0, 0, 0) III 57.384: (0, 0, σ_{xy}) III 55.357: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy})
III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 55.356: (0, 0, 0) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy})
III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0)
III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

III 55.359: (0, 0, 0) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})

III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 55.360: (0, 0, 0) III 57.383: $(\sigma_{yz}, 0, 0)$ III 54.342: $(0, \sigma_{zx}, 0)$ III 51.296: $(0, 0, \sigma_{xy})$ III 32.137: $(0, \sigma_{zx}, 0)$
III 29.103: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 28.91: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$
III 26.70: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$
III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$

IV 55.361: (0, 0, 0) III 62.446: $(0, \sigma_{zx}, 0)$ III 62.446: $(\sigma_{yz}, 0, 0)$ III 58.397: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$
III 33.147: $(0, \sigma_{zx}, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$
III 31.125: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, \sigma_{zx}, 0)$ III 19.27: $(0, \sigma_{zx}, 0)$
III 19.27: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 55.362: (0, 0, 0) III 61.436: $(0, \sigma_{zx}, 0)$ III 56.370: $(\sigma_{yz}, 0, 0)$ III 53.328: $(0, 0, \sigma_{xy})$ III 33.148: $(\sigma_{yz}, 0, 0)$
III 33.147: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, 0, \sigma_{xy})$ III 30.115: $(0, 0, \sigma_{xy})$ III 29.103: $(0, \sigma_{zx}, 0)$
III 29.102: $(0, \sigma_{zx}, 0)$ III 29.101: $(0, \sigma_{zx}, 0)$ III 28.89: $(0, 0, \sigma_{xy})$ III 27.80: $(\sigma_{yz}, 0, 0)$
III 19.27: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 55.363: (0, 0, 0) III 53.326: $(0, \sigma_{zx}, 0)$ III 53.326: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 55.364: (0, 0, 0) III 60.423: $(0, \sigma_{zx}, 0)$ III 60.423: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$
III 33.148: $(\sigma_{yz}, 0, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$
III 29.102: $(\sigma_{yz}, 0, 0)$ III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 18.19: $(0, \sigma_{zx}, 0)$
III 18.19: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 56.366: (0, 0, 0) III 56.370: $(0, \sigma_{zx}, 0)$ III 56.370: $(\sigma_{yz}, 0, 0)$ III 56.369: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$
III 33.148: $(\sigma_{yz}, 0, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$ III 18.19: $(0, \sigma_{zx}, 0)$
III 18.19: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

III 56.367: (0, 0, 0) III 60.424: $(0, 0, \sigma_{xy})$ III 56.369: $(\sigma_{yz}, 0, 0)$ III 54.344: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$
III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, \sigma_{zx}, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 29.103: $(0, 0, \sigma_{xy})$
III 29.102: $(0, \sigma_{zx}, 0)$ III 27.81: $(\sigma_{yz}, 0, 0)$ III 27.80: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, 0, \sigma_{xy})$
III 18.18: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 56.368: (0, 0, 0) III 58.397: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$ III 52.312: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, \sigma_{zx}, 0)$
III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$
III 31.125: $(0, 0, \sigma_{xy})$ III 30.113: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

III 56.371: (0, 0, 0) III 60.423: $(0, \sigma_{zx}, 0)$ III 60.423: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$ III 33.148: $(0, \sigma_{zx}, 0)$
III 33.148: $(\sigma_{yz}, 0, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$
III 29.102: $(\sigma_{yz}, 0, 0)$ III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 18.19: $(0, \sigma_{zx}, 0)$
III 18.19: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 56.372: (0, 0, 0) III 60.423: $(0, \sigma_{zx}, 0)$ III 54.342: $(\sigma_{yz}, 0, 0)$ III 52.311: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$
III 33.148: $(0, \sigma_{zx}, 0)$ III 33.146: $(0, 0, \sigma_{xy})$ III 32.137: $(\sigma_{yz}, 0, 0)$ III 30.115: $(0, 0, \sigma_{xy})$
III 30.113: $(0, \sigma_{zx}, 0)$ III 29.103: $(\sigma_{yz}, 0, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$
III 18.19: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 56.373: (0, 0, 0) III 62.446: $(0, \sigma_{zx}, 0)$ III 62.446: $(\sigma_{yz}, 0, 0)$ III 59.409: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 33.147: $(0, \sigma_{zx}, 0)$ III 31.127: $(0, \sigma_{zx}, 0)$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 31.126: $(0, 0, \sigma_{xy})$
III 26.68: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 19.27: $(0, \sigma_{zx}, 0)$ III 19.27: $(\sigma_{yz}, 0, 0)$
III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 56.374: (0, 0, 0) III 61.436: $(0, \sigma_{zx}, 0)$ III 55.358: $(\sigma_{yz}, 0, 0)$ III 53.327: $(0, 0, \sigma_{xy})$ III 32.137: $(\sigma_{yz}, 0, 0)$
III 31.126: $(0, 0, \sigma_{xy})$ III 30.114: $(0, 0, \sigma_{xy})$ III 29.103: $(0, \sigma_{zx}, 0)$ III 29.102: $(0, \sigma_{zx}, 0)$
III 29.101: $(0, \sigma_{zx}, 0)$ III 28.91: $(0, 0, \sigma_{xy})$ III 26.70: $(\sigma_{yz}, 0, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$
III 19.27: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 17.10: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 56.375: (0, 0, 0) III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 56.376: (0, 0, 0) III 57.383: (0, σ_{zx}, 0) III 57.383: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 57.378: (0, 0, 0) III 57.384: (0, σ_{zx}, 0) III 57.383: (σ_{yz}, 0, 0) III 57.382: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.102: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 57.379: (0, 0, 0) III 59.410: (0, 0, σ_{xy}) III 57.382: (σ_{yz}, 0, 0) III 53.328: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 57.380: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 55.358: (0, 0, σ_{xy}) III 51.295: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 57.381: (0, 0, 0) III 57.382: (0, σ_{zx}, 0) III 54.343: (σ_{yz}, 0, 0) III 51.296: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 57.385: (0, 0, 0) III 57.383: (σ_{yz}, 0, 0) III 54.342: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 57.386: (0, 0, 0) III 55.358: (σ_{yz}, 0, 0) III 54.344: (0, 0, σ_{xy}) III 51.294: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy}) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 57.387: (0, 0, 0) III 59.410: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 51.295: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 26.68: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 57.388: (0, 0, 0) III 62.448: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 60.422: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.147: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 29.103: (σ_{yz}, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 57.389: (0, 0, 0) III 62.448: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 54.343: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 57.390: (0, 0, 0) III 62.446: (σ_{yz}, 0, 0) III 59.410: (0, σ_{zx}, 0) III 52.312: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.113: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})

III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 57.391: (0, 0, 0) III 54.342: (σ_{yz}, 0, 0) III 51.294: (0, σ_{zx}, 0) III 49.270: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 29.103: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy}) III 26.70: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 57.392: (0, 0, 0) III 57.384: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0) III 50.282: (0, 0, σ_{xy}) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 30.115: (0, 0, σ_{xy}) III 30.113: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 28.89: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 58.394: (0, 0, 0) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 58.395: (0, 0, 0) III 60.423: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 58.396: (0, 0, 0) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 58.399: (0, 0, 0) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 58.400: (0, 0, 0) III 60.424: (σ_{yz}, 0, 0) III 53.328: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0) III 34.158: (0, σ_{zx}, 0) III 33.148: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 29.103: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 58.401: (0, 0, 0) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 58.402: (0, 0, 0) III 62.447: (σ_{yz}, 0, 0) III 60.424: (0, σ_{zx}, 0) III 51.296: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 33.146: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 58.403: (0, 0, 0) III 52.310: (0, σ_{zx}, 0) III 52.310: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 58.404: (0, 0, 0) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 59.406: (0, 0, 0) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

III 4.9: (0, σ_{zx}, σ_{xy})

III 59.407: (0, 0, 0) III 59.409: (σ_{yz}, 0, 0) III 57.383: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 59.408: (0, 0, 0) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 59.411: (0, 0, 0) III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 59.412: (0, 0, 0) III 57.384: (0, σ_{zx}, 0) III 53.327: (0, 0, σ_{xy}) III 51.294: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 28.89: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy})

IV 59.413: (0, 0, 0) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 59.414: (0, 0, 0) III 62.448: (σ_{yz}, 0, 0) III 57.384: (0, σ_{zx}, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 28.89: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 59.415: (0, 0, 0) III 51.294: (0, σ_{zx}, 0) III 51.294: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 59.416: (0, 0, 0) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 60.418: (0, 0, 0) III 60.424: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 60.422: (0, 0, σ_{xy}) III 33.148: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 30.115: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 29.103: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 60.419: (0, 0, 0) III 60.422: (0, σ_{zx}, 0) III 58.398: (0, 0, σ_{xy}) III 53.327: (σ_{yz}, 0, 0) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 60.420: (0, 0, 0) III 60.422: (σ_{yz}, 0, 0) III 56.370: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy}) III 18.19: (0, 0, σ_{xy}) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 60.421: (0, 0, 0) III 60.422: (σ_{yz}, 0, 0) III 54.344: (0, σ_{zx}, 0) III 52.311: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 32.138: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.115: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 60.425: (0, 0, 0) III 61.436: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0) III 53.328: (0, 0, σ_{xy}) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 30.115: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.101: (0, σ_{zx}, 0) III 28.89: (0, 0, σ_{xy}) III 27.80: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 60.426: (0, 0, 0) III 56.370: (σ_{yz}, 0, 0) III 54.343: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0) III 34.158: (0, σ_{zx}, 0) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (σ_{yz}, 0, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})

IV 60.427: (0, 0, 0) III 58.398: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 52.312: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 33.147: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.113: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 60.428: (0, 0, 0) III 62.447: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 57.382: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 31.126: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 28.91: (0, 0, σ_{xy}) III 26.70: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 60.429: (0, 0, 0) III 62.447: (0, σ_{zx}, 0) III 57.383: (σ_{yz}, 0, 0) III 54.344: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 29.102: (0, 0, σ_{xy}) III 29.101: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy}) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 60.430: (0, 0, 0) III 62.446: (σ_{yz}, 0, 0) III 58.398: (0, σ_{zx}, 0) III 51.295: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 17.10: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 60.431: (0, 0, 0) III 54.342: (σ_{yz}, 0, 0) III 52.310: (0, σ_{zx}, 0) III 50.282: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 33.148: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 30.115: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.113: (0, 0, σ_{xy}) III 29.103: (σ_{yz}, 0, 0) III 27.80: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 60.432: (0, 0, 0) III 60.424: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 49.270: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0) III 28.91: (0, 0, σ_{xy}) III 27.80: (0, 0, σ_{xy}) III 26.70: (σ_{yz}, 0, 0) III 26.68: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 61.434: (0, 0, 0) III 61.436: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 61.436: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 61.435: (0, 0, 0) III 62.446: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 33.147: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 26.68: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 61.437: (0, 0, 0) III 61.436: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 61.436: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (σ_{yz}, 0, 0) III 29.102: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 61.438: (0, 0, 0) III 62.446: (σ_{yz}, 0, 0) III 60.423: (0, σ_{zx}, 0) III 57.383: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0)

	III 29.101: (0, 0, σ_{xy}) III 26.70: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 61.439: (0, 0, 0)	III 56.370: (σ_{yz}, 0, 0) III 55.358: (0, 0, σ_{xy}) III 53.326: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 30.113: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, 0, σ_{xy}) III 18.19: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
IV 61.440: (0, 0, 0)	III 54.342: (0, σ_{zx}, 0) III 54.342: (σ_{yz}, 0, 0) III 54.342: (0, 0, σ_{xy}) III 32.137: (σ_{yz}, 0, 0) III 32.137: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 27.80: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
II 62.442: (0, 0, 0)	III 62.448: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 62.446: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.147: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.127: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 62.443: (0, 0, 0)	III 62.448: (0, 0, σ_{xy}) III 60.422: (σ_{yz}, 0, 0) III 58.397: (0, σ_{zx}, 0) III 34.159: (0, σ_{zx}, 0) III 33.148: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 62.444: (0, 0, 0)	III 62.447: (0, 0, σ_{xy}) III 59.409: (σ_{yz}, 0, 0) III 57.382: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 29.102: (0, σ_{zx}, 0) III 28.91: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 62.445: (0, 0, 0)	III 61.436: (0, 0, σ_{xy}) III 56.369: (σ_{yz}, 0, 0) III 55.357: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, σ_{zx}, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.101: (0, 0, σ_{xy}) III 27.81: (σ_{yz}, 0, 0) III 26.69: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 62.449: (0, 0, 0)	III 62.446: (σ_{yz}, 0, 0) III 60.423: (0, σ_{zx}, 0) III 57.383: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.101: (0, 0, σ_{xy}) III 26.70: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 62.450: (0, 0, 0)	III 62.447: (σ_{yz}, 0, 0) III 59.410: (0, σ_{zx}, 0) III 56.370: (0, 0, σ_{xy}) III 33.148: (0, 0, σ_{xy}) III 33.147: (0, 0, σ_{xy}) III 33.146: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 27.80: (0, 0, σ_{xy}) III 26.70: (σ_{yz}, 0, 0) III 19.27: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 62.451: (0, 0, 0)	III 62.448: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 55.358: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 33.148: (0, σ_{zx}, 0) III 32.137: (0, 0, σ_{xy}) III 31.127: (σ_{yz}, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 26.70: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.68: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.19: (0, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 62.452: (0, 0, 0)	III 61.436: (0, 0, σ_{xy}) III 60.424: (σ_{yz}, 0, 0) III 57.384: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 30.114: (σ_{yz}, 0, 0) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.101: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 26.69: (0, σ_{zx}, 0) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 62.453: (0, 0, 0)	III 59.410: (0, σ_{zx}, 0) III 57.383: (0, 0, σ_{xy}) III 52.310: (σ_{yz}, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 33.148: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.125: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 26.70: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (0, 0, σ_{xy})

	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
IV 62.454: (0, 0, 0)	III 60.423: $(0, 0, \sigma_{xy})$ III 58.398: $(\sigma_{yz}, 0, 0)$ III 51.294: $(0, \sigma_{zx}, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$ III 33.148: $(0, 0, \sigma_{xy})$ III 31.127: $(\sigma_{yz}, 0, 0)$ III 31.126: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, 0, \sigma_{xy})$ III 29.102: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 26.70: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 18.19: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
IV 62.455: (0, 0, 0)	III 60.424: $(\sigma_{yz}, 0, 0)$ III 57.384: $(0, \sigma_{zx}, 0)$ III 54.342: $(0, 0, \sigma_{xy})$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.137: $(0, 0, \sigma_{xy})$ III 30.114: $(\sigma_{yz}, 0, 0)$ III 29.103: $(0, \sigma_{zx}, 0)$ III 29.103: $(\sigma_{yz}, 0, 0)$ III 29.103: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 27.80: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, \sigma_{zx}, 0)$ III 18.19: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
IV 62.456: (0, 0, 0)	III 53.326: $(0, 0, \sigma_{xy})$ III 52.310: $(\sigma_{yz}, 0, 0)$ III 51.294: $(0, \sigma_{zx}, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$ III 33.148: $(\sigma_{yz}, 0, 0)$ III 31.127: $(0, 0, \sigma_{xy})$ III 30.114: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 26.70: $(0, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
II 63.458: (0, 0, 0)	III 63.464: $(0, \sigma_{zx}, 0)$ III 63.463: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 40.207: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 63.459: (0, 0, 0)	III 63.464: $(0, \sigma_{zx}, 0)$ III 63.463: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 40.207: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 63.460: (0, 0, 0)	III 63.464: $(0, \sigma_{zx}, 0)$ III 63.463: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 40.207: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 63.465: (0, 0, 0)	III 63.464: $(0, \sigma_{zx}, 0)$ III 63.463: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 40.207: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
IV 63.466: (0, 0, 0)	III 66.496: $(0, \sigma_{zx}, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 40.207: $(0, \sigma_{zx}, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.182: $(0, \sigma_{zx}, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
IV 63.467: (0, 0, 0)	III 64.476: $(0, \sigma_{zx}, 0)$ III 64.475: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 41.215: $(\sigma_{yz}, 0, 0)$ III 41.213: $(0, \sigma_{zx}, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 39.199: $(0, \sigma_{zx}, 0)$ III 39.197: $(\sigma_{yz}, 0, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
IV 63.468: (0, 0, 0)	III 68.516: $(0, \sigma_{zx}, 0)$ III 67.506: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 41.215: $(0, \sigma_{zx}, 0)$ III 41.213: $(0, \sigma_{zx}, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 39.199: $(\sigma_{yz}, 0, 0)$ III 39.197: $(\sigma_{yz}, 0, 0)$ III 37.182: $(0, \sigma_{zx}, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
II 64.470: (0, 0, 0)	III 64.476: $(0, \sigma_{zx}, 0)$ III 64.475: $(\sigma_{yz}, 0, 0)$ III 64.474: $(0, 0, \sigma_{xy})$ III 41.215: $(\sigma_{yz}, 0, 0)$ III 41.214: $(0, 0, \sigma_{xy})$ III 41.213: $(0, \sigma_{zx}, 0)$ III 39.199: $(0, \sigma_{zx}, 0)$ III 39.197: $(\sigma_{yz}, 0, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 64.471: (0, 0, 0)	III 64.476: $(0, \sigma_{zx}, 0)$ III 64.475: $(\sigma_{yz}, 0, 0)$ III 64.474: $(0, 0, \sigma_{xy})$ III 41.215: $(\sigma_{yz}, 0, 0)$ III 41.214: $(0, 0, \sigma_{xy})$ III 41.213: $(0, \sigma_{zx}, 0)$ III 39.199: $(0, \sigma_{zx}, 0)$ III 39.197: $(\sigma_{yz}, 0, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 64.472: (0, 0, 0)	III 64.476: $(0, \sigma_{zx}, 0)$ III 64.475: $(\sigma_{yz}, 0, 0)$ III 64.474: $(0, 0, \sigma_{xy})$ III 41.215: $(\sigma_{yz}, 0, 0)$ III 41.214: $(0, 0, \sigma_{xy})$ III 41.213: $(0, \sigma_{zx}, 0)$ III 39.199: $(0, \sigma_{zx}, 0)$ III 39.197: $(\sigma_{yz}, 0, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 64.473: (0, 0, 0)	III 64.476: $(0, \sigma_{zx}, 0)$ III 64.475: $(\sigma_{yz}, 0, 0)$ III 63.462: $(0, 0, \sigma_{xy})$ III 41.215: $(\sigma_{yz}, 0, 0)$ III 41.213: $(0, \sigma_{zx}, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 39.199: $(0, \sigma_{zx}, 0)$ III 39.197: $(\sigma_{yz}, 0, 0)$ III 36.176: $(0, 0, \sigma_{xy})$ III 36.175: $(0, \sigma_{zx}, 0)$ III 36.174: $(\sigma_{yz}, 0, 0)$ III 20.34: $(0, \sigma_{zx}, 0)$ III 20.34: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 64.477: (0, 0, 0) III 64.476: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 41.215: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 39.199: (0, σ_{zx}, 0) III 39.197: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 64.478: (0, 0, 0) III 68.516: (0, σ_{zx}, 0) III 67.506: (σ_{yz}, 0, 0) III 64.474: (0, 0, σ_{xy}) III 41.215: (0, σ_{zx}, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 39.197: (σ_{yz}, 0, 0) III 37.182: (0, σ_{zx}, 0) III 36.176: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 64.479: (0, 0, 0) III 64.474: (0, 0, σ_{xy}) III 63.464: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 64.480: (0, 0, 0) III 66.496: (0, σ_{zx}, 0) III 64.474: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 37.182: (0, σ_{zx}, 0) III 36.176: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 65.488: (0, 0, 0) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 65.489: (0, 0, 0) III 67.506: (0, σ_{zx}, 0) III 67.506: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 65.490: (0, 0, 0) III 66.495: (0, 0, σ_{xy}) III 64.475: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 66.492: (0, 0, 0) III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 66.493: (0, 0, 0) III 66.496: (0, σ_{zx}, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 36.176: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 66.497: (0, 0, 0) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 66.498: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 66.499: (0, 0, 0) III 68.516: (0, σ_{zx}, 0) III 68.516: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 66.500: (0, 0, 0) III 64.476: (0, σ_{zx}, 0) III 64.476: (σ_{yz}, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 39.199: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 67.502: (0, 0, 0) III 67.506: (0, σ_{zx}, 0) III 67.506: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 67.504: (0, 0, 0) III 67.506: (0, σ_{zx}, 0) III 67.506: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 67.507: (0, 0, 0) III 67.506: (0, σ_{zx}, 0) III 67.506: (σ_{yz}, 0, 0) III 39.199: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 67.508: (0, 0, 0) III 68.515: (0, 0, σ_{xy}) III 64.475: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 67.510: (0, 0, 0) III 68.515: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 4.9: (σ_{yz}, σ_{zx}, 0)

II 68.512: (0, 0, 0) III 68.516: (0, σ_{zx}, 0) III 68.516: (σ_{yz}, 0, 0) III 68.515: (0, 0, σ_{xy}) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 68.513: (0, 0, 0) III 68.516: (0, σ_{zx}, 0) III 67.506: (σ_{yz}, 0, 0) III 64.474: (0, 0, σ_{xy}) III 41.215: (0, σ_{zx}, 0) III 41.214: (0, 0, σ_{xy}) III 41.213: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 39.197: (σ_{yz}, 0, 0) III 37.182: (0, σ_{zx}, 0) III 36.176: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 68.514: (0, 0, 0) III 68.516: (0, σ_{zx}, 0) III 68.516: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 68.517: (0, 0, 0) III 66.495: (0, 0, σ_{xy}) III 64.475: (0, σ_{zx}, 0) III 64.475: (σ_{yz}, 0, 0) III 41.215: (0, σ_{zx}, 0) III 41.215: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 39.197: (σ_{yz}, 0, 0) III 39.197: (0, σ_{zx}, 0) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 68.518: (0, 0, 0) III 64.476: (0, σ_{zx}, 0) III 64.476: (σ_{yz}, 0, 0) III 41.213: (σ_{yz}, 0, 0) III 41.213: (0, σ_{zx}, 0) III 39.199: (0, σ_{zx}, 0) III 39.199: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 68.519: (0, 0, 0) III 68.515: (0, 0, σ_{xy}) III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 68.520: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 70.528: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 70.529: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 70.531: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 70.532: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 71.538: (0, 0, 0) III 74.559: (0, σ_{zx}, 0) III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 72.540: (0, 0, 0) III 72.544: (0, σ_{zx}, 0) III 72.544: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 72.541: (0, 0, 0) III 72.544: (0, σ_{zx}, 0) III 72.544: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 72.545: (0, 0, 0) III 74.559: (0, σ_{zx}, 0) III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 72.547: (0, 0, 0) III 74.559: (0, 0, σ_{xy}) III 73.551: (σ_{yz}, 0, 0) III 72.544: (0, σ_{zx}, 0) III 46.245: (0, σ_{zx}, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (0, 0, σ_{xy}) III 45.238: (σ_{yz}, 0, 0) III 45.237: (0, σ_{zx}, 0)

	III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
II 73.549: (0, 0, 0)	III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 73.550: (0, 0, 0)	III 74.559: (0, 0, σ_{xy}) III 73.551: (σ_{yz}, 0, 0) III 72.544: (0, σ_{zx}, 0) III 46.245: (0, σ_{zx}, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (0, 0, σ_{xy}) III 45.238: (σ_{yz}, 0, 0) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 73.552: (0, 0, 0)	III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 73.553: (0, 0, 0)	III 72.544: (0, σ_{zx}, 0) III 72.544: (σ_{yz}, 0, 0) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 45.237: (σ_{yz}, 0, 0) III 45.237: (0, σ_{zx}, 0) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
II 74.555: (0, 0, 0)	III 74.559: (0, σ_{zx}, 0) III 74.559: (σ_{yz}, 0, 0) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 74.557: (0, 0, 0)	III 74.559: (0, σ_{zx}, 0) III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 74.560: (0, 0, 0)	III 72.544: (0, σ_{zx}, 0) III 72.544: (σ_{yz}, 0, 0) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 45.237: (σ_{yz}, 0, 0) III 45.237: (0, σ_{zx}, 0) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 74.561: (0, 0, 0)	III 73.551: (0, 0, σ_{xy}) III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 74.562: (0, 0, 0)	III 74.559: (0, σ_{zx}, 0) III 72.544: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 45.237: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
IV 75.4: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 75.6: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
II 76.8: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 76.11: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 77.16: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 77.18: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
II 78.20: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 78.23: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 81.36: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 81.38: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 83.48: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 83.49: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 83.50: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 84.53: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 84.56: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 84.57: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 84.58: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 85.60: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 85.61: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 85.62: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 85.63: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 85.64: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 85.66: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 86.68: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 86.69: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 86.70: (0, 0, 0)	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 86.71: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 86.72: (0, 0, 0)	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 86.74: (0, 0, 0)	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 88.82: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 88.83: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 88.84: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 88.85: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 88.86: (0, 0, 0)	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 89.92: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 89.93: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 89.94: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 90.96: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 90.99: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 90.100: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 90.102: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 91.104: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 91.109: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 91.110: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 92.112: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 92.115: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 92.116: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 92.117: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 93.124: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 93.125: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 93.126: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 94.128: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 94.131: (0, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 94.132: (0, 0, 0) III 94.130: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 94.134: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 95.136: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 95.141: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 95.142: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

II 96.144: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 96.147: (0, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 96.148: (0, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 96.149: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 99.168: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 99.169: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 99.170: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 100.172: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 100.173: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 100.174: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 100.176: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 100.178: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 101.180: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 101.181: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 101.184: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 101.185: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 101.186: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 102.188: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 102.189: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 102.190: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 102.192: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 102.193: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 102.194: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 103.196: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 103.197: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 103.198: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 103.200: (0, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 103.201: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 103.202: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 104.204: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 104.205: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 104.206: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 104.208: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 104.209: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 104.210: (0, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 105.212: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

III 105.214: (0, 0, 0) III 103.199: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 105.216: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 105.217: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 105.218: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 106.220: (0, 0, 0) III 106.223: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 106.221: (0, 0, 0) III 100.175: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 106.222: (0, 0, 0) III 104.207: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 106.224: (0, 0, 0) III 102.191: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 106.225: (0, 0, 0) III 105.215: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

IV 106.226: (0, 0, 0) III 101.183: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 107.232: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 108.234: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 108.235: (0, 0, 0) III 108.237: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 109.240: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

III 109.241: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

III 109.242: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

IV 109.244: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 110.246: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 110.247: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 110.248: (0, 0, 0) III 110.249: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

IV 110.250: (0, 0, 0) III 109.243: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy})

IV 111.256: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 111.257: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 111.258: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 112.260: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

III 112.261: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

III 112.262: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 112.264: (0, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 112.265: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 112.266: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 113.268: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 113.269: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 113.270: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 113.272: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 113.274: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 114.276: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 114.277: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 114.278: (0, 0, 0) III 114.279: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 114.280: (0, 0, 0) III 113.271: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 114.281: (0, 0, 0) III 112.263: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})

IV 114.282: (0, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 115.288: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 115.289: (0, 0, 0) III 117.303: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 115.290: (0, 0, 0) III 118.311: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 116.292: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 116.293: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 116.294: (0, 0, 0) III 116.295: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)

III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

IV 116.296: (0, 0, 0) III 26.68: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 116.297: (0, 0, 0) III 118.311: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$ III 30.113: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

IV 116.298: (0, 0, 0) III 117.303: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 29.101: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 117.300: (0, 0, 0) III 117.303: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 32.137: $(0, \sigma_{zx}, 0)$ III 32.137: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

III 117.301: (0, 0, 0) III 117.303: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 28.89: $(0, \sigma_{zx}, 0)$ III 28.89: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

III 117.302: (0, 0, 0) III 117.303: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 32.137: $(0, \sigma_{zx}, 0)$ III 32.137: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

IV 117.304: (0, 0, 0) III 118.311: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$ III 33.147: $(0, \sigma_{zx}, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 117.306: (0, 0, 0) III 116.295: $(0, 0, \sigma_{xy})$ III 29.102: $(0, \sigma_{zx}, 0)$ III 29.102: $(\sigma_{yz}, 0, 0)$ III 27.81: $(0, 0, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 118.308: (0, 0, 0) III 118.311: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, \sigma_{zx}, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

III 118.309: (0, 0, 0) III 118.311: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$ III 31.125: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 118.310: (0, 0, 0) III 118.311: $(0, 0, \sigma_{xy})$ III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, \sigma_{zx}, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

IV 118.312: (0, 0, 0) III 117.303: $(0, 0, \sigma_{xy})$ III 33.146: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, 0, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 118.313: (0, 0, 0) III 116.295: $(0, 0, \sigma_{xy})$ III 30.114: $(0, \sigma_{zx}, 0)$ III 30.114: $(\sigma_{yz}, 0, 0)$ III 27.81: $(0, 0, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

IV 118.314: (0, 0, 0) III 31.126: $(0, \sigma_{zx}, 0)$ III 31.126: $(\sigma_{yz}, 0, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 119.320: (0, 0, 0) III 120.325: $(0, 0, \sigma_{xy})$ III 46.243: $(0, \sigma_{zx}, 0)$ III 46.243: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$
III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$

II 120.322: (0, 0, 0) III 120.325: $(0, 0, \sigma_{xy})$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$
III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$

III 120.323: (0, 0, 0) III 120.325: $(0, 0, \sigma_{xy})$ III 46.243: $(0, \sigma_{zx}, 0)$ III 46.243: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$
III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$

III 120.324: (0, 0, 0) III 120.325: $(0, 0, \sigma_{xy})$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$
III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$

II 122.334: (0, 0, 0) III 122.337: $(0, 0, \sigma_{xy})$ III 43.227: $(0, 0, \sigma_{xy})$

III 122.335: (0, 0, 0) III 122.337: $(0, 0, \sigma_{xy})$ III 43.227: $(0, 0, \sigma_{xy})$

III 122.336: (0, 0, 0) III 122.337: $(0, 0, \sigma_{xy})$ III 43.227: $(0, 0, \sigma_{xy})$

IV 122.338: (0, 0, 0) III 122.337: $(0, 0, \sigma_{xy})$ III 43.227: $(0, 0, \sigma_{xy})$

IV 123.348: (0, 0, 0) III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
III 66.495: $(0, 0, \sigma_{xy})$ III 51.296: $(0, \sigma_{zx}, 0)$ III 51.296: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.69: $(\sigma_{yz}, 0, 0)$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 123.349: (0, 0, 0) III 127.393: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$
III 90.98: $(0, 0, \sigma_{xy})$ III 55.357: $(0, 0, \sigma_{xy})$ III 53.328: $(0, \sigma_{zx}, 0)$ III 53.328: $(\sigma_{yz}, 0, 0)$
III 32.138: $(0, 0, \sigma_{xy})$ III 31.125: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 28.89: $(0, \sigma_{zx}, 0)$ III 28.89: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$
III 18.18: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 123.350: (0, 0, 0) III 128.405: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 104.207: $(0, 0, \sigma_{xy})$
III 90.98: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$ III 58.397: $(0, \sigma_{zx}, 0)$ III 58.397: $(\sigma_{yz}, 0, 0)$
III 58.397: $(0, 0, \sigma_{xy})$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$
III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 31.125: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$
III 31.125: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 124.352: (0, 0, 0) III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
III 66.495: $(0, 0, \sigma_{xy})$ III 49.270: $(0, \sigma_{zx}, 0)$ III 49.270: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$

	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.353: (0, 0, 0)	III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
	III 66.495: $(0, 0, \sigma_{xy})$ III 49.270: $(0, \sigma_{zx}, 0)$ III 49.270: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
	III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
	III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$
	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.354: (0, 0, 0)	III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
	III 66.495: $(0, 0, \sigma_{xy})$ III 49.270: $(0, \sigma_{zx}, 0)$ III 49.270: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
	III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
	III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$
	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.355: (0, 0, 0)	III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
	III 66.495: $(0, 0, \sigma_{xy})$ III 49.270: $(0, \sigma_{zx}, 0)$ III 49.270: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
	III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
	III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$
	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.356: (0, 0, 0)	III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
	III 66.495: $(0, 0, \sigma_{xy})$ III 49.270: $(0, \sigma_{zx}, 0)$ III 49.270: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
	III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
	III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$
	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.358: (0, 0, 0)	III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
	III 66.495: $(0, 0, \sigma_{xy})$ III 49.270: $(0, \sigma_{zx}, 0)$ III 49.270: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
	III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
	III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 27.80: $(0, \sigma_{zx}, 0)$ III 27.80: $(\sigma_{yz}, 0, 0)$
	III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.359: (0, 0, 0)	III 124.357: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 103.199: $(0, 0, \sigma_{xy})$
	III 66.495: $(0, 0, \sigma_{xy})$ III 51.296: $(0, \sigma_{zx}, 0)$ III 51.296: $(\sigma_{yz}, 0, 0)$ III 49.269: $(0, 0, \sigma_{xy})$
	III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$
	III 28.89: $(0, 0, \sigma_{xy})$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.69: $(0, \sigma_{zx}, 0)$ III 26.69: $(\sigma_{yz}, 0, 0)$
	III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
	III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
IV 124.360: (0, 0, 0)	III 51.295: $(0, \sigma_{zx}, 0)$ III 51.295: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, \sigma_{zx}, 0)$ III 26.68: $(\sigma_{yz}, 0, 0)$
	III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
IV 124.361: (0, 0, 0)	III 128.405: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 104.207: $(0, 0, \sigma_{xy})$
	III 90.98: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$ III 58.397: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$
	III 52.312: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$
	III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$
	III 31.125: $(0, 0, \sigma_{xy})$ III 30.113: $(0, \sigma_{zx}, 0)$ III 30.113: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
	III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
	III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
	III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
IV 124.362: (0, 0, 0)	III 127.393: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$
	III 90.98: $(0, 0, \sigma_{xy})$ III 60.422: $(0, \sigma_{zx}, 0)$ III 60.422: $(\sigma_{yz}, 0, 0)$ III 55.357: $(0, 0, \sigma_{xy})$
	III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$
	III 30.115: $(\sigma_{yz}, 0, 0)$ III 29.101: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$
	III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
	III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
II 125.364: (0, 0, 0)	III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 50.282: $(0, \sigma_{zx}, 0)$
	III 50.282: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 32.137: $(0, \sigma_{zx}, 0)$
	III 32.137: $(\sigma_{yz}, 0, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$
	III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
	III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 125.365: (0, 0, 0)	III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 50.282: $(0, \sigma_{zx}, 0)$
	III 50.282: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 32.137: $(0, \sigma_{zx}, 0)$
	III 32.137: $(\sigma_{yz}, 0, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$
	III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
	III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 125.366: (0, 0, 0)	III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 50.282: $(0, \sigma_{zx}, 0)$
	III 50.282: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$ III 32.137: $(0, \sigma_{zx}, 0)$
	III 32.137: $(\sigma_{yz}, 0, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$
	III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
	III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 125.367: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 125.368: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 125.370: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 125.371: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 125.372: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 125.373: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 125.374: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 126.376: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 126.377: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 126.378: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 126.379: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)

	III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 126.380: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 126.382: (0, 0, 0)	III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 126.383: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 126.384: (0, 0, 0)	III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 52.311: (0, σ_{zx}, 0) III 52.311: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0) III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 126.385: (0, 0, 0)	III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 126.386: (0, 0, 0)	III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 127.388: (0, 0, 0)	III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 127.389: (0, 0, 0)	III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 127.390: (0, 0, 0)	III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 127.391: (0, 0, 0)	III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0)

	III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 127.392: (0, 0, 0)	III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 127.394: (0, 0, 0)	III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 127.395: (0, 0, 0)	III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
IV 127.396: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 127.397: (0, 0, 0)	III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
IV 127.398: (0, 0, 0)	III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 128.400: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 128.401: (0, 0, 0)	III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 128.402: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 128.403: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})

III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.404: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.406: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0)
III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 128.407: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 128.408: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 128.409: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0) III 52.310: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 128.410: (0, 0, 0) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, σ_{zx}, 0)

II 129.412: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0)
III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.413: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0)
III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.414: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy})
III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.415: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0)
III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.416: (0, 0, 0) III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 129.418: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0) III 53.328: (σ_{yz}, 0, 0)
III 32.138: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 129.419: (0, 0, 0) III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 129.420: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 129.421: (0, 0, 0) III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 51.294: (0, σ_{zx}, 0)
III 51.294: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy})
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 129.422: (0, 0, 0) III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 130.424: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy})
III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.425: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.426: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0)
III 53.327: (σ_{yz}, 0, 0) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.427: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 33.146: (0, 0, σ_{xy})
III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 130.428: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0) III 52.310: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)

	III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 130.430: (0, 0, 0)	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
	III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0)
	III 52.312: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
	III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
	III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
	III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 130.431: (0, 0, 0)	III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
	III 66.495: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
	III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0)
	III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
	III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0)
	III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
	III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 130.432: (0, 0, 0)	III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0)
	III 62.446: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
	III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0)
	III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
	III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
	III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 130.433: (0, 0, 0)	III 126.381: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
	III 68.515: (0, 0, σ_{xy}) III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
	III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
	III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0)
	III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
IV 130.434: (0, 0, 0)	III 125.369: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 57.383: (0, σ_{zx}, 0)
	III 57.383: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy})
	III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
	III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 131.436: (0, 0, 0)	III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
	III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 131.437: (0, 0, 0)	III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
	III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 131.438: (0, 0, 0)	III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0)
	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 131.439: (0, 0, 0)	III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
	III 66.495: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
	III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
	III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 131.442: (0, 0, 0)	III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
	III 66.495: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
	III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
	III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 131.443: (0, 0, 0)	III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
	III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
IV 131.444: (0, 0, 0)	III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0)
	III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
	III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 131.445: (0, 0, 0)	III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
	III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0)
	III 53.328: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
	III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
	III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
	III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})

III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 131.446: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy})
III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy})
III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0)
III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0)
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 132.448: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 49.270: (0, σ_{zx}, 0)
III 49.270: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 132.449: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 49.270: (0, σ_{zx}, 0)
III 49.270: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

III 132.450: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 132.451: (0, 0, 0) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 132.452: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0) III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 132.455: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 51.296: (0, σ_{zx}, 0)
III 51.296: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 132.456: (0, 0, 0) III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 132.457: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0)
III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0)
III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0)
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 132.458: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0)
III 55.357: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0)
III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 133.460: (0, 0, 0) III 133.465: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0)
III 32.137: (σ_{yz}, 0, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 30.114: (0, 0, σ_{xy})
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 133.461: (0, 0, 0) III 133.465: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 50.282: (0, σ_{zx}, 0) III 50.282: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0)

III 32.137: $(\sigma_{yz}, 0, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 133.462: (0, 0, 0) III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 52.311: $(0, \sigma_{zx}, 0)$
III 52.311: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 34.158: $(\sigma_{yz}, 0, 0)$ III 34.158: $(0, \sigma_{zx}, 0)$
III 33.146: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 133.463: (0, 0, 0) III 126.381: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 104.207: $(0, 0, \sigma_{xy})$
III 68.515: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$ III 52.312: $(\sigma_{yz}, 0, 0)$ III 48.260: $(0, 0, \sigma_{xy})$
III 41.214: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$ III 33.147: $(0, \sigma_{zx}, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 133.464: (0, 0, 0) III 127.393: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$
III 90.98: $(0, 0, \sigma_{xy})$ III 60.422: $(0, \sigma_{zx}, 0)$ III 60.422: $(\sigma_{yz}, 0, 0)$ III 55.357: $(0, 0, \sigma_{xy})$
III 33.147: $(\sigma_{yz}, 0, 0)$ III 33.147: $(0, \sigma_{zx}, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 29.101: $(0, \sigma_{zx}, 0)$ III 29.101: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$
III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 133.466: (0, 0, 0) III 126.381: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 104.207: $(0, 0, \sigma_{xy})$
III 68.515: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$ III 52.312: $(\sigma_{yz}, 0, 0)$ III 48.260: $(0, 0, \sigma_{xy})$
III 41.214: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$ III 33.147: $(0, \sigma_{zx}, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 133.467: (0, 0, 0) III 135.489: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 106.223: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$ III 55.357: $(0, 0, \sigma_{xy})$ III 53.328: $(0, \sigma_{zx}, 0)$
III 53.328: $(\sigma_{yz}, 0, 0)$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$
III 31.125: $(\sigma_{yz}, 0, 0)$ III 31.125: $(0, \sigma_{zx}, 0)$ III 30.115: $(0, \sigma_{zx}, 0)$ III 30.115: $(\sigma_{yz}, 0, 0)$
III 28.89: $(0, \sigma_{zx}, 0)$ III 28.89: $(\sigma_{yz}, 0, 0)$ III 26.69: $(0, 0, \sigma_{xy})$ III 18.18: $(0, 0, \sigma_{xy})$
III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 133.468: (0, 0, 0) III 134.477: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 102.191: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$
III 52.312: $(\sigma_{yz}, 0, 0)$ III 48.260: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$ III 33.147: $(0, \sigma_{zx}, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 133.469: (0, 0, 0) III 137.513: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 105.215: $(0, 0, \sigma_{xy})$ III 94.130: $(0, 0, \sigma_{xy})$
III 68.515: $(0, 0, \sigma_{xy})$ III 59.409: $(0, 0, \sigma_{xy})$ III 51.295: $(0, \sigma_{zx}, 0)$ III 51.295: $(\sigma_{yz}, 0, 0)$
III 41.214: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 31.126: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$
III 26.68: $(0, \sigma_{zx}, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 133.470: (0, 0, 0) III 138.525: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 101.183: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 57.382: $(0, \sigma_{zx}, 0)$ III 57.382: $(\sigma_{yz}, 0, 0)$ III 56.369: $(0, 0, \sigma_{xy})$
III 33.146: $(0, 0, \sigma_{xy})$ III 29.102: $(0, \sigma_{zx}, 0)$ III 29.102: $(\sigma_{yz}, 0, 0)$ III 28.91: $(0, \sigma_{zx}, 0)$
III 28.91: $(\sigma_{yz}, 0, 0)$ III 27.81: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, \sigma_{zx}, 0)$
III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 134.472: (0, 0, 0) III 134.477: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 102.191: $(0, 0, \sigma_{xy})$ III 48.260: $(0, \sigma_{zx}, 0)$
III 48.260: $(\sigma_{yz}, 0, 0)$ III 48.260: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$ III 34.158: $(0, \sigma_{zx}, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$
III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 134.473: (0, 0, 0) III 134.477: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 102.191: $(0, 0, \sigma_{xy})$ III 48.260: $(0, \sigma_{zx}, 0)$
III 48.260: $(\sigma_{yz}, 0, 0)$ III 48.260: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$ III 34.158: $(0, \sigma_{zx}, 0)$ III 34.158: $(\sigma_{yz}, 0, 0)$

III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 134.474: (0, 0, 0) III 126.381: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 104.207: $(0, 0, \sigma_{xy})$
III 68.515: $(0, 0, \sigma_{xy})$ III 52.312: $(0, \sigma_{zx}, 0)$ III 52.312: $(\sigma_{yz}, 0, 0)$ III 48.260: $(0, 0, \sigma_{xy})$
III 41.214: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$
III 34.159: $(0, 0, \sigma_{xy})$ III 34.158: $(0, 0, \sigma_{xy})$ III 33.147: $(0, \sigma_{zx}, 0)$ III 33.147: $(\sigma_{yz}, 0, 0)$
III 30.113: $(\sigma_{yz}, 0, 0)$ III 30.113: $(0, \sigma_{zx}, 0)$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 134.475: (0, 0, 0) III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 52.311: $(0, \sigma_{zx}, 0)$
III 52.311: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 34.158: $(\sigma_{yz}, 0, 0)$ III 34.158: $(0, \sigma_{zx}, 0)$
III 33.146: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 134.476: (0, 0, 0) III 128.405: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 104.207: $(0, 0, \sigma_{xy})$
III 90.98: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$ III 58.397: $(0, \sigma_{zx}, 0)$ III 58.397: $(\sigma_{yz}, 0, 0)$
III 58.397: $(0, 0, \sigma_{xy})$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.159: $(0, \sigma_{zx}, 0)$
III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 31.125: $(0, 0, \sigma_{xy})$ III 31.125: $(0, \sigma_{zx}, 0)$
III 31.125: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 134.478: (0, 0, 0) III 125.369: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 100.175: $(0, 0, \sigma_{xy})$ III 52.311: $(0, \sigma_{zx}, 0)$
III 52.311: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$ III 34.158: $(\sigma_{yz}, 0, 0)$ III 34.158: $(0, \sigma_{zx}, 0)$
III 33.146: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 134.479: (0, 0, 0) III 136.501: $(0, 0, \sigma_{xy})$ III 118.311: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 102.191: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 58.397: $(0, \sigma_{zx}, 0)$ III 58.397: $(\sigma_{yz}, 0, 0)$ III 58.397: $(0, 0, \sigma_{xy})$
III 34.159: $(0, \sigma_{zx}, 0)$ III 34.159: $(\sigma_{yz}, 0, 0)$ III 34.159: $(0, 0, \sigma_{xy})$ III 31.125: $(0, 0, \sigma_{xy})$
III 31.125: $(0, \sigma_{zx}, 0)$ III 31.125: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$
III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 134.480: (0, 0, 0) III 133.465: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 112.263: $(0, 0, \sigma_{xy})$ III 106.223: $(0, 0, \sigma_{xy})$
III 68.515: $(0, 0, \sigma_{xy})$ III 52.311: $(0, \sigma_{zx}, 0)$ III 52.311: $(\sigma_{yz}, 0, 0)$ III 50.281: $(0, 0, \sigma_{xy})$
III 41.214: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 34.158: $(\sigma_{yz}, 0, 0)$ III 34.158: $(0, \sigma_{zx}, 0)$
III 33.146: $(0, \sigma_{zx}, 0)$ III 33.146: $(\sigma_{yz}, 0, 0)$ III 32.138: $(0, 0, \sigma_{xy})$ III 30.115: $(0, \sigma_{zx}, 0)$
III 30.115: $(\sigma_{yz}, 0, 0)$ III 30.114: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$
III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

IV 134.481: (0, 0, 0) III 138.525: $(0, 0, \sigma_{xy})$ III 116.295: $(0, 0, \sigma_{xy})$ III 113.271: $(0, 0, \sigma_{xy})$ III 101.183: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 56.369: $(0, 0, \sigma_{xy})$ III 53.327: $(0, \sigma_{zx}, 0)$ III 53.327: $(\sigma_{yz}, 0, 0)$
III 33.146: $(0, 0, \sigma_{xy})$ III 31.126: $(\sigma_{yz}, 0, 0)$ III 31.126: $(0, \sigma_{zx}, 0)$ III 30.114: $(0, \sigma_{zx}, 0)$
III 30.114: $(\sigma_{yz}, 0, 0)$ III 28.91: $(0, \sigma_{zx}, 0)$ III 28.91: $(\sigma_{yz}, 0, 0)$ III 27.81: $(0, 0, \sigma_{xy})$
III 18.18: $(0, 0, \sigma_{xy})$ III 17.10: $(0, \sigma_{zx}, 0)$ III 17.10: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$
III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

IV 134.482: (0, 0, 0) III 137.513: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 105.215: $(0, 0, \sigma_{xy})$ III 94.130: $(0, 0, \sigma_{xy})$
III 68.515: $(0, 0, \sigma_{xy})$ III 59.409: $(0, \sigma_{zx}, 0)$ III 59.409: $(\sigma_{yz}, 0, 0)$ III 59.409: $(0, 0, \sigma_{xy})$
III 41.214: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 31.126: $(0, 0, \sigma_{xy})$ III 31.126: $(0, \sigma_{zx}, 0)$
III 31.126: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, \sigma_{zx}, 0)$ III 18.18: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$
III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

II 135.484: (0, 0, 0) III 135.489: $(0, 0, \sigma_{xy})$ III 117.303: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 106.223: $(0, 0, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 66.495: $(0, 0, \sigma_{xy})$ III 55.358: $(0, \sigma_{zx}, 0)$ III 55.358: $(\sigma_{yz}, 0, 0)$
III 55.357: $(0, 0, \sigma_{xy})$ III 40.206: $(0, 0, \sigma_{xy})$ III 37.183: $(0, 0, \sigma_{xy})$ III 32.138: $(0, 0, \sigma_{xy})$
III 32.137: $(0, \sigma_{zx}, 0)$ III 32.137: $(\sigma_{yz}, 0, 0)$ III 26.70: $(0, \sigma_{zx}, 0)$ III 26.70: $(\sigma_{yz}, 0, 0)$
III 26.69: $(0, 0, \sigma_{xy})$ III 26.68: $(\sigma_{yz}, 0, 0)$ III 26.68: $(0, \sigma_{zx}, 0)$ III 18.19: $(0, \sigma_{zx}, 0)$
III 18.19: $(\sigma_{yz}, 0, 0)$ III 18.18: $(0, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$
III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$

III 135.485: (0, 0, 0) III 137.513: $(0, 0, \sigma_{xy})$ III 114.279: $(0, 0, \sigma_{xy})$ III 105.215: $(0, 0, \sigma_{xy})$ III 94.130: $(0, 0, \sigma_{xy})$

III 68.515: (0, 0, σ_{xy}) III 59.409: (0, 0, σ_{xy}) III 51.295: (0, σ_{zx}, 0) III 51.295: (σ_{yz}, 0, 0)
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0)
III 26.68: (0, σ_{zx}, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0)
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 135.486: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0)
III 30.115: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 135.487: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 135.488: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 135.490: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy})
III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0)
III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 135.491: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 55.358: (0, σ_{zx}, 0) III 55.358: (σ_{yz}, 0, 0)
III 55.357: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
III 26.69: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

IV 135.492: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy})
III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0)
III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0)
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 135.493: (0, 0, 0) III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0)
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 135.494: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0)
III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0)
III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 136.496: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy})
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0)
III 31.127: (σ_{yz}, 0, 0) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy})
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})

III 4.9: (0, σ_{zx}, σ_{xy})

III 136.497: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 56.369: (0, 0, σ_{xy}) III 53.327: (0, σ_{zx}, 0) III 53.327: (σ_{yz}, 0, 0)
III 33.146: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 30.114: (0, σ_{zx}, 0)
III 30.114: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy})
III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy})

III 136.498: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 136.499: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy})
III 33.146: (0, σ_{zx}, 0) III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy})
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 136.500: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy})
III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 136.502: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0)
III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 136.503: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy})
III 34.159: (0, 0, σ_{xy}) III 33.147: (0, σ_{zx}, 0) III 33.147: (σ_{yz}, 0, 0) III 31.127: (0, σ_{zx}, 0)
III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0)
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 136.504: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 62.447: (0, σ_{zx}, 0) III 62.447: (σ_{yz}, 0, 0)
III 55.357: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, σ_{zx}, 0)
III 33.146: (σ_{yz}, 0, 0) III 32.138: (0, 0, σ_{xy}) III 31.126: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0)
III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 136.505: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 52.310: (0, σ_{zx}, 0)
III 52.310: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.114: (0, σ_{zx}, 0) III 30.114: (σ_{yz}, 0, 0)
III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 136.506: (0, 0, 0) III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)
III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0)
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 137.508: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0) III 59.410: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0)

III 31.126: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 18.19: (0, σ_{zx}, 0)
III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy})
III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 137.509: (0, 0, 0) III 135.489: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 55.357: (0, 0, σ_{xy}) III 53.328: (0, σ_{zx}, 0)
III 53.328: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy})
III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0)
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, 0, σ_{xy})
III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 137.510: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0)
III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 137.511: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0)
III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0)
III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0)
III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0)
III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 137.512: (0, 0, 0) III 58.398: (0, σ_{zx}, 0) III 58.398: (σ_{yz}, 0, 0) III 34.158: (σ_{yz}, 0, 0) III 34.158: (0, σ_{zx}, 0)
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 137.514: (0, 0, 0) III 128.405: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, 0, σ_{xy})
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0)
III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0)
III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0)
III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 137.515: (0, 0, 0) III 131.441: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0)
III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, σ_{zx}, 0)

IV 137.516: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 62.448: (0, σ_{zx}, 0) III 62.448: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy})
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.146: (0, 0, σ_{xy}) III 31.125: (σ_{yz}, 0, 0)
III 31.125: (0, σ_{zx}, 0) III 27.81: (0, 0, σ_{xy}) III 26.69: (0, σ_{zx}, 0) III 26.69: (σ_{yz}, 0, 0)
III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 137.517: (0, 0, 0) III 133.465: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy})
III 68.515: (0, 0, σ_{xy}) III 51.294: (0, σ_{zx}, 0) III 51.294: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy})
III 28.89: (0, σ_{zx}, 0) III 28.89: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 137.518: (0, 0, 0) III 134.477: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 59.410: (0, σ_{zx}, 0)
III 59.410: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 138.520: (0, 0, 0) III 138.525: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy})
III 94.130: (0, 0, σ_{xy}) III 56.370: (0, σ_{zx}, 0) III 56.370: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy})
III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0)
III 33.146: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 27.80: (σ_{yz}, 0, 0)
III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 138.521: (0, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 58.397: (0, 0, σ_{xy}) III 52.312: (0, σ_{zx}, 0) III 52.312: (σ_{yz}, 0, 0) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.125: (0, 0, σ_{xy}) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 17.10: (0, σ_{zx}, 0) III 17.10: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 138.522: (0, 0, 0) III 130.429: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.382: (0, σ_{zx}, 0) III 57.382: (σ_{yz}, 0, 0) III 56.369: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.146: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.91: (0, σ_{zx}, 0) III 28.91: (σ_{yz}, 0, 0) III 27.81: (0, 0, σ_{xy}) III 26.68: (σ_{yz}, 0, 0) III 26.68: (0, σ_{zx}, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 138.523: (0, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 138.524: (0, 0, 0) III 124.357: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 103.199: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 138.526: (0, 0, 0) III 127.393: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 113.271: (0, 0, σ_{xy}) III 100.175: (0, 0, σ_{xy}) III 90.98: (0, 0, σ_{xy}) III 60.422: (0, σ_{zx}, 0) III 60.422: (σ_{yz}, 0, 0) III 55.357: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 32.138: (0, 0, σ_{xy}) III 30.115: (0, σ_{zx}, 0) III 30.115: (σ_{yz}, 0, 0) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.69: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 138.527: (0, 0, 0) III 132.453: (0, 0, σ_{xy}) III 116.295: (0, 0, σ_{xy}) III 101.183: (0, 0, σ_{xy}) III 60.423: (0, σ_{zx}, 0) III 60.423: (σ_{yz}, 0, 0) III 49.269: (0, 0, σ_{xy}) III 33.148: (0, σ_{zx}, 0) III 33.148: (σ_{yz}, 0, 0) III 30.113: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 28.89: (0, 0, σ_{xy}) III 27.81: (0, 0, σ_{xy}) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 14.79: (σ_{yz}, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 138.528: (0, 0, 0) III 137.513: (0, 0, σ_{xy}) III 114.279: (0, 0, σ_{xy}) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 62.446: (0, σ_{zx}, 0) III 62.446: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 33.147: (σ_{yz}, 0, 0) III 33.147: (0, σ_{zx}, 0) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 31.126: (0, 0, σ_{xy}) III 26.68: (0, σ_{zx}, 0) III 26.68: (σ_{yz}, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 138.529: (0, 0, 0) III 134.477: (0, 0, σ_{xy}) III 118.311: (0, 0, σ_{xy}) III 102.191: (0, 0, σ_{xy}) III 53.326: (0, σ_{zx}, 0) III 53.326: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 31.127: (0, σ_{zx}, 0) III 31.127: (σ_{yz}, 0, 0) III 30.113: (0, σ_{zx}, 0) III 30.113: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})

IV 138.530: (0, 0, 0) III 133.465: (0, 0, σ_{xy}) III 117.303: (0, 0, σ_{xy}) III 112.263: (0, 0, σ_{xy}) III 106.223: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 57.383: (0, σ_{zx}, 0) III 57.383: (σ_{yz}, 0, 0) III 50.281: (0, 0, σ_{xy}) III 41.214: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 32.138: (0, 0, σ_{xy}) III 30.114: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 29.101: (σ_{yz}, 0, 0) III 26.70: (0, σ_{zx}, 0) III 26.70: (σ_{yz}, 0, 0) III 18.19: (0, σ_{zx}, 0) III 18.19: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 139.540: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0) III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 140.542: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 72.544: (0, σ_{zx}, 0) III 72.544: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)

III 46.243: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 140.543: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 72.544: (0, σ_{zx}, 0)
III 72.544: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 140.544: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 140.545: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 72.544: (0, σ_{zx}, 0)
III 72.544: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 140.546: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

III 140.549: (0, 0, 0) III 140.547: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 108.237: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 72.543: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})

II 141.552: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.553: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.554: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.555: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.556: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.558: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 141.559: (0, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 74.559: (0, σ_{zx}, 0)
III 74.559: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
III 46.243: (σ_{yz}, 0, 0) III 46.243: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 141.560: (0, 0, 0) III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
III 73.551: (0, 0, σ_{xy}) III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0)
III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

II 142.562: (0, 0, 0) III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 70.530: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 142.563: (0, 0, 0) III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 70.530: (0, 0, σ_{xy})

	III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
	III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 142.564: (0, 0, 0)	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
	III 73.551: (0, 0, σ_{xy}) III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
	III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0)
	III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 142.565: (0, 0, 0)	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
	III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 70.530: (0, 0, σ_{xy})
	III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
	III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 142.566: (0, 0, 0)	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
	III 73.551: (0, 0, σ_{xy}) III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
	III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0)
	III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 142.568: (0, 0, 0)	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
	III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 70.530: (0, 0, σ_{xy})
	III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
	III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
III 142.569: (0, 0, 0)	III 142.567: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, 0, σ_{xy})
	III 73.551: (0, 0, σ_{xy}) III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
	III 46.243: (0, σ_{zx}, 0) III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0)
	III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 142.570: (0, 0, 0)	III 141.557: (0, 0, σ_{xy}) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, 0, σ_{xy}) III 72.544: (0, σ_{zx}, 0)
	III 72.544: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 46.245: (0, σ_{zx}, 0) III 46.245: (σ_{yz}, 0, 0)
	III 45.237: (σ_{yz}, 0, 0) III 45.237: (0, σ_{zx}, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
	III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, σ_{zx}, 0)
IV 156.52: (0, 0, 0)	III 158.59: (0, 0, σ_{xy})
IV 157.56: (0, 0, 0)	III 159.63: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
II 158.58: (0, 0, 0)	III 158.59: (0, 0, σ_{xy})
II 159.62: (0, 0, 0)	III 159.63: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
IV 160.68: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})
II 161.70: (0, 0, 0)	III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})
IV 162.78: (0, 0, 0)	III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
II 163.80: (0, 0, 0)	III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 163.81: (0, 0, 0)	III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 163.82: (0, 0, 0)	III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy})
	III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
IV 164.90: (0, 0, 0)	III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
II 165.92: (0, 0, 0)	III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 165.93: (0, 0, 0)	III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 165.94: (0, 0, 0)	III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
IV 166.102: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})
II 167.104: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})
III 167.105: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})
III 167.106: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy})
IV 168.112: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
II 169.114: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
III 169.115: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)
II 170.118: (0, 0, 0)	III 4.9: (σ_{yz}, σ_{zx}, 0)

III 170.119: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 171.124: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 172.128: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 173.130: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 173.131: (0, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 175.142: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 176.144: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 176.145: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 176.146: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 176.147: (0, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 177.154: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 178.156: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 178.157: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 178.158: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 179.162: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 179.163: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 179.164: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 180.172: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 181.178: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 182.180: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 182.181: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 182.182: (0, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 183.190: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)
II 184.192: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 184.193: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 184.194: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
IV 184.196: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 185.198: (0, 0, 0) III 185.201: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0)
III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 185.199: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 185.200: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 185.202: (0, 0, 0) III 186.207: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0)
III 36.176: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
II 186.204: (0, 0, 0) III 186.207: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0)
III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 186.205: (0, 0, 0) III 184.195: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy})
III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)
III 186.206: (0, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 186.208: (0, 0, 0) III 185.201: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy})
IV 187.214: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
II 188.216: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
III 188.217: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
III 188.218: (0, 0, 0) III 188.219: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
IV 189.226: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0)
III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
II 190.228: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0)
III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 190.229: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0)
III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 190.230: (0, 0, 0) III 190.231: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0)
III 40.206: (0, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
IV 191.242: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0)
III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy})

III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

II 192.244: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0)
III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.245: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0)
III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.246: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0)
III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.247: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0)
III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.248: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0)
III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.249: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 66.495: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0)
III 37.182: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy})
III 9.39: (σ_{yz}, 0, σ_{xy})

III 192.251: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0)
III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 192.252: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0)
III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 193.254: (0, 0, 0) III 193.260: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 185.201: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy})
III 158.59: (0, 0, σ_{xy}) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0)
III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.255: (0, 0, 0) III 193.260: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 185.201: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy})
III 158.59: (0, 0, σ_{xy}) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy})
III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0)
III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.256: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0)
III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.257: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy})
III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy})
III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0)
III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0)
III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy})
III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.258: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.259: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 193.261: (0, 0, 0) III 193.260: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 185.201: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 193.262: (0, 0, 0) III 194.270: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 186.207: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

II 194.264: (0, 0, 0) III 194.270: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 186.207: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.265: (0, 0, 0) III 194.270: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 186.207: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.266: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.267: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.268: (0, 0, 0) III 192.250: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 184.195: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 63.463: (0, σ_{zx}, 0) III 63.463: (σ_{yz}, 0, 0) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.183: (0, 0, σ_{xy}) III 36.174: (0, σ_{zx}, 0) III 36.174: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.269: (0, 0, 0) III 63.464: (0, σ_{zx}, 0) III 63.464: (σ_{yz}, 0, 0) III 36.175: (0, σ_{zx}, 0) III 36.175: (σ_{yz}, 0, 0) III 20.34: (0, σ_{zx}, 0) III 20.34: (σ_{yz}, 0, 0) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 194.271: (0, 0, 0) III 194.270: (0, 0, σ_{xy}) III 190.231: (0, 0, σ_{xy}) III 186.207: (0, 0, σ_{xy}) III 163.83: (0, 0, σ_{xy}) III 159.63: (0, 0, σ_{xy}) III 66.496: (0, σ_{zx}, 0) III 66.496: (σ_{yz}, 0, 0) III 63.462: (0, 0, σ_{xy}) III 40.207: (0, σ_{zx}, 0) III 40.207: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 37.182: (0, σ_{zx}, 0) III 37.182: (σ_{yz}, 0, 0) III 36.176: (0, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, 0, σ_{xy})

IV 194.272: (0, 0, 0) III 193.260: (0, 0, σ_{xy}) III 188.219: (0, 0, σ_{xy}) III 185.201: (0, 0, σ_{xy}) III 165.95: (0, 0, σ_{xy}) III 158.59: (0, 0, σ_{xy}) III 63.462: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy}) III 36.176: (0, 0, σ_{xy})

IV 195.3: (0, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 198.10: (0, 0, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 200.17: (0, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})

III 4.9: (σ_{yz}, σ_{zx}, 0)

II 201.19: (0, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 201.20: (0, 0, 0) III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 201.21: (0, 0, 0) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 203.27: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 203.28: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 203.29: (0, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy}) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

II 205.34: (0, 0, 0) III 61.436: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 61.436: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

III 205.35: (0, 0, 0) III 61.436: (0, σ_{zx}, 0) III 61.436: (σ_{yz}, 0, 0) III 61.436: (0, 0, σ_{xy}) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 29.102: (0, 0, σ_{xy}) III 29.102: (0, σ_{zx}, 0) III 29.102: (σ_{yz}, 0, 0) III 29.101: (σ_{yz}, 0, 0) III 29.101: (0, 0, σ_{xy}) III 29.101: (0, σ_{zx}, 0) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 205.36: (0, 0, 0) III 54.342: (0, σ_{zx}, 0) III 54.342: (σ_{yz}, 0, 0) III 54.342: (0, 0, σ_{xy}) III 32.137: (0, 0, σ_{xy}) III 32.137: (0, σ_{zx}, 0) III 32.137: (σ_{yz}, 0, 0) III 29.103: (0, σ_{zx}, 0) III 29.103: (σ_{yz}, 0, 0) III 29.103: (0, 0, σ_{xy}) III 27.80: (σ_{yz}, 0, 0) III 27.80: (0, 0, σ_{xy}) III 27.80: (0, σ_{zx}, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

II 206.38: (0, 0, 0) III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 206.39: (0, 0, 0) III 73.551: (0, σ_{zx}, 0) III 73.551: (σ_{yz}, 0, 0) III 73.551: (0, 0, σ_{xy}) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy}) III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 207.43: (0, 0, 0) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0) III 90.98: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 208.47: (0, 0, 0) III 94.130: (0, σ_{zx}, 0) III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 212.60: (0, 0, 0) III 96.146: (0, σ_{zx}, 0) III 96.146: (σ_{yz}, 0, 0) III 96.146: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 213.64: (0, 0, 0) III 92.114: (0, σ_{zx}, 0) III 92.114: (σ_{yz}, 0, 0) III 92.114: (0, 0, σ_{xy}) III 19.27: (0, σ_{zx}, 0) III 19.27: (σ_{yz}, 0, 0) III 19.27: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 215.73: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy})
III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 216.77: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})

II 218.82: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy})
III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy})

III 218.83: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy})
III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

IV 218.84: (0, 0, 0) III 113.271: (0, σ_{zx}, 0) III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy})
III 4.9: (σ_{yz}, σ_{zx}, 0)

II 219.86: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})

III 219.87: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})

II 220.90: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy})

III 220.91: (0, 0, 0) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy})

IV 221.97: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 128.405: (0, σ_{zx}, 0) III 128.405: (σ_{yz}, 0, 0)
III 128.405: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})
III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0)
III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
III 40.206: (0, σ_{zx}, 0) III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0)
III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy})
III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)

II 222.99: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 126.381: (0, σ_{zx}, 0) III 126.381: (σ_{yz}, 0, 0)
III 126.381: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})
III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 68.515: (0, σ_{zx}, 0)
III 68.515: (σ_{yz}, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 41.214: (0, σ_{zx}, 0) III 41.214: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0)
III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 222.100: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 126.381: (0, σ_{zx}, 0) III 126.381: (σ_{yz}, 0, 0)
III 126.381: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})
III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 68.515: (0, σ_{zx}, 0)
III 68.515: (σ_{yz}, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 41.214: (0, σ_{zx}, 0) III 41.214: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0)
III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})
III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)

III 222.101: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 126.381: (0, σ_{zx}, 0) III 126.381: (σ_{yz}, 0, 0)
III 126.381: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})
III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 68.515: (0, σ_{zx}, 0)
III 68.515: (σ_{yz}, 0, 0) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
III 41.214: (0, 0, σ_{xy}) III 41.214: (0, σ_{zx}, 0) III 41.214: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0)
III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy}) III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0)
III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy}) III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy})

	III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 222.102: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 128.405: (0, σ_{zx}, 0) III 128.405: (σ_{yz}, 0, 0)
	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})
	III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
	III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0)
	III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
	III 40.206: (0, σ_{zx}, 0) III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0)
	III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy})
	III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
	III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 222.103: (0, 0, 0)	III 129.417: (0, σ_{zx}, 0) III 129.417: (σ_{yz}, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0)
	III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
	III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 223.105: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 131.441: (0, σ_{zx}, 0) III 131.441: (σ_{yz}, 0, 0)
	III 131.441: (0, 0, σ_{xy}) III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy})
	III 105.215: (0, σ_{zx}, 0) III 105.215: (σ_{yz}, 0, 0) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
	III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 40.206: (0, σ_{zx}, 0)
	III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy})
III 223.106: (0, 0, 0)	III 129.417: (0, σ_{zx}, 0) III 129.417: (σ_{yz}, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0)
	III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
	III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 223.107: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 128.405: (0, σ_{zx}, 0) III 128.405: (σ_{yz}, 0, 0)
	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})
	III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
	III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0)
	III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
	III 40.206: (0, σ_{zx}, 0) III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0)
	III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy})
	III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
	III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 223.108: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 131.441: (0, σ_{zx}, 0) III 131.441: (σ_{yz}, 0, 0)
	III 131.441: (0, 0, σ_{xy}) III 112.263: (0, σ_{zx}, 0) III 112.263: (σ_{yz}, 0, 0) III 112.263: (0, 0, σ_{xy})
	III 105.215: (0, σ_{zx}, 0) III 105.215: (σ_{yz}, 0, 0) III 105.215: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy})
	III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0) III 40.206: (0, 0, σ_{xy}) III 40.206: (0, σ_{zx}, 0)
	III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy})
IV 223.109: (0, 0, 0)	III 136.501: (0, σ_{zx}, 0) III 136.501: (σ_{yz}, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0)
	III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0) III 113.271: (σ_{yz}, 0, 0)
	III 113.271: (0, 0, σ_{xy}) III 102.191: (0, σ_{zx}, 0) III 102.191: (σ_{yz}, 0, 0) III 102.191: (0, 0, σ_{xy})
	III 94.130: (0, σ_{zx}, 0) III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0)
	III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
	III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
	III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
	III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
	III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
II 224.111: (0, 0, 0)	III 134.477: (0, σ_{zx}, 0) III 134.477: (σ_{yz}, 0, 0) III 134.477: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0)
	III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 102.191: (0, σ_{zx}, 0) III 102.191: (σ_{yz}, 0, 0)
	III 102.191: (0, 0, σ_{xy}) III 48.260: (0, σ_{zx}, 0) III 48.260: (σ_{yz}, 0, 0) III 48.260: (0, 0, σ_{xy})
	III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy}) III 34.158: (0, 0, σ_{xy})
	III 34.158: (0, σ_{zx}, 0) III 34.158: (σ_{yz}, 0, 0) III 13.69: (σ_{yz}, 0, σ_{xy}) III 13.69: (0, σ_{zx}, σ_{xy})
	III 13.69: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
III 224.112: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 128.405: (0, σ_{zx}, 0) III 128.405: (σ_{yz}, 0, 0)
	III 128.405: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0) III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy})

	III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy}) III 104.207: (0, σ_{zx}, 0)
	III 104.207: (σ_{yz}, 0, 0) III 104.207: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 66.495: (0, 0, σ_{xy}) III 66.495: (0, σ_{zx}, 0) III 66.495: (σ_{yz}, 0, 0)
	III 58.397: (0, σ_{zx}, 0) III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 40.206: (0, 0, σ_{xy})
	III 40.206: (0, σ_{zx}, 0) III 40.206: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0) III 37.183: (σ_{yz}, 0, 0)
	III 37.183: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0) III 34.159: (0, 0, σ_{xy})
	III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy}) III 14.79: (0, σ_{zx}, σ_{xy})
	III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy}) III 7.26: (σ_{yz}, σ_{zx}, 0)
	III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 224.113: (0, 0, 0)	III 129.417: (0, σ_{zx}, 0) III 129.417: (σ_{yz}, 0, 0) III 129.417: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0)
	III 113.271: (σ_{yz}, 0, 0) III 113.271: (0, 0, σ_{xy}) III 90.98: (0, σ_{zx}, 0) III 90.98: (σ_{yz}, 0, 0)
	III 90.98: (0, 0, σ_{xy}) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
	III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0) III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0)
	III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy})
	III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
III 224.114: (0, 0, 0)	III 136.501: (0, σ_{zx}, 0) III 136.501: (σ_{yz}, 0, 0) III 136.501: (0, 0, σ_{xy}) III 118.311: (0, σ_{zx}, 0)
	III 118.311: (σ_{yz}, 0, 0) III 118.311: (0, 0, σ_{xy}) III 113.271: (0, σ_{zx}, 0) III 113.271: (σ_{yz}, 0, 0)
	III 113.271: (0, 0, σ_{xy}) III 102.191: (0, σ_{zx}, 0) III 102.191: (σ_{yz}, 0, 0) III 102.191: (0, 0, σ_{xy})
	III 94.130: (0, σ_{zx}, 0) III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 58.397: (0, σ_{zx}, 0)
	III 58.397: (σ_{yz}, 0, 0) III 58.397: (0, 0, σ_{xy}) III 34.159: (0, σ_{zx}, 0) III 34.159: (σ_{yz}, 0, 0)
	III 34.159: (0, 0, σ_{xy}) III 31.125: (0, 0, σ_{xy}) III 31.125: (0, σ_{zx}, 0) III 31.125: (σ_{yz}, 0, 0)
	III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy}) III 14.79: (σ_{yz}, 0, σ_{xy})
	III 14.79: (0, σ_{zx}, σ_{xy}) III 14.79: (σ_{yz}, σ_{zx}, 0) III 7.26: (σ_{yz}, 0, σ_{xy}) III 7.26: (0, σ_{zx}, σ_{xy})
	III 7.26: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy}) III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 224.115: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 137.513: (0, σ_{zx}, 0) III 137.513: (σ_{yz}, 0, 0)
	III 137.513: (0, 0, σ_{xy}) III 114.279: (0, σ_{zx}, 0) III 114.279: (σ_{yz}, 0, 0) III 114.279: (0, 0, σ_{xy})
	III 105.215: (0, σ_{zx}, 0) III 105.215: (σ_{yz}, 0, 0) III 105.215: (0, 0, σ_{xy}) III 94.130: (0, σ_{zx}, 0)
	III 94.130: (σ_{yz}, 0, 0) III 94.130: (0, 0, σ_{xy}) III 68.515: (0, 0, σ_{xy}) III 68.515: (0, σ_{zx}, 0)
	III 68.515: (σ_{yz}, 0, 0) III 59.409: (0, σ_{zx}, 0) III 59.409: (σ_{yz}, 0, 0) III 59.409: (0, 0, σ_{xy})
	III 41.214: (0, 0, σ_{xy}) III 41.214: (0, σ_{zx}, 0) III 41.214: (σ_{yz}, 0, 0) III 37.183: (0, σ_{zx}, 0)
	III 37.183: (σ_{yz}, 0, 0) III 37.183: (0, 0, σ_{xy}) III 31.126: (0, 0, σ_{xy}) III 31.126: (0, σ_{zx}, 0)
	III 31.126: (σ_{yz}, 0, 0) III 18.18: (0, σ_{zx}, 0) III 18.18: (σ_{yz}, 0, 0) III 18.18: (0, 0, σ_{xy})
	III 11.54: (σ_{yz}, 0, σ_{xy}) III 11.54: (0, σ_{zx}, σ_{xy}) III 11.54: (σ_{yz}, σ_{zx}, 0) III 4.9: (σ_{yz}, 0, σ_{xy})
	III 4.9: (0, σ_{zx}, σ_{xy}) III 4.9: (σ_{yz}, σ_{zx}, 0)
IV 225.121: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 140.547: (0, σ_{zx}, 0) III 140.547: (σ_{yz}, 0, 0)
	III 140.547: (0, 0, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
	III 108.237: (0, σ_{zx}, 0) III 108.237: (σ_{yz}, 0, 0) III 108.237: (0, 0, σ_{xy}) III 72.543: (0, 0, σ_{xy})
	III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0)
	III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
II 226.123: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 140.547: (0, σ_{zx}, 0) III 140.547: (σ_{yz}, 0, 0)
	III 140.547: (0, 0, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
	III 108.237: (0, σ_{zx}, 0) III 108.237: (σ_{yz}, 0, 0) III 108.237: (0, 0, σ_{xy}) III 72.543: (0, 0, σ_{xy})
	III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0)
	III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 226.124: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 140.547: (0, σ_{zx}, 0) III 140.547: (σ_{yz}, 0, 0)
	III 140.547: (0, 0, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
	III 108.237: (0, σ_{zx}, 0) III 108.237: (σ_{yz}, 0, 0) III 108.237: (0, 0, σ_{xy}) III 72.543: (0, 0, σ_{xy})
	III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0)
	III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 226.125: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 140.547: (0, σ_{zx}, 0) III 140.547: (σ_{yz}, 0, 0)
	III 140.547: (0, 0, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
	III 108.237: (0, σ_{zx}, 0) III 108.237: (σ_{yz}, 0, 0) III 108.237: (0, 0, σ_{xy}) III 72.543: (0, 0, σ_{xy})
	III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0)
	III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
III 226.126: (0, 0, 0)	III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 140.547: (0, σ_{zx}, 0) III 140.547: (σ_{yz}, 0, 0)
	III 140.547: (0, 0, σ_{xy}) III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy})
	III 108.237: (0, σ_{zx}, 0) III 108.237: (σ_{yz}, 0, 0) III 108.237: (0, 0, σ_{xy}) III 72.543: (0, 0, σ_{xy})
	III 72.543: (0, σ_{zx}, 0) III 72.543: (σ_{yz}, 0, 0) III 46.243: (0, 0, σ_{xy}) III 46.243: (0, σ_{zx}, 0)
	III 46.243: (σ_{yz}, 0, 0) III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy})
II 227.129: (0, 0, 0)	III 141.557: (0, σ_{zx}, 0) III 141.557: (σ_{yz}, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0)
	III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, σ_{zx}, 0) III 109.243: (σ_{yz}, 0, 0)
	III 109.243: (0, 0, σ_{xy}) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
	III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})

III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 227.130: (0, 0, 0) III 141.557: (0, σ_{zx}, 0) III 141.557: (σ_{yz}, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0)
III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, σ_{zx}, 0) III 109.243: (σ_{yz}, 0, 0)
III 109.243: (0, 0, σ_{xy}) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 227.131: (0, 0, 0) III 141.557: (0, σ_{zx}, 0) III 141.557: (σ_{yz}, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0)
III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, σ_{zx}, 0) III 109.243: (σ_{yz}, 0, 0)
III 109.243: (0, 0, σ_{xy}) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 227.132: (0, 0, 0) III 141.557: (0, σ_{zx}, 0) III 141.557: (σ_{yz}, 0, 0) III 141.557: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0)
III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy}) III 109.243: (0, σ_{zx}, 0) III 109.243: (σ_{yz}, 0, 0)
III 109.243: (0, 0, σ_{xy}) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0) III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy})
III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0) III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy})
III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy}) III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

IV 227.133: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0)
III 73.551: (σ_{yz}, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0)
III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

II 228.135: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0)
III 73.551: (σ_{yz}, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0)
III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 228.136: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0)
III 73.551: (σ_{yz}, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0)
III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 228.137: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0)
III 73.551: (σ_{yz}, 0, 0) III 70.530: (0, σ_{zx}, 0) III 70.530: (σ_{yz}, 0, 0) III 70.530: (0, 0, σ_{xy})
III 45.238: (0, σ_{zx}, 0) III 45.238: (σ_{yz}, 0, 0) III 45.238: (0, 0, σ_{xy}) III 45.237: (0, 0, σ_{xy})
III 45.237: (0, σ_{zx}, 0) III 45.237: (σ_{yz}, 0, 0) III 43.227: (0, σ_{zx}, 0) III 43.227: (σ_{yz}, 0, 0)
III 43.227: (0, 0, σ_{xy}) III 43.226: (0, 0, σ_{xy}) III 43.226: (0, σ_{zx}, 0) III 43.226: (σ_{yz}, 0, 0)
III 15.89: (σ_{yz}, 0, σ_{xy}) III 15.89: (0, σ_{zx}, σ_{xy}) III 15.89: (σ_{yz}, σ_{zx}, 0) III 9.39: (σ_{yz}, 0, σ_{xy})
III 9.39: (0, σ_{zx}, σ_{xy}) III 9.39: (σ_{yz}, σ_{zx}, 0)

III 228.138: (0, 0, 0) III 167.107: (σ_{yz}, σ_{zx}, σ_{xy}) III 161.71: (σ_{yz}, σ_{zx}, σ_{xy}) III 142.567: (0, σ_{zx}, 0) III 142.567: (σ_{yz}, 0, 0)
III 142.567: (0, 0, σ_{xy}) III 122.337: (0, σ_{zx}, 0) III 122.337: (σ_{yz}, 0, 0) III 122.337: (0, 0, σ_{xy})
III 120.325: (0, σ_{zx}, 0) III 120.325: (σ_{yz}, 0, 0) III 120.325: (0, 0, σ_{xy}) III 110.249: (0, σ_{zx}, 0)
III 110.249: (σ_{yz}, 0, 0) III 110.249: (0, 0, σ_{xy}) III 73.551: (0, 0, σ_{xy}) III 73.551: (0, σ_{zx}, 0)

	III 73.551: $(\sigma_{yz}, 0, 0)$ III 70.530: $(0, \sigma_{zx}, 0)$ III 70.530: $(\sigma_{yz}, 0, 0)$ III 70.530: $(0, 0, \sigma_{xy})$ III 45.238: $(0, \sigma_{zx}, 0)$ III 45.238: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, \sigma_{zx}, 0)$ III 43.227: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, 0, \sigma_{xy})$ III 43.226: $(0, 0, \sigma_{xy})$ III 43.226: $(0, \sigma_{zx}, 0)$ III 43.226: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
IV 228.139: (0, 0, 0)	III 141.557: $(0, \sigma_{zx}, 0)$ III 141.557: $(\sigma_{yz}, 0, 0)$ III 141.557: $(0, 0, \sigma_{xy})$ III 122.337: $(0, \sigma_{zx}, 0)$ III 122.337: $(\sigma_{yz}, 0, 0)$ III 122.337: $(0, 0, \sigma_{xy})$ III 109.243: $(0, \sigma_{zx}, 0)$ III 109.243: $(\sigma_{yz}, 0, 0)$ III 109.243: $(0, 0, \sigma_{xy})$ III 70.530: $(0, \sigma_{zx}, 0)$ III 70.530: $(\sigma_{yz}, 0, 0)$ III 70.530: $(0, 0, \sigma_{xy})$ III 43.227: $(0, \sigma_{zx}, 0)$ III 43.227: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, 0, \sigma_{xy})$ III 43.226: $(0, 0, \sigma_{xy})$ III 43.226: $(0, \sigma_{zx}, 0)$ III 43.226: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
II 230.146: (0, 0, 0)	III 167.107: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 161.71: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 142.567: $(0, \sigma_{zx}, 0)$ III 142.567: $(\sigma_{yz}, 0, 0)$ III 142.567: $(0, 0, \sigma_{xy})$ III 122.337: $(0, \sigma_{zx}, 0)$ III 122.337: $(\sigma_{yz}, 0, 0)$ III 122.337: $(0, 0, \sigma_{xy})$ III 120.325: $(0, \sigma_{zx}, 0)$ III 120.325: $(\sigma_{yz}, 0, 0)$ III 120.325: $(0, 0, \sigma_{xy})$ III 110.249: $(0, \sigma_{zx}, 0)$ III 110.249: $(\sigma_{yz}, 0, 0)$ III 110.249: $(0, 0, \sigma_{xy})$ III 73.551: $(0, \sigma_{zx}, 0)$ III 73.551: $(\sigma_{yz}, 0, 0)$ III 73.551: $(0, 0, \sigma_{xy})$ III 70.530: $(0, 0, \sigma_{xy})$ III 70.530: $(0, \sigma_{zx}, 0)$ III 70.530: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, \sigma_{zx}, 0)$ III 45.238: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, \sigma_{zx}, 0)$ III 43.227: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, 0, \sigma_{xy})$ III 43.226: $(0, 0, \sigma_{xy})$ III 43.226: $(0, \sigma_{zx}, 0)$ III 43.226: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 230.147: (0, 0, 0)	III 167.107: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 161.71: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 142.567: $(0, \sigma_{zx}, 0)$ III 142.567: $(\sigma_{yz}, 0, 0)$ III 142.567: $(0, 0, \sigma_{xy})$ III 122.337: $(0, \sigma_{zx}, 0)$ III 122.337: $(\sigma_{yz}, 0, 0)$ III 122.337: $(0, 0, \sigma_{xy})$ III 120.325: $(0, \sigma_{zx}, 0)$ III 120.325: $(\sigma_{yz}, 0, 0)$ III 120.325: $(0, 0, \sigma_{xy})$ III 110.249: $(0, \sigma_{zx}, 0)$ III 110.249: $(\sigma_{yz}, 0, 0)$ III 110.249: $(0, 0, \sigma_{xy})$ III 73.551: $(0, \sigma_{zx}, 0)$ III 73.551: $(\sigma_{yz}, 0, 0)$ III 73.551: $(0, 0, \sigma_{xy})$ III 70.530: $(0, 0, \sigma_{xy})$ III 70.530: $(0, \sigma_{zx}, 0)$ III 70.530: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, \sigma_{zx}, 0)$ III 45.238: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, \sigma_{zx}, 0)$ III 43.227: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, 0, \sigma_{xy})$ III 43.226: $(0, 0, \sigma_{xy})$ III 43.226: $(0, \sigma_{zx}, 0)$ III 43.226: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 230.148: (0, 0, 0)	III 167.107: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 161.71: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 142.567: $(0, \sigma_{zx}, 0)$ III 142.567: $(\sigma_{yz}, 0, 0)$ III 142.567: $(0, 0, \sigma_{xy})$ III 122.337: $(0, \sigma_{zx}, 0)$ III 122.337: $(\sigma_{yz}, 0, 0)$ III 122.337: $(0, 0, \sigma_{xy})$ III 120.325: $(0, \sigma_{zx}, 0)$ III 120.325: $(\sigma_{yz}, 0, 0)$ III 120.325: $(0, 0, \sigma_{xy})$ III 110.249: $(0, \sigma_{zx}, 0)$ III 110.249: $(\sigma_{yz}, 0, 0)$ III 110.249: $(0, 0, \sigma_{xy})$ III 73.551: $(0, \sigma_{zx}, 0)$ III 73.551: $(\sigma_{yz}, 0, 0)$ III 73.551: $(0, 0, \sigma_{xy})$ III 70.530: $(0, 0, \sigma_{xy})$ III 70.530: $(0, \sigma_{zx}, 0)$ III 70.530: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, \sigma_{zx}, 0)$ III 45.238: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, \sigma_{zx}, 0)$ III 43.227: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, 0, \sigma_{xy})$ III 43.226: $(0, 0, \sigma_{xy})$ III 43.226: $(0, \sigma_{zx}, 0)$ III 43.226: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 230.149: (0, 0, 0)	III 167.107: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 161.71: $(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$ III 142.567: $(0, \sigma_{zx}, 0)$ III 142.567: $(\sigma_{yz}, 0, 0)$ III 142.567: $(0, 0, \sigma_{xy})$ III 122.337: $(0, \sigma_{zx}, 0)$ III 122.337: $(\sigma_{yz}, 0, 0)$ III 122.337: $(0, 0, \sigma_{xy})$ III 120.325: $(0, \sigma_{zx}, 0)$ III 120.325: $(\sigma_{yz}, 0, 0)$ III 120.325: $(0, 0, \sigma_{xy})$ III 110.249: $(0, \sigma_{zx}, 0)$ III 110.249: $(\sigma_{yz}, 0, 0)$ III 110.249: $(0, 0, \sigma_{xy})$ III 73.551: $(0, \sigma_{zx}, 0)$ III 73.551: $(\sigma_{yz}, 0, 0)$ III 73.551: $(0, 0, \sigma_{xy})$ III 70.530: $(0, 0, \sigma_{xy})$ III 70.530: $(0, \sigma_{zx}, 0)$ III 70.530: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, \sigma_{zx}, 0)$ III 45.238: $(\sigma_{yz}, 0, 0)$ III 45.238: $(0, 0, \sigma_{xy})$ III 45.237: $(0, 0, \sigma_{xy})$ III 45.237: $(0, \sigma_{zx}, 0)$ III 45.237: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, \sigma_{zx}, 0)$ III 43.227: $(\sigma_{yz}, 0, 0)$ III 43.227: $(0, 0, \sigma_{xy})$ III 43.226: $(0, 0, \sigma_{xy})$ III 43.226: $(0, \sigma_{zx}, 0)$ III 43.226: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$

2. MSGs suitable for tuning by applied magnetic field

In particular, we highlight 158 and 301 type-III MSGs from the 583 and 851 MSGs that host FNSs, SNLs, or both but exhibit vanishing AHC, for double-valued and single-valued representations, respectively, as summarized in Table SI3307 and SI3308. These type-III MSGs, which describe magnetic materials, may be suitable for tuning AHC by an applied magnetic field, offering advantages for practical applications.

TABLE SI3307. The 158 type-III MSGs that host FNSs, SNLs, or both but exhibiting vanishing AHC with double-valued representations. The three columns contain: the symmetry-adapted AHC tensors of the MSGs, the nodal structures hosted by these MSGs with double-valued representations, and the corresponding MSGs.

AHC tensor	**Nodal structures**	**MSGs** (with double-valued representations)
$(0,0,0)$	Only SNLs	51.291 52.307 52.308 53.323 54.339 54.340 55.355 55.356 56.367 56.368 57.379 57.381 58.395 58.396 59.408 60.419 60.420 60.421 61.435 62.443 62.444 62.445 63.460 64.472 84.53 85.61 86.69 88.83 100.173 100.174 101.181 101.182 102.189 102.190 103.197 103.198 104.205 104.206 105.213 105.214 106.221 106.222 108.235 108.236 109.241 109.242 110.247 110.248 112.261 112.262 113.270 114.278 116.293 116.294 117.301 117.302 118.309 118.310 120.323 120.324 122.335 122.336 124.354 124.355 125.366 125.367 126.378 126.379 127.389 127.391 127.394 128.401 128.403 128.406 129.413 129.415 129.418 130.425 130.427 130.430 131.438 131.439 132.450 132.451 133.462 133.463 134.474 134.475 135.485 135.487 135.490 136.497 136.499 136.502 137.509 137.511 137.514 138.521 138.523 138.526 140.544 140.545 141.554 141.555 142.564 142.565 184.193 184.194 188.217 188.218 190.229 190.230 192.248 192.249 193.257 194.266 218.83 219.87 220.91 222.101 223.107 224.113 226.125 227.131 228.137 230.148
	Only FNSs	90.99 92.115 94.131 96.147 169.115 170.119 173.131 178.157 178.158 179.163 179.164 182.181 182.182
	SNLs and FNSs	113.269 114.277 127.390 128.402 129.414 130.426 135.486 136.498 137.510 138.522 176.147 185.199 185.200 186.205 186.206 193.258 193.259 194.268 194.269

TABLE SI3308. The 301 type-III MSGs that host FNSs, SNLs, or both but exhibiting vanishing AHC with single-valued representations. The three columns contain: the symmetry-adapted AHC tensors of the MSGs, the nodal structures hosted by these MSGs with single-valued representations, and the corresponding MSGs.

AHC tensor	**Nodal structures**	**MSGs** (with single-valued representations)
$(0,0,0)$	Only SNLs	13.68 14.78 15.88 48.259 48.261 49.267 49.271 50.279 50.280 50.283 51.297 52.309 52.313 53.325 53.329 54.341 54.345 55.359 56.371 57.385 58.399 59.411 60.425 61.437 62.449 63.465 64.473 64.477 66.493 66.497 67.504 67.507 68.513 68.514 68.517 70.529 70.531 72.541 72.545 73.550 73.552 74.557 74.560 84.53 85.61 85.62 85.63 86.69 86.70 86.71 88.83 88.84 88.85 100.173 100.174 101.181 102.189 102.190 103.197 103.198 104.205 104.206 105.214 106.221 106.222 108.235 109.241 109.242 110.247 110.248 112.261 112.262 113.270 114.278 116.293 116.294 117.301 117.302 118.309 118.310 120.323 120.324 122.335 122.336 124.353 124.354 124.355 124.356 124.358 124.359 125.365 125.366 125.367 125.368 125.370 125.371 126.377 126.378 126.379 126.380 126.382 126.383 127.391 127.392 127.395 128.403 128.404 128.407 129.415 129.416 129.419 130.427 130.428 130.431 131.437 131.438 131.439 131.442 131.443 132.449 132.450 132.451 132.452 132.455 133.461 133.462 133.463 133.464 133.466 133.467 134.473 134.474 134.475 134.476 134.478 134.479 135.487 135.488 135.491 136.499 136.500 136.503 137.511 137.512 137.515 138.523 138.524 138.527 140.543 140.544 140.545 140.546 140.549 141.553 141.554 141.555 141.556 141.558 141.559 142.563 142.564 142.565 142.566 142.568 142.569 163.81 163.82 165.93 165.94 167.105 167.106 176.146 184.193 184.194 188.217 188.218 190.229 190.230 192.245 192.246 192.247 192.248 192.249 192.251 193.255 193.261 194.265 194.271 201.20 203.28 205.35 206.39 218.83 219.87 220.91 222.100 222.101 222.102 223.106 223.107 223.108 224.112 224.113 224.114 226.124 226.125 226.126 227.130 227.131 227.132 228.136 228.137 228.138 230.147 230.148 230.149
	Only FNSs	11.52 14.77 51.291 51.292 53.324 54.339 55.355 55.356 56.368 57.379 57.380 58.396 59.407 59.408 62.443 62.444 63.459 63.460 64.471 64.472 90.99 92.115 94.131 96.147 127.394 129.418 136.502 138.526 169.115 170.119 173.131 178.157 178.158 179.163 179.164 182.181 182.182
	SNLs and FNSs	52.307 52.308 53.323 54.340 56.367 57.381 58.395 60.419 60.420 60.421 61.435 62.445 113.269 114.277 127.389 127.390 128.401 128.402 128.406 129.413 129.414 130.425 130.426 130.430 135.485 135.486 135.490 136.497 136.498 137.509 137.510 137.514 138.521 138.522 176.145 176.147 185.199 185.200 186.205 186.206 193.256 193.257 193.258 193.259 194.266 194.267 194.268 194.269

3. From one to two nonvanishing components

TABLE SI3309: The 138 MSGs with one nonvanishing AHC component and their subgroups with two nonvanishing AHC components, for both double-valued and single-valued representations. The corresponding symmetry-adapted AHC tensor is provided following each MSG name.

Supergroups	Subgroups
III 17.10: $(0, \sigma_{zx}, 0)$	III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 18.18: $(0, 0, \sigma_{xy})$	III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 18.19: $(\sigma_{yz}, 0, 0)$	III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 19.27: $(0, 0, \sigma_{xy})$	III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 20.34: $(\sigma_{yz}, 0, 0)$	III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 26.68: $(0, \sigma_{zx}, 0)$	III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 26.69: $(\sigma_{yz}, 0, 0)$	III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 26.70: $(0, 0, \sigma_{xy})$	III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 27.80: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 27.81: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 28.89: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 28.91: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 29.101: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 29.102: $(\sigma_{yz}, 0, 0)$	III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 29.103: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 30.113: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 30.114: $(\sigma_{yz}, 0, 0)$	III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$
III 30.115: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 31.125: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 31.126: $(\sigma_{yz}, 0, 0)$	III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 31.127: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 32.137: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 32.138: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 33.146: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 33.147: $(\sigma_{yz}, 0, 0)$	III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 33.148: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 34.158: $(0, \sigma_{zx}, 0)$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 34.159: $(0, 0, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 36.174: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 36.175: $(\sigma_{yz}, 0, 0)$	III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 36.176: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 37.182: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 37.183: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 39.197: $(\sigma_{yz}, 0, 0)$	III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 39.199: $(0, \sigma_{zx}, 0)$	III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 40.206: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 40.207: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 41.213: $(\sigma_{yz}, 0, 0)$	III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 41.214: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 41.215: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 43.226: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 43.227: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 45.237: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 45.238: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 46.243: $(0, \sigma_{zx}, 0)$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 46.245: $(0, 0, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 48.260: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 49.269: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 49.270: $(0, \sigma_{zx}, 0)$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 50.281: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 50.282: $(0, \sigma_{zx}, 0)$	III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 51.294: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 51.295: $(\sigma_{yz}, 0, 0)$	III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 51.296: $(0, \sigma_{zx}, 0)$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$

III 52.310: $(0, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 52.311: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 52.312: $(0, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 53.326: $(0, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 53.327: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 53.328: $(0, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 54.342: $(0, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 54.343: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 54.344: $(0, \sigma_{zx}, 0)$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 55.357: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 55.358: $(0, \sigma_{zx}, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 56.369: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 56.370: $(0, \sigma_{zx}, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 57.382: $(0, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 57.383: $(\sigma_{yz}, 0, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 57.384: $(0, \sigma_{zx}, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 58.397: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 58.398: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 59.409: $(0, 0, \sigma_{xy})$ III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 59.410: $(\sigma_{yz}, 0, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 60.422: $(0, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 60.423: $(\sigma_{yz}, 0, 0)$ III 14.79: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, 0, \sigma_{xy})$
III 60.424: $(0, \sigma_{zx}, 0)$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 61.436: $(0, \sigma_{zx}, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 62.446: $(0, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 62.447: $(\sigma_{yz}, 0, 0)$ III 11.54: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 62.448: $(0, \sigma_{zx}, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 63.462: $(0, 0, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$
III 63.463: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 63.464: $(0, \sigma_{zx}, 0)$ III 11.54: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 64.474: $(0, 0, \sigma_{xy})$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$
III 64.475: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 64.476: $(0, \sigma_{zx}, 0)$ III 14.79: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 4.9: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 66.495: $(0, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 66.496: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$
III 67.506: $(\sigma_{yz}, 0, 0)$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 68.515: $(0, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 68.516: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 13.69: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$ III 7.26: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 70.530: $(0, \sigma_{zx}, 0)$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 72.543: $(0, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 72.544: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$ III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$
III 73.551: $(0, 0, \sigma_{xy})$ III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 74.559: $(\sigma_{yz}, 0, 0)$ III 15.89: $(\sigma_{yz}, \sigma_{zx}, 0)$ III 9.39: $(\sigma_{yz}, \sigma_{zx}, 0)$
III 90.98: $(0, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 92.114: $(0, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 94.130: $(0, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 96.146: $(0, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 100.175: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 101.183: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 102.191: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 103.199: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 104.207: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 106.223: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 108.237: $(0, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 110.249: $(0, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 113.271: $(0, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 114.279: $(0, 0, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 116.295: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 117.303: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 118.311: $(0, 0, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 120.325: $(0, 0, \sigma_{xy})$ III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 124.357: $(0, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 125.369: $(0, 0, \sigma_{xy})$ III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$ III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$

III 126.381: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 127.393: $(0, 0, \sigma_{xy})$	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 128.405: $(0, 0, \sigma_{xy})$	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 129.417: $(0, 0, \sigma_{xy})$	III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$	III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 130.429: $(0, 0, \sigma_{xy})$	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 132.453: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 133.465: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 134.477: $(0, 0, \sigma_{xy})$	III 13.69: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$
III 135.489: $(0, 0, \sigma_{xy})$	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 136.501: $(0, 0, \sigma_{xy})$	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 137.513: $(0, 0, \sigma_{xy})$	III 11.54: $(0, \sigma_{zx}, \sigma_{xy})$	III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 138.525: $(0, 0, \sigma_{xy})$	III 14.79: $(0, \sigma_{zx}, \sigma_{xy})$	III 7.26: $(0, \sigma_{zx}, \sigma_{xy})$ III 4.9: $(0, \sigma_{zx}, \sigma_{xy})$
III 140.547: $(0, 0, \sigma_{xy})$	III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 142.567: $(0, 0, \sigma_{xy})$	III 15.89: $(0, \sigma_{zx}, \sigma_{xy})$	III 9.39: $(0, \sigma_{zx}, \sigma_{xy})$
III 159.63: $(0, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$	
III 163.83: $(0, 0, \sigma_{xy})$	III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$
III 184.195: $(0, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$	
III 186.207: $(0, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$	
III 190.231: $(0, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$	
III 192.250: $(0, 0, \sigma_{xy})$	III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$
III 194.270: $(0, 0, \sigma_{xy})$	III 15.89: $(\sigma_{yz}, 0, \sigma_{xy})$	III 9.39: $(\sigma_{yz}, 0, \sigma_{xy})$

SI5. CORRESPONDENCE BETWEEN MSGS AND MPGS

In this section, we provide the correspondence between MSGs and MPGs. For each MSG, the point group parts p from all symmetry operations $\{p|\vec{t}\}$ form the corresponding MPG. Consequently, multiple MSGs can corresponding to the same MPG, as shown in Table SI3310. We then calculate the symmetry-adapted AHC tensor for the 122 MPGs, as shown in Table. SI3311.

TABLE SI3310: The correspondence between MSGs and MPGs. The three columns contain the MPG index, the Hermann–Mauguin notation of each MPG, and the MSGs corresponding to each MPG.

No.	MPGs	MSGs
1	1	1.1
2	$11'$	1.2 1.3
3	-1	2.4
4	$-11'$	2.5 2.7
5	$-1'$	2.6
6	2	3.1 4.7 5.13
7	$21'$	3.2 3.4 3.5 3.6 4.10 4.11 4.12 4.8 5.14 5.16 5.17
8	$2'$	3.3 4.9 5.15
9	m	6.18 7.24 8.32 9.37
10	$m1'$	6.19 6.21 6.22 6.23 7.25 7.27 7.28 7.29 7.30 7.31 8.33 8.35 8.36 9.38 9.40 9.41
11	m'	6.20 7.26 8.34 9.39
12	$2/m$	10.42 11.50 12.58 13.65 14.75 15.85
13	$2/m1'$	10.43 10.47 10.48 10.49 11.51 11.55 11.56 11.57 12.59 12.63 12.64 13.66 13.70 13.71 13.72 13.73 13.74 14.76 14.80 14.81 14.82 14.83 14.84 15.86 15.90 15.91
14	$2'/m$	10.44 11.52 12.60 13.67 14.77 15.87
15	$2/m'$	10.45 11.53 12.61 13.68 14.78 15.88
16	$2'/m'$	10.46 11.54 12.62 13.69 14.79 15.89
17	222	16.1 17.7 18.16 19.25 20.31 21.38 22.45 23.49 24.53
18	$2221'$	16.2 16.4 16.5 16.6 17.11 17.12 17.13 17.14 17.15 17.8 18.17 18.20 18.21 18.22 18.23 18.24 19.26 19.28 19.29 19.30 20.32 20.35 20.36 20.37 21.39 21.42 21.43 21.44 22.46 22.48 23.50 23.52 24.54 24.56
19	$2'2'2$	16.3 17.10 17.9 18.18 18.19 19.27 20.33 20.34 21.40 21.41 22.47 23.51 24.55
20	$mm2$	25.57 26.66 27.78 28.87 29.99 30.111 31.123 32.135 33.144 34.156 35.165 36.172 37.180 38.187 39.195 40.203 41.211 42.219 43.224 44.229 45.235 46.241
21	$mm21'$	25.58 25.61 25.62 25.63 25.64 25.65 26.67 26.71 26.72 26.73 26.74 26.75 26.76 26.77 27.79 27.82 27.83 27.84 27.85 27.86 28.88 28.92 28.93 28.94 28.95 28.96 28.97 28.98 29.100 29.104 29.105 29.106 29.107 29.108 29.109 29.110 30.112 30.116 30.117 30.118 30.119 30.120 30.121 30.122 31.124 31.128 31.129 31.130 31.131 31.132 31.133 31.134 32.136 32.139 32.140 32.141 32.142 32.143 33.145 33.149 33.150 33.151 33.152 33.153 33.154 33.155 34.157 34.160 34.161 34.162 34.163 34.164 35.166 35.169 35.170 35.171 36.173 36.177 36.178 36.179 37.181 37.184 37.185 37.186 38.188 38.192 38.193 38.194 39.196 39.200 39.201 39.202 40.204 40.208 40.209 40.210 41.212 41.216 41.217 41.218 42.220 42.223 43.225 43.228 44.230 44.233 44.234 45.236 45.239 45.240 46.242 46.246 46.247 46.248
22	$m'm2'$	25.59 26.68 26.69 27.80 28.89 28.90 29.101 29.102 30.113 30.114 31.125 31.126 32.137 33.146 33.147 34.158 35.167 36.174 36.175 37.182 38.189 38.190 39.197 39.198 40.205 40.206 41.213 41.214 42.221 43.226 44.231 45.237 46.243 46.244
23	$m'm'2$	25.60 26.70 27.81 28.91 29.103 30.115 31.127 32.138 33.148 34.159 35.168 36.176 37.183 38.191 39.199 40.207 41.215 42.222 43.227 44.232 45.238 46.245
24	mmm	47.249 48.257 49.265 50.277 51.289 52.305 53.321 54.337 55.353 56.365 57.377 58.393 59.405 60.417 61.433 62.441 63.457 64.469 65.481 66.491 67.501 68.511 69.521 70.527 71.533 72.539 73.548 74.554
25	$mmm1'$	47.250 47.254 47.255 47.256 48.258 48.262 48.263 48.264 49.266 49.272 49.273 49.274 49.275 49.276 50.278 50.284 50.285 50.286 50.287 50.288 51.290 51.298 51.299 51.300 51.301 51.302 51.303 51.304 52.306 52.314 52.315 52.316 52.317 52.318 52.319 52.320 53.322 53.330 53.331 53.332 53.333 53.334 53.335 53.336 54.338 54.346 54.347 54.348 54.349 54.350 54.351 54.352 55.354 55.360 55.361 55.362 55.363 55.364 56.366 56.372 56.373 56.374 56.375 56.376 57.378 57.386 57.387 57.388 57.389 57.390 57.391 57.392 58.394 58.400 58.401 58.402 58.403 58.404 59.406 59.412 59.413 59.414 59.415 59.416 60.418 60.426 60.427 60.428 60.429 60.430 60.431 60.432 61.434 61.438 61.439 61.440 62.442 62.450 62.451 62.452 62.453 62.454 62.455 62.456 63.458 63.466 63.467 63.468 64.470 64.478 64.479 64.480 65.482 65.488 65.489 65.490 66.492 66.498 66.499 66.500 67.502 67.508 67.509 67.510 68.512 68.518 68.519 68.520 69.522 69.526 70.528 70.532 71.534 71.538 72.540 72.546 72.547 73.549 73.553 74.555 74.561 74.562
26	$m'mm$	47.251 48.259 49.267 49.268 50.279 50.280 51.291 51.292 51.293 52.307 52.308 52.309 53.323 53.324 53.325 54.339 54.340 54.341 55.355 55.356 56.367 56.368 57.379 57.380 57.381 58.395 58.396 59.407 59.408 60.419 60.420 60.421 61.435 62.443 62.444 62.445 63.459 63.460 63.461 64.471 64.472 64.473 65.483 65.484 66.493 66.494 67.503 67.504 68.513 68.514 69.523 70.529 71.535 72.541 72.542 73.550 74.556 74.557

27	$m'm'm$	47.252 48.260 49.269 49.270 50.281 50.282 51.294 51.295 51.296 52.310 52.311 52.312 53.326 53.327 53.328 54.342 54.343 54.344 55.357 55.358 56.369 56.370 57.382 57.383 57.384 58.397 58.398 59.409 59.410 60.422 60.423 60.424 61.436 62.446 62.447 62.448 63.462 63.463 63.464 64.474 64.475 64.476 65.485 65.486 66.495 66.496 67.505 67.506 68.515 68.516 69.524 70.530 71.536 72.543 72.544 73.551 74.558 74.559
28	$m'm'm'$	47.253 48.261 49.271 50.283 51.297 52.313 53.329 54.345 55.359 56.371 57.385 58.399 59.411 60.425 61.437 62.449 63.465 64.477 65.487 66.497 67.507 68.517 69.525 70.531 71.537 72.545 73.552 74.560
29	4	75.1 76.7 77.13 78.19 79.25 80.29
30	$41'$	75.2 75.4 75.5 75.6 76.10 76.11 76.12 76.8 77.14 77.16 77.17 77.18 78.20 78.22 78.23 78.24 79.26 79.28 80.30 80.32
31	$4'$	75.3 76.9 77.15 78.21 79.27 80.31
32	-4	81.33 82.39
33	$-41'$	81.34 81.36 81.37 81.38 82.40 82.42
34	$-4'$	81.35 82.41
35	$4/m$	83.43 84.51 85.59 86.67 87.75 88.81
36	$4/m1'$	83.44 83.48 83.49 83.50 84.52 84.56 84.57 84.58 85.60 85.64 85.65 85.66 86.68 86.72 86.73 86.74 87.76 87.80 88.82 88.86
37	$4'/m$	83.45 84.53 85.61 86.69 87.77 88.83
38	$4/m'$	83.46 84.54 85.62 86.70 87.78 88.84
39	$4'/m'$	83.47 84.55 85.63 86.71 87.79 88.85
40	422	89.87 90.95 91.103 92.111 93.119 94.127 95.135 96.143 97.151 98.157
41	$4221'$	89.88 89.92 89.93 89.94 90.100 90.101 90.102 90.96 91.104 91.108 91.109 91.110 92.112 92.116 92.117 92.118 93.120 93.124 93.125 93.126 94.128 94.132 94.133 94.134 95.136 95.140 95.141 95.142 96.144 96.148 96.149 96.150 97.152 97.156 98.158 98.162
42	$4'22'$	89.89 89.91 90.97 90.99 91.105 91.107 92.113 92.115 93.121 93.123 94.129 94.131 95.137 95.139 96.145 96.147 97.153 97.155 98.159 98.161
43	$42'2'$	89.90 90.98 91.106 92.114 93.122 94.130 95.138 96.146 97.154 98.160
44	$4mm$	99.163 100.171 101.179 102.187 103.195 104.203 105.211 106.219 107.227 108.233 109.239 110.245
45	$4mm1'$	99.164 99.168 99.169 99.170 100.172 100.176 100.177 100.178 101.180 101.184 101.185 101.186 102.188 102.192 102.193 102.194 103.196 103.200 103.201 103.202 104.204 104.208 104.209 104.210 105.212 105.216 105.217 105.218 106.220 106.224 106.225 106.226 107.228 107.232 108.234 108.238 109.240 109.244 110.246 110.250
46	$4'm'm$	99.165 99.166 100.173 100.174 101.181 101.182 102.189 102.190 103.197 103.198 104.205 104.206 105.213 105.214 106.221 106.222 107.229 107.230 108.235 108.236 109.241 109.242 110.247 110.248
47	$4m'm'$	99.167 100.175 101.183 102.191 103.199 104.207 105.215 106.223 107.231 108.237 109.243 110.249
48	$-42m$	111.251 112.259 113.267 114.275 115.283 116.291 117.299 118.307 119.315 120.321 121.327 122.333
49	$-42m1'$	111.252 111.256 111.257 111.258 112.260 112.264 112.265 112.266 113.268 113.272 113.273 113.274 114.276 114.280 114.281 114.282 115.284 115.288 115.289 115.290 116.292 116.296 116.297 116.298 117.300 117.304 117.305 117.306 118.308 118.312 118.313 118.314 119.316 119.320 120.322 120.326 121.328 121.332 122.334 122.338
50	$-4'2'm$	111.253 112.261 113.269 114.277 115.286 116.294 117.302 118.310 119.318 120.324 121.329 122.335
51	$-4'2m'$	111.254 112.262 113.270 114.278 115.285 116.293 117.301 118.309 119.317 120.323 121.330 122.336
52	$-42'm'$	111.255 112.263 113.271 114.279 115.287 116.295 117.303 118.311 119.319 120.325 121.331 122.337
53	$4/mmm$	123.339 124.351 125.363 126.375 127.387 128.399 129.411 130.423 131.435 132.447 133.459 134.471 135.483 136.495 137.507 138.519 139.531 140.541 141.551 142.561
54	$4/mmm1'$	123.340 123.348 123.349 123.350 124.352 124.360 124.361 124.362 125.364 125.372 125.373 125.374 126.376 126.384 126.385 126.386 127.388 127.396 127.397 127.398 128.400 128.408 128.409 128.410 129.412 129.420 129.421 129.422 130.424 130.432 130.433 130.434 131.436 131.444 131.445 131.446 132.448 132.456 132.457 132.458 133.460 133.468 133.469 133.470 134.472 134.480 134.481 134.482 135.484 135.492 135.493 135.494 136.496 136.504 136.505 136.506 137.508 137.516 137.517 137.518 138.520 138.528 138.529 138.530 139.532 139.540 140.542 140.550 141.552 141.560 142.562 142.570
55	$4/m'mm$	123.341 124.353 125.365 126.377 127.389 128.401 129.413 130.425 131.437 132.449 133.461 134.473 135.485 136.497 137.509 138.521 139.533 140.543 141.553 142.563
56	$4'/mm'm$	123.342 123.343 124.354 124.355 125.366 125.367 126.378 126.379 127.390 127.391 128.402 128.403 129.414 129.415 130.426 130.427 131.438 131.439 132.450 132.451 133.462 133.463 134.474 134.475 135.486 135.487 136.498 136.499 137.510 137.511 138.522 138.523 139.534 139.535 140.544 140.545 141.554 141.555 142.564 142.565
57	$4'/m'm'm$	123.344 123.346 124.356 124.358 125.368 125.370 126.380 126.382 127.392 127.394 128.404 128.406 129.416 129.418 130.428 130.430 131.440 131.442 132.452 132.454 133.464 133.466 134.476 134.478 135.488 135.490 136.500 136.502 137.512 137.514 138.524 138.526 139.536 139.538 140.546 140.548 141.556 141.558 142.566 142.568
58	$4/mm'm'$	123.345 124.357 125.369 126.381 127.393 128.405 129.417 130.429 131.441 132.453 133.465 134.477 135.489 136.501 137.513 138.525 139.537 140.547 141.557 142.567
59	$4/m'm'm'$	123.347 124.359 125.371 126.383 127.395 128.407 129.419 130.431 131.443 132.455 133.467 134.479 135.491 136.503 137.515 138.527 139.539 140.549 141.559 142.569
60	3	143.1 144.4 145.7 146.10
61	$31'$	143.2 143.3 144.5 144.6 145.8 145.9 146.11 146.12
62	-3	147.13 148.17
63	$-31'$	147.14 147.16 148.18 148.20
64	$-3'$	147.15 148.19
65	32	149.21 150.25 151.29 152.33 153.37 154.41 155.45

66	$321'$	149.22 149.24 150.26 150.28 151.30 151.32 152.34 152.36 153.38 153.40 154.42 154.44 155.46 155.48
67	$32'$	149.23 150.27 151.31 152.35 153.39 154.43 155.47
68	$3m$	156.49 157.53 158.57 159.61 160.65 161.69
69	$3m1'$	156.50 156.52 157.54 157.56 158.58 158.60 159.62 159.64 160.66 160.68 161.70 161.72
70	$3m'$	156.51 157.55 158.59 159.63 160.67 161.71
71	-$3m$	162.73 163.79 164.85 165.91 166.97 167.103
72	-$3m1'$	162.74 162.78 163.80 163.84 164.86 164.90 165.92 165.96 166.102 166.98 167.104 167.108
73	-$3'm$	162.75 163.81 164.87 165.93 166.99 167.105
74	-$3'm'$	162.76 163.82 164.88 165.94 166.100 167.106
75	-$3m'$	162.77 163.83 164.89 165.95 166.101 167.107
76	6	168.109 169.113 170.117 171.121 172.125 173.129
77	$61'$	168.110 168.112 169.114 169.116 170.118 170.120 171.122 171.124 172.126 172.128 173.130 173.132
78	$6'$	168.111 169.115 170.119 171.123 172.127 173.131
79	-6	174.133
80	-$61'$	174.134 174.136
81	-$6'$	174.135
82	$6/m$	175.137 176.143
83	$6/m1'$	175.138 175.142 176.144 176.148
84	$6'/m$	175.139 176.145
85	$6/m'$	175.140 176.146
86	$6'/m'$	175.141 176.147
87	622	177.149 178.155 179.161 180.167 181.173 182.179
88	$6221'$	177.150 177.154 178.156 178.160 179.162 179.166 180.168 180.172 181.174 181.178 182.180 182.184
89	$6'22'$	177.151 177.152 178.157 178.158 179.163 179.164 180.169 180.170 181.175 181.176 182.181 182.182
90	$62'2'$	177.153 178.159 179.165 180.171 181.177 182.183
91	$6mm$	183.185 184.191 185.197 186.203
92	$6mm1'$	183.186 183.190 184.192 184.196 185.198 185.202 186.204 186.208
93	$6'mm'$	183.187 183.188 184.193 184.194 185.199 185.200 186.205 186.206
94	$6m'm'$	183.189 184.195 185.201 186.207
95	-$6m2$	187.209 188.215 189.221 190.227
96	-$6m21'$	187.210 187.214 188.216 188.220 189.222 189.226 190.228 190.232
97	-$6'm'2$	187.211 188.217 189.224 190.230
98	-$6'm2'$	187.212 188.218 189.223 190.229
99	-$6m'2'$	187.213 188.219 189.225 190.231
100	$6/mmm$	191.233 192.243 193.253 194.263
101	$6/mmm1'$	191.234 191.242 192.244 192.252 193.254 193.262 194.264 194.272
102	$6/m'mm$	191.235 192.245 193.255 194.265
103	$6'/mmm'$	191.236 191.237 192.246 192.247 193.256 193.257 194.266 194.267
104	$6'/m'mm'$	191.238 191.239 192.248 192.249 193.258 193.259 194.268 194.269
105	$6/mm'm'$	191.240 192.250 193.260 194.270
106	$6/m'm'm'$	191.241 192.251 193.261 194.271
107	23	195.1 196.4 197.7 198.9 199.12
108	$231'$	195.2 195.3 196.5 196.6 197.8 198.10 198.11 199.13
109	m-3	200.14 201.18 202.22 203.26 204.30 205.33 206.37
110	m-$31'$	200.15 200.17 201.19 201.21 202.23 202.25 203.27 203.29 204.31 205.34 205.36 206.38
111	m'-$3'$	200.16 201.20 202.24 203.28 204.32 205.35 206.39
112	432	207.40 208.44 209.48 210.52 211.56 212.59 213.63 214.67
113	$4321'$	207.41 207.43 208.45 208.47 209.49 209.51 210.53 210.55 211.57 212.60 212.62 213.64 213.66 214.68
114	$4'32'$	207.42 208.46 209.50 210.54 211.58 212.61 213.65 214.69
115	-$43m$	215.70 216.74 217.78 218.81 219.85 220.89
116	-$43m1'$	215.71 215.73 216.75 216.77 217.79 218.82 218.84 219.86 219.88 220.90
117	-$4'3m'$	215.72 216.76 217.80 218.83 219.87 220.91
118	m-$3m$	221.92 222.98 223.104 224.110 225.116 226.122 227.128 228.134 229.140 230.145
119	m-$3m1'$	221.93 221.97 222.103 222.99 223.105 223.109 224.111 224.115 225.117 225.121 226.123 226.127 227.129 227.133 228.135 228.139 229.141 230.146
120	m'-$3'm$	221.94 222.100 223.106 224.112 225.118 226.124 227.130 228.136 229.142 230.147
121	m-$3m'$	221.95 222.101 223.107 224.113 225.119 226.125 227.131 228.137 229.143 230.148
122	m'-$3'm'$	221.96 222.102 223.108 224.114 225.120 226.126 227.132 228.138 229.144 230.149

Symmery-adapted AHC tensors of MPGs

The physical quantities in momentum space, such as Berry curvature distributions, are constrained by the MPG, resulting in restrictions on various properties of the system. Consequently, the symmetry-adapted AHC tensors for all 122 MPGs are listed in Table SI3311, among which 31 MPGs allow for nonvanishing AHC.

TABLE SI3311. Symmetry-adapted tensors for the 122 MPGs. The two columns contain the symmetry-adapted AHC tensors and their corresponding MPGs.

AHC tensor	**MPGs**
$(0,\ 0, \sigma_{xy})$	$2'2'2$, $m'm'2$, $m'm'm$, 4, -4, $4/m$, $42'2'$, $4m'm'$, $-42'm'$, $4/mm'm'$, 3, -3, $32'$, $3m'$, $-3m'$, 6, -6, $6/m$, $62'2'$, $6m'm'$, $-6m'2'$, $6/mm'm'$
$(0, \sigma_{zx},\ 0)$	2, m, $2/m$, $m'm2'$
$(\sigma_{yz},\ 0, \sigma_{xy})$	$2'$, m', $2'/m'$
$(\sigma_{yz}, \sigma_{zx}, \sigma_{xy})$	1, -1
$(0,\ 0,\ 0)$	$11'$, $-11'$, $-1'$, $21'$, $m1'$, $2/m1'$, $2'/m$, $2/m'$, 222, $2221'$, $mm2$, $mm21'$, mmm, $mmm1'$, $m'mm$, $m'm'm'$, $41'$, $4'$, $-41'$, $-4'$, $4/m1'$, $4'/m$, $4/m'$, $4'/m'$, 422, $4221'$, $4'22'$, $4mm$, $4mm1'$, $4'm'm$, $-42m$, $-42m1'$, $-4'2'm$, $-4'2m'$, $4/mmm$, $4/mmm1'$, $4/m'mm$, $4'/mm'm$, $4'/m'm'm$, $4/m'm'm'$, $31'$, $-31'$, $-3'$, 32, $321'$, $3m$, $3m1'$, $-3m$, $-3m1'$, $-3'm$, $-3'm'$, $61'$, $6'$, $-61'$, $-6'$, $6/m1'$, $6'/m$, $6/m'$, $6'/m'$, 622, $6221'$, $6'22'$, $6mm$, $6mm1'$, $6'mm'$, $-6m2$, $-6m21'$, $-6'm'2$, $-6'm2'$, $6/mmm$, $6/mmm1'$, $6/m'mm$, $6'/mmm'$, $6'/m'mm'$, $6/m'm'm'$, 23, $231'$, m-3, m-$31'$, m'-$3'$, 432, $4321'$, $4'32'$, $-43m$, $-43m1'$, $-4'3m'$, m-$3m$, m-$3m1'$, m'-$3'm$, m-$3m'$, m'-$3'm'$

SI6. STATISTICS ON MSGS BASED ON THE NODAL STRUCTURE TYPES AND AHC

In this section, we first present statistics on the MSGs categorized by their types and the nodal structures, for both single-valued and double-valued representations, corresponding to spinless and spinful systems, respectively. We then provide statistics on MSGs based on the nodal structure types and symmetry-adapted AHC, again distinguishing between single-valued and double-valued representations.

a. Statistics on MSGs based on the nodal structure types and MSG types. The nodal structures can be classified into six types: "Only SNLs (Necessarily)", "Only SNLs (Possibly)", "Only FNSs (Necessarily)", "Only FNSs (Possibly)", "Coexistence (Necessarily)", and "Coexistence (Possibly)". These categories respectively indicate: only SNLs exist and at least one necessarily exist, only SNLs exist and all possibly exist, only FNSs exist and at least one necessarily exist, only FNSs exist and all possibly exist, both SNLs and FNSs coexist and at least one of each type necessarily exist, and both coexist and all of either type possibly exist. Based on these six nodal structure types and the four MSG types, the statistics on MSGs is shown in Table SI3312.

TABLE SI3312. Statistics on MSGs based on six nodal structure types and four MSG types. The eight columns contain the system types, the MSG types, and the six nodal structure types. The six nodal structure types: "Only SNLs (Necessarily)", "Only SNLs (Possibly)", "Only FNSs (Necessarily)", "Only FNSs (Possibly)", "Coexistence (Necessarily)", and "Coexistence (Possibly)" respectively indicate: only SNLs exist and at least one necessarily exist, only SNLs exist and all possibly exist, only FNSs exist and at least one necessarily exist, only FNSs exist and all possibly exist, both SNLs and FNSs coexist and at least one of each type necessarily exist, and both coexist and all of either type possibly exist.

System	MSG type	Only SNLs (Necessarily)	Only SNLs (Possibly)	Only FNSs (Necessarily)	Only FNSs (Possibly)	Coexistence (Necessarily)	Coexistence (Possibly)
Spinless	I	71	37	0	0	0	0
	II	78	36	29	0	22	8
	III	288	86	64	0	57	26
	IV	141	23	77	0	155	48
Spinful	I	129	12	0	0	0	0
	II	83	4	22	0	9	0
	III	246	12	40	0	45	9
	IV	221	4	52	0	77	0

b. Statistics on MSGs based on the nodal structure types and symmetry-adapted AHC. The nodal structure types can be classified into four types: "Only SNLs", "Only FNSs", "Both SNLs and FNSs", and "Neither SNL of FNS", corresponding to cases where only SNLs, only FNSs, both, and neither can exist, respectively. Here, both necessarily and possibly existing nodal structures are considered together. As a result, there are 158 MSGs that host SNLs, FNSs, or both and nonvanising AHC in both spinless and spinful systems, as also listed in Table SI3304 in Sec. SI3. Notably, all these 158 MSGs host necessarily existing nodal structures.

TABLE SI3313. Statistics on MSGs based on four nodal structure types and symmetry-adapted AHC. This table consists of two panels: the left and right panels correspond to spinful and spinless systems, respectively. Each panel contains three columns showing the nodal structure types, cases with vanishing AHC, and cases with nonvanishing AHC. The four nodal structure types: "Only SNLs", "Only FNSs", "Coexistence", and "Non-existence", corresponding to cases where only SNLs, only FNSs, both, and neither can exist, respectively. The number of MSGs in each case can be further divided into the numbers shown in the parentheses, where the numbers in red and black indicate cases in which the nodal structures necessarily and possibly exist, respectively.

Nodal structure	AHC vanishes	AHC nonvanishes	Nodal structure	AHC vanishes	AHC nonvanishes
Spinful			**Spinless**		
Only SNLs	615 (583+32)	96 (96)	Only SNLs	664 (482+182)	96 (96)
Only FNSs	87 (87)	27 (27)	Only FNSs	143 (143)	27 (27)
Coexistence	105 (96+9)	35 (35)	Coexistence	281 (199+82)	35 (35)
Non-existence	569 (569)	117 (117)	Non-existence	288 (288)	117 (117)