

HTML Tutorial - 7

HTML Tables

- HTML tables allow web developers to arrange data into rows and columns.



Table Cells

- "td" stands for table data.
- Each table cell is defined by a <td> & </td> tag.
- All content within <td> and </td> represents the data of the table cell.



Table Rows

- Every table row begins with a <tr> tag and ends with a </tr> tag.
- "tr" stands for table row.



Table Heading

- If you want your cells to be header cells, use the <th> tag instead of the <td> tag.

Example:

```
<table style="width:100%">
  <tr>
    <th>Student Name</th>
    <th>Student ID</th>
    <th>Gender</th>
  </tr>
  <tr>
    <td>Shree</td> <td>21</td> <td>Female</td>
  </tr>
  <tr>
    <td>Jiva</td> <td>15</td> <td>Female</td>
  </tr>
  <tr>
    <td>Aarav</td> <td>3</td> <td>Male</td>
  </tr>
</table>
```



Table Border

```
<style>
  table, th, td {
    border: 1px solid black;
    border-collapse: collapse;
  }
  th, td {
    background-color: #96D4D4;
  }
</style>
```



Table Sizes

```
<table style="width:100%">
  <tr>
    <th style="width: 70%;">Student Name</th>
    <th>Student ID</th>
    <th>Gender</th>
  </tr>
  <tr>
    <td>Shree</td> <td>21</td> <td>Female</td>
  </tr>
  <tr style="height: 160px;">
    <td>Jiva</td> <td>15</td> <td>Female</td>
  </tr>
  <tr>
    <td>Aarav</td> <td>3</td> <td>Male</td>
  </tr>
</table>
```



Table Colspan

```
<table style="width:100%">
  <tr><th colspan="3">2024</th></tr>
  <tr>
    <th>Student Name</th>
    <th>Student ID</th>
    <th>Gender</th>
  </tr>
  <tr>
    <td>Shree</td> <td>21</td> <td>Female</td>
  </tr>
  <tr>
    <td>Jiva</td> <td>15</td> <td>Female</td>
  </tr>
  <tr>
    <td>Aarav</td> <td>3</td> <td>Male</td>
  </tr>
</table>
```



Table Rowspan

```
<table style="width:100%">
  <tr><th>2024</th></tr>
  <tr>
    <th>Student Name</th>
    <th>Student ID</th>
    <th>Gender</th>
  </tr>
  <tr>
    <td>Shree</td> <td>21</td> <td rowspan="2">Female</td>
  </tr>
  <tr>
    <td>Jiva</td> <td>15</td>
  </tr>
  <tr>
    <td>Aarav</td> <td>3</td> <td>Male</td>
  </tr>
</table>
```

HTML Lists

- HTML lists enable web developers to organize related items into groups.



Unordered List

An unordered list begins with the `<ul>` tag, and each item is enclosed within an `<li>` tag. By default, list items are marked with bullets (small black circles).

```
<ul>
  <li>Web Development</li>
  <li>App Development</li>
  <li>Graphic Designer</li>
</ul>
```

The `list-style-type` property in CSS is used to specify the style of the list item markers. It can take one of the following values:

1. `disc` - Bullet
2. `circle` - circle
3. `square` - square
4. `none` - list items will not be marked

```
<ul style="list-style-type:disc;">
  <!-- <ul style="list-style-type:circle;"> -->
  <!-- <ul style="list-style-type:square;"> -->
  <!-- <ul style="list-style-type:none;"> -->
  <li>Web Development</li>
  <li>App Development</li>
  <li>Graphic Designer</li>
</ul>
```



Ordered List

An ordered list begins with the `<ol>` tag, and each list item is wrapped in an `<li>` tag. By default, list items are numbered.

```
<ol>
  <li>Web Development</li>
  <li>App Development</li>
  <li>Graphic Designer</li>
</ol>
```

1. type = "1" - numbers (default)
2. type = "A" - Uppercase Letters
3. type = "a" - Lowercase Letters
4. type = "I" - Uppercase Roman numbers
5. type = "i" - Lowercase Roman numbers

The type attribute of the `<ol>` tag specifies the style of the list item markers.

```
<ol type="1">
  <!-- <ol type="A">
  <ol type="a">
  <ol type="I">
  <ol type="i"> -->
  <li>Web Development</li>
  <li>App Development</li>
  <li>Graphic Designer</li>
</ol>
```



Description List

The `<dl>` tag defines a description list, the `<dt>` tag specifies the term (name), and the `<dd>` tag provides the description for each term.

```
<dl>
  <dt>Web Development</dt>
  <dd>- Python Development</dd>
  <dt>App Development</dt>
  <dd>- React Native</dd>
</dl>
```

HTML Div

By default, the <div> element is a block element, which means it occupies the full available width and includes line breaks before and after it.

Example:

```
This is a nice <div style="background-color: darkgoldenrod;">  
Web designing tutorial</div> on youtube channle.
```

```
<div>  
  <h2>My Self</h2>  
  <p>My name is Dhara Vanpariya.</p>  
  <p>I am 27 years old.</p>  
</div>
```

HTML iframes

An HTML iframe is used to display a web page within a web page.