



广微测
Gmicro Testing

广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

MSDS 报告

REPORT OF MATERIAL SAFETY DATA SHEET

报告编号

2025FM02836R02Db

Report №.

样品名称

硅酮密封胶

Name of Sample

Silicone Sealant

样品批号

2025.0219-S4

Lot № of Sample

委托单位

广州市胶之宝建材有限公司

Applicant

Guangzhou Jiaozhibao Building Materials Co.,Ltd

签发日期

2025年09月04日

Issue Date

单位地址: 广州市先烈中路100号大院66号楼

Address: Building 66, No. 100, Xianlie Middle Road, Guangzhou, China

邮政编码: 510070

Postcode:

电话号码: (020)87137666

Tel:

传真号码: (020)87137668

Fax:

网 址: www.gddcm.com

Website:



注意事项

Notice Items

1. 本报告无广东省微生物分析检测中心公章或者技术报告专用章、骑缝章无效。
This report is invalid without the official seal of Guangdong Detection Center of Microbiology or its special seal for technical reports, as well as the pagination seal.
2. 本报告无编制、审核、批准人签字无效。
This report is invalid without the signatures of the compiler, the verifier and the approver.
3. 本报告私自转让、复制、盗用、冒用、涂改或以任何形式的篡改均为无效。
This report is invalid when anything of the following happens: illegal transfer, reproduction, embezzlement, imposture, modification or tampering in any media form.
Any unauthorized transfer, reproduction, embezzlement, imposture, modification, or tampering in any form renders this report invalid.
4. 对本报告有异议的，应于收到文件之日起十五日内提出，逾期不予受理。
Any dispute of the report must be raised to the testing institution within 15 days after the document is received, exceeding which the dispute will not be accepted.
5. 本报告是根据委托方提供的样品和样品信息编写的。本报告中所有样品信息均为委托方自行声明，本机构不对其真实性负责。因委托方提供不实样品和不实信息而导致的法律责任由委托方承担。
This report is compiled based on the samples and sample information provided by the applicant. All sample information in this report is declared by the applicant itself, and our institution is not responsible for its authenticity. The applicant shall bear the legal responsibility arising from the provision of false samples and information.
6. 对于报告中所包含的数据和信息，可能仍不足以满足所有人和/或所有情况，我们不提供任何明示或隐含的保证。用户有义务评估并安全地使用化学品，并遵守所有适用的法律法规。化学品的处理、储存、使用或处置情况可能超出我们的控制范围和知识水平。在任何情况下，我们均不会承担因不当处理、储存、使用或处置本化学品而造成的任何损失、损害或相关费用。
The data and information presented in this report may not fully satisfy the needs of everyone and/or all scenarios, and we offer no explicit or implicit guarantees. It is the user's responsibility to assess and safely utilize the chemical, adhering to all pertinent laws and regulations. Circumstances related to the handling, storage, usage, or disposal of the chemical may exceed our cope of control and expertise. In any event, we shall not be responsible for any losses, damages, or associated costs arising from the improper handling, storage, usage, or disposal of this chemical."
7. 若本报告中同时存在中文和英文内容，在两者出现任何不一致的情况下，应以中文版内容为准。
If there are both Chinese and English contents in this document, in case of any inconsistency between the two, the Chinese version shall prevail.



化学品安全技术说明书
Safety Data Sheet for Chemicals

第 1 部分 化学品及企业标识
Part 1: Identification of the chemical and supplier



校验码: RANQP4GU

化学品中文名 Product Name (in Chinese)	硅酮密封胶
化学品英文名 Product Name(in English)	Silicone Sealant
企业名称 Name of the Company(in Chinese)	广州市胶之宝建材有限公司
企业英文名称 Name of the Company(in English)	Guangzhou Jiaozhibao Building Materials Co.,Ltd
企业地址 Adress of the Company(in Chinese)	广州市花都区狮岭镇新扬村委旁工业园
企业地址英文 Adress of the Company(in English)	Industrial Park,Xinyang Village,Shiling Town,Huadu District,Guangzhou
企业邮编 Post code of the Company	510800
企业联系电话 Telephone number of the Company	18620219242
企业电子邮件地址 E-mail address of the Company	3029168046@qq.com
企业应急电话:(24h) 24-hour emergency phone number	18620219242



编号 (Report No.) 2025FM02836R02Db

第 2 部分 危险性概述
Part 2 Hazards identification

危险性概述* Hazards overview	根据《全球统一制度》(《全球化学品统一分类和标签制度》)(第九修订版), 分类如下: 皮肤敏化作用(类别 1) According to the "Globally Harmonized System" ("Globally Harmonized System for Classification and Labeling of Chemicals") (ninth revised edition), the classifications are as follows: Skin sensitization (Category 1).
标签要素, 包括防范说明	象形图 Pictograms  信号词 警告 Signal words warning
侵入途径 Routes of Exposure	吸入、食入、皮肤接触。 Inhalation, ingestion, skin contact.
健康危害 Health Hazards	刺激皮肤、眼睛、黏膜。直接接触后皮疹或过敏的可能性很高。 May irritate skin, eyes, and mucous membranes. There is a high chance of a rash or allergy after direct contact.
环境危害 Environmental Hazards	对水体环境产生不良影响。 Adverse effects on the water environment.
燃爆危险 Fire and Explosion Hazards	在正常操作中不会有点火、闪光和爆炸等危险。 No danger such as ignition, flash, and explosion during normal operation.

*: 根据《全球化学品统一分类和标签制度》(第九修订版)分类。

*: Classified according to the "Globally Harmonized System for Classification and Labelling of Chemicals" (ninth revised edition).

第 3 部分 成分含量* Part 3 Composition/information on ingredients

代表性和特征性组分 Representative and Characteristic Components	CAS 登录号	含量 (%) Concentration(weight percent,%)
107 室温硫化甲基硅橡胶 107 room temperature vulcanized methyl silicone	63148-60-7	49
碳酸钙 calcium carbonate	471-34-1	44
甲基三丁酮肟基硅烷 Methyltributanone oximesilane	22984-54-9	5
甲基硅油 Methyl silicone	9006-65-9	2

*: 样品成分含量由委托方提供。Be provided by the principal.



广微测

Gmicro Testing

编号 (Report No.): 2025FM02836R02Db

第 4 部分 急救措施 Part 4 First aid measures

4.1 急救措施:

皮肤接触 Skin contact	立即脱去污染的衣物和鞋子,用温和的肥皂和清水彻底冲洗患处。如果刺激症状持续或发生皮疹,就医。污染的衣服清洗后方可重新使用。 Immediately remove contaminated clothing and shoes, and rinse the affected area thoroughly with mild soap and water. If irritation persists or if a rash occurs, seek medical attention. Contaminated garments should be washed before reuse.
眼睛接触 Eye contact	立即翻开上下眼睑,用流动清水或生理盐水冲洗几分钟,如戴隐形眼镜,摘除隐形眼镜,继续冲洗。如有不适感,就医。 Immediately open the upper and lower eyelids, rinse with running water or saline for a few minutes, if wearing contact lenses, remove the contact lenses, and continue to rinse. If you feel unwell, seek medical attention.
食入 Ingestion	如果意识清醒,用水漱口,切勿给失去知觉者喂食任何东西,立即就医。 If you are conscious, rinse your mouth with water, never feed anything to the unconscious person, and seek medical attention immediately.
吸入 Inhalation	如果感觉不适,离开暴露现场,以呼吸新鲜空气,保持呼吸道通畅,如果症状持续,就医。 If you feel unwell, leave the site of exposure to get some fresh air, keep your airway open, and seek medical attention if symptoms persist.

4.2 重要的症状和健康影响:

Important symptoms and health effects

刺激,致敏。

Irritating, sensitizing.

第 5 部分 消防措施 Part 5 Firefighting measures

灭火方法及灭火剂 Fire extinguishing methods and fire extinguishing agents	用抗乙醇泡沫,干粉或二氧化碳灭火。可以用水雾冷却暴露在火场中未打开的容器。避免用太强烈的水汽灭火,因为它可能使火苗蔓延分散。 Extinguish the fire with anti-ethanol foam, dry powder or carbon dioxide. Unopened containers exposed to fire can be cooled with water mist. Avoid extinguishing the fire with too strong water vapor as it may spread the flames.
源于此物质或混合物的特别的危害 Particular hazards arising from this substance or mixture	遇高热、明火及强氧化剂,易引起燃烧,如果发生火灾,可能会释放:氮氧化物,微量未完全燃烧的碳化合物,二氧化硅,甲醛,一氧化碳和二氧化碳。 In case of high heat, open flame and strong oxidant, it is easy to cause combustion, and if a fire occurs, it may release: nitrogen oxides, trace amounts of carbon compounds that are not completely burned, silica, formaldehyde, carbon monoxide and carbon dioxide.
保护消防人员的防护设备 Protective equipment to protect firefighters	疏散无关人员至安全区域,在安全距离处灭火,消防人员须穿适当的防护设备和正压自给式呼吸装置。 Evacuate unrelated personnel to a safe area, extinguish the fire at a safe distance, and firefighters must wear appropriate protective equipment and positive pressure self-contained breathing apparatus.
其他信息 Additional Information	发生化学火灾时务必谨慎,用水雾冷却暴露在火场中未打开的容器。避免污染的消防水流入下水道和水源。 It is important to exercise caution in the event of a chemical fire by cooling unopened containers exposed to the fire with water mist. Avoid polluted fire water from flowing into sewers and water sources



第 6 部分 泄漏应急处理

Part 6 Accidental release measures

应急处理 Emergency procedures	少量泄漏:用惰性材料吸收泄漏物, 用洁净的工具收集于适当的容器中, 待处理。 大量泄漏:筑堤收容, 防止泄漏物进入水体、下水道, 在专业人员指导下清除。收集的产品回收或运至废物处理场所处置。 Small leak: Absorb the leaked material with inert materials and collect it with clean tools in appropriate containers for disposal. Large leak: Build a dam to contain it, preventing the leaked material from entering water bodies or sewers, and remove it under the guidance of professionals. Recycle the collected products or transport them to waste disposal sites.
人员防护措施 Personal precautions and protection	将人员疏散到安全区域, 使用个人防护装备, 保证充分的通风, 避免直接接触泄漏物, 避免吸入蒸汽或雾滴。 Evacuate people to a safe area, use personal protective equipment, ensure adequate ventilation, avoid direct contact with spills, and avoid inhaling vapors or droplets.
环境保护措施 Environmental precautions	如能确保安全, 可采取措施防止进一步的泄漏或溢出, 尽可能将泄漏液体收集在容器中。防止泄漏液体以及大量的清洁用水进入地表水和地下水。 Collect the leaked liquid in a container as much as possible. Ensure that the leaked liquid and a substantial quantity of cleaning water do not infiltrate surface water or groundwater.

第 7 部分 操作处置与储存

Part 7 Handling and storage

操作注意事项 Precautions for handling	确保充足的通风, 特别是在密闭区域。使用适当的防护设备, 见第八部分, 避免吸入高浓度蒸气或雾滴, 避免接触皮肤和眼睛。不使用时, 保证包装容器的密闭。确保工作区域附近有洗眼台和安全淋浴装置, 在处理产品时, 不要在现场进食, 吸烟。操作后, 进食、饮水和抽烟前用清水和肥皂洗手, 污染的衣服清洗后再重新使用。远离火种、热源、防静电, 避免与氧化剂接触。 Ensure adequate ventilation, especially in confined areas. Use appropriate protective equipment, see Section VIII, avoid inhaling highly concentrated vapors or droplets, and avoid contact with skin and eyes. When not in use, ensure that the packaging container is tightly sealed. Make sure there are eyewash tables and safety showers near the work area, and when handling products, do not eat or smoke on site. After the procedure, wash your hands with water and soap before eating, drinking, and smoking, and wash contaminated clothes before reusing them. Keep away from fire, heat source, anti-static, and avoid contact with oxidants.
储存注意事项 Precautions for storage	保持容器密闭, 置于阴凉, 通风良好的地方。存放处须加锁。避免潮湿和水, 湿度过大, 本产品会释放丁酮肟(MEKO)。远离热源, 火花和明火。将容器保持直立状态。不重复使用空的容器。不使容器坠落、拖拽或撞击。请勿焊接。请勿让儿童接触。 Keep the container tightly closed and in a cool, well-ventilated place. Locks must be placed in the storage area. Avoid moisture and water, excessive humidity will release butanone oxime (MEKO). Keep away from heat, sparks and open flames. Keep the container upright. Don't reuse empty containers. Do not allow the container to fall, drag or impact. Do not solder. Keep out of reach of children.



编号 (Report No.) : 2025FM02836R02Db

第 8 部分 接触控制&个体防护

Part 8 Exposure controls/personal protection

设备措施 Equipment Measures	在工作区域提供良好的通风或排气系统。应用后至少 24 小时注意通风, 如局部排气, 机械通风或门打开。 Provide good ventilation or exhaust systems in the work area. Pay attention to ventilation, such as local exhaust, mechanical ventilation, or keeping doors open for at least 24 hours after application.
防护设备 Protective Equipment	建议戴安全眼镜或面罩, 面罩与安全眼镜请使用经官方标准检测与批准的设备。 戴塑料或橡胶防护手套, 全套防化学试剂工作服。 如危险性评测显示需要使用空气净化的防毒面具, 请使用全面罩式多功能防毒面具作为防护设备的候补。如果防毒面具是保护的唯一方式, 则使用全面罩式送风防毒面具。呼吸器使用经过测试并通过政府标准的呼吸器和零件。 It is recommended to wear safety glasses or face shields, and use equipment that has been tested and approved by official standards for face shields and safety glasses. Wear plastic or rubber protective gloves and a full set of chemical protection coveralls. If the hazard assessment indicates that an air-purifying gas mask is required, use a full-face multi-purpose gas mask as a stand-in for protective equipment. If a gas mask is the only way to protect, a full-face venturized gas mask is used. Respirators use respirators and parts that have been tested and passed government standards.
卫生措施 Hygiene measures	工作完后需彻底洗手, 维持工作场所干净整洁。污染的衣服清洗后方可重新使用。 Wash your hands thoroughly after work and keep your workplace clean and clean. Contaminated garments should be washed before reuse.

第 9 部分 理化特性*

Part 9 Physical and chemical properties

外观与性状* Appearance	白色膏体。 White paste.
pH (25℃) * pH	无数据。 No data available.
相对密度 (20℃) Relative density	无数据。 No data available.
闪点* Flash point(Closed cup,℃)	60° C 未见闪点 (闭杯), 80° C 未见闪点 (闭杯) No flash point at 60°C (closed cup) and no flash point at 80°C (closed cup).

*: 上述理化特性数据是由本机构通过测试委托方提供的样品所得出的结果。The above physicochemical property data are the results obtained by testing the sample provided by the applicant.



编号 (Report No.) : 2025FM02836R02Db

第 10 部分 稳定性和反应性*

Part 10 Stability and reactivity

化学稳定性 Reactivity	在正常条件下稳定。 Stable under normal conditions
反应性 Chemical stability	在正常条件下无危险性。 Non-hazardous under proper operation and storage conditions.
其他信息 others	无。 None.
应避免的环境 Environments that should be avoided	高热, 水, 潮湿。 High heat, water, humidity.
危险的分解产物 Dangerous decomposition products	如果发生火灾或高热情况下, 可能会释放: 氮氧化物(NOx), 微量未完全燃烧的碳化合物, 二氧化硅, 甲醛, 一氧化碳和二氧化碳。高湿度下分解产物-丁酮肟 (MEKO)。 In the event of a fire or high heat, it may be released: ammonia oxides (NOx), trace amounts of carbon compounds that are not completely burned, silica, formaldehyde, carbon monoxide and carbon dioxide. Decomposition product at high humidity - butanone oxime (MEKO).

*: 根据委托方提供的样品所得出的结果, 如产品加工方式等可能引起主要成分变化的, 则可能会导致其性质发生改变。

The results are obtained based on the sample provided by the applicant. If the product processing method may cause changes in the main components, it may lead to changes in its properties.

第 11 部分 毒理学信息^[1]

Part 11 Toxicological information

急性毒性 Acute Toxicity	无数据。 No data available.
眼损伤/刺激 eye damage/irritation	无数据。 No data available.
致突变性 mutagenicity	无数据。 No data available.
生殖毒性 Reproductive toxicity	无数据。 No data available.
致敏性 Skin sensitization	可能造成皮肤过敏。 May cause skin irritation.
致癌性 Carcinogenicity	无数据。 No data available.
其他 others	STOT 长期或反复接触可能对器官造成伤害。受影响的器官: 血液。接触途径: 口服。 Prolonged or repeated exposure to STOT can cause harm to organs. Organs affected: Blood. Route of exposure: Oral.



编号 (Report No.) : 2025FM02836R02Db

第 12 部分 生态学信息

Part 12 Ecological information

生态毒性 Ecological toxicity	对水生生物有毒，可能对水体环境产生不良影响。 Toxic to aquatic organisms and may have adverse effects on the aquatic environment
持久性和降解性 Persistence and degradability	无数据。 No data available.

第 13 部分 废弃处置

Part 13 Disposal considerations

废弃注意事项 Disposal considerations	废弃物应倾入专用桶(带盖)内，并集中处理，禁止排入下水道，大量废弃处置前应参阅国家、地方以及当地环保部门的有关法规。 Waste should be poured into a special barrel (with a lid) and treated centrally, it is forbidden to discharge into the sewer, and the relevant laws and regulations of the national, local and local environmental protection departments should be referred to before a large amount of waste disposal.
--	--

第 14 部分 运输信息*

Part 14 Transport information

条例 Regulations	国际航空运输协会 DGR(第 66 版) International Air Transport Association DGR (66 th edition)	国际海运危险货物规则(2020 年版) International Maritime Dangerous Goods Code (2020 edition)
联合国编号 UN No.	不受管制。 Not regulated.	不受监管。 Not regulated.
正确的装运名称 proper shipping name	不受管制。 Not regulated.	不受监管。 Not regulated.
危险类别/类别 Transport subsidiary hazard class	不受管制。 Not regulated.	不受监管。 Not regulated.
包装组 Packing group	不受管制。 Not regulated.	不受监管。 Not regulated.
包装方法 Packing provision	不受管制。 Not regulated.	不受监管。 Not regulated.
环境危害 Environmental pollutant	不受环境有害物质/海洋污染物管制。 Not regulated by environmentally hazardous substances/marine pollutants.	

*: 根据委托方提供的样品所得出的结果，如产品加工方式等可能引起主要成分变化的，则可能会导致其性质发生改变。

The results are obtained based on the sample provided by the applicant. If the product processing method may cause changes in the main components, it may lead to changes in its properties.



编号 (Report No.) : 2025FM02836R02Db

第 15 部分 监管信息

Part15: Regulatory information

国内权威机构规定 Domestic Authority Regulations	危险化学品安全管理条例(2011 年)。 该物质未列入《化学品分类和危险性通报通则》(GB13690-2009) Regulations on the Safety Management of Hazardous Chemicals (2011). This substance is not listed in the 'General Rules for Classification and Hazard Communication of Chemicals' (GB13690-2009).
国际条例 International Regulations	欧盟委员会第 1907/2006 号条例(REACH)及其修正案; 欧盟委员会第 1272/2008 号条例(CLP)及其修正案; 废物框架指令 2008/98/EC 及其修正案。 European Commission Regulation No. 1907/2006 (REACH) and its amendments; European Commission Regulation No. 1272/2008 (CLP) and its amendments; Waste Framework Directive 2008/98/EC and its amendments.

第 16 部分 其他资料

Part 16 Others

编制依据 Reference	GB/T 16483-2008 化学品安全技术说明书 内容和项目顺序 GB/T 17519-2013 化学品安全技术说明书编写指南 国际化学品安全规划署: 国际化学品安全卡 (ICSC) 网 址: http://www.ilo.org/dyn/icsc/showcard.home 欧盟 REACH 已注册物质数据库 网 t: http://echa.europa.eu/web/guestinformation-on-chemicals/registered-substances OECD 全球化学品信息平台 网址: http://www.echemportal.org/echemportal/index?pageID=0&request locale-en 美国 CAMEO 化学物质数据库 网址: http://cameochemicals.noaa.gov/search/simple 美国医学图书馆: 化学品标识数据库 网址: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp 美国环境保护署: 综合危险性信息系统 网址: http://cfpub.epa.gov/iris/
修改说明 Information on revision	无 None.

本报告替代 2025 年 08 月 22 日签发的 2025FM02836R02Da 报告, 原报告作废。

This report replaces the 2025FM02836R02Da report issued on August 22, 2025, and the original report is invalid.

制表:
Editor

苗. 晖

审核:
Verifier

孙. 延. 丽

批准:
Approver

林. 保