

Cucumber Report

28 Sept 2026, 11:45:31

Start : Sept 28, 11:45:03.240 am	End : Sept 28, 11:45:30.149 am	Duration : 26.909 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Jewelry Feature	26.909 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	Jewelry Feature	User should navigate to login page successfully

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test123	1	0	1	0	1	0	1	0
@author_Shilpa	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Jewelry Feature	1	0	1	0	26.909 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Jewelry Feature	User should navigate to login page successfully	3	2	1	0	26.905 s


Jewelry Feature

FAILED	DURATION - 26.909 s	Scenarios		Steps	
/ 11:45:03.240 am // 11:45:30.149 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 3 Pass - 2 Fail - 1 Skip - 0	

User should navigate to login page successfully

FAILED	DURATION - 26.905 s		Steps	
/ 11:45:03.244 am // 11:45:30.149 am /			Total - 3 Pass - 2 Fail - 1 Skip - 0	
Jewelry Feature				
@Test123 @author_Shilpa				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on login link	PASSED	0.463 s
3	Then I should able to click on the Jewelry link successfully	FAILED	20.104 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"//li[@class='inactive']//a[normalize-space()='Jewelry']"} (Session info: chrome=154.0.8037.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.38.0', revision: '6b412e825c*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92593390429672069dc77465eb5dcea2, findElement {using=link text, value=//li[@class='inactive']//a[normalize-space()='Jewelry']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 154.0.8037.58, chrome: {chromedriverVersion: 154.0.8037.57 (73c14f6228d7..., userDataDir: C:\Users\SHIL~1.PAT\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62253}, goog:processID: 15632, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62253/devtoo..., se:cdpVersion: 154.0.8037.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:cmtgKey: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 92593390429672069dc77465eb5dcea2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:50) at com.nopcommerce.demo.pages.JewelryPage.clickOnJewelryLink(JewelryPage.java:18) at com.nopcommerce.demo.steps.JewelrySteps.iShouldAbleToClickOnTheJewelryLinkSuccessfully(JewelrySteps.java:11) at ?.I should able to click on the Jewelry link successfully(file:///C:/Users/shil.patel/IdeaProjects/sample-cucumber-project-master/src/test/resources/features/Jewelry.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should navigate to login page successfully 	PASSED	1.621 s