Statistics I
40 Questions

1. The collection of information from the whole population.

A   Population   ● Census

C   Sample   D   Survey

2. What is the value that lies in the middle of the data when the data is ordered?

● Median   B   Mean

C   Mode   D   Average

3. Which one of the following survey questions would generate categorical data?

A   How many times do you eat at your favorite fast-food place in a typical week?   B   How many items did you buy last time you went to your favourite fast food place?

●   Which is your favourite fast food?   D   How much do you usually spend buying your favourite fast food?

4. A Quantitative Continuous Variable can take any numerical value within a certain range and is often a result of measuring. Which best describes continuous variables?

A   The number of computers in a school   B   How many questions are in this assignment

●   The distance from Salem to Portland   D   The number of students in a school

5.

Describe the shape of the graph.

A   Skewed right   ● Skewed left

C   Uniform   D   Symmetrical

6. A quantity calculated from the data gathered from the sample.

A   Parameter   B   Data

●   Statistics   D   Cencus

7. This is the value that is most frequently occurring.

A   Range   B   Mean

C   Median   ● Mode

8. The _____ of a class is the sum of the lower and upper limits of the class divided by two.

A   interval   ● midpoint

C   relative frequency   D   cumulative frequency

9. Information about individuals in a population.

A   Parameter   ● Data

C   Statistics   D   Cencus

10.

Describe the shape of the graph.

A Skewed right

B Skewed left

C Uniform

● Symmetrical

11. When a dataset has an even number of values, the median is (جرب قبل ما تهبد)

A the same as the mean of the entire dataset.

B the mean of the highest and lowest values in the dataset.

C A and B

● none of them

12.

Order the dot plots from least to greatest standard deviation.

● A, D, C, B

B B, C, D, A

C A, D, B, C

D B, C, A, D

13. A defined collection of individuals or objects about which we want to draw conclusions.

● Population

B Census

C Sample

D Survey

14.

Favorite Ice Cream

How many total people took the survey?

A	50	B	150
● (C)	100	D	200

15.   A subset of the population which we want to collect information from. This must be random to avoid a bias result.

A	Population	B	Census
● (C)	Sample	D	Survey

16.   A Quantitative Variable has numerical value. The information collected is called what?

A	Numbers	● (B)	Numerical Data
C	Sample Size	D	Evidence

17.   If the mean score for two different datasets is the same, the standard deviation will necessarily be the same.

● (A)	true	B	false

18.

Stem	Leaf
8	1 4 5 6
9	3 4 7
10	0 2 3
11	0 1

What is the highest value on this stem and leaf plot?(سيرش)

A	11	B	1,101
C	110	●	111

19. Which of the following is a characteristic of the range? Check all that apply.

A	All values in the distribution are used in the calculation.	●	It is influenced by extreme values.
C	It is dependent on the standard deviation	D	All of them

20.

Nose lengths (mm)

What kind of graph is this?

●	frequency histogram	B	ogive
C	frequency polygon	D	frequency distribution

21. If an experiment is repeated correctly several times, it should yield (ع الهادي)

●	a distribution of measurements around some central value.	B	a single value that is obtained each and every time.
C	widely and randomly varying results.	D	unpredictable results.

22. Range of the data:
7,9,19,22,27,29,35.

| A | 23 | B | 22 |
| ● | 28 | D | None |

23. If a number is added to the set that is in the middle of the data, how does this affect the range?

| A | increase | B | decrease |
| C ● | stay the same | D | both increase and decrease |

24. Find the median of the data set.
3 ,5 ,7 ,9 ,11

| A | 3 | ● | 7 |
| C | 11 | D | 9 |

25. Categorical Variables describe a particular characteristic. The data is divided into categories. Which best shows categorical data?

| A | Coke
Salad
Pizza | ● | Target
WalMart
Sears |
| C | Target
Taco Bell
Safeway | D | Boy
Girl
Cat |

26. The average score of a class in a test is 90. What would happen to the mean if another student scored 80?

| A | Increase | ● | Decrease |
| C | Stay the same | | |

27. How many values are within one standard deviation of the mean?
180, 313, 101, 255, 202, 198, 109, 183, 181, 113, 171, 165, 318, 145, 131, 145, 226, 113, 268, 108

A	9	B	10
●	11	D	12

28. What is a data entry that is far removed from the other entries in the data set

●	Outlier	B	Inlier
C	Weighted Mean	D	Frequency

29. The _____ of a data set is the sum of the data entries divided by the number of entries.

●	Mean	B	Median
C	Mode	D	Range

30. If a number is added to a set that is far away from the mean, how does this affect standard deviation?

●	increase	B	decrease
C	stay the same	D	both increase and decrease

31. Mode for 23,45,46,33,44,32,49.

●	None	B	44
C	49	D	23

32. Two types of data scientists collect are...

A	random and sample	●	qualitative and quantitative
C	descriptive and inferential	D	parameter and statistic

33. Which answer best describes standard deviation?

A Standard deviation is a measure of the spread of a dataset.

B Standard deviation indicates how much individual values vary from the mean.

C Standard deviation helps scientists summarize how much variation there is in a dataset or population.

● All of the answers are correct.

34. If a dataset is evenly distributed around the mean, this is certainly called a

● normal distribution

B symmetric distribution

C bell curve

D all of them

35. How do you find range?

● Subtract the highest and lowest value

B Add all the numbers and divide

C Find the middle

D It is the highest number

36.

Which of the following statements is FALSE about the box plot shown below. The graph shows the weights of small dogs recentlybrought into the vet clinic.

A The smallest dog was 2 pounds.

B The average weight of a dog was about 11.5 pounds.

C The range of the weight of the dogs was 21 pounds.

● 25% of the dogs weighed over 14.5 pounds.

37. Identify the outlier for the given data?
23, 34, 27, 7, 30, 26, 28, 31, 34

● 7

B 23

C 31

D 34

38. Find the midpoint:
    3 , 5 , 7 , 1

A   there is no midpont for this group   B   6

C   5.5   ● 4

39. A numerical quantity measuring some aspect of a population.

● Parameter   B   Data

C   Statistics   D   Cencus

40. A Quantitative Discrete Variable takes exact number values and is often a result of counting. Which best describes discrete variables?

A   The score on your last test   B   How long it takes to drive to Seattle

C   The distance from Salem to Portland   ● The number of students in a school