# COMP5111 Assignment 2 Task 3 LLM Report

## **Problem**

The problem I use LLMs to solve is generating tests for a given method, aiming to achieve high branch coverage.

# **Prompt**

Please generate 5 tests for the following method with high branch coverage:

### **Justification**

I directly ask GPT to generate tests and emphasize on the branch coverage. Some of the tests fail and help me to locate the errors successfully.

Below is an example of GPT response:

Sure, here are 5 tests for the given method that aim to achieve high branch coverage:

Test 1: Test with valid indices

```
int[] array = {1, 2, 3, 4, 5};
int from = 1;
int to = 3;
int[] expected = {1, 3, 2, 4, 5};
int[] actual = reverse(array, from, to);
assertArrayEquals(expected, actual);
```

Test 2: Test with invalid indices

```
int[] array = {1, 2, 3, 4, 5};
int from = 3;
int to = 1;
int[] expected = null;
int[] actual = reverse(array, from, to);
assertArrayEquals(expected, actual);
```

#### Test 3: Test with from index at the beginning of the array

```
int[] array = {1, 2, 3, 4, 5};
int from = 0;
int to = 2;
int[] expected = {3, 2, 1, 4, 5};
int[] actual = reverse(array, from, to);
assertArrayEquals(expected, actual);
```

### Test 4: Test with to index at the end of the array

```
int[] array = {1, 2, 3, 4, 5};
int from = 2;
int to = 4;
int[] expected = {1, 2, 4, 3, 5};
int[] actual = reverse(array, from, to);
assertArrayEquals(expected, actual);
```

### Test 5: Test with single element array

```
int[] array = {1};
int from = 0;
int to = 0;
int[] expected = {1};
int[] actual = reverse(array, from, to);
assertArrayEquals(expected, actual);
```