

HabitFlow

Screen Details

Fifteen screens specified to Jetpack Compose level — every element numbered, measured in dp and sp, named against a design token, and paired with the behaviour it triggers.

NAME	EXAM ROLL	ROLL	PLATFORM	THEME
Shimul Baidya	220419	359	Android · Kotlin	Lifestyle (Habits)



Habits stay on the device. The Coach is the one online call.

Six conventions hold across all fifteen screen slides.

1

Numbered badges

Every callout on a mockup carries a number. The row with the same number in the table beside it is that element's full specification.

3

Units

dp for anything measured, sp for anything typed, ms for motion. No pixel values appear in this document.

5

Screen IDs are permanent

SCR-01 to SCR-15 are used again in the UI Flow document, so a node there points at exactly one slide here.

2

Colours are named, not hard-coded

Specs reference tokens such as primary or on.surface. HabitFlow ships light and dark, so slide 3 is the only place a hex value appears — resolve every token there and nowhere else.

4

Components are specified once

Slide 5 defines twelve reusable components. A row that reads C-01 inherits that entire specification; only the differences are restated.

6

Footer strip

Purpose, where the screen is entered from, where it exits to, which Room entities feed it, and every state it must handle.

A row with no badge

Numbers past the last badge describe behaviour with no single visual anchor — navigation rules, request scope, persistence. Those numbers appear in grey in the table and nowhere on the mockup.

Scope of this document

Fifteen screens across five sections: Entry, Daily use, Habit management, AI Coach and Insight/Account. Screen-to-screen navigation is specified in Document 2, the UI Flow.

The only slide in this document that contains a hex value. Every screen specification names a token and resolves it here.

Token	Light	Dark	Used for
surface	#F3F7F5	#0F1A1C	Screen background
surface.card	FFFFFF	#162427	Habit rows, stat cards, sheets
surface.sunken	#E7EEEB	#0A1416	Chart tracks, progress rails
on.surface	#0D1B1E	#ECF3F1	Habit names, headings, values
on.surface.muted	#5C7075	#9DB0B3	Sub-labels, units, helper text
on.surface.faint	#8A9B9E	#6E8285	Placeholders, inactive nav
primary	#0F766E	#2DD4BF	Filled buttons, done rings, active nav
on.primary	FFFFFF	#04201E	Text and icons on primary
primary.container	#D7EBE5	#123A38	Apply pills, coach callouts, chips
on.primary.container	#0B5A54	#A7E8DF	Text on primary.container
danger	#C2410C	#F87171	Broken streak, destructive actions
danger.container	#FBEBE8	#33201E	Needs-attention banner background
outline	#E5ECE9	#24363A	Card hairlines, dividers
scrim	#0D1B1E	#000000	Behind bottom sheets, 55% alpha

Dark values are tuned for contrast, not inverted. *primary* lifts to 2DD4BF so a completion ring stays legible on a dark surface; *danger* lifts for the same reason.

Foundations — type, spacing and metrics

Nine type roles and nine layout rules. No value outside these appears on any screen slide.

Role	Size	Weight	Line	Used for
display	32sp	Bold	38sp	Greeting name, splash wordmark
headline	26sp	Bold	32sp	App bar titles, screen titles
title.lg	22sp	Bold	28sp	Section headings, empty-state titles
title	20sp	Bold	26sp	Habit names, card titles
stat	32sp	Bold	36sp	Streak and percentage figures
body	16sp	Regular	22sp	Coach prose, descriptions
caption	14sp	Regular	19sp	Sub-labels, goal text, units
label	12sp	Bold	16sp	ALL-CAPS section labels, +1.5sp tracking
micro	11sp	Bold	14sp	Strategy tags, nav labels


Layout rules

Design viewport	393 x 832 dp (Pixel-class); all values scale from this
Screen gutter	20dp left and right on every screen
Spacing scale	4 / 8 / 12 / 16 / 20 / 24 / 32 dp — no other values
Corner radius	sm 8dp · md 12dp · card 16dp · sheet 24dp · pill 50%
Elevation	Cards 0dp + 1dp outline · bottom sheet 8dp · dialog 12dp
Touch target	48 x 48dp minimum on every tappable element
Icon sizes	20dp inline · 24dp nav and app bar · 44dp empty-state
Motion	Ring fill 300ms · sheet 250ms · nav fade 150ms, all standard easing
Type face	Roboto — the Compose default; no font is bundled with the APK

Twelve reusable components. A screen row that reads C-01 inherits this entire specification; only differences are restated.

ID	Component	Composable	Specification	Appears on
C-01	Habit row	Card + Row	72dp tall, 16dp radius, surface.card, 1dp outline, 16dp inner padding	SCR-04, SCR-03
C-02	Completion ring	Canvas + IconButton	40dp outer, 4dp stroke, primary sweep on surface.sunken track, 300ms fill	SCR-04
C-03	Streak chip	Row + Text	Flame icon 16dp + count in title/20sp primary; danger when streak is 0	SCR-04, SCR-07, SCR-08
C-04	Stat trio	Row of 3 Column	Equal weight, stat/32sp value + label/12sp caps, 24dp above and below	SCR-07, SCR-08, SCR-12, SCR-13
C-05	Month grid	LazyVerticalGrid(7)	28dp dot, 8dp gap; filled = done, sunken = missed, 2dp primary outline = today	SCR-07, SCR-08
C-06	Suggestion card	Card + Column	16dp radius, title/20sp, caption body, Apply pill right, micro tag beneath	SCR-06, SCR-09, SCR-10
C-07	Apply pill	Button(shape = pill)	78 x 32dp, primary.container fill, on.primary.container label at micro/11sp	SCR-06, SCR-09
C-08	Primary button	Button	56dp tall, full width minus gutters, pill shape, primary fill, title/20sp	SCR-02, SCR-03, SCR-05
C-09	Bottom nav	NavigationBar	72dp tall, 4 items, primary when selected, on.surface.faint when not	SCR-03, SCR-04, SCR-12, SCR-13, SCR-15
C-10	Section label	Text	label/12sp caps, +1.5sp tracking, on.surface.muted, 12dp below the block above	All screens
C-11	Coach input bar	OutlinedTextField + FAB	44dp field, pill shape, 44dp send button; docked, keyboard-aware	SCR-06, SCR-09, SCR-10
C-12	Bottom sheet	ModalBottomSheet	24dp top radius, 8dp elevation, 32dp drag handle, 55% scrim behind	SCR-14


Fifteen screens. These IDs are reused unchanged in Document 2, the UI Flow.



SCR-01

Splash


Entry



SCR-02

Onboarding


Entry



SCR-03

Home — empty state


Daily use



SCR-04

Home — today


Daily use



SCR-05

New habit


Habit management



SCR-06

Coach — plan a new habit


AI Coach



SCR-07

Habit detail — healthy


Habit management



SCR-08

Habit detail — streak broken


Habit management



SCR-09

Coach — suggestions


AI Coach



SCR-10

Coach — applied


AI Coach



SCR-11

Coach — offline

AI Coach



SCR-12

Progress — week


Insight



SCR-13

Progress — month


Insight



SCR-14

Edit and delete sheet

Habit management




SCR-15

Profile and settings

Account

Holds the first frame while Room opens and the habit list is read.



#	Element	Composable	Specification	Behaviour
1	Status bar	WindowInsets	Light icons; window background = on.surface	Edge-to-edge, transparent
2	Brand mark	Canvas	192dp circle, 5dp primary ring, 24dp check glyph	Scales 0.92 to 1.0 over 220ms
3	Wordmark	Text	display/32sp Bold, on.primary	Static
4	Tagline	Text	caption/14sp, primary.container at 70% alpha	Static
5	Load bar	LinearProgressIndicator	80 x 4dp, pill, primary on 20% track	Indeterminate; hidden if ready under 400ms
6	Screen background	Surface	Token on.surface in both themes — splash is always dark	No theme switch
7	Route decision	LaunchedEffect	Minimum 600ms, maximum 3000ms on screen	Reads onboardingComplete, then navigates
8	Failure path	Snackbar on SCR-04	If Room throws, open an empty Home and surface a retry	Never blocks on the splash

PURPOSE

Holds the first frame while Room opens and the habit list is read.

ENTERED FROM

Cold launch (launcher icon)

EXITS TO

SCR-02 first run · SCR-04 otherwise


DATA SOURCE

SettingsDao.onboardingComplete · HabitDao.count()

STATES

Loading · DB migration · corrupt DB fallback

Three panes that explain the one interaction the app depends on: a daily tap.



#	Element	Composable	Specification	Behaviour
1	Skip	TextButton	caption/14sp Bold, on.surface.muted, 20dp gutter, 48dp target	Writes onboardingComplete, jumps to SCR-03
2	Illustration	Box + 3 Card	Stacked cards 60dp apart, alpha 0.35 / 0.6 / 1.0	Top card animates in 400ms on pane change
3	Headline	Text	headline/26sp Bold, on.surface, 20dp gutter	Changes per pane
4	Body	Text	body/16sp, on.surface.muted, 24sp line height, max 3 lines	Changes per pane
5	Pager dots	Row + Box	8dp dots, active 28 x 8dp pill primary, 10dp gap	Reflects HorizontalPager state
6	Continue	C-08	Full width minus gutters, 56dp, primary	Advances pager; last pane finishes onboarding
7	Restore	TextButton	caption/14sp, on.surface.muted, centred	Opens the import sheet — phase 2, disabled at v1
8	Pager	HorizontalPager	3 pages, swipe enabled both directions	Back on pane 1 exits the app
9	Back handling	BackHandler	Pane 2 and 3 return to the previous pane	Never returns to SCR-01

PURPOSE

Three panes that explain the one interaction the app depends on: a daily tap.

ENTERED FROM

SCR-01 when onboardingComplete is false

EXITS TO

SCR-03 empty Home after the last pane


DATA SOURCE

SettingsEntity.onboardingComplete (write on finish)

STATES

Pane 1 of 3 · swipe back · skip

First-run Home. The only job of this screen is to get one habit created.



#	Element	Composable	Specification	Behaviour
1	Greeting	Column	title.lg/22sp muted over display/32sp Bold on.surface	Time-of-day string; name from settings
2	Date chip	Card	72 x 64dp, 12dp radius, surface.card	Static, no tap
3	Empty card	Card	Full width minus gutters, 20dp radius, 32dp inner padding	Only shown when habit count is 0
4	Empty icon	Box + Icon	88dp circle primary.container, 36dp plus in primary	Decorative, not focusable
5	Primary action	C-08	56dp, primary, label 'Add your first habit'	Navigates to SCR-05
6	Coach shortcut	Card + Row	88dp tall, 16dp radius, 1dp outline, 44dp leading circle	Opens SCR-06 with no habit pre-selected
7	Bottom nav	C-09	Home selected; Progress and Coach visible but disabled	Disabled tabs show a one-line explanation
8	Screen scroll	Column + verticalScroll	Content is short — no LazyColumn until a habit exists	Scrolls only on small screens
9	Transition	Crossfade	Empty to populated crossfades over 200ms	Triggered by the first insert

PURPOSE

First-run Home. The only job of this screen is to get one habit created.

ENTERED FROM

SCR-02 · SCR-04 when the last habit is deleted

EXITS TO

SCR-05 create · SCR-06 coach · nav tabs


DATA SOURCE

HabitDao.observeAll() returning an empty list

STATES

Empty (this screen) · loading skeleton · populated becomes SCR-04

The daily hub. Every habit and its streak on the first screen, one tap to log.



#	Element	Composable	Specification	Behaviour
1	Status bar	WindowInsets	Edge-to-edge; icons follow the theme	Content draws under it
2	Greeting	Column	title.lg/22sp muted + display/32sp Bold on.surface, 20dp gutter	Morning / afternoon / evening by clock
3	Date chip	Card	72 x 64dp, 12dp radius, surface.card, weekday over date	Static
4	Today ring	C-02 (large)	64dp outer, 6dp stroke, primary sweep = done / total	Animates 300ms when a habit is checked
5	Streak block	Column	stat/32sp Bold primary + label/12sp caps muted	Shows the longest active streak
6	Section header	Row	title/20sp Bold + caption/14sp counter, 24dp above	Counter is done of total
7	Habit row	C-01	72dp, 16dp radius, surface.card, 1dp outline, 8dp between rows	Tap opens SCR-07 or SCR-08
8	Completion ring	C-02	40dp, 4dp stroke, 48dp touch target	Tap toggles today; 300ms fill; haptic on complete

PURPOSE

The daily hub. Every habit and its streak on the first screen, one tap to log.

ENTERED FROM

SCR-01 · SCR-02 · bottom nav from any tab

EXITS TO

SCR-05 add · SCR-07 or SCR-08 detail · SCR-12 · SCR-09


DATA SOURCE

HabitDao.observeAll() + CompletionDao.observeForDate(today)

STATES

Populated · empty is SCR-03 · loading skeleton · all-done celebration

Specification continued — same screen, same numbering.



#	Element	Composable	Specification	Behaviour
9	Streak counter	C-03	16dp flame + title/20sp primary	Danger token and a broken glyph when the count is 0
10	At-risk row	C-01 variant	Same metrics; streak reads 0 in danger	Sorted under the Needs attention divider
11	Needs attention	Row + Divider	label/12sp caps in danger, 20dp above and 12dp below	Only rendered when at least one habit is at risk
12	Add habit	FloatingActionButton	56dp, primary, 2dp elevation, 16dp from both edges	Opens SCR-05
13	Bottom nav	C-09	72dp, Home selected	Tab switch is a fade, never a slide

PURPOSE

The daily hub. Every habit and its streak on the first screen, one tap to log.

ENTERED FROM

SCR-01 · SCR-02 · bottom nav from any tab

EXITS TO

SCR-05 add · SCR-07 or SCR-08 detail · SCR-12 · SCR-09


DATA SOURCE

HabitDao.observeAll() + CompletionDao.observeForDate(today)

STATES

Populated · empty is SCR-03 · loading skeleton · all-done celebration

Creates a habit. Coach entry sits directly above Create, where a plan is most useful.



#	Element	Composable	Specification	Behaviour
1	Status bar	WindowInsets	Edge-to-edge	Content draws under it
2	App bar	TopAppBar	56dp, back chevron 24dp, headline/26sp Bold title	Back discards with a confirm if the form is dirty
3	Field label	C-10	label/12sp caps, +1.5sp tracking, on.surface.muted	Static
4	Name field	OutlinedTextField	60dp, 12dp radius, 2dp primary border when focused, title/20sp	Required; error state after an empty submit
5	Icon and colour label	C-10	label/12sp caps, 24dp above	Static
6	Icon and colour	LazyRow	56dp swatches, 8dp gap, 2dp primary ring on the selection	Single select; defaults to the first swatch
7	Frequency label	C-10	label/12sp caps, 24dp above	Static
8	Frequency	SegmentedButtonRow	52dp tall, pill, 3 options, selected fills surface.card	Custom reveals the day picker below
9	Day picker	Row of 7 ToggleButton	40dp circles, 8dp gap, primary.container when on	Only enabled for Weekly and Custom
10	Coach card	Card + Row	116dp, 16dp radius, primary.container, 48dp leading circle	Opens SCR-06 carrying the draft habit
11	Create	C-08	56dp, primary, 20dp gutters, 24dp above the inset	Disabled until the name is non-blank
12	Scroll	Column + verticalScroll	Create stays docked; the form scrolls behind it	Keyboard insets applied to the docked area

PURPOSE

Creates a habit. Coach entry sits directly above Create, where a plan is most useful.

ENTERED FROM

SCR-03 · SCR-04 FAB

EXITS TO

SCR-06 coach · returns to SCR-04 on create


DATA SOURCE

HabitDao.insert(HabitEntity) · icon and colour enums

STATES

Empty form · name required · duplicate name · custom-days validation

Sizes a habit before it is created, so the first version is one that survives.



#	Element	Composable	Specification	Behaviour
1	App bar	TopAppBar	56dp, back chevron, headline/26sp Bold 'Coach'	Back returns without applying
2	Habit chip	Card + Row	Leading 4dp primary bar, title/20sp name, caption sub-line	Read-only context, not tappable
3	Section label	C-10	label/12sp caps, on.surface.muted	Static
4	Reading	Text	body/16sp on.surface, 24sp line height, max 4 lines	Model output; skeleton shimmer while loading
5	Group header	Text	title/20sp Bold, 24dp above the first card	Count is always three
6	Suggestion card	C-06	16dp radius, 1dp outline, 12dp between cards	Whole card is one tap target
7	Apply pill	C-07	78 x 32dp, primary.container, micro/11sp Bold	Writes the value into the draft, then returns
8	Strategy tag	Text	micro/11sp Bold caps, +1.5sp tracking, primary	The retrieved strategy shown as its source
9	Supporting line	Text	caption/14sp on.surface.muted, max 2 lines	One sentence of why
10	Input bar	C-11	44dp field + 44dp send, docked, 12dp above the inset	Keyboard-aware; send disabled when blank
11	Request scope	CoachService	Sends the draft name, frequency and habit count only	No completion history exists yet for a draft

PURPOSE

Sizes a habit before it is created, so the first version is one that survives.

ENTERED FROM

SCR-05 coach card · SCR-03 coach shortcut

EXITS TO

Back to SCR-05 with the applied values


DATA SOURCE

Draft habit + HabitDao counts; strategy cards; model response

STATES

Loading · loaded · applied · offline is SCR-11 · rate limited

The reward view: an unbroken chain, made visible enough to be worth protecting.



#	Element	Composable	Specification	Behaviour
1	App bar	TopAppBar	56dp, back chevron, overflow opens SCR-14	Title fades in on scroll
2	Title block	Column	headline/26sp Bold + caption/14sp muted frequency	Frequency string built from the schedule
3	Current streak	C-04 cell	stat/32sp Bold primary + label/12sp caps	Primary token while the streak is alive
4	Best and rate	C-04 cells	stat/32sp Bold on.surface, equal thirds	Rate is completions over scheduled days this month
5	Positive callout	Card + Row	76dp, 16dp radius, primary.container, 36dp check circle	Shown when current equals best and best is 7 or more
6	Month header	Row	title/20sp Bold month + caption/14sp muted ratio	Swipe the grid to change month
7	Month grid	C-05	7 columns, 28dp dots, 8dp gap, 4 to 6 rows	Tap a past day to correct it; future days disabled
8	Legend	Row	18dp dots + caption/14sp, 20dp apart	Static
9	Coach entry	OutlinedButton	56dp, pill, 2dp primary border, primary label	Opens SCR-09; label reads 'Ask the Coach' when healthy
10	Scroll	LazyColumn	Stats and callout scroll; app bar collapses	Button is docked, not in the scroll

PURPOSE

The reward view: an unbroken chain, made visible enough to be worth protecting.

ENTERED FROM

SCR-04 habit row · SCR-12 top streaks

EXITS TO

SCR-06 or SCR-09 coach · SCR-14 sheet · back to SCR-04


DATA SOURCE

HabitDao.byId + CompletionDao.observeMonth(habitId, month)

STATES

Healthy (this screen) · at risk is SCR-08 · new habit with no data

The pair that carries the project. The app names the pattern instead of hiding it.



#	Element	Composable	Specification	Behaviour
1	App bar	TopAppBar	56dp, back chevron, overflow opens SCR-14	Identical to SCR-07
2	Title block	Column	headline/26sp Bold + caption/14sp muted	Identical to SCR-07
3	Current streak	C-04 cell	stat/32sp Bold; reads 0d in on.surface, not danger	The number is neutral — the callout carries the tone
4	Best and rate	C-04 cells	stat/32sp Bold on.surface	Best is preserved through a break, never reset
5	Pattern callout	Card + Text	76dp, 16dp radius, danger.container, body/16sp on.surface	Sentence generated by StreakCalculator, not the model
6	Month header	Row	title/20sp Bold + caption/14sp ratio	Same as SCR-07
7	Month grid	C-05	Missed days use surface.sunken, not danger	Misses read as absence, not as failure
8	Legend	Row	18dp dots + caption/14sp	Static
9	Get a plan	C-08	56dp, primary fill — filled here, outlined on SCR-07	Opens SCR-09; the emphasis change is the whole point
10	Entry rule	ViewModel	At risk when 2 or more misses fall in the last 7 scheduled days	Drives which of SCR-07 and SCR-08 renders

PURPOSE

The pair that carries the project. The app names the pattern instead of hiding it.

ENTERED FROM

SCR-04 at-risk row · SCR-12

EXITS TO

SCR-09 coach · SCR-14 sheet · back to SCR-04


DATA SOURCE

Same as SCR-07; StreakCalculator flags the at-risk state

STATES

At risk (this screen) · healthy is SCR-07 · recovered after two clean days

The feature no other tracker has. Opens with what it noticed, not a blank chat box.



#	Element	Composable	Specification	Behaviour
1	App bar	TopAppBar	56dp, back chevron, headline/26sp Bold 'Coach'	Back returns to the detail screen
2	Habit chip	Card + Row	4dp leading primary bar, title/20sp name	Read-only context
3	Status line	Text	caption/14sp on.surface.muted, mid-dot separated	Streak state and completion rate
4	Section label	C-10	label/12sp caps 'WHAT I'M SEEING'	Static
5	Reading	Text	body/16sp on.surface, 24sp line height, max 4 lines	Model output; 3-line shimmer while loading
6	Group header	Text	title/20sp Bold, 24dp above	Always exactly three suggestions
7	Suggestion card	C-06	16dp radius, 1dp outline, 12dp gap	Whole card is tappable
8	Apply pill	C-07	78 x 32dp, primary.container	One tap writes the change; moves to SCR-10
9	Supporting line	Text	caption/14sp muted, max 2 lines	The reason, in one sentence

PURPOSE

The feature no other tracker has. Opens with what it noticed, not a blank chat box.

ENTERED FROM

SCR-08 Get a plan · SCR-07 Ask the Coach

EXITS TO

SCR-10 after Apply · back to the detail screen


DATA SOURCE

One habit's 30-day pattern + strategy knowledge base + model response

STATES

Loading · loaded · applied is SCR-10 · offline is SCR-11 · no pattern yet

Specification continued — same screen, same numbering.



#	Element	Composable	Specification	Behaviour
10	Strategy tag	Text	micro/11sp Bold caps primary	Names the retrieved strategy — the source, shown
11	Cards 2 and 3	C-06	Same metrics; list is never longer than three	Scrolls under the docked input bar
12	Input bar	C-11	44dp field + 44dp send, docked	Free-form follow-up about this habit only
13	Send	FilledIconButton	44dp circle, primary, 20dp glyph	Disabled while a request is in flight
14	Privacy rule	CoachService	Sends the question and one habit's 30-day summary	Never the habit list, the name or any identifier
15	Retrieval	StrategyRepository	About 50 local cards; top 3 by pattern match go in the prompt	Runs on device before the single network call

PURPOSE

The feature no other tracker has. Opens with what it noticed, not a blank chat box.

ENTERED FROM

SCR-08 Get a plan · SCR-07 Ask the Coach

EXITS TO

SCR-10 after Apply · back to the detail screen


DATA SOURCE

One habit's 30-day pattern + strategy knowledge base + model response

STATES

Loading · loaded · applied is SCR-10 · offline is SCR-11 · no pattern yet

Confirms the change, keeps history intact, and leaves the conversation open.



#	Element	Composable	Specification	Behaviour
1	Habit chip	Card + Row	Sub-line switches to 'Goal changed today'	Reflects the write immediately
2	Applied card	Card + Row	104dp, 16dp radius, primary.container, 36dp check circle	Inserted at the top of the thread
3	Undo	TextButton	caption/14sp Bold primary, 48dp target	Live for 10s, then the row is committed
4	User message	Card	Right aligned, max 76% width, 16dp radius, primary fill	on.primary text; 12dp between bubbles
5	Coach reply	Card	Left aligned, max 76% width, 1dp outline, surface.card	Carries the strategy tag when one applies
6	Input bar	C-11	Docked, 44dp field + 44dp send	Scrolls the thread to the bottom on send
7	Thread	LazyColumn(reverseLayout)	12dp between items, 20dp gutters	New messages append at the bottom
8	Write path	HabitManager	Goal is updated; completions and streak rows are untouched	A shrunk goal never resets a streak
9	Persistence	CoachMessageDao	Thread is stored per habit, capped at 50 messages	Cleared from SCR-15

PURPOSE

Confirms the change, keeps history intact, and leaves the conversation open.

ENTERED FROM

SCR-09 after an Apply

EXITS TO

Back to SCR-07 or SCR-08 with the new goal


DATA SOURCE

HabitDao.update(goal) · CoachMessageDao for the thread

STATES

Applied · undo window · follow-up in flight · offline is SCR-11

The Coach is the only online piece, so its failure has to be a designed state.



#	Element	Composable	Specification	Behaviour
1	Habit chip	Card + Row	Unchanged from SCR-09 — context survives the failure	Read-only
2	State icon	Box + Icon	148dp circle surface.sunken, 56dp glyph, danger slash	Decorative, not focusable
3	Headline	Text	title.lg/22sp Bold on.surface, centred	Copy varies by error type
4	Explanation	Text	body/16sp on.surface.muted, centred, max 3 lines	Names what still works — habits are local
5	Retry	OutlinedButton	52dp, pill, 2dp primary border	Exponential backoff; disabled 3s after a tap
6	Cached note	Card	72dp, 16dp radius, surface, 1dp outline	Only shown when a stored suggestion exists
7	Detection	ConnectivityManager	Checked before the call; no spinner when already offline	Fails fast rather than timing out
8	Data safety	Copy rule	Every error state states that local data is unaffected	Removes the fear the failure implies

PURPOSE

The Coach is the only online piece, so its failure has to be a designed state.

ENTERED FROM

SCR-06 · SCR-09 · SCR-10 when the request fails

EXITS TO

Retry stays here · back to the detail screen


DATA SOURCE

No network call; cached suggestions from CoachSuggestionDao

STATES

No connection · timeout · rate limited · server error — same layout, different copy

Rolls daily check-offs into weekly consistency, so movement survives a bad day.



#	Element	Composable	Specification	Behaviour
1	Screen title	Text	headline/26sp Bold on.surface, 20dp gutter	No back — this is a nav root
2	Range toggle	SegmentedButtonRow	116 x 36dp, pill, surface.sunken track, selected on surface.card	Week and Month; switches to SCR-13
3	Consistency	C-04 cell	stat/32sp Bold + label/12sp caps, left aligned	Scheduled days completed this week
4	Done and best	C-04 cells	Equal thirds across the content width	Best streak is all-time, not weekly
5	Stat labels	C-10	label/12sp caps, wraps to two lines	Wrapping is expected — 12sp holds two lines
6	Chart header	Row	title/20sp Bold + caption/14sp muted unit	Static
7	Bar chart	Canvas	7 bars, 24dp wide, 8dp radius, primary on surface.sunken track	Bars animate up over 400ms, staggered 40ms
8	Day axis	Row	caption/14sp muted, one letter per bar, today is Bold	Week starts per the SCR-15 setting
9	Top streaks	Text	title/20sp Bold, 24dp above the list	Hidden when no habit has a streak
10	Streak row	Card + Row	48dp, 12dp radius, 1dp outline, 8dp gap	Tap opens that habit's detail screen
11	Streak value	Text	title/20sp Bold primary, right aligned	Rail width is the value over the top streak
12	Bottom nav	C-09	Progress selected	Fade between tabs

PURPOSE

Rolls daily check-offs into weekly consistency, so movement survives a bad day.

ENTERED FROM

Bottom nav from any tab

EXITS TO

SCR-13 month toggle · SCR-07 or SCR-08 from a streak row


DATA SOURCE

StatsAggregator over CompletionDao.observeRange(week)

STATES

Populated · fewer than 7 days of data · no habits yet

Same screen, wider window. Five weekly bars replace seven daily ones.



#	Element	Composable	Specification	Behaviour
1	Range toggle	SegmentedButtonRow	Month selected; identical metrics to SCR-12	Toggling re-queries, it does not navigate
2	Consistency	C-04 cell	stat/32sp Bold; value is monthly, not weekly	Recomputed on range change
3	Done and best	C-04 cells	Label reads THIS MO rather than THIS WK	Only the label string differs
4	Chart header	Row	title/20sp Bold 'Weekly consistency'	Static
5	Bar chart	Canvas	5 bars, 34dp wide, 8dp radius; under 75% uses a lighter primary	Same 400ms stagger as SCR-12
6	Bar values	Text	micro/11sp muted above each bar	Omitted when a bar is under 10%
7	Streak row	Card + Row	48dp, 12dp radius, 1dp outline	Identical component to SCR-12
8	Streak value	Text	title/20sp Bold primary	Identical to SCR-12
9	Bottom nav	C-09	Progress selected	Unchanged
10	Shared screen	ProgressScreen(range)	SCR-12 and SCR-13 are one composable with a range parameter	Build once, not twice

PURPOSE

Same screen, wider window. Five weekly bars replace seven daily ones.

ENTERED FROM

SCR-12 range toggle

EXITS TO

SCR-12 · SCR-07 or SCR-08 from a streak row


DATA SOURCE

StatsAggregator over
CompletionDao.observeRange(month)

STATES

Populated · partial month · month with no completions

Every destructive path on one surface, with delete visually separated from the rest.



#	Element	Composable	Specification	Behaviour
1	Scrim	Scrim	on.surface at 55% alpha, 250ms fade	Tap outside dismisses
2	Drag handle	Box	32 x 4dp, pill, on.surface.faint, 12dp from the top	Drag down dismisses
3	Sheet header	Column	title/20sp Bold name + caption/14sp muted summary	Divider 1dp outline beneath
4	Action row	Row	72dp, 44dp leading circle primary.container, title/20sp label	Full-width ripple; 48dp minimum target
5	Delete	Row (danger)	Same metrics; label and circle use the danger tokens	Opens a confirm dialog naming the streak that is lost
6	Cancel	Button(tonal)	52dp, pill, surface, on.surface.muted label	Same as dismissing the sheet
7	Sheet	C-12	24dp top radius, 8dp elevation, wraps content	Never full height — the habit stays visible above
8	Archive	HabitManager	Sets archivedAt; the row leaves Home, history is kept	Snackbar with a 5s undo
9	Delete cascade	Room	onDelete = CASCADE from habit to completions	Irreversible; the dialog says so explicitly

PURPOSE

Every destructive path on one surface, with delete visually separated from the rest.

ENTERED FROM

SCR-07 or SCR-08 overflow · long-press a row on SCR-04

EXITS TO

SCR-05 in edit mode · back to the detail screen


DATA SOURCE

HabitDao.update / archive / delete (cascades completions)

STATES

Open · delete confirmation dialog · archive undo snackbar

Owns the fourth nav tab, the theme switch, and every Coach privacy control.



#	Element	Composable	Specification	Behaviour
1	Avatar	Box + Text	100dp circle primary.container, initials in title.lg/22sp	Local only; no account, no sign-in
2	Identity	Column	title/20sp Bold name + caption/14sp muted summary	Name is editable inline
3	Lifetime stats	C-04	Three cells, stat/32sp reduced to 24sp, label/12sp caps	All-time, not windowed
4	Section label	C-10	label/12sp caps, 24dp above each group	Preferences, Coach, Data
5	Toggle row	Row + Switch	56dp, title/20sp label over caption/14sp value	Writes on change; no save button
6	Theme row	Row + chevron	56dp; value reads Light, Dark or Follow system	Opens a 3-option dialog — this is the theme switch
7	Coach controls	Rows	Suggestions toggle plus Clear coach history	Toggle off hides every Coach entry point
8	Destructive	Row (danger)	Label and helper use the danger tokens	Type-to-confirm dialog before wiping
9	Bottom nav	C-09	Profile selected	Unchanged
10	Persistence	DataStore + Room	Preferences in DataStore, counts from Room	Theme applies without a restart

PURPOSE

Owns the fourth nav tab, the theme switch, and every Coach privacy control.

ENTERED FROM

Bottom nav

EXITS TO

Stays in tab; export opens the system file picker

DATA SOURCE

SettingsEntity · aggregate counts · CoachMessageDao.clear()

STATES

Default · toggles pending write · destructive confirm