






Tinytums V1


Workflow & System Diagram Pack

Editable Google Slides engineering canvases — one complete workflow per slide




Source basis: Tinytums Product Master, Founder Dashboard, and current founder decisions captured in this workspace.


The complete V1 product context: consumer account, clinical users, institution workflows, data domains, and future regulated module boundary.



One unified journey: preconception, pregnancy, postpartum, child health, appointments, admissions, caregiver sharing, and clinician connections.




Caregiver is not a clinical user; caregiver access is mother-approved, selected, read-only, and revocable.




Provider Discovery & Appointment Flow

Two entry routes converge into one relationship: Doctor X at Institution Y. Search-ranking and final slot logic remain TBD.




Doctor Workflow

Clinician works through named account and selected institution context; records must remain attributable to individual users.




Institution-first operating model with individual named staff accounts, department/care-team management, and operational dashboards.




Clinical Care-Team Workflow

Multidisciplinary care inside and outside institutions; each role gets purpose-appropriate access, not a cloned doctor view.




Care Episode / Admission Lifecycle

Admission creates a time-bounded institutional care episode with temporary role-based access and a structured discharge transition.




Consent, Sharing & Role-Based Access Control

Central permission engine: evaluate actor, relationship, institution context, role, consent scope, episode state, and requested resource.




Maternal–Child Longitudinal Data Model

High-level relationship model: mother owns the consumer account; clinical episodes and child profiles remain linked longitudinally.




Data Provenance, Verification & Correction Flow

Clinically relevant data should preserve source, verified status, version history, and correction requests.



Communication, Teleconsultation & Visit Summary Flow

V1 can facilitate messaging, complaint submission, records, teleconsults, and prescriptions; clinician decides appropriateness and care.



V1 Regulatory Boundary & Developer Implementation Sequence

A safe build order: ship non-device workflows first; keep future clinical intelligence architecturally separable.

