

Cucumber Report

May 23, 2026, 3:21:34 AM

Start : May 23, 3:21:08.330 AM

End : May 23, 3:21:33.749 AM

Duration : 25.419 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 10
SKIPPED - 0


PASSED - 0
FAILED - 9
SKIPPED - 51




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit Card Application</u>	25.419 s	10	0	10	0	60	0	9	51

#	Feature Name	Scenario Name
1	<u>Credit Card Application</u>	<u>Verify user can open new credit card application form</u>
2		<u>Verify card type dropdown displays available card types</u>
3		<u>Verify card type dropdown displays available card types</u>
4		<u>Verify Entry card can be selected successfully</u>
5		<u>Verify Premium card can be selected successfully</u>
6		<u>Verify requested credit limit field rejects alphabets</u>
7		<u>Verify requested credit limit field rejects special characters</u>
8		<u>Verify empty requested limit field validation</u>
9		<u>Verify Continue button is disabled for invalid requested limit inputs</u>
10		<u>Verify Delete Card button appears only for closed card in UI</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@CreditCardUI	10	0	10	0	1	0	1	0
@CC_TC_001	1	0	1	0	1	0	1	0
@CC_TC_005	2	0	2	0	1	0	1	0
@CC_TC_006	1	0	1	0	1	0	1	0
@CC_TC_007	1	0	1	0	1	0	1	0
@CC_TC_009	1	0	1	0	1	0	1	0
@CC_TC_010	1	0	1	0	1	0	1	0
@CC_TC_016	1	0	1	0	1	0	1	0
@CC_TC_019	1	0	1	0	1	0	1	0
@CC_TC_053	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Credit Card Application</u>	10	0	10	0	25.419 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit Card Application</u>	<u>Verify user can open new credit card application form</u>	5	0	0	5	5.193 s
2		<u>Verify card type dropdown displays available card types</u>	6	0	1	5	3.063 s
3		<u>Verify card type dropdown displays available card types</u>	6	0	1	5	2.051 s
4		<u>Verify Entry card can be selected successfully</u>	6	0	1	5	2.471 s
5		<u>Verify Premium card can be selected successfully</u>	6	0	1	5	1.999 s
6		<u>Verify requested credit limit field rejects alphabets</u>	6	0	1	5	2.191 s
7		<u>Verify requested credit limit field rejects special characters</u>	6	0	1	5	2.069 s
8		<u>Verify empty requested limit field validation</u>	7	0	1	6	2.214 s
9		<u>Verify Continue button is disabled for invalid requested limit inputs</u>	6	0	1	5	1.968 s
10		<u>Verify Delete Card button appears only for closed card in UI</u>	6	0	1	5	2.011 s

Credit Card Application


FAILED	DURATION - 25.419 s	Scenarios Total - 10 Pass - 0 Fail - 10 Skip - 0		Steps Total - 60 Pass - 0 Fail - 9 Skip - 51	
/ 3:21:08.330 AM // 3:21:33.749 AM /					

Verify user can open new credit card application form

FAILED DURATION - 5.193 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 3:21:08.333 AM // 3:21:13.526 AM /				
Credit Card Application				
@CreditCardUI @CC_TC_001				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.setUpSteps() java.lang.NullPointerException: Cannot invoke "utils.DriverFactory.getDriver()" because "Hooks.Hooks.factory" is null at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.setUpSteps(CreditCard_UI_Steps.java:24)	FAILED	0.491 s
1	Given User launches the application	SKIPPED	0.001 s
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.001 s
3	And User navigates to Credit Cards page	SKIPPED	0.000 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.003 s
5	Then Credit Card Application modal should open successfully	SKIPPED	0.000 s



Verify card type dropdown displays available card types

FAILED DURATION - 3.063 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:21:13.559 AM // 3:21:16.622 AM /				
Credit Card Application				
@CreditCardUI @CC_TC_005				

#	Step / Hook Details	Status	Duration
1	Given User launches the application org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82ef7a5669a74b0727df826b72d91d99, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHIAAppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61966}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61966/devtoo..., se.cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 82ef7a5669a74b0727df826b72d91d99 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.020 s
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.000 s
3	And User navigates to Credit Cards page	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
4	When User clicks on Apply Credit Card button	SKIPPED	0.001 s
5	And User clicks on card tier dropdown	SKIPPED	0.001 s
6	Then User should see card type "Entry (Classic)" in dropdown	SKIPPED	0.003 s

Verify card type dropdown displays available card types

FAILED		DURATION - 2.051 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:21:16.639 AM // 3:21:18.690 AM /						
Credit Card Application						
@CreditCardUI @CC_TC_005						

#	Step / Hook Details	Status	Duration
1	Given User launches the application org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [49983cdefed671aeb0d2aea20400d566, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHI\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59612}, goog:processID: 15732, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59612/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49983cdefed671aeb0d2aea20400d566 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'.		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.006 s
3	And User navigates to Credit Cards page	SKIPPED	0.001 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.002 s
5	And User clicks on card tier dropdown	SKIPPED	0.001 s
6	Then User should see card type "Premium (Privilege)" in dropdown	SKIPPED	0.000 s



Verify Entry card can be selected successfully

FAILED DURATION - 2.471 s / 3:21:18.709 AM // 3:21:21.180 AM / Credit Card Application @CreditCardUI @CC_TC_006		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User launches the application org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [febe1d04fe18a838baeb8028cafa4ec5, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHIAppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49826}, goog:processID: 10624, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49826/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: febe1d04fe18a838baeb8028cafa4ec5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.000 s
3	And User navigates to Credit Cards page	SKIPPED	0.002 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.000 s
5	And User selects "Entry (Classic)" card type	SKIPPED	0.000 s
6	Then Selected card type should be "Entry (Classic)"	SKIPPED	0.000 s

Verify Premium card can be selected successfully

FAILED DURATION - 1.999 s / 3:21:21.193 AM // 3:21:23.192 AM / Credit Card Application @CreditCardUI @CC_TC_007		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User launches the application <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [17536a4b3eafad9179a8a183f1dbf0d7, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHI\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51560}, goog:processID: 11132, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51560/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 17536a4b3eafad9179a8a183f1dbf0d7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'.		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.001 s
3	And User navigates to Credit Cards page	SKIPPED	0.000 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.001 s
5	And User selects "Premium (Privilege)" card type	SKIPPED	0.000 s
6	Then Selected card type should be "Premium (Privilege)"	SKIPPED	0.000 s



Verify requested credit limit field rejects alphabets

FAILED DURATION - 2.191 s / 3:21:23.221 AM // 3:21:25.412 AM / Credit Card Application @CreditCardUI @CC_TC_009		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User launches the application	FAILED	0.049 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48dbd416051e3c2c32f5e65bc1e4eb54, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHIAppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50781}, goog:processID: 23632, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50781/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 48dbd416051e3c2c32f5e65bc1e4eb54 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'.		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.000 s
3	And User navigates to Credit Cards page	SKIPPED	0.002 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.000 s
5	And User enters requested limit "abc"	SKIPPED	0.000 s
6	Then Requested limit field should remain empty	SKIPPED	0.000 s


Verify requested credit limit field rejects special characters

FAILED DURATION - 2.069 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:21:25.423 AM // 3:21:27.492 AM /				
Credit Card Application				
@CreditCardUI @CC_TC_010				

#	Step / Hook Details	Status	Duration
1	Given User launches the application <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce0ec0d3974d2c7a26270ee2c1de93c3, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHIAppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50243}, goog:processID: 22148, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50243/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce0ec0d3974d2c7a26270ee2c1de93c3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.007 s
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.000 s
3	And User navigates to Credit Cards page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When User clicks on Apply Credit Card button	SKIPPED	0.000 s
5	And User enters requested limit "@@@"	SKIPPED	0.000 s
6	Then Requested limit field should remain empty	SKIPPED	0.000 s



Verify empty requested limit field validation

FAILED	DURATION - 2.214 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 3:21:27.503 AM // 3:21:29.717 AM /				
Credit Card Application				
@CreditCardUI @CC_TC_016				

#	Step / Hook Details	Status	Duration
1	Given User launches the application org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75196b715e4c8057befdab7e9a851e95, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHI\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63556}, goog:processID: 17176, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63556/devtoo..., se.cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75196b715e4c8057befdab7e9a851e95 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'.		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.006 s
3	And User navigates to Credit Cards page	SKIPPED	0.001 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.000 s
5	And User leaves requested limit field empty	SKIPPED	0.000 s
6	And User clicks Continue button	SKIPPED	0.001 s
7	Then Empty requested limit validation message should appear	SKIPPED	0.002 s



Verify Continue button is disabled for invalid requested limit inputs

FAILED DURATION - 1.968 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:21:29.728 AM // 3:21:31.696 AM /				
Credit Card Application				
@CreditCardUI @CC_TC_019				

#	Step / Hook Details	Status	Duration
1	Given User launches the application org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [267261e0c7070fe4d09c97801dee09b7, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1.SHI\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54485}, goog:processID: 5044, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54485/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 267261e0c7070fe4d09c97801dee09b7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.002 s
3	And User navigates to Credit Cards page	SKIPPED	0.001 s
4	When User clicks on Apply Credit Card button	SKIPPED	0.000 s
5	And User enters requested limit "a@c"	SKIPPED	0.000 s
6	Then Continue button should be disabled	SKIPPED	0.000 s

Verify Delete Card button appears only for closed card in UI

FAILED	DURATION - 2.011 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:21:31.738 AM // 3:21:33.749 AM /				
Credit Card Application				
@CreditCardUI @CC_TC_053				

#	Step / Hook Details	Status	Duration
1	Given User launches the application <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [648be0c7eccad1c9bd0b9364987c3163, get {url=http://localhost:3000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.179, chrome: {chromedriverVersion: 148.0.7778.178 (d096af1c9e9..., userDataDir: C:\Users\SHINE~1\SHI\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60173}, goog:processID: 12100, </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60173/devtoo..., se:cdpVersion: 148.0.7778.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 648be0c7eccad1c9bd0b9364987c3163 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinitions.ui.CreditCardUI.CreditCard_UI_Steps.user_launches_the_application(CreditCard_UI_Steps.java:35) at ?.User launches the application(file:///C:/Users/shine.shiju/Downloads/Credit-Card-CreditCardAPI_Testing/src/test/java/resources/features/creditcardUI/Credit_Card_Application_UI.feature:6) * Not displayable characters are replaced by '?'.		
2	And User logs into the banking application using "yilap59703@deapad.com" and "Kuttichatan@123"	SKIPPED	0.000 s
3	And User navigates to Credit Cards page	SKIPPED	0.000 s
4	When User flips the credit card	SKIPPED	0.000 s
5	And User closes the credit card successfully	SKIPPED	0.000 s
6	Then Delete Card button should be visible	SKIPPED	0.000 s