Rasputin interface review


Latest branch audit / codex/restore-rea-home / 44a251e

The new home and menus work in the flows tested. The next step is making the interface readable and ensuring every control can be identified and used.

11/20
Scoped assessment

5
Major fixes

3
Follow-up changes



The restored welcome layout keeps the composer and removes the Chat header. This capture uses isolated source data.

Keep the layout improvements. Fix light-mode text, control labels, keyboard scrolling, and folder-tree structure before the next cosmetic pass.

Make the interface readable

The first two fixes / confirmed in source and packaged Electron

In Model Hub, some light-mode text nearly disappears. The panel changes color, but several text rules still assume a dark background.



Left: measured 1.05:1. Right: illustrative dark text, not an implemented fix.

1 Repair light-mode Model Hub text P1

The model name measures 1.05:1, the selected tab 1.27:1, and a recovery heading 1.02:1. All require at least 4.5:1 at their measured size.

Change Use theme-aware foreground colors for names, tabs, headings, and connection actions.

Done when Those visible states pass contrast checks in both themes, with a model selected and an error shown.

2 Correct shared labels and actions P1

Dark-mode examples still fail: Local AI is 3.99:1, Runtime 2.82:1, and Fix connection 2.22:1. Light-mode shared text also fails.

Change Repair the owning text/background pair or token, rather than adding a different override on every page.


Done when The named cases pass in normal, selected, hover, and focus states. Manually inspect incomplete automated checks.

Why it matters A working action is of little help when its label or status is difficult to read. Contrast is a basic usability requirement, not a decorative preference.

Make every control usable

The next three fixes / names, keyboard access, and structure

Visible labels and accessible labels are different things. Several forms look labeled but do not tell assistive software what their controls do.



3 Connect form labels to controls P1

General Settings, Skills, Scheduled tasks, and Discover pagination have missing names or unconnected visible labels.

Change Use stable IDs and explicit label associations. Give switches and page-size controls clear names.

Done when Role-and-name queries find the right controls; clicking a label activates its field; values and checked states stay exposed.

4 Make scroll regions keyboard reachable P1

The narrow Dashboard table has clipped columns without an explicit keyboard tab stop. A source-host Discover detail panel also fails the scroll-access check.

Change Add an appropriate name, tab stop, and focus indicator. Inspect each region's actual scroll direction.

Done when A keyboard user can reach all clipped content and leave the region normally, without creating page overflow.

5 Separate the action from the tree P1

The approved-folders tree mixes tree items with an ordinary Open Project action, producing invalid accessibility structure.

Change Move the action outside the tree, or use simpler semantics if the interaction is a flat list.

Done when Empty and populated states have valid children and retain folder selection, keyboard behavior, and approval boundaries.

Finish the remaining work

Three follow-ups / comfort, startup cost, and accurate product copy

6 Honor the OS motion preference P2

A fresh profile uses full motion while the OS requests reduced motion. Skills still pulses and rotates.

Change Follow the OS unless an explicit app choice overrides it. Keep useful progress feedback.

Done when Fresh profiles and explicit full/reduced preferences behave correctly across OS settings and after reload.

CURRENT BUILD PAYLOAD



Uncompressed file sizes. These are startup-cost leads, not a measured slowdown.

7 Measure before optimizing startup P2

Most secondary views are still imported eagerly. API and Training already demonstrate the lazy-loading pattern.

Change Measure cold launch, then defer expensive views where the measurements justify it.

Done when Initial resources and repeated startup timings improve under the same conditions, and secondary views still open reliably.

8 Update the source login message P2

The source-host login still advertises Docker deployment, which the product direction has retired.

Change Replace the claim with accurate native-runtime information. Preserve the authentication flow.

Done when The rendered source login matches the supported workflow. Desktop's automatic local session remains distinct.

What passed and what comes next

Evidence and handoff / no application fixes were made

The fresh branch has useful improvements. Keep them, repair the confirmed barriers, and verify the repaired package before claiming completion.

1

READ AND USE

Contrast and semantics

2

REFINE

Motion copy and startup

3

VERIFY

Source then package

Check	Result
Focused shell and sidebar tests	11 of 11 passed
Current workstation browser suite	12 of 12 passed
Additional route scans	40 completed
Popup bounds and Escape checks	15 completed
Visible packaged Electron states	3 completed
Compared frontend files	17 identical hashes

Scope Audited codex/restore-rea-home at 44a251e and its clean worktree. The older checkout's unpublished changes were not combined with it. The normal installed app and real user data were untouched.

Limits Physical touch, full screen-reader output, every theme and modal state, real inference, installed-user-state behavior, frame rate, and cold-launch timing remain unverified. Model fixtures prove UI behavior, not inference.

Recommended commands Start with $impeccable harden and adapt. Follow with animate, clarify, and measured optimize work. Finish with polish, then audit again.

The companion Markdown report contains source locations, standards, acceptance checks, false-positive notes, and the comparison with the previous audit.