

# Cucumber Report

3 Jul 2025, 11:03:20 pm

Start : Jul 03, 11:03:05.611 pm

End : Jul 03, 11:03:18.418 pm

Duration : 12.807 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Admin page scenarios</u>	5.988 s	1	0	1	0	5	0	0	5
<u>login validation</u>	6.797 s	2	0	2	0	6	0	0	6

#	Feature Name	Scenario Name
1	<u>Admin page scenarios</u>	<u>Verify user details</u>
2	<u>login validation</u>	<u>Verify valid credentials</u>
3		<u>Verify Invalid credentials</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Admin page scenarios</u>	1	0	1	0	5.988 s
2	<u>login validation</u>	2	0	2	0	6.797 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Admin page scenarios</u>	<u>Verify user details</u>	5	0	0	5	5.981 s
2	<u>login validation</u>	<u>Verify valid credentials</u>	3	0	0	3	3.034 s
3		<u>Verify Invalid credentials</u>	3	0	0	3	3.712 s



<b>FAILED</b>		<b>DURATION - 5.988 s</b>		<b>Scenarios</b>				<b>Steps</b>			
/ 11:03:05.611 pm // 11:03:11.599 pm /				Total - 1 Pass - 0 Fail - 1 Skip - 0				Total - 5 Pass - 0 Fail - 0 Skip - 5			

<div> <div> <div>FAILED</div> <div>DURATION - 5.981 s</div> </div> <div> <div>/ 11:03:05.618 pm // 11:03:11.599 pm /</div> <div>Admin page scenarios</div> </div> </div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
--	--	---	--



#	Step / Hook Details	Status	Duration
	<p>BEFORE - baseclass.initializeDriver.initDriver()</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=137.0.7151.122)            Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [10a31260fe263119aa617b36e87d7466, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.70 (dfa4dc56b2ab..., userDataDir: C:\Users\SHINI\AppData\Local\Temp\137.0.7151.122\chromedriver\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58303}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: {proxy: ()}, se:cdp: ws://localhost:58303/devtools, se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 10a31260fe263119aa617b36e87d7466</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)            at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)            at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)            at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	4.713 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at baseclass.initializeDriver.initDriver(initializeDriver.java:40)		
1	Given User is on the login page	SKIPPED	0.000 s
2	When the user tries to login the application with "Admin" and "admin123"	SKIPPED	0.002 s
3	And user navigates to Admin page	SKIPPED	0.000 s
4	And user searches for a user with username "Admin"	SKIPPED	0.001 s
5	Then user should see the user details	SKIPPED	0.001 s

## login validation

FAILED	DURATION - 6.797 s	Scenarios		Steps	
/ 11:03:11.621 pm // 11:03:18.418 pm /		Total - 2		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 6	



## Verify valid credentials

FAILED	DURATION - 3.034 s		Steps	
/ 11:03:11.621 pm // 11:03:14.655 pm /			Total - 3	
login validation			Pass - 0	
			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - baseclass.initializeDriver.initDriver()	FAILED	2.056 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8bce5042f0336bed0f5ce16bc86a1e4b, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.70 (dfa4dc56b2ab..., userDataDir: C:\Users\SHINI\AppData\Loca.		

#	Step / Hook Details	Status	Duration
	<pre> ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58315}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58315/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8bce5042f0336bed0f5ce16bc86a1e4b   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)   at baseclass.initializeDriver.initDriver(initializeDriver.java:40) </pre>		
1	Given User is on the login page	SKIPPED	0.000 s
2	When the user tries to login the application with "Admin" and "admin123"	SKIPPED	0.001 s
3	Then the user should successfully login to the application	SKIPPED	0.000 s

### Verify Invalid credentials

<div>FAILED</div> <div>DURATION - 3.712 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 11:03:14.706 pm // 11:03:18.418 pm /				
login validation				

#	Step / Hook Details	Status	Duration
	BEFORE - baseclass.initializeDriver.initDriver()	FAILED	2.509 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c94ac052d041a93bd6dfd059d8334c87, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.70 (dfa4dc56b2ab..., userDataDir: C:\Users\SHINI\AppData\Loca. </pre>		



#	Step / Hook Details	Status	Duration
	<pre> ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58328}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58328/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c94ac052d041a93bd6dfd059d8334c87   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)   at baseclass.initializeDriver.initDriver(initializeDriver.java:40) </pre>		
1	Given User is on the login page	SKIPPED	0.000 s
2	When the user tries to login the application with "Admin" and "admin234"	SKIPPED	0.000 s
3	Then the user should successfully login to the applicat ion	SKIPPED	0.002 s