

## Report from Jun 11, 2025, 8:19:30 PM

https://awf.co.in/

Analyze



Mobile



Desktop



Discover what your real users are experiencing

 No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



### Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49



50–89



90–100



## METRICS

[Expand view](#)

● First Contentful Paint  
**0.7 s**

▲ Largest Contentful Paint  
**2.4 s**

■ Total Blocking Time  
**330 ms**

● Cumulative Layout Shift  
**0.002**

■ Speed Index  
**2.0 s**

📅 Captured at Jun 11, 2025, 8:19  
PM GMT+5:30

🖥️ Emulated Desktop with  
Lighthouse 12.6.1

👤 Single page session

🕒 Initial page load

⚡ Custom throttling

🔒 Using HeadlessChromium  
136.0.7103.113 with Ir

🗺️ [View Treemap](#)



🔔 Later this year, insights will replace performance audits. [Learn more](#)  
and [provide feedback here](#).

[Try insights](#)

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

## DIAGNOSTICS



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube <span>Video</span>	<b>887 KiB</b>	<b>532 ms</b>
YouTube Embedded Player (Video)	887 KiB	532 ms
...en_US/base.js (www.youtube.com)	658 KiB	469 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	103 KiB	61 ms
...fc2a56a5/www-player.css (www.youtube.com)	56 KiB	0 ms
/embed/Y8miLsiVp6U?controls=... (www.youtube.com)	46 KiB	1 ms
...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	11 KiB	0 ms
Other resources	14 KiB	0 ms

▲ Reduce JavaScript execution time — 1.3 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#)

TBT

☒ Show 3rd-party resources (4)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <span>Video</span>	<b>1,034 ms</b>	<b>785 ms</b>	<b>152 ms</b>
...en_US/base.js (www.youtube.com)	666 ms	493 ms	129 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	297 ms	256 ms	16 ms
/embed/Y8miLsiVp6U?controls=... (www.youtube.com)	71 ms	35 ms	8 ms
awf.co.in <span>1st Party</span>	<b>576 ms</b>	<b>198 ms</b>	<b>106 ms</b>
https://awf.co.in	231 ms	9 ms	3 ms
...jquery/jquery.min.js?ver=3.7.1 (awf.co.in)	94 ms	52 ms	4 ms
...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in)	81 ms	40 ms	41 ms



...js/image-carousel.6167d20....bundle.min.js (awf.co.in)	61 ms	47 ms	0 ms
...dist/components.min.js?ver=336a011... (awf.co.in)	55 ms	29 ms	26 ms
...dist/date.min.js?ver=85ff222... (awf.co.in)	54 ms	21 ms	33 ms
Unattributable	193 ms	8 ms	0 ms
Unattributable	193 ms	8 ms	0 ms
Google/DoubleClick Ads <span>Ad</span>	106 ms	80 ms	18 ms
...m202.../show_ads_impl_with_ama_fy2021.js?client=... (pagead2.googlesyndication.com)	106 ms	80 ms	18 ms

## ▲ Minimize main-thread work — 2.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,571 ms
Script Parsing & Compilation	340 ms
Other	251 ms
Style & Layout	238 ms
Parse HTML & CSS	52 ms
Garbage Collection	47 ms
Rendering	34 ms

## ▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 530 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#). TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube <span>Video</span>	887 KiB	532 ms



...en_US/base.js (www.youtube.com)	658 KiB	469 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	103 KiB	61 ms
/embed/Y8miLsiVp6U?controls=... (www.youtube.com)	46 KiB	1 ms
...fc2a56a5/www-player.css (www.youtube.com)	56 KiB	0 ms
...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	11 KiB	0 ms
...en_US/embed.js (www.youtube.com)	10 KiB	0 ms
/iframe_api (www.youtube.com)	3 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json (www.youtube.com)	0 KiB	0 ms
/generate_204?v0Q9dQ (www.youtube.com)	0 KiB	0 ms
Google/DoubleClick Ads <span>Ad</span>	239 KiB	0 ms
...m202.../show_ads_impl_with_ama_fy2021.js?client=... (pagead2.googlesyndication.com)	156 KiB	0 ms
...js/adsbygoogle.js?client=ca-pub-380... (pagead2.googlesyndication.com)	53 KiB	0 ms
/bg/Wb8bPZigR....js (pagead2.googlesyndication.com)	21 KiB	0 ms
...r20190131/zrt_lookup_fy2021.html (googleads.g.doubleclick.net)	4 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/pagead/ads?client=... (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/ping?e=4&d=ChCCAQ0lu..... (pagead2.googlesyndication.com)	0 KiB	0 ms
/pagead/sodar?id=sodar2&v=237&li=gda_r20250609&jk=459...&rc= (pagead2.googlesyndication.com)	0 KiB	0 ms
Other Google APIs/SDKs <span>Utility</span>	71 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	46 KiB	0 ms
...th/nK3lt_Z7T....js (www.google.com)	23 KiB	0 ms
...api2/aframe (www.google.com)	2 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/log?hasfast=true&authuser=0&format=json (play.google.com)	0 KiB	0 ms
Google Fonts <span>Cdn</span>	55 KiB	0 ms
...v18/pe0TlImSL....woff2 (fonts.gstatic.com)	31 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms



...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
adtrafficquality.google	<b>27 KiB</b>	<b>0 ms</b>
/getConfig/sodar? sv=200&tid=gda&tv=r20250609&st=env (ep1.adtrafficquality.google )	13 KiB	0 ms
/sodar/sodar2.js (ep2.adtrafficquality.google)	8 KiB	0 ms
...237/runner.html (ep2.adtrafficquality.google)	6 KiB	0 ms
/pagead/sodar?id=... (ep1.adtrafficquality.google)	0 KiB	0 ms
/generate_204?c3c4dQ (ep2.adtrafficquality.google)	0 KiB	0 ms
WordPress Site Stats <span>Analytics</span>	<b>2 KiB</b>	<b>0 ms</b>
/e-202524.js (stats.wp.com)	2 KiB	0 ms
/g.gif?v=... (pixel.wp.com)	0 KiB	0 ms

## ▲ Largest Contentful Paint element — 2,400 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

### Element



AADIVASI WELFARE FOUNDATION



```
<div class="elementor-element elementor-element-464de44  
e-flex e-con-boxed e-con e-par..." data-id="464de44" data-  
element_type="container" data-settings="  
{&quot;background_background&quot;;&quot;classic&quot;}">
```

Phase	% of LCP	Timing
TTFB	7%	160 ms
Load Delay	35%	850 ms
Load Time	49%	1,180 ms
Render Delay	9%	220 ms

## ▲ Serve images in next-gen formats — Est savings of 342 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

 images into WebP, wherever supported.

URL	Resource Size	Est Savings
awf.co.in <a href="#">1st Party</a>	807.2 KiB	341.6 KiB
 <div> AADIVA SI WELFAR E FOUND ATION </div> <div> &lt;div class="elementor- element elementor- element-464de44 e-flex e- con-boxed e-con e-par..." data-id="464de44" data- element_type="container" data-settings=" {&amp;quot;background_backgro und&amp;quot;;&amp;quot;;classic&amp;q uot;}"&gt; </div>	...05/DSC_8446-scaled.jpg (awf.co.in)	714.9 KiB 259.0 KiB
 <div> A a di v a si Welfare Foundation </div> <div> &lt;img loading="lazy" width="339" height="350" src="https://awf.co.in/wp- content/uploads/2023/05/a wf_logo.png" class="default-logo" alt="Aadivasi Welfare Foundation" decoding="async" srcset="https://awf.co.in /wp- content/uploads/2023/05/a wf_logo.png 339w, https://awf.co.in/wp- content/uploads/2023/05/a wf_logo.png 339w, https://awf.co.in/wp- content/uploads/2023/05/a wf_logo.png 339w, https://awf.co.in/wp- content/uploads/2023/05/a wf_logo.png 339w," sizes="(max- width: 339px) 100vw, 339px"&gt; </div>	...05/awf_logo.png (awf.co.in)	92.2 KiB 82.6 KiB



Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.



If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

☒ Show 3rd-party resources (4)

URL	Transfer Size	Est Savings
YouTube <span>Video</span>	<b>760.0 KiB</b>	<b>516.2 KiB</b>
...en_US/base.js (www.youtube.com)	657.3 KiB	460.2 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	102.7 KiB	55.9 KiB
awf.co.in <span>1st Party</span>	<b>554.5 KiB</b>	<b>436.2 KiB</b>
...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in)	228.7 KiB	189.5 KiB
...dist/components.min.js?ver=336a011... (awf.co.in)	202.6 KiB	162.1 KiB
...vendor/react-dom.min.js?ver=18.3.1.1 (awf.co.in)	38.6 KiB	33.4 KiB
...dist/blocks.min.js?ver=84530c0... (awf.co.in)	48.2 KiB	31.2 KiB
...v8/swiper.min.js?ver=8.4.5 (awf.co.in)	36.5 KiB	20.0 KiB
Google/DoubleClick Ads <span>Ad</span>	<b>208.1 KiB</b>	<b>135.8 KiB</b>
...m202.../show_ads_impl_with_ama_fy2021.js?client=... (pagead2.googlesyndication.com)	155.6 KiB	110.3 KiB
...js/adsbygoogle.js?client=ca-pub-380... (pagead2.googlesyndication.com)	52.5 KiB	25.5 KiB

## ▲ Defer offscreen images — Est savings of 59 KiB



Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) LCP FCP





AMP plugin.

URL	Resource Size	Est Savings
awf.co.in <span>1st Party</span>	59.0 KiB	59.0 KiB
innerwheel logo 	13.6 KiB	13.6 KiB
Pt. deendayal logo 	9.5 KiB	9.5 KiB
 rotary logo 	8.8 KiB	8.8 KiB
Grow-Trees-logo 		
```

grow billion trees logo

```

```

chlorochem logo

```

```

impact guru logo

```

```

### ▲ Eliminate render-blocking resources — Est savings of 350 ms



Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#)

LCP FCP



There are a number of WordPress plugins that can help you [inline critical assets](#) or [defer less important resources](#). Beware that optimizations provided by these plugins may break features of your theme or plugins, so you will likely need to make code changes.

☒ Show 3rd-party resources (1)



|                                               |          |        |
|-----------------------------------------------|----------|--------|
| awf.co.in <span>1st Party</span>              | 46.8 KiB | 200 ms |
| ...bundle/main.min.css?ver=2.1.0 (awf.co.in)  | 17.4 KiB | 120 ms |
| ...jquery/jquery.min.js?ver=3.7.1 (awf.co.in) | 29.4 KiB | 80 ms  |
| Google Fonts <span>Cdn</span>                 | 1.5 KiB  | 230 ms |
| /css2?family=... (fonts.googleapis.com)       | 1.5 KiB  | 230 ms |

## ▲ Reduce unused CSS — Est savings of 67 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP




Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

☒ Show 3rd-party resources (1)

| URL                                          | Transfer Size | Est Savings |
|----------------------------------------------|---------------|-------------|
| YouTube <span>Video</span>                   | 55.1 KiB      | 53.6 KiB    |
| ...fc2a56a5/www-player.css (www.youtube.com) | 55.1 KiB      | 53.6 KiB    |
| awf.co.in <span>1st Party</span>             | 16.7 KiB      | 13.3 KiB    |
| ...bundle/main.min.css?ver=2.1.0 (awf.co.in) | 16.7 KiB      | 13.3 KiB    |

## ■ Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

| URL                                                                                 |                                                                   | Est Savings |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------|
| awf.co.in <span>1st Party</span>                                                    |                                                                   | 0 ms        |
|  | AADIVASI WELFARE FOUNDATION ...05/DSC_8446-scaled.jpg (awf.co.in) | 0 ms        |








```
<div
  class="elementor-
  element elementor-
  element-464de44 e-flex e-con-boxed e-
  con e-par..." data-id="464de44" data-
  element_type="container" data-
  settings="
  {&quot;background_background&quot;:&q
  uot;classic&quot;}">
```

## Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS.

[Learn how to set image dimensions](#) CLS

URL	
awf.co.in <span>1st Party</span>	
Pt. deendayal logo 	...07/Pt.-deendayal-logo.jpg (awf.co.in)
chlorochem logo 	...07/chlorochem-logo.jpg (awf.co.in)
Grow-Trees-logo 	...09/Grow-Trees-logo.jpg (awf.co.in)
grow billion trees logo 	...07/grow-billion-trees- logo.jpg (awf.co.in)
impact guru logo 	...07/impact-guru-logo.jpg (awf.co.in)

```

```

...07/innerwheel-logo.jpg (awf.co.in)



rotary logo

```

```



Pt. deendayal logo

```

```



chlorochem logo

```

```

Grow-Trees-logo

```

```

...09/Grow-Trees-logo.jpg (awf.co.in)

grow billion trees logo

```

```

...07/grow-billion-trees-logo.jpg (awf.co.in)

impact guru logo

```

```

...07/impact-guru-logo.jpg (awf.co.in)

innerwheel logo

```


## ■ Serve static assets with an efficient cache policy — 89 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)



Read about [Browser Caching in WordPress.](#)

☒ Show 3rd-party resources (1)

| URL  | Cache TTL | Transfer Size |
|--|-----------|---------------|
| awf.co.in <span>1st Party</span>                       |           | 1,758 KiB     |
| ...05/DSC_8446-scaled.jpg (awf.co.in)                  | 7d        | 715 KiB       |
| ...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in) | 7d        | 230 KiB       |
| ...dist/components.min.js?ver=336a011... (awf.co.in)   | 7d        | 203 KiB       |
| ...05/awf_logo.png (awf.co.in)                         | 7d        | 93 KiB        |
| ...dist/blocks.min.js?ver=84530c0... (awf.co.in)       | 7d        | 50 KiB        |
| ...vendor/react-dom.min.js?ver=18.3.1.1 (awf.co.in)    | 7d        | 39 KiB        |
| ...v8/swiper.min.js?ver=8.4.5 (awf.co.in)              | 7d        | 37 KiB        |
| ...dist/date.min.js?ver=85ff222... (awf.co.in)         | 7d        | 33 KiB        |
| ...jquery/jquery.min.js?ver=3.7.1 (awf.co.in)          | 7d        | 29 KiB        |
| ...vendor/moment.min.js?ver=2.30.1 (awf.co.in)         | 7d        | 18 KiB        |
| ...bundle/main.min.css?ver=2.1.0 (awf.co.in)           | 7d        | 17 KiB        |
| ...dist/commands.min.js?ver=14ee29a... (awf.co.in)     | 7d        | 16 KiB        |
| ...js/frontend-modules.min.js?ver=3.29.2 (awf.co.in)   | 7d        | 15 KiB        |
| ...vendor/wp-polyfill.min.js?ver=3.15.0 (awf.co.in)    | 7d        | 14 KiB        |
| ...07/innerwheel-logo.jpg (awf.co.in)                  | 7d        | 14 KiB        |
| ...dist/compose.min.js?ver=84bcf83... (awf.co.in)      | 7d        | 13 KiB        |
| ...js/frontend.min.js?ver=3.29.2 (awf.co.in)           | 7d        | 11 KiB        |
| ...dist/rich-text.min.js?ver=74178fc... (awf.co.in)    | 7d        | 10 KiB        |



|  |    |        |
|--|----|--------|
| ...07/Pt.-deendayal-logo.jpg (awf.co.in)                                 | 7d | 10 KiB |
| ...bundle/main.js?ver=2.1.0 (awf.co.in)                                  | 7d | 9 KiB  |
| ...07/rotary-logo.jpg (awf.co.in)  | 7d | 9 KiB  |
| ...09/Grow-Trees-logo.jpg (awf.co.in)                                    | 7d | 9 KiB  |
| ...dist/data.min.js?ver=fe6c483... (awf.co.in)                           | 7d | 9 KiB  |
| ...07/grow-billion-trees-logo.jpg (awf.co.in)                            | 7d | 9 KiB  |
| ...js/underscore.min.js?ver=1.13.7 (awf.co.in)                           | 7d | 8 KiB  |
| ...ui/core.min.js?ver=1.13.3 (awf.co.in)                                 | 7d | 7 KiB  |
| ...css/frontend.min.css?ver=3.29.2 (awf.co.in)                           | 7d | 7 KiB  |
| ...07/chlorochem-logo.jpg (awf.co.in)                                    | 7d | 7 KiB  |
| ...dist/element.min.js?ver=a4eeead... (awf.co.in)                        | 7d | 5 KiB  |
| ...jquery/jquery-migrate.min.js?ver=3.4.1 (awf.co.in)                    | 7d | 5 KiB  |
| ...dist/dom.min.js?ver=f3a673a... (awf.co.in)                            | 7d | 5 KiB  |
| ...07/impact-guru-logo.jpg (awf.co.in)                                   | 7d | 5 KiB  |
| ...css/swiper.min.css?ver=8.4.5 (awf.co.in)                              | 7d | 5 KiB  |
| ...vendor/react.min.js?ver=18.3.1.1 (awf.co.in)                          | 7d | 4 KiB  |
| ...css/post-965.css?ver=174... (awf.co.in)                               | 7d | 4 KiB  |
| ...dist/url.min.js?ver=6bf93e9... (awf.co.in)                            | 7d | 4 KiB  |
| ...dist/i18n.min.js?ver=5e580eb... (awf.co.in)                           | 7d | 4 KiB  |
| ...bundle/sticky.js?ver=2.1.0 (awf.co.in)                                | 7d | 4 KiB  |
| ...dist/redux-routine.min.js?ver=8bb92d4... (awf.co.in)                  | 7d | 3 KiB  |
| ...dist/preferences.min.js?ver=4aa2358... (awf.co.in)                    | 7d | 3 KiB  |
| ...js/shared-frontent-handlers.30dc2f9....bundle.min.js (awf.co.in)      | 7d | 3 KiB  |
| ...mediaelement/mediaelementplayer-legacy.min.css?ver=4.2.17 (awf.co.in) | 7d | 3 KiB  |
| ...js/webpack.runtime.min.js?ver=3.29.2 (awf.co.in)                      | 7d | 3 KiB  |
| ...dist/api-fetch.min.js?ver=3623a57... (awf.co.in)                      | 7d | 3 KiB  |
| ...dist/autop.min.js?ver=9fb5064... (awf.co.in)                          | 7d | 2 KiB  |



|  |    |       |
|--|----|-------|
| ...dist/preferences-persistence.min.js?ver=9307a8c... (awf.co.in)            | 7d | 2 KiB |
| ...dist/style-engine.min.js?ver=08cc10e... (awf.co.in)                       | 7d | 2 KiB |
| ...bundle/921.5514159....js (awf.co.in)                                      | 7d | 2 KiB |
| ...dist/hooks.min.js?ver=4d63a3d... (awf.co.in)                              | 7d | 2 KiB |
| ...dist/priority-queue.min.js?ver=9c21c95... (awf.co.in)                     | 7d | 2 KiB |
| ...dist/shortcode.min.js?ver=b7747ee... (awf.co.in)                          | 7d | 2 KiB |
| ...dist/keycodes.min.js?ver=034ff64... (awf.co.in)                           | 7d | 2 KiB |
| ...dist/keyboard-shortcuts.min.js?ver=32686e5... (awf.co.in)                 | 7d | 2 KiB |
| ...js/video.6ebfa2c....bundle.min.js (awf.co.in)                             | 7d | 2 KiB |
| ...dist/block-serialization-default-parser.min.js?ver=14d44da... (awf.co.in) | 7d | 2 KiB |
| ...mediaelement/wp-mediaelement.min.css?ver=6.8.1 (awf.co.in)                | 7d | 1 KiB |
| ...dist/private-apis.min.js?ver=0f8478f... (awf.co.in)                       | 7d | 1 KiB |
| ...dist/notices.min.js?ver=673a68a... (awf.co.in)                            | 7d | 1 KiB |
| ...dist/a11y.min.js?ver=3156534... (awf.co.in)                               | 7d | 1 KiB |
| ...dist/primitives.min.js?ver=aef2543... (awf.co.in)                         | 7d | 1 KiB |
| ...js/wp-util.min.js?ver=6.8.1 (awf.co.in)                                   | 7d | 1 KiB |
| ...conditionals/e-swiper.min.css?ver=3.29.2 (awf.co.in)                      | 7d | 1 KiB |
| ...jquery-numerator/jquery-numerator.min.js?ver=0.2.1 (awf.co.in)            | 7d | 1 KiB |
| ...css/widget-icon-box.min.css?ver=3.29.2 (awf.co.in)                        | 7d | 1 KiB |
| ...js/text-editor.c084ef8....bundle.min.js (awf.co.in)                       | 7d | 1 KiB |
| ...dist/token-list.min.js?ver=3b5f5dc... (awf.co.in)                         | 7d | 1 KiB |
| ...vendor/react-jsx-runtime.min.js?ver=18.3.1 (awf.co.in)                    | 7d | 1 KiB |
| ...dist/blob.min.js?ver=9113eed... (awf.co.in)                               | 7d | 1 KiB |
| ...dist/is-shallow-equal.min.js?ver=e0f9f1d... (awf.co.in)                   | 7d | 1 KiB |
| ...dist/escape-html.min.js?ver=6561a40... (awf.co.in)                        | 7d | 1 KiB |
| ...js/counter.12335f4....bundle.min.js (awf.co.in)                           | 7d | 1 KiB |
| ...bundle/wpforms.min.css?ver=2.1.0 (awf.co.in)                              | 7d | 1 KiB |





|  |     |       |
|--|-----|-------|
| ...dist/deprecated.min.js?ver=e1f8491... (awf.co.in)         | 7d  | 1 KiB |
| ...css/post-1250.css?ver=174... (awf.co.in)                  | 7d  | 1 KiB |
| ...dist/html-entities.min.js?ver=2cd3358... (awf.co.in)      | 7d  | 1 KiB |
| ...build/gutenberg-custom-link.js?ver=42a2a59... (awf.co.in) | 7d  | 1 KiB |
| ...css/widget-video.min.css?ver=3.29.2 (awf.co.in)           | 7d  | 1 KiB |
| ...css/widget-spacer.min.css?ver=3.29.2 (awf.co.in)          | 7d  | 1 KiB |
| ...bundle/elementor-frontend.min.css?ver=2.1.0 (awf.co.in)   | 7d  | 1 KiB |
| ...css/widget-testimonial.min.css?ver=3.29.2 (awf.co.in)     | 7d  | 1 KiB |
| ...dist/dom-ready.min.js?ver=f77871f... (awf.co.in)          | 7d  | 1 KiB |
| ...js/image-carousel.6167d20....bundle.min.js (awf.co.in)    | 7d  | 1 KiB |
| ...css/widget-counter.min.css?ver=3.29.2 (awf.co.in)         | 7d  | 1 KiB |
| ...dist/warning.min.js?ver=ed7c8b0... (awf.co.in)            | 7d  | 1 KiB |
| ...bundle/197.80c2a2b....js (awf.co.in)                      | 7d  | 1 KiB |
| ...css/widget-image-carousel.min.css?ver=3.29.2 (awf.co.in)  | 7d  | 1 KiB |
| ...css/widget-heading.min.css?ver=3.29.2 (awf.co.in)         | 7d  | 1 KiB |
| ...css/widget-image.min.css?ver=3.29.2 (awf.co.in)           | 7d  | 1 KiB |
| Google/DoubleClick Ads <span>Ad</span>                       |     | 1 KiB |
| /instream/ad_status.js (static.doubleclick.net)              | 15m | 1 KiB |

## Ensure text remains visible during webfont load

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display](#).

| URL   | Est Savings |
|---|-------------|
| Google Fonts <span>Cdn</span>                 | 10 ms       |
| ...v18/KFOmCnqEu....woff2 (fonts.gstatic.com) | 0 ms        |
| ...v18/KFOlCnqEu....woff2 (fonts.gstatic.com) | 0 ms        |



Consider marking your `load` and `wheel` event listeners as `passive` to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Source

YouTube Video

...en\_US/base.js:8582:199 (www.youtube.com)

...en\_US/base.js:7101:130 (www.youtube.com)

## ■ Avoid serving legacy JavaScript to modern browsers — Est savings of 10 KiB



Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP

☐ Show 3rd-party resources (5)

| URL  | Est Savings                             |
|--|---|
| awf.co.in <span>1st Party</span>                                   | 9.6 KiB                                 |
| ...js/frontend-modules.min.js?ver=3.29.2 (awf.co.in)               | 8.6 KiB                                 |
| ...js/frontend-modules.min.js?<br>ver=3.29.2:2:45818 (awf.co.in)   | Array.prototype.inclu<br>des            |
| ...dist/compose.min.js?ver=84bcf83... (awf.co.in)                  | 0.3 KiB                                 |
| ...dist/compose.min.js?<br>ver=84bcf83...:9:3724 (awf.co.in)       | @babel/plugin-<br>transform-classes     |
| ...dist/data.min.js?ver=fe6c483... (awf.co.in)                     | 0.3 KiB                                 |
| ...dist/data.min.js?ver=fe6c483...:2:2411 (awf.co.in)              | @babel/plugin-<br>transform-classes     |
| ...bundle/sticky.js?ver=2.1.0 (awf.co.in)                          | 0.3 KiB                                 |
| ...bundle/sticky.js?ver=2.1.0:1:956 (awf.co.in)                    | @babel/plugin-<br>transform-spread      |
| ...dist/redux-routine.min.js?ver=8bb92d4... (awf.co.in)            | 0.0 KiB                                 |
| ...dist/redux-routine.min.js?<br>ver=8bb92d4...:2:7120 (awf.co.in) | @babel/plugin-<br>transform-regenerator |
| YouTube <span>Video</span>   | 0.0 KiB                                 |



|  |                                     |         |
|--|-------------------------------------|---------|
| ...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)             |                                     | 0.0 KiB |
| ...www-widgetapi.vflset/www-widgetapi.js:17:42 (www.youtube.com)       | @babel/plugin-transform-regenerator |         |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com)       |                                     | 0.0 KiB |
| ...www-embed-player.vflset/www-embed-player.js:28:43 (www.youtube.com) | @babel/plugin-transform-regenerator |         |
| ...en_US/base.js (www.youtube.com)                                     |                                     | 0.0 KiB |
| ...en_US/base.js:144:43 (www.youtube.com)                              | @babel/plugin-transform-regenerator |         |
| adtrafficquality.google  |                                     | 0.0 KiB |
| /sodar/sodar2.js (ep2.adtrafficquality.google)                         |                                     | 0.0 KiB |
| /sodar/sodar2.js:9:42 (ep2.adtrafficquality.google)                    | @babel/plugin-transform-regenerator |         |
| ...237/runner.html (ep2.adtrafficquality.google)                       |                                     | 0.0 KiB |
| ...237/runner.html:9:42 (ep2.adtrafficquality.google)                  | @babel/plugin-transform-regenerator |         |

## ■ Avoid enormous network payloads — Total size was 3,069 KiB



Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#)



Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

☒ Show 3rd-party resources (5)

| URL  | Transfer Size |
|--|---------------|
| awf.co.in <span>1st Party</span>                       | 1,290.9 KiB   |
| ...05/DSC_8446-scaled.jpg (awf.co.in)                  | 715.4 KiB     |
| ...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in) | 229.5 KiB     |
| ...dist/components.min.js?ver=336a011... (awf.co.in)   | 203.4 KiB     |
| ...05/awf_logo.png (awf.co.in)                         | 92.7 KiB      |



|   |                  |
|---|------------------|
| ...dist/blocks.min.js?ver=84530c0... (awf.co.in)  | 49.8 KiB         |
| YouTube <span>Video</span>  | <b>817.4 KiB</b> |
| ...en_US/base.js (www.youtube.com)  | 658.1 KiB        |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com)                          | 103.5 KiB        |
| ...fc2a56a5/www-player.css (www.youtube.com)  | 55.9 KiB         |
| Google/DoubleClick Ads <span>Ad</span>  | <b>209.7 KiB</b> |
| ...m202.../show_ads_impl_with_ama_fy2021.js?client=...<br>(pagead2.googlesyndication.com) | 156.3 KiB        |
| ...js/adsbygoogle.js?client=ca-pub-380... (pagead2.googlesyndication.com)                 | 53.3 KiB         |

### ☐ Avoid long main-thread tasks — 9 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

☒ Show 3rd-party resources (5)

| URL  | Start Time | Duration      |
|--|------------|---------------|
| YouTube <span>Video</span>                                       |            | <b>732 ms</b> |
| ...en_US/base.js (www.youtube.com)                               | 4,417 ms   | 247 ms        |
| ...en_US/base.js (www.youtube.com)                               | 4,223 ms   | 194 ms        |
| ...en_US/base.js (www.youtube.com)                               | 3,835 ms   | 178 ms        |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 4,013 ms   | 113 ms        |
| awf.co.in <span>1st Party</span>                                 |            | <b>261 ms</b> |
| ...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in)           | 1,721 ms   | 81 ms         |
| ...jquery/jquery.min.js?ver=3.7.1 (awf.co.in)                    | 1,853 ms   | 63 ms         |
| ...vendor/moment.min.js?ver=2.30.1 (awf.co.in)                   | 1,281 ms   | 62 ms         |
| ...dist/components.min.js?ver=336a011... (awf.co.in)             | 1,521 ms   | 55 ms         |
| Google/DoubleClick Ads <span>Ad</span>                           |            | <b>50 ms</b>  |



...m202.../show\_ads\_impl\_with\_ama\_fy2021.js?client=...  
(pagead2.googlesyndication.com)

1,098 ms

50 ms

○ Avoid large layout shifts — 1 layout shift found ^

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

| Element   | Layout shift score                     |
|---|--|
|  <div>AADIVASI WELFARE FOUNDATION<br/>&lt;h2 class="elementor-heading-title elementor-size-large"&gt;</div>  | 0.002                                  |
|  <div>Pt. deendayal logo<br/>&lt;img decoding="async" class="swiper-slide-image" src="https://awf.co.in/wp-content/uploads/2023/07/Pt.-deendayal-logo.jpg" alt="Pt. deendayal logo"&gt;</div> | Media element lacking an explicit size |
| ...v18/pe0TlImSL....woff2 (fonts.gstatic.com)   | Web font loaded                        |

○ User Timing marks and measures — 29 user timings ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#).



Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. [Learn more](#).

| Name         | Type | Start Time  | Duration |
|--------------|------|-------------|----------|
| mark_nreqs   | Mark | 2,475.66 ms |          |
| mark_srt     | Mark | 2,548.66 ms |          |
| mark_nress   | Mark | 2,548.66 ms |          |
| mark_nrese   | Mark | 2,548.66 ms |          |
| mark_rsf_pj  | Mark | 2,564.66 ms |          |
| mark_rsf_pej | Mark | 2,564.66 ms |          |



|                  |      |             |
|------------------|------|-------------|
| mark_rsf_ecj     | Mark | 2,564.66 ms |
| mark_wffs        | Mark | 2,570.66 ms |
| mark_rse_pej     | Mark | 2,571.66 ms |
| mark_wffe        | Mark | 2,574.66 ms |
| mark_rse_ecj     | Mark | 2,576.66 ms |
| mark_rse_pj      | Mark | 2,602.66 ms |
| mark_rse_pc      | Mark | 2,607.66 ms |
| mark_ep_init_eps | Mark | 2,663.48 ms |
| mark_ep_init_epe | Mark | 2,666.49 ms |
| mark_pe          | Mark | 2,970.89 ms |
| mark_ep_init_wes | Mark | 2,979.24 ms |
| mark_ep_init_wee | Mark | 3,002.21 ms |
| mark_pot_isc     | Mark | 3,040.50 ms |
| mark_pot_ist     | Mark | 3,041.29 ms |
| mark_pot_csms    | Mark | 3,050.66 ms |
| mark_pot_csmf    | Mark | 3,053.49 ms |
| mark_fs          | Mark | 3,080.44 ms |
| mark_qoes        | Mark | 3,099.86 ms |
| mark_ep_init_pr  | Mark | 3,222.24 ms |
| mark_pot_if      | Mark | 3,758.96 ms |
| mark_pot_cms     | Mark | 3,759.43 ms |
| mark_pot_cmf     | Mark | 3,762.71 ms |

#### ○ Avoid chaining critical requests — 75 chains found



The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)



https://awf.co.in

|  |                               |
|--|-------------------------------|
| ...css/widget-heading.min.css?ver=3.29.2 (awf.co.in) -                         | <b>109.408 ms</b> , 0.66 KiB  |
| ...css/roboto.css?ver=174... (awf.co.in) -                                     | <b>0.01 ms</b> , 0.00 KiB     |
| ...css/robotoslab.css?ver=174... (awf.co.in) -                                 | <b>0.028 ms</b> , 0.00 KiB    |
| ...css/widget-image.min.css?ver=3.29.2 (awf.co.in) -                           | <b>232.528 ms</b> , 0.65 KiB  |
| ...css/nunitosans.css?ver=174... (awf.co.in) -                                 | <b>0.014 ms</b> , 0.00 KiB    |
| ...css/widget-icon-box.min.css?ver=3.29.2 (awf.co.in) -                        | <b>256.348 ms</b> , 1.15 KiB  |
| ...css/widget-spacer.min.css?ver=3.29.2 (awf.co.in) -                          | <b>176.677 ms</b> , 0.81 KiB  |
| ...css/swiper.min.css?ver=8.4.5 (awf.co.in) -                                  | <b>249.494 ms</b> , 4.64 KiB  |
| ...conditionals/e-swiper.min.css?ver=3.29.2 (awf.co.in) -                      | <b>235.257 ms</b> , 1.18 KiB  |
| ...css/widget-image-carousel.min.css?ver=3.29.2 (awf.co.in) -                  | <b>121.856 ms</b> , 0.66 KiB  |
| ...css/widget-video.min.css?ver=3.29.2 (awf.co.in) -                           | <b>247.21 ms</b> , 0.85 KiB   |
| ...css/widget-testimonial.min.css?ver=3.29.2 (awf.co.in) -                     | <b>174.334 ms</b> , 0.80 KiB  |
| ...css/widget-counter.min.css?ver=3.29.2 (awf.co.in) -                         | <b>173.989 ms</b> , 0.73 KiB  |
| ...mediaelement/mediaelementplayer-legacy.min.css?ver=4.2.17 (awf.co.in) -     | <b>244.483 ms</b> , 2.83 KiB  |
| ...css/post-965.css?ver=174... (awf.co.in) -                                   | <b>113.9 ms</b> , 4.07 KiB    |
| ...jquery/jquery.min.js?ver=3.7.1 (awf.co.in) -                                | <b>173.968 ms</b> , 29.43 KiB |
| ...jquery/jquery-migrate.min.js?ver=3.4.1 (awf.co.in) -                        | <b>144.76 ms</b> , 5.09 KiB   |
| ...mediaelement/wp-mediaelement.min.css?ver=6.8.1 (awf.co.in) -                | <b>127.957 ms</b> , 1.46 KiB  |
| ...vendor/react.min.js?ver=18.3.1.1 (awf.co.in) -                              | <b>107.697 ms</b> , 4.44 KiB  |
| ...vendor/react-jsx-runtime.min.js?ver=18.3.1 (awf.co.in) -                    | <b>105.662 ms</b> , 1.03 KiB  |
| ...vendor/react-dom.min.js?ver=18.3.1.1 (awf.co.in) -                          | <b>379.937 ms</b> , 39.20 KiB |
| /css2?family=... (fonts.googleapis.com)  |                               |
| ...v18/peOTMImSL....woff2 (fonts.gstatic.com) -                                | <b>3.558 ms</b> , 31.05 KiB   |
| ...dist/dom-ready.min.js?ver=f77871f... (awf.co.in) -                          | <b>128.866 ms</b> , 0.79 KiB  |
| ...dist/hooks.min.js?ver=4d63a3d... (awf.co.in) -                              | <b>480.078 ms</b> , 2.06 KiB  |
| ...dist/i18n.min.js?ver=5e580eb... (awf.co.in) -                               | <b>375.358 ms</b> , 3.98 KiB  |
| ...dist/a11y.min.js?ver=3156534... (awf.co.in) -                               | <b>130.507 ms</b> , 1.33 KiB  |
| ...vendor/wp-polyfill.min.js?ver=3.15.0 (awf.co.in) -                          | <b>544.025 ms</b> , 14.28 KiB |
| ...dist/url.min.js?ver=6bf93e9... (awf.co.in) -                                | <b>433.308 ms</b> , 4.06 KiB  |
| ...dist/api-fetch.min.js?ver=3623a57... (awf.co.in) -                          | <b>375.892 ms</b> , 2.76 KiB  |
| ...dist/blob.min.js?ver=9113eed... (awf.co.in) -                               | <b>374.348 ms</b> , 1.01 KiB  |
| ...dist/block-serialization-default-parser.min.js?ver=14d44da... (awf.co.in) - | <b>130.111 ms</b> , 1.55 KiB  |
| ...dist/autop.min.js?ver=9fb5064... (awf.co.in) -                              | <b>385.547 ms</b> , 2.48 KiB  |
| ...bundle/main.min.css?ver=2.1.0 (awf.co.in) -                                 | <b>238.208 ms</b> , 17.35 KiB |
| ...dist/deprecated.min.js?ver=e1f8491... (awf.co.in) -                         | <b>130.13 ms</b> , 0.92 KiB   |
| ...dist/dom.min.js?ver=f3a673a... (awf.co.in) -                                | <b>433.031 ms</b> , 4.94 KiB  |
| ...dist/escape-html.min.js?ver=6561a40... (awf.co.in) -                        | <b>385.402 ms</b> , 0.99 KiB  |



|  |
|--|
| ...dist/keycodes.min.js?ver=0341f04... (awf.co.in) - <b>403.093 ms</b> , 1.02 KiB                |
| ...dist/priority-queue.min.js?ver=9c21c95... (awf.co.in) - <b>321.534 ms</b> , 1.94 KiB          |
| ...dist/compose.min.js?ver=84bcf83... (awf.co.in) - <b>464.107 ms</b> , 12.67 KiB                |
| ...dist/private-apis.min.js?ver=0f8478f... (awf.co.in) - <b>462.822 ms</b> , 1.40 KiB            |
| ...dist/redux-routine.min.js?ver=8bb92d4... (awf.co.in) - <b>469.386 ms</b> , 3.17 KiB           |
| ...bundle/elementor-frontend.min.css?ver=2.1.0 (awf.co.in) - <b>191.422 ms</b> , 0.81 KiB        |
| ...dist/data.min.js?ver=fe6c483... (awf.co.in) - <b>463.371 ms</b> , 8.92 KiB                    |
| ...dist/html-entities.min.js?ver=2cd3358... (awf.co.in) - <b>390.462 ms</b> , 0.90 KiB           |
| ...dist/rich-text.min.js?ver=74178fc... (awf.co.in) - <b>391.058 ms</b> , 10.23 KiB              |
| ...dist/shortcode.min.js?ver=b7747ee... (awf.co.in) - <b>321.458 ms</b> , 1.82 KiB               |
| ...dist/warning.min.js?ver=ed7c8b0... (awf.co.in) - <b>633.407 ms</b> , 0.72 KiB                 |
| ...dist/blocks.min.js?ver=84530c0... (awf.co.in) - <b>633.222 ms</b> , 49.83 KiB                 |
| ...vendor/moment.min.js?ver=2.30.1 (awf.co.in) - <b>536.188 ms</b> , 18.41 KiB                   |
| ...dist/date.min.js?ver=85ff222... (awf.co.in) - <b>514.325 ms</b> , 32.54 KiB                   |
| ...dist/primitives.min.js?ver=aef2543... (awf.co.in) - <b>510.722 ms</b> , 1.26 KiB              |
| ...dist/components.min.js?ver=336a011... (awf.co.in) - <b>714.566 ms</b> , 203.40 KiB            |
| ...bundle/wpforms.min.css?ver=2.1.0 (awf.co.in) - <b>140.759 ms</b> , 0.92 KiB                   |
| ...dist/keyboard-shortcuts.min.js?ver=32686e5... (awf.co.in) - <b>510.862 ms</b> , 1.73 KiB      |
| ...dist/commands.min.js?ver=14ee29a... (awf.co.in) - <b>520.334 ms</b> , 15.99 KiB               |
| ...dist/notices.min.js?ver=673a68a... (awf.co.in) - <b>732.247 ms</b> , 1.38 KiB                 |
| ...dist/preferences-persistence.min.js?ver=9307a8c... (awf.co.in) - <b>319.491 ms</b> , 2.44 KiB |
| ...dist/preferences.min.js?ver=4aa2358... (awf.co.in) - <b>518.869 ms</b> , 3.17 KiB             |
| ...dist/style-engine.min.js?ver=08cc10e... (awf.co.in) - <b>729.868 ms</b> , 2.42 KiB            |
| ...dist/token-list.min.js?ver=3b5f5dc... (awf.co.in) - <b>629.578 ms</b> , 1.03 KiB              |
| ...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in) - <b>833.205 ms</b> , 229.53 KiB          |
| ...js/underscore.min.js?ver=1.13.7 (awf.co.in) - <b>739.941 ms</b> , 7.53 KiB                    |
| ...js/wp-util.min.js?ver=6.8.1 (awf.co.in) - <b>739.283 ms</b> , 1.19 KiB                        |
| ...css/frontend.min.css?ver=3.29.2 (awf.co.in) - <b>141.681 ms</b> , 6.78 KiB                    |
| ...build/gutenberg-custom-link.js?ver=42a2a59... (awf.co.in) - <b>315.129 ms</b> , 0.89 KiB      |
| ...bundle/main.js?ver=2.1.0 (awf.co.in) - <b>658.645 ms</b> , 9.38 KiB                           |
| ...js/webpack.runtime.min.js?ver=3.29.2 (awf.co.in) - <b>658.054 ms</b> , 2.79 KiB               |
| ...js/frontend-modules.min.js?ver=3.29.2 (awf.co.in) - <b>738.26 ms</b> , 14.56 KiB              |
| ...ui/core.min.js?ver=1.13.3 (awf.co.in) - <b>737.861 ms</b> , 7.16 KiB                          |
| ...js/frontend.min.js?ver=3.29.2 (awf.co.in) - <b>321.772 ms</b> , 10.54 KiB                     |
| ...v8/swiper.min.js?ver=8.4.5 (awf.co.in) - <b>648.193 ms</b> , 37.17 KiB                        |
| ...jquery-numerator/jquery-numerator.min.js?ver=0.2.1 (awf.co.in) - <b>313.214 ms</b> , 1.18 KiB |
| ...css/post-1250.css?ver=174... (awf.co.in) - <b>181.925 ms</b> , 0.91 KiB                       |



## PASSED AUDITS (15)

Hide

- Properly size images ▼
- Minify CSS ▼
- Minify JavaScript ▼
- Efficiently encode images ▼
- Enable text compression ▼
- Preconnect to required origins ▼
- Initial server response time was short — Root document took 100 ms ▼
- Avoid multiple page redirects ▼
- Use video formats for animated content ▼
- Remove duplicate modules in JavaScript bundles ▼
- Avoids an excessive DOM size — 688 elements ▼
- Largest Contentful Paint image was not lazily loaded ▼
- Avoids `document.write()` ▼
- Avoid non-composited animations ▼
- Has a `<meta name="viewport">` tag with `width` or `initial-scale` ▼



## Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues

## NAMES AND LABELS


### ▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)


#### Failing Elements




div.e-con-inner > div.elementor-element > div.elementor-element > a  
[tree-plantation](https://awf.co.in/tree-plantation/)



div.e-con-inner > div.elementor-element > div.elementor-element > a  
[honey-bee-farming](https://awf.co.in/honey-bee-farming/)




div.e-con-inner > div.elementor-element > div.elementor-element > a  
[vocational-traning](https://awf.co.in/vocational-traning/)




div.e-con-inner > div.elementor-element > div.elementor-element > a  
[water-conservation](https://awf.co.in/water-conservation/)



div.e-con-inner > div.elementor-element > div.elementor-element > a  
[better-living-condition](http://awf.co.in/better-living-condition/)



div.e-con-inner > div.elementor-element > div.elementor-element > a  
[climate-change-mitigation](https://awf.co.in/climate-change-mitigation/)



div.elementor-element > div.e-con-inner > div.elementor-element > a

```
target="_blank" rel="noopener">
```


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

## NAVIGATION

### ▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

#### Failing Elements



#### TREE PLANTATION

```
<h6 class="elementor-icon-box-title">
```

These are opportunities to improve keyboard navigation in your application.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Hide](#)

- ☐ Interactive controls are keyboard focusable ^
- ☐ Interactive elements indicate their purpose and state ^
- ☐ The page has a logical tab order ^
- ☐ Visual order on the page follows DOM order ^
- ☐ User focus is not accidentally trapped in a region ^
- ☐ The user's focus is directed to new content added to the page ^
- ☐ HTML5 landmark elements are used to improve navigation ^
- ☐ Offscreen content is hidden from assistive technology ^
- ☐ Custom controls have associated labels ^
- ☐ Custom controls have ARIA roles ^



## PASSED AUDITS (26)

Hide

- [\[aria-\\*\]](#) attributes match their roles ▼
- [\[aria-hidden="true"\]](#) is not present on the document [<body>](#) ▼
- [\[role\]](#)s have all required [\[aria-\\*\]](#) attributes ▼
- [\[aria-\\*\]](#) attributes have valid values ▼
- [\[aria-\\*\]](#) attributes are valid and not misspelled ▼
- Buttons have an accessible name ▼
- Image elements have [\[alt\]](#) attributes ▼
- [\[user-scalable="no"\]](#) is not used in the [<meta name="viewport">](#) element and the [\[maximum-scale\]](#) attribute is not less than 5. ▼
- [button](#), [link](#), and [menuitem](#) elements have accessible names ▼
- ARIA attributes are used as specified for the element's role ▼
- [\[aria-hidden="true"\]](#) elements do not contain focusable descendents ▼
- Elements use only permitted ARIA attributes ▼
- [\[role\]](#) values are valid ▼
- Background and foreground colors have a sufficient contrast ratio ▼
- Document has a [<title>](#) element ▼
- [<frame>](#) or [<iframe>](#) elements have a title ▼
- [<html>](#) element has a [\[lang\]](#) attribute ▼
- [<html>](#) element has a valid value for its [\[lang\]](#) attribute ▼
- Lists contain only [<li>](#) elements and script supporting elements ([<script>](#) and [<template>](#)). ▼
- List items ([<li>](#)) are contained within [<ul>](#), [<ol>](#) or [<menu>](#) parent elements ▼



● Touch targets have sufficient size and spacing.

● Skip links are focusable.

● Uses ARIA roles only on compatible elements

● Deprecated ARIA roles were not used

● Image elements do not have `[alt]` attributes that are redundant text.

NOT APPLICABLE (29)

Hide

○ `[accesskey]` values are unique

○ Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

○ ARIA input fields have accessible names

○ ARIA `meter` elements have accessible names

○ ARIA `progressbar` elements have accessible names

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

○ `[role]`s are contained by their required parent element

○ Elements with the `role=text` attribute do not have focusable descendents.

○ ARIA toggle fields have accessible names

○ ARIA `tooltip` elements have accessible names

○ ARIA `treeitem` elements have accessible names

○ The page contains a heading, skip link, or landmark region

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

○ Definition list items are wrapped in `<dl>` elements

○ ARIA IDs are unique



- ☐ `<iframe>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ▼
- ☐ Input buttons have discernible text. ▼
- ☐ `<input type="image">` elements have `[alt]` text ▼
- ☐ Form elements have associated labels ▼
- ☐ Links are distinguishable without relying on color. ▼
- ☐ The document does not use `<meta http-equiv="refresh">` ▼
- ☐ `<object>` elements have alternate text ▼
- ☐ Select elements have associated label elements. ▼
- ☐ Tables have different content in the summary attribute and `<caption>`. ▼
- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ▼
- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▼
- ☐ `[lang]` attributes have a valid value ▼
- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ▼



Best Practices



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

Insecure URL	Request Resolution
awf.co.in <a href="#">1st Party</a>	
...css/roboto.css?ver=174... (awf.co.in)	Blocked
...css/robotoslab.css?ver=174... (awf.co.in)	Blocked
...css/nunitosans.css?ver=174... (awf.co.in)	Blocked
...05/trees-150x150.png (awf.co.in)	Blocked
...05/apitherapy-150x150.png (awf.co.in)	Blocked
...01/2966327-150x150.png (awf.co.in)	Blocked
...05/save-water-150x150.png (awf.co.in)	Blocked
...05/world-150x150.png (awf.co.in)	Blocked
...05/climate-change-1-150x150.png (awf.co.in)	Blocked
...05/proverty.jpg (awf.co.in)	Blocked
...05/zero-hunger.jpg (awf.co.in)	Blocked
...01/E_SDG-goals_icons-individual-rgb-03.jpg (awf.co.in)	Blocked
...05/5-1024x1024.png (awf.co.in)	Blocked
...05/climate.png (awf.co.in)	Blocked
...05/lifebelolwwater-1024x1024.png (awf.co.in)	Blocked
...05/life-1024x1024.png (awf.co.in)	Blocked
...01/img-UNDEcade-300x110.png (awf.co.in)	Blocked
...05/DSC04159-768x432.jpg (awf.co.in)	Blocked
...05/DSC04120-1-768x432.jpg (awf.co.in)	Blocked
...08/Our-Plant....png (awf.co.in)	Blocked
...07/grow-billion-trees-logo.jpg (awf.co.in)	Automatically upgraded to HTTPS



...07/innerwheel-logo.jpg (awf.co.in)

Automatically upgraded to HTTPS

...07/rotary-logo.jpg (awf.co.in)

Automatically upgraded to HTTPS

...07/Pt.-deendayal-logo.jpg (awf.co.in)

Automatically upgraded to HTTPS

...07/chlorochem-logo.jpg (awf.co.in)

Automatically upgraded to HTTPS

...09/Grow-Trees-logo.jpg (awf.co.in)

Automatically upgraded to HTTPS

...05/DSC\_8446-scaled.jpg (awf.co.in)

Automatically upgraded to HTTPS

## ○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

## ○ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No HSTS header found		High

## ○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

## ○ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate



Description

Severity

No frame control policy found

High

## GENERAL

### ▲ Uses third-party cookies — 3 cookies found ^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
YouTube <span>Video</span>	
YSC	/embed/Y8miLsiVp6U?controls=... (www.youtube.com)
VISITOR_INFO01_LIVE	/embed/Y8miLsiVp6U?controls=... (www.youtube.com)
__Secure-ROLLOUT_TOKEN	/embed/Y8miLsiVp6U?controls=... (www.youtube.com)

### ▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

☒ Show 3rd-party resources (1)

Source	Description
awf.co.in <span>1st Party</span>	
...users/me?context=edit&_locale=user:1:0 (awf.co.in)	Failed to load resource: the server responded with a status of 401 (Unauthorized)
https://awf.co.in:982:0	Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/5-1024x1024.png'. This request has been blocked; the content must be served over HTTPS.
https://awf.co.in:982:0	Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image

content/uploads/2023/05/apittherapy-150x150.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/climate-change-1-150x150.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/climate.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/DSC04120-1-768x432.jpg'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/DSC04159-768x432.jpg'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/life-1024x1024.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/lifebelolwater-1024x1024.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/proverty.jpg'. This request

HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/save-water-150x150.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/trees-150x150.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/world-150x150.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/05/zero-hunger.jpg'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2023/08/Our-Plantation-Model-3-1024x1024.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2024/01/2966327-150x150.png'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2024/01/E\_SDG-goals\_icons-individual-rgb-03.jpg'. This request has been blocked; the content must be served over HTTPS.

https://awf.co.in:982:0

Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure image 'http://awf.co.in/wp-content/uploads/2024/01/img-

	blocked; the content must be served over HTTPS.
https://awf.co.in:134:0	Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure stylesheet 'http://awf.co.in/wp-content/uploads/elementor/google-fonts/css/nunitosans.css?ver=1743060422'. This request has been blocked; the content must be served over HTTPS.
https://awf.co.in:132:0	Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure stylesheet 'http://awf.co.in/wp-content/uploads/elementor/google-fonts/css/roboto.css?ver=1743060397'. This request has been blocked; the content must be served over HTTPS.
https://awf.co.in:133:0	Mixed Content: The page at 'https://awf.co.in/' was loaded over HTTPS, but requested an insecure stylesheet 'http://awf.co.in/wp-content/uploads/elementor/google-fonts/css/robotoslab.css?ver=1743060411'. This request has been blocked; the content must be served over HTTPS.
https://awf.co.in:1:0	Object
Google/DoubleClick Ads <span>Ad</span>	
/pagead/ads? client=...:1:0 (googleads.g.doubleclick.net)	Failed to load resource: the server responded with a status of 403 (Forbidden)

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Mixed content

...07/grow-billion-trees-logo.jpg (awf.co.in)

...07/impact-guru-logo.jpg (awf.co.in)

...07/innerwheel-logo.jpg (awf.co.in)

...07/rotary-logo.jpg (awf.co.in)



...07/chlorochem-logo.jpg (awf.co.in)  
...09/Grow-Trees-logo.jpg (awf.co.in)  
...css/roboto.css?ver=174... (awf.co.in)  
...css/robotoslab.css?ver=174... (awf.co.in)  
...css/nunitosans.css?ver=174... (awf.co.in)  
...05/trees-150x150.png (awf.co.in)  
...05/apitherapy-150x150.png (awf.co.in)  
...01/2966327-150x150.png (awf.co.in)  
...05/save-water-150x150.png (awf.co.in)  
...05/world-150x150.png (awf.co.in)  
...05/climate-change-1-150x150.png (awf.co.in)  
...05/proverty.jpg (awf.co.in)  
...05/zero-hunger.jpg (awf.co.in)  
...01/E\_SDG-goals\_icons-individual-rgb-03.jpg (awf.co.in)  
...05/5-1024x1024.png (awf.co.in)  
...05/climate.png (awf.co.in)  
...05/lifebelolwwater-1024x1024.png (awf.co.in)  
...05/life-1024x1024.png (awf.co.in)  
...01/img-UNDEcade-300x110.png (awf.co.in)  
...05/DSC04159-768x432.jpg (awf.co.in)  
...05/DSC04120-1-768x432.jpg (awf.co.in)  
...08/Our-Plant....png (awf.co.in)  
...05/DSC\_8446-scaled.jpg (awf.co.in)

## Cookie

/embed/Y8miLsiVp6U?controls=... (www.youtube.com)

## ○ Detected JavaScript libraries



All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
jQuery	3.7.1
jQuery UI	1.13.3



Underscore	1.13.7
Moment.js	2.30.1
Moment Timezone	0.5.40
WordPress	6.8.1
core-js	core-js-global@3.39.0; core-js-global@3.39.0

## ▲ Missing source maps for large first-party JavaScript



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

☒ Show 3rd-party resources (2)

URL	Map URL
awf.co.in <span>1st Party</span>	
...dist/date.min.js?ver=85ff222... (awf.co.in)	
Large JavaScript file is missing a source map	
...dist/components.min.js?ver=336a011... (awf.co.in)	
Large JavaScript file is missing a source map	
...dist/block-editor.min.js?ver=c8c5e4e... (awf.co.in)	
Large JavaScript file is missing a source map	
...v8/swiper.min.js?ver=8.4.5 (awf.co.in)	...v8/swiper-bundle.min.js.map (awf.co.in)
SyntaxError: Unexpected token '<', "<!doctype "... is not valid JSON	
Other Google APIs/SDKs <span>Utility</span>	
...th/nK3lt_Z7T....js (www.google.com)	
Google/DoubleClick Ads <span>Ad</span>	
/bg/Wb8bPZigR....js (pagead2.googlesyndication.com)	



- Allows users to paste into input fields
- Avoids requesting the geolocation permission on page load
- Avoids requesting the notification permission on page load
- Displays images with correct aspect ratio
- Serves images with appropriate resolution
- Has a `<meta name="viewport">` tag with `width` or `initial-scale`
- Page has the HTML doctype
- Properly defines charset

NOT APPLICABLE (2)

Hide

- Redirects HTTP traffic to HTTPS
- Document uses legible font sizes



## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Link destination	Link Text
awf.co.in <span>1st Party</span>	
/tree-plantation/ (awf.co.in)	Learn More
/honey-bee-farming/ (awf.co.in)	Learn More
/vocational-traning/ (awf.co.in)	Learn More
/water-conservation/ (awf.co.in)	Learn More
/better-living-condition/ (awf.co.in)	Learn More
/climate-change-mitigation/ (awf.co.in)	Learn More
/about-us/ (awf.co.in)	Learn More

Format your HTML in a way that enables crawlers to better understand your app's content.

## ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Hide](#)

- ☐ Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

## PASSED AUDITS (9)

[Hide](#)

- Page isn't blocked from indexing
- Document has a `<title>` element
- Document has a meta description
- Page has successful HTTP status code
- Links are crawlable
- robots.txt is valid
- Image elements have `[alt]` attributes
- Document has a valid `hreflang`



---

## More on PageSpeed Insights

[What's new](#)

[Documentation](#)

[Learn about Web Performance](#)

[Ask questions on Stack Overflow](#)

[Mailing list](#)

## Related Content

[Updates](#)

[Web Fundamentals](#)

[Case Studies](#)

[Podcasts](#)

## Connect

[Twitter](#)

[Youtube](#)

---

 for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

---

[Terms and Privacy Policy](#)

For details, see the [Google Developers Site Policies](#).