


COMP9322 Week 9 Tutorial (Solutions)

Using CubViz to explore RDF Cube datasets

3. The RDF graph is



- 4. The rdfs:label is "% of basic public services for citizens, which are fully available online"
- 5. The content of the file is:

```
@prefix qb: <http://purl.org/linked-data/cube#> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
@prefix ns0: <http://ns.aksw.org/spatialHierarchy/> .

<http://data.lod2.eu/scoreboard/dsd/indicator>
    a qb:DataStructureDefinition ;
    rdfs:label "per Indicator" ;
    qb:component <http://data.lod2.eu/scoreboard/cs/year>,
    <http://data.lod2.eu/scoreboard/cs/country>,
    <http://data.lod2.eu/scoreboard/cs/value> .

<http://data.lod2.eu/scoreboard/ds/indicator/FOA_cit_Country__of_pub_serv_for_citizen>
```



```
a qb:DataSet;
 rdfs:label "% of basic public services for citizens, which are fully available online";
 qb:structure < http://data.lod2.eu/scoreboard/dsd/indicator>.
<a href="http://data.lod2.eu/scoreboard/cs/country">http://data.lod2.eu/scoreboard/cs/country</a>
 a qb:ComponentSpecification, <a href="http://ns.aksw.org/spatialHierarchy/Country">http://ns.aksw.org/spatialHierarchy/Country</a>;
 rdfs:label "Country", "Austria", "Belgium", "Germany", "Denmark", "Greece",
"Spain", "France", "Ireland", "Iceland", "Italy";
 rdfs:comment "Observations are tagged with the location, where the measurement
is made";
 qb:dimension <a href="http://data.lod2.eu/scoreboard/properties/country">http://data.lod2.eu/scoreboard/properties/country</a>;
 ns0:isLocatedIn <a href="http://data.lod2.eu/scoreboard/country/European+Union+-">http://data.lod2.eu/scoreboard/country/European+Union+-</a>
+27+countries>.
<a href="http://data.lod2.eu/scoreboard/properties/country">http://data.lod2.eu/scoreboard/properties/country</a> a qb:DimensionProperty .
<a href="http://data.lod2.eu/scoreboard/cs/year">http://data.lod2.eu/scoreboard/cs/year>
 a qb:ComponentSpecification, <a href="http://data.lod2.eu/scoreboard/classes/Year">http://data.lod2.eu/scoreboard/classes/Year</a>;
 rdfs:label "Year", "2003", "2004";
 rdfs:comment "Observations are tagged with the year of measurement";
 qb:dimension <a href="http://data.lod2.eu/scoreboard/properties/year">http://data.lod2.eu/scoreboard/properties/year</a>.
<a href="http://data.lod2.eu/scoreboard/properties/year">http://data.lod2.eu/scoreboard/properties/year</a> a qb:DimensionProperty .
<a href="http://data.lod2.eu/scoreboard/cs/value">http://data.lod2.eu/scoreboard/cs/value></a>
 a qb:ComponentSpecification;
 rdfs:label "Value";
 qb:measure <a href="http://data.lod2.eu/scoreboard/properties/value">http://data.lod2.eu/scoreboard/properties/value>.
<a href="http://data.lod2.eu/scoreboard/properties/value">http://data.lod2.eu/scoreboard/properties/value</a> a qb:MeasureProperty .
```