





```
□ …
                                                                       JS add.js
        EXPLORER
                              JS lowerCaseWords.js X JS callbacks.js
                                                                                        JS remove.js
     ∨ 101385... [급 다 ひ 🗗
                               JS lowerCaseWords.js > ...
                                     // lowerCaseWords.js
       Js add.js
                                     function lowerCaseWords(mixedArray) {
       JS callbacks.js
                                         return new Promise((resolve, reject) => {
       JS lowerCaseWords.js
مړه
                                             try {
       JS remove.js
                                                 const result = mixedArray
                                                     .filter(item => typeof item === 'string')
☆
                                                     .map(word => word.toLowerCase());
                                                 resolve(result);
B
                                             } catch (error) {
                                                 reject(`Error: ${error.message}`);
                               11
                               12
                                         });
                               13
                                14
                               15
                                     // Test input
                               16
                                     const mixedArray = ['PIZZA', 10, true, 25, false, 'wings'];
                                     lowerCaseWords(mixedArray).then(console.log).catch(console.error);
                               17
                               18
                                                                                                                                                                                             Filter (e.g. text, !exclude, \escape)
                               PROBLEMS
                                          OUTPUT
                                                   DEBUG CONSOLE TERMINAL
                                                                              PORTS
                                /usr/local/bin/node ./lowerCaseWords.js
                              > (2) ['pizza', 'wings']
                                                                                                                                                                                             task_queues:95
```