


PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.




PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.



PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.



PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.



PDF4All is a feasibility spike for a local-first desktop PDF application. Every page of this fixture carries the same self-authored ASCII paragraph so that full-document text extraction, search and rendering can be measured on a document with a realistic page count and a realistic number of content-stream operators. No third-party document was used to build it, and the generator is checked in next to the file it produces.

