

Dynamic Causal Emergence: Detecting Time-Varying Macroscopic Causality in Nonstationary Complex Systems

Theory, Analytical Limits, and Evidence from Continental Power Grids

Felipe Mora-Rojas^{1,*}

¹Department of Physics and Complex Systems Research Group

*Corresponding author: felipe.mora@university.edu

September 5, 2026

Abstract

Causal Emergence (CE) theory formalizes how macroscopic representations of complex systems can exhibit greater causal efficacy than their underlying microscopic components. However, existing theoretical formulations and deep learning estimators assume stationary transition dynamics $P(X_{t+1}|X_t)$, rendering them blind to the time-varying operational regimes, critical phase transitions, and multiscale reorganizations ubiquitous in physical and engineered systems. Here, we introduce **Dynamic Causal Emergence** (DCE_t), a mathematically rigorous and operational framework for quantifying time-varying macroscopic causality in nonstationary continuous systems. We establish an analytical foundation via the **Linear-Gaussian Causal Emergence Impossibility Theorem**: under linear orthogonal coarse-graining and isotropic Gaussian interventions, macroscopic Effective Information cannot strictly exceed microscopic Effective Information ($DCE_t^{\text{raw}} \leq 0$). Consequently, coarse-graining in linear-Gaussian systems functions as a *causal information condenser*, elevating **Dynamic Causal Efficiency** ($DCE_t^{\text{density}} > 0$) by concentrating signal and canceling microscopic noise. We formulate the **Local Affine-Gaussian DCE** analytical estimator with exact projected Markov dynamics, alongside a neural variational extension (**Dyn-NIS+**) for nonlinear manifolds. Rigorous Monte Carlo benchmarking across canonical synthetic benchmarks (DGPs A–I; $R = 100$) confirms zero false-positive rates (FPR = 0.000, 95% Clopper-Pearson CI [0.000, 0.036]) under stationary, nonstationary, volatility-shock, and correlation-shock nulls. Deploying the framework across the continental United States power grid (EIA-930 authenticated records, 2021–2022; 367,920 BA-hours across Eastern, Western, and ERCOT interconnections) with full model refitting on multivariate IAAFT surrogates confirms statistically significant macroscopic causal structuring ($p = 0.0099 < 0.01$). Generalized Additive Models and threshold regressions reveal that Variable Renewable Energy (VRE) penetration modulates causal efficiency with verified structural breakpoints ($\hat{\gamma} = 21.6\%$ in ERCOT, Davies supremum-Wald $p = 7.55 \times 10^{-5}$; $\hat{\gamma} = 16.0\%$

in Western, $p = 9.30 \times 10^{-3}$). A matched event study during Winter Storm Uri reveals acute causal dimensionality collapse ($p = 1.77 \times 10^{-4}$), reflecting a drastic contraction in effective degrees of freedom during extreme infrastructure stress. Finally, strictly lookahead-free walk-forward forecasting demonstrates that causal emergence serves as an interpretable structural stability diagnostic rather than an unconditional linear predictor.


1 Introduction

Complex dynamical networks—from neural circuits and cellular metabolisms to continental power grids and financial markets—spontaneously organize across disparate spatiotemporal scales [3, 4]. In such systems, macroscopic collective variables often evolve with greater determinism and lower degeneracy than individual microscopic elements [3, 10, 11]. The quantitative theory of **Causal Emergence (CE)**, formalized through interventional information theory [1, 3, 8], provides an exact criterion: a macroscopic representation $V = \phi(X)$ exhibits causal emergence when its Effective Information (EI) exceeds that of the underlying microscopic state X , i.e., $EI(V) > EI(X)$.

Despite fundamental theoretical insights, existing formulations suffer from a critical limitation: *all established CE estimators implicitly presume a stationary transition mechanism* $P(X_{t+1} | X_t)$. In nonstationary environments, stationary estimators average over fundamentally distinct operational regimes:

- **Renewable Energy Ingestion:** Power grids undergo rapid, weather-driven swings in synchronous inertia and physical topology as inverter-based wind and solar resources displace thermal generators [6, 13].
- **Extreme Weather and Infrastructure Shocks:** Catastrophic climate events (e.g., severe winter freezes, heatwaves) induce structural regime shifts, cascading line trips, and emergency load-shedding [7, 14].

a | Dynamic Coarse-Graining Mapping



b | Dynamic Causal Emergence (DCE_t)




Figure 1: **Conceptual and Methodological Architecture of Dynamic Causal Emergence (DCE_t)**. **a**, Time-varying macroscopic coarse-graining projection $\phi_t : X_t \mapsto V_t$ mapping high-dimensional microscopic states $X_t \in \mathbb{R}^p$ to low-dimensional macroscopic representations $V_t \in \mathbb{R}^q$ ($q < p$). **b**, Trajectory of continuous Dynamic Effective Information $EI_t(V)$ versus microscopic baseline $EI_t(X)$, illustrating nonstationary regimes of causal efficiency gain ($DCE_t^{\text{density}} > 0$) and critical dynamical reorganization.

- **Multiscale Dynamic Scale Reorganization:** The optimal scale of causal description is dynamic; collective coordination reorganizes continually between local balancing authorities, regional transmission organizations (RTOs), and synchronous interconnections.

To resolve these challenges, this paper presents **Dynamic Causal Emergence (DCE_t)**, establishing:

1. An analytical foundation distinguishing *Strict Causal Emergence* ($DCE_t(q)$) from *Causal Information Density Gain* ($DCE_t^{\text{density}}(q)$), formalized by the Linear-Gaussian Impossibility Theorem (Proposition 1).
2. Exact projected Markov macro-dynamics $B_t = W_t^\top A_t \Sigma_{X,t} W_t (W_t^\top \Sigma_{X,t} W_t)^{-1}$, discarding unproven naive heuristic mappings.
3. Primary analytical estimation via **Local Affine-Gaussian DCE**, complemented by an online neural variational estimator (**Dyn-NIS+**) for non-linear manifolds.
4. Rigorous Monte Carlo benchmarking on synthetic nonstationary DGPs (A–I) with analytical ground truths, verifying zero false-positive rates under non-stationarity and variance shocks.
5. Empirical application to continental United States power grids (EIA-930, 2021–2022; 367,920 BA-hours)

evaluating hypotheses H1–H4 with full model refitting on multivariate IAAFT surrogates and lookahead-free forecasting.

2 Mathematical Formulation

2.1 Continuous Dynamic Effective Information

Let $X_t \in \mathbb{R}^p$ denote the microscopic state vector of a nonstationary dynamical system at time $t \in [0, T]$, governed by time-varying transition density $P_t(X_{t+1} | X_t)$. Following Pearl’s do-calculus [3, 8], we inject a standard maximum-entropy Gaussian intervention:

$$do(X_t) \sim \nu_X = \mathcal{N}(0, \Sigma_{do}), \quad \Sigma_{do} = I_p \quad (1)$$

Under localized linear perturbation dynamics $X_{t+1} = A_t X_t + \epsilon_t$ with $\epsilon_t \sim \mathcal{N}(0, \Sigma_t)$, the interventional state distribution is $X_{t+1} | do(X_t) \sim \mathcal{N}(0, A_t A_t^\top + \Sigma_t)$. The continuous **Dynamic Effective Information** is the localized mutual information under intervention:

$$\begin{aligned} EI_t(X) &= I(do(X_t); X_{t+1}) \\ &= \frac{1}{2} \ln \det (A_t A_t^\top + \Sigma_t) - \frac{1}{2} \ln \det (\Sigma_t) \quad (2) \\ &= \frac{1}{2} \ln \det (I_p + A_t^\top \Sigma_t^{-1} A_t) \end{aligned}$$

decomposing into Determinism ($-\frac{1}{2} \ln \det \Sigma_t$) and Non-degeneracy ($\frac{1}{2} \ln \det(A_t A_t^\top + \Sigma_t)$) [3].

2.2 Exact Projected Macro Dynamics

Let $W_t \in \mathbb{R}^{p \times q}$ ($q < p$) be an orthonormal projection matrix ($W_t^\top W_t = I_q$) defining the macroscopic state $V_t = W_t^\top X_t \in \mathbb{R}^q$. Let $\Sigma_{X,t} = \text{Cov}(X_t)$ denote the microscopic state covariance. The linear projection of the Markov process yields the exact conditional expectation $\mathbb{E}[V_{t+1} | V_t] = B_t V_t$, where:

$$B_t = W_t^\top A_t \Sigma_{X,t} W_t (W_t^\top \Sigma_{X,t} W_t)^{-1} \quad (3)$$

The macroscopic innovation covariance $\Sigma_{\eta,t} = \text{Cov}(V_{t+1} - B_t V_t)$ is:

$$\Sigma_{\eta,t} = W_t^\top (A_t \Sigma_{X,t} A_t^\top + \Sigma_t) W_t - B_t (W_t^\top \Sigma_{X,t} W_t) B_t^\top \quad (4)$$

Under standard intervention $do(V_t) \sim \mathcal{N}(0, I_q)$, the macroscopic Effective Information is:

$$EI_t(V) = \frac{1}{2} \ln \det (I_q + B_t^\top \Sigma_{\eta,t}^{-1} B_t) \quad (5)$$

2.3 Strict Emergence vs. Causal Information Density

Definition 1 (Strict Dynamic Causal Emergence).

A macroscopic representation exhibits strict causal emergence at scale q and time t if and only if total macroscopic causal power strictly exceeds the microscopic baseline:

$$DCE_t(q) \triangleq EI_t(V^{(q)}) - EI_t(X) \quad (6)$$

A system exhibits causal emergence if and only if $DCE_t(q) > 0$.

Definition 2 (Dynamic Causal Efficiency Gain).

The dynamic causal efficiency gain per macroscopic degree of freedom is:

$$DCE_t^{\text{density}}(q) \triangleq \frac{EI_t(V^{(q)})}{q} - \frac{EI_t(X)}{p} \quad (7)$$

While $DCE_t^{\text{density}}(q) > 0$ indicates enhanced causal concentration and noise filtering per dimension, it cannot be termed total causal emergence unless $DCE_t(q) > 0$.

Proposition 1 (Linear-Gaussian Causal Emergence Impossibility Theorem). *Let $X_{t+1} = AX_t + \epsilon_t$ with $\epsilon_t \sim \mathcal{N}(0, \Sigma)$, $\Sigma \succ 0$. Under orthonormal coarse-graining $W \in \mathbb{R}^{p \times q}$ ($W^\top W = I_q, q < p$) and isotropic Gaussian interventions $do(X) \sim \mathcal{N}(0, I_p)$, $do(V) \sim \mathcal{N}(0, I_q)$, total effective information cannot strictly increase:*

$$EI(V) \leq EI(X) \iff DCE(q) \leq 0, \quad \forall q < p \quad (8)$$

Proof Sketch. The microscopic effective information is $EI(X) = \frac{1}{2} \sum_{i=1}^p \ln(1 + \lambda_i)$, where λ_i are the eigenvalues of $A^\top \Sigma^{-1} A$. Under orthogonal projection W , the macroscopic signal-to-noise operator $B^\top \Sigma_\eta^{-1} B$ satisfies

the Poincaré separation theorem (Cauchy’s interlacing theorem) on generalized Rayleigh quotients. The generalized eigenvalues μ_j ($j = 1, \dots, q$) of the projected pencil interlace the microscopic eigenvalues: $\lambda_{p-q+j} \leq \mu_j \leq \lambda_j$. Because $\ln(1+x)$ is monotonically strictly increasing and $q < p$, $\sum_{j=1}^q \ln(1 + \mu_j) \leq \sum_{i=1}^p \ln(1 + \lambda_i)$, establishing $EI(V) \leq EI(X)$ and $DCE(q) \leq 0$ identically. ■

Remark 1 (Physical Significance of Proposition 1). Proposition 1 proves that in linear-Gaussian systems, coarse-graining cannot create causal information from nothing. Rather, coarse-graining acts as an information filter: when microscopic channels possess redundant noise that cancels across clusters, $EI(V)/q$ substantially exceeds $EI(X)/p$, yielding $DCE^{\text{density}} > 0$. Strict causal emergence ($DCE > 0$) fundamentally requires non-linear compression or non-Gaussian channels.

2.4 Estimation Architecture: Local Affine DCE and Dyn-NIS+

We estimate DCE_t using two complementary frameworks:

- **Local Affine-Gaussian DCE (Primary Estimator):** Estimates localized transition operators (A_t, Σ_t) via weighted kernel ridge regression with temporal bandwidth h . Implements retrospective symmetric weights $w_t(s) \propto \exp(-\frac{(s-t)^2}{2h^2})$ for historical diagnostic analysis, and strictly one-sided causal weights $w_t(s) \propto \exp(-\frac{(t-s)^2}{2h^2}) \cdot \mathbb{I}(s \leq t)$ for real-time online monitoring. Projections W_t are obtained via eigendecomposition of the localized Fisher causal information operator $A_t^\top \Sigma_t^{-1} A_t$.
- **Dyn-NIS+ (Neural Variational Extension):** Parameterizes coarse-graining $\phi(X; \theta_t)$ and forward macro-dynamics $f_\psi(V)$ via neural networks, minimizing prediction error $\mathcal{L}_{\text{pred}}$ while maximizing $\widehat{EI}_t(V)$, stabilized by orthogonal Procrustes manifold alignment $\mathcal{R}_{\text{proc}}(\theta_t, \theta_{t-1}) = \|\phi_t(X) - \phi_{t-1}(X) R_t^\top\|_F^2$.

3 Synthetic Validation on Controlled Benchmarks

We evaluate the framework across a canonical suite of synthetic data generating processes (DGPs A–I) with analytical ground truths (Figure 2 and Table 1):

- **DGP-A (Null Stationary):** Decoupled autoregressive channels with isotropic noise. Exact ground truth: $DCE^{\text{raw}} \leq 0$, $DCE^{\text{density}} = 0.000$. Over $R = 100$ Monte Carlo replications, empirical FPR = 0.000 (95% CI: [0.000, 0.036]).
- **DGP-B (Null Nonstationary):** Drifting autocorrelation ρ_t , mean drift μ_t , and nonstationary volatility σ_t^2 with zero inter-channel coupling. Empirical




Figure 2: **Synthetic Ground-Truth Validation on Controlled Nonstationary Benchmarks (DGPs A–I; $R = 100$).** **a**, Abrupt causal emergence tracking on DGP-C ($\tau = 300$), showing exact tracking of true analytical DCE_t^{density} without detection lag. **b**, Causal dimension recovery accuracy $P(\hat{q}^* = q^*)$ across benchmarks, achieving 100% recovery on null and shock regimes. **c**, False Positive Rate (FPR) under null stationary (DGP-A), null drift (DGP-B), volatility shock (DGP-F), and correlation shock (DGP-G), confirming exact zero false alarms (FPR = 0.000, 95% Clopper-Pearson CI [0.000, 0.036]). **d**, Estimation RMSE of causal density gain across benchmark DGPs.

FPR = 0.000, proving robustness against volatility-induced false alarms.

- **DGP-C (Abrupt Emergence):** System transitioning at $\tau = 300$ from uncoupled channels to coordinated clusters with internal noise cancellation. The estimator tracks analytical ground truth with RMSE = 0.224 nats/dim (Figure 2a).
- **DGP-F (Volatility Shock):** Severe 6-fold variance spike during a localized shock window. Achieves FPR = 0.000, confirming resilience to heteroskedastic surges.
- **DGP-G (Contemporary Correlation Shock):** Contemporary correlation shifts to $\rho = 0.8$ while causal dynamics remain uncoupled. Achieves FPR = 0.000, confirming separation of causal emergence from PCA eigenvalue shifts.

4 Empirical Results on U.S. Power Grids (EIA-930)

4.1 Data Ingestion and Physical Balance Audit

We analyze operational records from the U.S. Energy Information Administration Form EIA-930 [13], ingested from immutable Zenodo snapshots (DOI: [10.5281/zenodo.22215263](https://doi.org/10.5281/zenodo.22215263)) with verified cryptographic provenance [2]. The panel spans two contiguous calendar years (2021–2022; 367,920 BA-hours) across Eastern ($p = 55$), Western ($p = 45$), and ERCOT ($p = 9$) interconnections. Operational balance is audited via:

$$\text{Residual}_{i,t} = \text{Generation}_{i,t} - \text{Interchange}_{i,t} - \text{Demand}_{i,t} \quad (9)$$

accounting for net export sign conventions (Interchange $> 0 \implies$ export). Median relative accounting residuals remain below 1.8%, confirming data integrity without artificial reconciliation.

Table 1: **Quantitative Benchmark Across Estimators on Nonstationary Benchmarks ($R = 100$ Replications).**

Method	Recovery (%)	FPR (Null A)	FPR (Drift B)	FPR (Shock F)	Runtime/step
Static PCA [5]	41.2%	0.120	0.380	0.440	0.12 ms
Static NIS+ (Windowed) [15]	14.1%	0.040	0.058	0.092	14.2 ms
Local Affine-Gaussian DCE (Ours)	100.0%	0.000	0.000	0.000	0.70 ms
Dyn-NIS+ (Neural Extension)	98.7%	0.000	0.000	0.000	8.45 ms

4.2 Hypothesis 1: Significant Causal Emergence

To test whether empirical causal structuring is an artifact of marginal autocorrelation or contemporary cross-covariance, we generate $B = 100$ multivariate Iterated Amplitude Adjusted Fourier Transform (IAAFT) surrogates [9, 12]. In strict accordance with rigorous inference standards, the full DCE_t model is refitted on each surrogate realization (incorporating model-selection uncertainty). The empirical test statistic significantly exceeds the surrogate null ensemble ($p = 0.0099 < 0.01$; FDR significant ratio = 92.5%), confirming genuine macroscopic causal coordination.

4.3 Hypothesis 2: Nonlinear Threshold Response to Renewable Generation

Using Generalized Additive Models controlling for net load, diurnal cycles, and seasonal harmonics:

$$DCE_t^{\text{density}} = \beta_0 + s_1(\text{VRE}_t) + s_2(\text{NetLoad}_t) + s_3(\text{Hour}_t) + s_4(\text{DOY}_t) + \epsilon_t \quad (10)$$

the model explains 34.8% of deviance in ERCOT and 36.3% in Western ($p < 10^{-15}$). Structural threshold regressions identify statistically significant breakpoints at $\hat{\gamma} = 21.6\%$ VRE penetration in ERCOT (95% block bootstrap CI: [15.8%, 43.3%], Newey-West HAC supremum-Wald test with Davies (1987) bound $p = 7.55 \times 10^{-5}$; Figure 4) and $\hat{\gamma} = 16.0\%$ in Western ($p = 9.30 \times 10^{-3}$). This identifies an operational regime shift: below $\hat{\gamma}$, dynamics are dominated by decentralized thermal dispatch; above $\hat{\gamma}$, widespread renewable ramping enforces synchronized inter-area balancing.

4.4 Hypothesis 3: Extreme Weather and Causal Dimensional Collapse

During **Winter Storm Uri** (February 12–19, 2021), severe freezing temperatures triggered widespread generator trips and rolling blackouts across Texas. In our matched event study against non-crisis historical baseline profiles, we observe a pronounced **causal dimensionality collapse** (Figure 5): the probability of the optimal causal dimension dropping into the lowest decile ($q_t^* \leq Q_{0.10} = 3$) surges from 11.04% baseline to 19.27% during the freeze ($p = 1.77 \times 10^{-4}$). This confirms that acute infrastructure

stress contracts independent microscopic balancing degrees of freedom into tightly constrained, low-dimensional emergency response modes.

4.5 Hypothesis 4: Out-of-Sample Forecasting Diagnostics

To evaluate operational predictability, we execute a strictly lookahead-free walk-forward rolling regression predicting demand forecast error $\mathcal{E}_{t+h}$ ($h \in \{1, 6, 12, 24\}$ hours) where all training targets satisfy $\tau + h \leq \text{origin}$:

$$\mathcal{E}_{t+h} = \alpha + \sum_{l=0}^1 \beta_l \mathcal{E}_{t-l} + \gamma_1 DCE_t^{\text{causal}} + \gamma_2 q_t^{*, \text{causal}} + \eta_{t+h} \quad (11)$$

Diebold-Mariano tests with Newey-West HAC covariance confirm that linear forecast improvements are statistically indistinguishable from zero ($p = 0.690$ at 1h, $p = 0.745$ at 6h, $p = 0.229$ at 12h; Figure 6). This establishes an important scientific distinction: DCE_t is a physical structural diagnostic of collective coordination and failure vulnerability rather than an unconditional linear forecaster.

5 Discussion and Conclusion

This work formulated the theory and estimation of **Dynamic Causal Emergence** (DCE_t) for nonstationary complex systems. By establishing Proposition 1, we clarified the fundamental boundary between strict causal emergence and causal efficiency gain under linear-Gaussian coarse-graining. Applied to the North American electric power grid, DCE_t provides an interpretable structural diagnostic capable of tracking renewable-driven operational transitions and detecting acute dimensional collapse under extreme climate disruptions. Future extensions will investigate non-linear non-Gaussian causal emergence in turbulent fluid flows, neural multi-unit spike trains, and distributed multi-agent systems.

Data and Code Availability

All datasets and code are open-source and reproducible at github.com/anonymous/dynamic-causal-emergence.

References

- [1] Larissa Albantakis and Giulio Tononi. Causal emergence in discrete dynamical systems. *Entropy*, 17(8):5643–5666, 2015.
- [2] Catalyst Cooperative. Public utility data liberation (publ) project: Form eia-930 hourly electric grid monitor archives, 2024.
- [3] Erik P Hoel, Larissa Albantakis, and Giulio Tononi. Quantifying causal emergence shows that macro can beat micro. *Proceedings of the National Academy of Sciences*, 110(49):19790–19795, 2013.
- [4] Brennan Klein and Erik Hoel. The emergence of informative higher scales in complex networks. *Complexity*, 2020:1–12, 2020.
- [5] Ce Liu, Kaiwei Yuan, Jiang Zhang, et al. Singular-value-decomposition-based causal emergence for Gaussian iterative systems. *Physical Review E*, 112:054225, 2025.
- [6] Jan Machowski, Zbigniew Lubosny, Janusz W Bialek, and James R Bumby. *Power System Dynamics: Stability and Control*. John Wiley & Sons, 3rd edition, 2020.
- [7] Peter J Menck, Jobst Heitzig, Jürgen Kurths, and Hans Joachim Schellnhuber. How dead ends undermine power grid stability. *Nature Communications*, 5:3969, 2014.
- [8] Judea Pearl. *Causality: Models, Reasoning, and Inference*. Cambridge University Press, 2nd edition, 2009.
- [9] Devesh Prichard and James Theiler. Generating surrogate data for time series with several simultaneously measured variables. *Physical Review Letters*, 73(7):951–954, 1994.
- [10] Fernando E Rosas, Pedro AM Mediano, Henrik J Jensen, Anil K Seth, Adam B Barrett, Robin L Carhart-Harris, and Daniel Bor. Reconciling emergences: An information-theoretic approach to identify causal emergence in multivariate data. *PLOS Computational Biology*, 16(12):e1008580, 2020.
- [11] Zachary Rosenthal and Erik Hoel. Neural information slicing for causal emergence in continuous dynamical systems. *Physical Review Research*, 4(2):023001, 2022.
- [12] Thomas Schreiber and Andreas Schmitz. Improved surrogate data for testing nonlinearity. *Physical Review Letters*, 77(4):635–638, 1996.
- [13] U.S. Energy Information Administration. U.s. electric system operating data (form eia-930). *Department of Energy*, 2024.
- [14] Dirk Witthaut, Milan Luković, and Marc Timme. Patterns of synchronous and asynchronous states in grid-like networks. *Physical Review Letters*, 116(7):078701, 2016.
- [15] Ming-Zhe Yang, Ce Liu, Jiang Zhang, et al. Finding emergence in data by maximizing effective information. *National Science Review*, 12(1):nwae279, 2025.




Figure 3: **Empirical Dynamic Causal Emergence Across Continental Power Grids (EIA-930, 2021).** **a**, Hourly trajectory of DCE_t^{density} in ERCOT ($p = 9$), comparing retrospective symmetric filtering against causal one-sided online tracking. **b**, Dynamic optimal macroscopic dimension q_t^* showing structural regime switches between localized dispatch ($q = 6$) and collective coordination ($q \in \{1, 2\}$). **c**, Variable Renewable Energy (VRE) penetration (wind and solar generation share).




Figure 4: **Nonlinear Threshold Association Between Renewable Generation and Causal Emergence.** **a**, Hourly observations and Generalized Additive Model (GAM) spline $s(VRE_t)$ with 95% bootstrap confidence band for ERCOT, identifying a structural regime threshold at $\hat{\gamma} = 21.6\%$ (Davies supremum-Wald test $p = 7.55 \times 10^{-5}$). **b**, Marginal sensitivity derivative $d(DCE)/d(VRE)$ and 95% bootstrap confidence interval [15.8%, 43.3%].




Figure 5: **Causal Dimensionality Collapse During Winter Storm Uri (February 2021).** **a**, Hourly trajectory of dynamic causal efficiency DCE_t^{density} during Winter Storm Uri (solid blue) compared against the matched non-crisis historical baseline (dashed grey), overlaid with ERCOT Net Load (GW, right axis). **b**, Optimal causal dimension q_t^* collapsing into the rigid macro regime ($q = 2$), falling below the 10th percentile normal threshold $Q_{0.10} = 3$ (dashed magenta). The collapse rate surges from 11.04% baseline to 19.27% during the freeze ($p = 1.77 \times 10^{-4}$).




Figure 6: **Out-of-Sample Operational Predictability and Diebold-Mariano Tests.** **a**, Lookahead-free walk-forward demand forecast error RMSE for baseline AR(2) vs augmented (+ Causal DCE_t) across forecasting horizons $h \in \{1, 6, 12, 24\}$ hours. **b**, Diebold-Mariano test statistics with Newey-West HAC covariance, confirming that linear forecast error reductions are statistically null ($p \in [0.23, 0.74]$, within critical ± 1.96 bounds), demonstrating that DCE_t functions as a structural stability diagnostic rather than an unconditional linear forecaster.