



- List of content
 - Navbar
 - Logo icon
 - Page list
 - Login/register or user panel
 - Registration and logging in
 - User panel
 - Pretty link to GitHub
 - Slider
 - Content
 - Main page
 - Offer
 - Contact
 - Footer
- Responsibilities
 - Frontend
 - Backend



HomeOff



Write code with us!
Best people with huge experience

Don't waste time and see why you should choice us 🗨



Frontend

Learn how to make cool static website.
Learn HTML, CSS, JS and more..



Beckend

If you know how to make static website and want to
brisk then you could not be at the better place!

Making logos, d
T

This's starting page of programming school!

This whole website was made in **bootstrap** (frontend) framework and **PHP** language (backend).

Every page consist of

- Navbar
- Slider (optionally)
- Content area
- Footer

Navbar



HomeOff

- Navbar consist of
- Logo icon
 - Page lists
 - Login or Register or user panel

- Pretty link to [github](#)

Logo icon

Logo icon redirect always to the main page

Page list

This is list of available page at the time, also page where user is at the time will be highlighted. Hightlithing system is wrote in PHP and use two parameters (url and token) to decide if the page should be hightlsted or not:

```
function navbarActiv($name){
    $req_uri = $_SERVER['REQUEST_URI'];
    $path = substr($req_uri,0, strrpos($req_uri, '/'));
    $file = basename($_SERVER['REQUEST_URI'], '?' . $_SERVER['QUERY_STRING']);

    $wholePath = $path . '/' . $file;

    if($name == 'home' and strrpos($wholePath, '/pages/index/index.php') !== false)
        echo 'active';

    elseif ($name == 'contact' and strpos($wholePath, '/pages/contact/index.php') !== false)
        echo 'active';

    elseif ($name == 'offer' and strpos($wholePath, '/pages/offer/index.php') !== false)
        echo 'active';
}
```

Login/register or user panel

Depended if a user is already logged in or not will show up button Sign-in or user panel

Registration and logging in

This module is written in PHP and connects to the database to save/find the user. Also, passwords are hashed and we implemented protection from SQL injection!

```

session_start();

ini_set('display_errors', '1');
error_reporting(E_ALL);

require_once(__DIR__ . "/dbconnection.php");
$connection = mysqli_connect($_server, $_login, $_pass, $_db);

if(!$connection)
    $_SESSION['code'] = 'connectionError';
else{
    //registration
    if(isset($_POST['rlogin'])){
        if(!preg_match("/^[a-zA-Z0-9]{3,50}$/m", $_POST['rlogin'])){
            $_SESSION['code'] = 'wrongRLogin';
        }/not good login

        elseif(!preg_match("/^[a-zA-Z0-9]{6,50}$/m", $_POST['rpass'])){
            $_SESSION['code'] = 'wrongRPass';
        }/not good pass

        elseif(!preg_match("/\b[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\b/i", $_POST['rmail'])){
            $_SESSION['code'] = 'wrongRMail';
        }/not good mail

    }else{
        $login = $_POST['rlogin'];
        $pass = password_hash($_POST['rpass'], PASSWORD_DEFAULT);
        $mail = $_POST['rmail'];

        $q = "SELECT login FROM _Users WHERE login = '$login' or mail = '$mail'";
        $result = mysqli_query($connection, $q);

        //someone already registred with same login or mail
        if(mysqli_num_rows($result) >= 1){
            $row = mysqli_fetch_assoc($result);

            if($row['login'] == $login)
                $_SESSION['code'] = 'addingErrorLogin';
            else
                $_SESSION['code'] = 'addingErrorMail';
        }/if some same login/mail
    }else{
        $q = "INSERT INTO _Users SET login = '$login', pass = '$pass', mail = '$mail', role = 'u'";
        $query = mysqli_query($connection, $q);

        if($query)
            $_SESSION['code'] = 'registerSuccess';
        else
            $_SESSION['code'] = 'registerFailure';
    }/else (adding new user to DB)
}
}

//if isset rlogin

//loginning in
elseif(isset($_POST['llogin'])){
    //if login and pass has not danger chars (and fit to login and pass pattern)
    if(preg_match("/^[a-zA-Z0-9]{3,50}$/m", $_POST['llogin']) and preg_match("/^[a-zA-Z0-9]{6,50}$/m", $_POST['lpass'])){
        $login = $_POST['llogin'];
        $pass = $_POST['lpass'];

        $q = "SELECT * FROM _Users WHERE login = '$login'";
        $query = mysqli_query($connection, $q);
        $row = mysqli_fetch_assoc($query);

        //if returned no 1 record(s) (so 0 or > 1 (what should not happened)) or pass not match to hash from db
        if(mysqli_num_rows($query) != 1 or !password_verify($pass, $row['pass'])){
            $_SESSION['code'] = 'loginFailure';
        }else{
            $_SESSION['code'] = 'loginSuccess';
            $_SESSION['ID'] = $row['ID'];
            // TODO redirect to page after logged in
        }
    }/if good login and pass
    //if some put some danger chars in login/pass field
    else {
        $_SESSION['code'] = 'loginFailure';
    }
}

//if isset llogin

if(isset($_SESSION['ID'])){
    $ID = $_SESSION['ID'];

    $q = "SELECT * FROM _Users WHERE ID = '$ID'";
    $result = mysqli_query($connection, $q);
    $row = mysqli_fetch_assoc($result);

    $login = $row['login'];
    $mail = $row['mail'];
    $role = $row['role'];
}

//isset(SESSION.id)

mysqli_close($connection);
}


//if connection is good

```

User panel

In the user panel, user can

- log out itself



- also can manage his account like change the password

Change password!

Shirobachi

simonella@hryszkoo.dev

Old password

New password

Close

Change

- student can see list of teachers with mail and mailto link

#	Login	Mail	Teacher of
1	piotr	plotrm123@wp.pl	Web developer
2	Shirobachi	simon@hryszko.dev	Programmer
3	FidekCreator	fidek@fidekcompany.com	Network fitter FTTH

All right reserved © 2021 | Website made by [Simon Hryszko](#) and [Piotr Miciak](#)!

- Teachers can see students list, can also remove student or send they mail by auto generated mailto link

#	Login	Mail	Role	Actions
13	simonasdasdas	sasdevaa.97@gmail.com	Student	✖ ✉
16	shiro	sz97@gmail.com	Student	✖ ✉
17	simon213123	simon@hryssadaszko.dev	Student	✖ ✉
18	simonzxdsczc	dsf@assadasd.asd	Student	✖ ✉
19	simonadsadasdas	szevaasdasdasdasa.97@gmail.com	Student	✖ ✉
45	JanuszPawlacz	yebak@wp.pl	Student	✖ ✉
50	JanuszPawlacz11	yebadaaka@wp.pl	Student	✖ ✉
51	simonsadasdasdasdasdasd	szevaa.97@gmailsadasdasda.com	Student	✖ ✉
188	Shirobachitest	test@test.test	Student	✖ ✉

All right reserved © 2021 | Website made by [Simon Hryszko](#) and [Piotr Miciak](#)!

Pretty link to GitHub

This little pretty GitHub mascot is waving to the user when hovered and redirects to the GitHub repository where you're now. The code is made by [Tim Holman](#)

Slider



The slider is made by premade bootstrap classes. - Some images have descriptions!

- The slider has buttons that change the image if clicked.
- The images are from [unsplash](#) all of them are on [Unsplash license](#) which lets us use for free as long as we do not earn of them.

```

<div
  id="slider"
  class="carousel slide"
  data-bs-interval="5000"
  data-bs-ride="carousel"
>
  <div class="carousel-indicators">
    <button
      type="button"
      #data-bs-target="#slider"
      data-bs-slide-to="0"
      class="active"
      aria-current="true"
      aria-label="Slide 1"
    ></button>
    <button
      type="button"
      #data-bs-target="#slider"
      data-bs-slide-to="1"
      aria-label="Slide 2"
    ></button>
    <button
      type="button"
      #data-bs-target="#slider"
      data-bs-slide-to="2"
      aria-label="Slide 3"
    ></button>
    <button
      type="button"
      #data-bs-target="#slider"
      data-bs-slide-to="3"
      aria-label="Slide 3"
    ></button>
  </div>

  <div class="carousel-inner">
    <div class="carousel-item active">
      
      <!--<div class="carousel-caption d-none d-md-block">
        <h5>We have best equipment</h5>
        <p>Some representative placeholder content for the first slide.</p>
      </div-->
    </div>
    <div class="carousel-item">
      
      <div class="carousel-caption d-none d-md-block">
        <h1 class="cien">Best equipment</h1>
        <p style="font-size: 25px; " class="cien">
          On our course you will use best hardware on market!
        </p>
      </div>
    </div>
    <div class="carousel-item">
      
      <div class="carousel-caption d-none d-md-block">
        <h1 class="cien">Third slide</h1>
        <p style="font-size: 25px;" class="cien">Lorem ipsum dolor sit ami.</p>
      </div>
    </div>
    <div class="carousel-item">
      
      <!-- Photo by <a href="https://unsplash.com/@brookecagle?utm_source=unsplash&utm_medium=referral&utm_content=creditCopyText">Brooke Cagle</a> on <a href="https://unsplash.com/?utm_source=unsplash&utm_medium=r
    <div class="carousel-caption d-none d-md-block">
        <h1 class="cien">Create new contact</h1>
        <p style="font-size: 25px;" class="cien">
          On our courses you will meet great people. And create new relations
          for whole life.
        </p>
      </div>
    </div>
  </div>

  <!-- Slider button left/right -->
  <button
    class="carousel-control-prev"
    type="button"
    #data-bs-target="#slider"
    data-bs-slide="prev"
  >
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
  </button>

  <button
    class="carousel-control-next"

```

```
type="button"
#data-bs-target="#slider"
data-bs-slide="next"
>
<span class="carousel-control-next-icon" aria-hidden="true"></span>
<span class="visually-hidden">Next</span>
</button>
</div>
```

Content

Content depends on the page where you are

Main page

Write code with us!

Best people with huge experience

Don't waste time and see why you should choice us 🗨



Frontend

Learn how to make cool static website.
Learn HTML, CSS, JS and more..



Beckend

If you know how to make static website and want to
brisk then you could not be at the better place!

Making logos, de
Tr

Here is a sneak peek of what should give users a boost to check our offer.

Offer



HTML & CSS

Try with us to build splendid websites! With using HTML & CSS and JavaScript



PHP


We will teach you how to code in back-end language like PHP



PhotoShop


You will learn how to create images for your website, one of the best in the market!

You will have chance to work with best professionals!



Szymon Hryszko

Hi! My name is Simon and I am teaching backend. After you will be able to make static page I will show you how magically move the page, how to page interact with user. My lessons are funny we laugh very much and I am doing my best to teach in friendly atmosphere!



Piotr Miciak

Hello I will teach you how to create website. You will learn how to create "Fire works" in Photoshop. What's more if you chose PhotoShop course images for our websites and do a lot more.

Here new users can see what and by who we are teaching!

Contact

Contact with Us

Surname

Name

Email

Message

Write here your message

Send

Contact form is made in bootstrap (frontend) and mechanic is made by [formsubmit API](#)

Footer

All right reserved © 2021 | Website made by [Simon Hryszko](#) and [Piotr Miciak](#)!

The footer is quite simple because it's JUST FOOTER! Has to link to authors' GitHub pages and information about rights.

Responsibilities

Frontend

- Main components e.g. slider or footer **made by** [Piotr Miciak](#)
- Subpages e.g. offer, contact **made by** [Piotr Miciak](#)
- Editing pictures **made by** [Piotr Miciak](#)
- Constructing bootstrap grid **made by** [Piotr Miciak](#)

Backend

- Contact form mechanizm **made by** [Piotr Miciak](#)
- Loggining system **made by** [Szymon Hryszko](#)
- Registration system **made by** [Szymon Hryszko](#)
- Data change system **made by** [Szymon Hryszko](#)
- Notification system system **made by** [Szymon Hryszko](#)
- List of users **made by** [Szymon Hryszko](#)
- List of teachers **made by** [Szymon Hryszko](#)