

```

CREATE DATABASE IF NOT EXISTS `it_job_posting` /*!40100 DEFAULT CHARACTER SET
utf8mb3 */ /*!80016 DEFAULT ENCRYPTION='N' */;
USE `it_job_posting`;
-- MySQL dump 10.13 Distrib 8.0.32, for Win64 (x86_64)
--
-- Host: localhost Database: it_job_posting
--
-- Server version 8.0.32

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Temporary view structure for view `avgsalariesbycontract`
--

DROP TABLE IF EXISTS `avgsalariesbycontract`;
/*!50001 DROP VIEW IF EXISTS `avgsalariesbycontract` */;
SET @saved_cs_client = @@character_set_client;
/*!50503 SET character_set_client = utf8mb4 */;
/*!50001 CREATE VIEW `avgsalariesbycontract` AS SELECT
  1 AS `contrac_type`,
  1 AS `AverageMinSalary`,
  1 AS `AverageMaxSalary` */;
SET character_set_client = @saved_cs_client;

--
-- Temporary view structure for view `citieswithaboveonejobs`
--

DROP TABLE IF EXISTS `citieswithaboveonejobs`;
/*!50001 DROP VIEW IF EXISTS `citieswithaboveonejobs` */;
SET @saved_cs_client = @@character_set_client;
/*!50503 SET character_set_client = utf8mb4 */;
/*!50001 CREATE VIEW `citieswithaboveonejobs` AS SELECT
  1 AS `city`,
  1 AS `TotalJobTitles` */;
SET character_set_client = @saved_cs_client;

--
-- Table structure for table `company`
--

DROP TABLE IF EXISTS `company`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `company` (
  `company_id` int NOT NULL,
  `workplace_type` varchar(45) NOT NULL,
  `open_to_hire_Ukrainians` tinyint(1) NOT NULL,
  `max_company_size` int DEFAULT NULL,

```

```

    `min_company_size` int DEFAULT NULL,
    PRIMARY KEY (`company_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `company`
--

LOCK TABLES `company` WRITE;
/*!40000 ALTER TABLE `company` DISABLE KEYS */;
INSERT INTO `company` VALUES (1,'remote',1,0,40),(2,'remote',1,0,40),
(3,'remote',1,0,40),(4,'partly_remote',0,0,800),(5,'remote',0,0,100),
(6,'remote',1,20,10),(7,'remote',1,0,100),(8,'remote',1,0,100),
(9,'remote',1,25,15),(10,'remote',0,10,1),(11,'remote',0,0,30),
(12,'partly_remote',0,0,30),(13,'partly_remote',0,0,30),(14,'remote',1,50,11),
(15,'remote',1,0,30),(16,'partly_remote',0,0,100),(17,'remote',0,0,300),
(18,'remote',0,0,300),(19,'remote',0,0,100),(20,'remote',0,0,25),
(21,'remote',0,0,800),(22,'remote',0,0,800),(23,'remote',0,0,800),
(24,'partly_remote',0,0,800),(25,'remote',0,0,800),(26,'partly_remote',0,0,800),
(27,'remote',0,0,800),(28,'remote',0,0,800),(29,'remote',0,0,800),
(30,'remote',1,0,800);
/*!40000 ALTER TABLE `company` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `contract_type`
--

DROP TABLE IF EXISTS `contract_type`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `contract_type` (
  `contract_type_id` int NOT NULL,
  `contract_type` varchar(45) NOT NULL,
  PRIMARY KEY (`contract_type_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `contract_type`
--

LOCK TABLES `contract_type` WRITE;
/*!40000 ALTER TABLE `contract_type` DISABLE KEYS */;
INSERT INTO `contract_type` VALUES (1,'permanent'),(2,'b2b'),(3,'mandate'),
(4,'other');
/*!40000 ALTER TABLE `contract_type` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Temporary view structure for view `highpayingjobsforukrainians`
--

DROP TABLE IF EXISTS `highpayingjobsforukrainians`;
/*!50001 DROP VIEW IF EXISTS `highpayingjobsforukrainians`*/;
SET @saved_cs_client      = @@character_set_client;
/*!50503 SET character_set_client = utf8mb4 */;
/*!50001 CREATE VIEW `highpayingjobsforukrainians` AS SELECT
```

```

1 AS `title`,
1 AS `company_id`,
1 AS `contrac_type`,
1 AS `min_salary`,
1 AS `max_salary`*/;
SET character_set_client = @saved_cs_client;

--
-- Table structure for table `job`
--

DROP TABLE IF EXISTS `job`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `job` (
  `job_id` int NOT NULL,
  `title` varchar(45) NOT NULL,
  `marker_icon` varchar(45) NOT NULL,
  `experience_level` varchar(45) NOT NULL,
  `published_at` date NOT NULL,
  `remote_interview` tinyint(1) NOT NULL,
  `remote` tinyint(1) NOT NULL,
  `company_id` int NOT NULL,
  `location_id` int NOT NULL,
  PRIMARY KEY (`job_id`),
  KEY `fk_Job_Company1_idx` (`company_id`),
  KEY `fk_Job_Location1_idx` (`location_id`),
  CONSTRAINT `fk_Job_Company1` FOREIGN KEY (`company_id`) REFERENCES `company`
(`company_id`),
  CONSTRAINT `fk_Job_Location1` FOREIGN KEY (`location_id`) REFERENCES `location`
(`location_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `job`
--

LOCK TABLES `job` WRITE;
/*!40000 ALTER TABLE `job` DISABLE KEYS */;
INSERT INTO `job` VALUES (1,'Senior Data Engineer','data','senior','2022-08-
11',1,1,1,1),(2,'Fullstack Software Engineer','javascript','senior','2022-08-
11',1,1,2,1),(3,'Fullstack Software Engineer','javascript','senior','2022-08-
02',1,1,3,1),(4,'Middle/Senior .NET Developer','net','mid','2022-08-01',1,0,4,2),
(5,'Senior QA Engineer','testing','senior','2022-08-11',0,1,5,3),(6,'Full Stack
Developer','javascript','senior','2022-08-02',1,1,6,1),(7,'Net
developer','net','senior','2022-08-01',1,1,7,4),(8,'Full-Stack
developer','net','senior','2022-08-01',1,1,8,4),(9,'React
Developer','javascript','senior','2022-08-09',1,1,9,2),(10,'Strategy
Engineer','python','senior','2022-08-02',1,1,10,1),(11,'React
Developer','javascript','mid','2022-08-02',1,1,11,5),(12,'DevOps
Developer','devops','mid','2022-08-01',1,0,12,2),(13,'Lead DevOps
Engineer','devops','senior','2022-08-01',1,0,13,2),(14,'Junior Requirements
Engineer','pm','junior','2022-08-02',0,1,14,1),(15,'PHP Developer
(Symfony)','php','senior','2022-08-08',1,1,15,6),(16,'Cloud
Architect','architecture','senior','2022-08-12',1,0,16,1),(17,'Systems Engineer
(DNS team)','devops','mid','2022-08-11',1,1,17,2),(18,'Golang Engineer (CDN
team)','go','mid','2022-08-11',1,1,18,2),(19,'Java Developer','java','mid','2022-
08-11',1,1,19,7),(20,'DevOps and Cloud Engineer','devops','senior','2022-08-

```

```

12',1,1,20,8),(21,'Vue.js Developer','javascript','mid','2022-08-13',1,1,21,1),
(22,'Node.js Developer','javascript','mid','2022-08-13',1,1,22,3),(23,'Python
Developer','python','senior','2022-08-13',1,1,23,1),(24,'Senior Business
Consultant','analytics','senior','2022-08-12',1,0,24,1),(25,'Senior Java Developer
(Kafka)','java','senior','2022-08-12',1,1,25,3),(26,'Junior
PMO','pm','junior','2022-08-11',1,1,26,1),(27,'UX Lead','ux','senior','2022-08-
10',1,1,27,1),(28,'T-SQL / .NET Developer','net','mid','2022-08-09',1,1,28,1),
(29,'Lead Developer (Power BI, Oracle)','data','senior','2022-08-09',1,1,29,9),
(30,'Fullstack Developer (.Net6 + Angular12)','net','senior','2022-08-
09',1,1,30,3);
/*!40000 ALTER TABLE `job` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `job_contract_type`
--

```

```

DROP TABLE IF EXISTS `job_contract_type`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `job_contract_type` (
  `job_id` int NOT NULL,
  `contract_type_id` int NOT NULL,
  `max_salary` decimal(8,2) NOT NULL,
  `min_salary` decimal(8,2) NOT NULL,
  `salary_currency` varchar(45) NOT NULL,
  PRIMARY KEY (`job_id`,`contract_type_id`),
  KEY `fk_Job_has_Contract type_Contract type1_idx` (`contract_type_id`),
  KEY `fk_Job_has_Contract type_Job1_idx` (`job_id`),
  CONSTRAINT `fk_Job_has_Contract type_Contract type1` FOREIGN KEY
(`contract_type_id`) REFERENCES `contract_type` (`contract_type_id`),
  CONSTRAINT `fk_Job_has_Contract type_Job1` FOREIGN KEY (`job_id`) REFERENCES
`job` (`job_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `job_contract_type`
--

```

```

LOCK TABLES `job_contract_type` WRITE;
/*!40000 ALTER TABLE `job_contract_type` DISABLE KEYS */;
INSERT INTO `job_contract_type` VALUES (1,2,38648.52,30366.70,'gbp'),
(2,2,38648.52,30366.70,'gbp'),(3,2,39591.39,31107.52,'gbp'),
(4,2,28404.00,18936.00,'eur'),(5,2,25725.15,16370.55,'eur'),
(6,1,26037.00,22723.20,'eur'),(7,1,30297.60,23670.00,'eur'),
(8,2,30297.60,23670.00,'eur'),(9,2,23386.50,18709.20,'eur'),
(10,2,40239.00,33138.00,'eur'),(11,2,29824.20,23670.00,'eur'),
(12,2,37872.00,30297.60,'eur'),(13,2,53020.80,41659.20,'eur'),
(14,2,30297.60,18936.00,'eur'),(15,1,23386.50,18709.20,'eur'),
(16,2,32741.10,30402.45,'eur'),(17,2,25725.15,18709.20,'eur'),
(18,2,28063.80,18709.20,'eur'),(19,2,42095.70,32741.10,'eur'),
(20,2,28063.80,18709.20,'eur'),(21,2,23520.00,16800.00,'pln'),
(22,2,26880.00,23520.00,'pln'),(23,2,23520.00,20160.00,'pln'),
(24,2,23520.00,16800.00,'pln'),(25,2,30240.00,25200.00,'pln'),
(26,2,13440.00,9240.00,'pln'),(27,2,17808.00,16800.00,'pln'),
(28,2,23856.00,16800.00,'pln'),(29,2,30240.00,26880.00,'pln'),
(30,2,28560.00,23520.00,'pln');
/*!40000 ALTER TABLE `job_contract_type` ENABLE KEYS */;

```

```

UNLOCK TABLES;

--
-- Table structure for table `job_skills`
--

DROP TABLE IF EXISTS `job_skills`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `job_skills` (
  `job_id` int NOT NULL,
  `skill_id` int NOT NULL,
  PRIMARY KEY (`job_id`,`skill_id`),
  KEY `fk_Job_has_Skills_Skills1_idx` (`skill_id`),
  KEY `fk_Job_has_Skills_Job1_idx` (`job_id`),
  CONSTRAINT `fk_Job_has_Skills_Job1` FOREIGN KEY (`job_id`) REFERENCES `job`
(`job_id`),
  CONSTRAINT `fk_Job_has_Skills_Skills1` FOREIGN KEY (`skill_id`) REFERENCES
`skills` (`skill_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `job_skills`
--

LOCK TABLES `job_skills` WRITE;
/*!40000 ALTER TABLE `job_skills` DISABLE KEYS */;
INSERT INTO `job_skills` VALUES (1,1),(2,2),(3,3),(4,4),(5,5),(6,6),(7,7),(8,8),
(9,9),(10,10),(11,11),(12,12),(13,13),(14,14),(15,15),(16,16),(17,17),(18,18),
(19,19),(20,20),(21,21),(22,22),(23,23),(24,24),(25,25),(26,26),(27,27),(28,28),
(29,29),(30,30);
/*!40000 ALTER TABLE `job_skills` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Temporary view structure for view `jobsopentoukrainians`
--

DROP TABLE IF EXISTS `jobsopentoukrainians`;
/*!50001 DROP VIEW IF EXISTS `jobsopentoukrainians`*/;
SET @saved_cs_client      = @@character_set_client;
/*!50503 SET character_set_client = utf8mb4 */;
/*!50001 CREATE VIEW `jobsopentoukrainians` AS SELECT
  1 AS `title`,
  1 AS `company_id`,
  1 AS `contrac_type`*/;
SET character_set_client = @saved_cs_client;

--
-- Temporary view structure for view `largerthanavgmincompaniessize`
--

DROP TABLE IF EXISTS `largerthanavgmincompaniessize`;
/*!50001 DROP VIEW IF EXISTS `largerthanavgmincompaniessize`*/;
SET @saved_cs_client      = @@character_set_client;
/*!50503 SET character_set_client = utf8mb4 */;
/*!50001 CREATE VIEW `largerthanavgmincompaniessize` AS SELECT
  1 AS `job_title`,

```

```

1 AS `min_company_size`*/;
SET character_set_client = @saved_cs_client;

--
-- Table structure for table `location`
--

DROP TABLE IF EXISTS `location`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `location` (
  `location_id` int NOT NULL,
  `city` varchar(45) NOT NULL,
  `country_code` varchar(45) NOT NULL,
  PRIMARY KEY (`location_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `location`
--

LOCK TABLES `location` WRITE;
/*!40000 ALTER TABLE `location` DISABLE KEYS */;
INSERT INTO `location` VALUES (1,'Warszawa','PL'),(2,'Kraków','PL'),(3,'Gda?
sk','PL'),(4,'Pozna?','PL'),(5,'Wroc?aw','PL'),(6,'Katowice','PL'),(7,'Bielsko-Bia?
a','PL'),(8,'Bia?ystok','PL'),(9,'Warsaw','PL');
/*!40000 ALTER TABLE `location` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `skills`
--

DROP TABLE IF EXISTS `skills`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `skills` (
  `skill_id` int NOT NULL,
  `skill_name` varchar(45) NOT NULL,
  `skill_value` int NOT NULL,
  PRIMARY KEY (`skill_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `skills`
--

LOCK TABLES `skills` WRITE;
/*!40000 ALTER TABLE `skills` DISABLE KEYS */;
INSERT INTO `skills` VALUES (1,'ETL',3),(2,'TypeScript',1),(3,'TypeScript',1),
(4,'.Net',4),(5,'API Testing',4),(6,'ReactJS',3),(7,'C#',4),(8,'C#',4),
(9,'TypeScript',3),(10,'Go',4),(11,'TypeScript',3),(12,'Kubernetes',2),
(13,'Kubernetes',3),(14,'Analysis',2),(15,'PHP',4),(16,'PaaS',4),(17,'Python',3),
(18,'RabbitMQ',3),(19,'REST',3),(20,'Kubernetes',4),(21,'CSS',4),(22,'MongoDB',3),
(23,'SQL',3),(24,'SQL',1),(25,'English',4),(26,'Azure DevOps',1),(27,'UX',4),
(28,'.Net',3),(29,'data analytics',4),(30,'Angular 12',3);
/*!40000 ALTER TABLE `skills` ENABLE KEYS */;

```

```
UNLOCK TABLES;
```

```
--
```

```
-- Final view structure for view `avgsalariesbycontract`
```

```
--
```

```
/*!50001 DROP VIEW IF EXISTS `avgsalariesbycontract`*/;
/*!50001 SET @saved_cs_client          = @@character_set_client */;
/*!50001 SET @saved_cs_results        = @@character_set_results */;
/*!50001 SET @saved_col_connection    = @@collation_connection */;
/*!50001 SET character_set_client      = utf8mb4 */;
/*!50001 SET character_set_results     = utf8mb4 */;
/*!50001 SET collation_connection      = utf8mb4_0900_ai_ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `avgsalariesbycontract` AS select `ct`.`contrac_type` AS
`contrac_type`,round(avg(`jct`.`min_salary`),0) AS
`AverageMinSalary`,round(avg(`jct`.`max_salary`),0) AS `AverageMaxSalary` from
(`contract_type` `ct` join `job_contract_type` `jct` on((`ct`.`contract_type_id` =
`jct`.`contract_type_id`))) where ((`jct`.`min_salary` is not null) and
(`jct`.`max_salary` is not null)) group by `ct`.`contrac_type` */;
/*!50001 SET character_set_client      = @saved_cs_client */;
/*!50001 SET character_set_results     = @saved_cs_results */;
/*!50001 SET collation_connection      = @saved_col_connection */;
```

```
--
```

```
-- Final view structure for view `citieswithaboveonejobs`
```

```
--
```

```
/*!50001 DROP VIEW IF EXISTS `citieswithaboveonejobs`*/;
/*!50001 SET @saved_cs_client          = @@character_set_client */;
/*!50001 SET @saved_cs_results        = @@character_set_results */;
/*!50001 SET @saved_col_connection    = @@collation_connection */;
/*!50001 SET character_set_client      = utf8mb4 */;
/*!50001 SET character_set_results     = utf8mb4 */;
/*!50001 SET collation_connection      = utf8mb4_0900_ai_ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `citieswithaboveonejobs` AS select `l`.`city` AS
`city`,count(distinct `j`.`title`) AS `TotalJobTitles` from (`job` `j` join
`location` `l` on((`j`.`location_id` = `l`.`location_id`))) group by `l`.`city`
having (count(distinct `j`.`title`) > 1) */;
/*!50001 SET character_set_client      = @saved_cs_client */;
/*!50001 SET character_set_results     = @saved_cs_results */;
/*!50001 SET collation_connection      = @saved_col_connection */;
```

```
--
```

```
-- Final view structure for view `highpayingjobsforukrainians`
```

```
--
```

```
/*!50001 DROP VIEW IF EXISTS `highpayingjobsforukrainians`*/;
/*!50001 SET @saved_cs_client          = @@character_set_client */;
/*!50001 SET @saved_cs_results        = @@character_set_results */;
/*!50001 SET @saved_col_connection    = @@collation_connection */;
/*!50001 SET character_set_client      = utf8mb4 */;
/*!50001 SET character_set_results     = utf8mb4 */;
/*!50001 SET collation_connection      = utf8mb4_0900_ai_ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
```

```

/*!50001 VIEW `highpayingjobsforukrainians` AS select `j`.`title` AS
`title`,`c`.`company_id` AS `company_id`,`ct`.`contrac_type` AS
`contrac_type`,`jct`.`min_salary` AS `min_salary`,`jct`.`max_salary` AS
`max_salary` from (((`job` `j` join `company` `c` on((`j`.`company_id` =
`c`.`company_id`))) join `job_contract_type` `jct` on((`j`.`job_id` =
`jct`.`job_id`))) join `contract_type` `ct` on((`jct`.`contract_type_id` =
`ct`.`contract_type_id`))) where ((`c`.`open_to_hire_Ukrainians` = 1) and
((`jct`.`max_salary` - `jct`.`min_salary`) > (select
avg((`job_contract_type`.`max_salary` - `job_contract_type`.`min_salary`)) from
`job_contract_type` where ((`job_contract_type`.`max_salary` is not null) and
(`job_contract_type`.`min_salary` is not null))))) */;
/*!50001 SET character_set_client      = @saved_cs_client */;
/*!50001 SET character_set_results     = @saved_cs_results */;
/*!50001 SET collation_connection     = @saved_col_connection */;

--
-- Final view structure for view `jobsopentoukrainians`
--

/*!50001 DROP VIEW IF EXISTS `jobsopentoukrainians`*/;
/*!50001 SET @saved_cs_client          = @@character_set_client */;
/*!50001 SET @saved_cs_results        = @@character_set_results */;
/*!50001 SET @saved_col_connection    = @@collation_connection */;
/*!50001 SET character_set_client      = utf8mb4 */;
/*!50001 SET character_set_results     = utf8mb4 */;
/*!50001 SET collation_connection     = utf8mb4_0900_ai_ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `jobsopentoukrainians` AS select `j`.`title` AS
`title`,`c`.`company_id` AS `company_id`,`ct`.`contrac_type` AS `contrac_type` from
(((`job` `j` join `company` `c` on((`j`.`company_id` = `c`.`company_id`))) join
`job_contract_type` `jct` on((`j`.`job_id` = `jct`.`job_id`))) join `contract_type`
`ct` on((`jct`.`contract_type_id` = `ct`.`contract_type_id`))) where
(`c`.`open_to_hire_Ukrainians` = 1) */;
/*!50001 SET character_set_client      = @saved_cs_client */;
/*!50001 SET character_set_results     = @saved_cs_results */;
/*!50001 SET collation_connection     = @saved_col_connection */;

--
-- Final view structure for view `largerthanavgmincompaniessize`
--

/*!50001 DROP VIEW IF EXISTS `largerthanavgmincompaniessize`*/;
/*!50001 SET @saved_cs_client          = @@character_set_client */;
/*!50001 SET @saved_cs_results        = @@character_set_results */;
/*!50001 SET @saved_col_connection    = @@collation_connection */;
/*!50001 SET character_set_client      = utf8mb4 */;
/*!50001 SET character_set_results     = utf8mb4 */;
/*!50001 SET collation_connection     = utf8mb4_0900_ai_ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `largerthanavgmincompaniessize` AS select `j`.`title` AS
`job_title`,`c`.`min_company_size` AS `min_company_size` from (`job` `j` join
`company` `c` on((`j`.`company_id` = `c`.`company_id`))) where
(`c`.`min_company_size` > (select avg(`company`.`min_company_size`) from
`company`)) */;
/*!50001 SET character_set_client      = @saved_cs_client */;
/*!50001 SET character_set_results     = @saved_cs_results */;
/*!50001 SET collation_connection     = @saved_col_connection */;

```



```
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2023-05-15 21:15:02
```