

Riak KV - Cinema Database Schema

Step 1 : Start Riak

```
sudo riak start
sudo riak ping
```

Step 2 : Create Bucket Type

```
sudo riak-admin bucket-type create cinema_app \
'{"props":{"allow_mult":false,"last_write_wins":true}}'

sudo riak-admin bucket-type activate cinema_app
sudo riak-admin bucket-type status cinema_app
```

Step 3 : Insert Movie Records

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/movie/keys/movie_1 \
-H "Content-Type: application/json" \
-d '{
  "movie_id" : "movie_1" ,
  "title" : "Inception" ,
  "genre" : "Sci-Fi" ,
  "language" : "English" ,
  "duration" : 148 ,
  "rating" : 8.8 ,
  "release_year" : 2010
}'

curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/movie/keys/movie_2 \
-H "Content-Type: application/json" \
-d '{
  "movie_id" : "movie_2" ,
  "title" : "RRR" ,
  "genre" : "Action" ,
  "language" : "Telugu" ,
  "duration" : 187 ,
  "rating" : 7.8 ,
  "release_year" : 2022
}'
```

Step 4 : Insert Customer Records

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/customer/keys/cust_1 \
-H "Content-Type: application/json" \
-d '{
  "customer_id" : "cust_1" ,
  "name" : "Priya Sharma" ,
  "email" : "priya.sharma@example.com" ,
```

```
"phone" : "9876543210" ,  
"city" : "Mumbai"  
}'
```

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/customer/keys/cust_2 \  
-H "Content-Type: application/json" \  
-d '{  
"customer_id" : "cust_2" ,  
"name" : "Rahul Verma" ,  
"email" : "rahul.verma@example.com" ,  
"phone" : "9123456780" ,  
"city" : "Delhi"  
}'
```

Step 5 : Insert Theatre Records

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/theatre/keys/theatre_1 \  
-H "Content-Type: application/json" \  
-d '{  
"theatre_id" : "theatre_1" ,  
"theatre_name" : "PVR Cinemas" ,  
"city" : "Mumbai" ,  
"screens" : 8  
}'
```

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/theatre/keys/theatre_2 \  
-H "Content-Type: application/json" \  
-d '{  
"theatre_id" : "theatre_2" ,  
"theatre_name" : "INOX" ,  
"city" : "Delhi" ,  
"screens" : 5  
}'
```

Step 6 : Insert Show Records

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/show/keys/show_1 \  
-H "Content-Type: application/json" \  
-d '{  
"show_id" : "show_1" ,  
"movie_id" : "movie_1" ,  
"theatre_id" : "theatre_1" ,  
"customer_id" : "cust_1" ,  
"show_date" : "2026-05-21" ,  
"show_time" : "18:30" ,  
"ticket_price" : 250.00  
}'
```

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/show/keys/show_2 \  

```

```
-H "Content-Type: application/json" \  
-d '{  
  "show_id" : "show_2" ,  
  "movie_id" : "movie_2" ,  
  "theatre_id" : "theatre_2" ,  
  "customer_id" : "cust_2" ,  
  "show_date" : "2026-05-22" ,  
  "show_time" : "20:00" ,  
  "ticket_price" : 300.00  
}'
```

Step 7 : Read Records

```
curl http://127.0.0.1:8098/types/cinema_app/buckets/movie/keys/movie_1
```

```
curl http://127.0.0.1:8098/types/cinema_app/buckets/customer/keys/cust_1
```

```
curl http://127.0.0.1:8098/types/cinema_app/buckets/theatre/keys/theatre_1
```

```
curl http://127.0.0.1:8098/types/cinema_app/buckets/show/keys/show_1
```

Step 8 : Update Record

```
curl -X PUT http://127.0.0.1:8098/types/cinema_app/buckets/show/keys/show_1 \  
-H "Content-Type: application/json" \  
-d '{  
  "show_id" : "show_1" ,  
  "movie_id" : "movie_1" ,  
  "theatre_id" : "theatre_1" ,  
  "customer_id" : "cust_1" ,  
  "show_date" : "2026-05-21" ,  
  "show_time" : "18:30" ,  
  "ticket_price" : 350.00  
}'
```

Step 9 : Delete Records

```
curl -X DELETE http://127.0.0.1:8098/types/cinema_app/buckets/show/keys/show_1
```

```
curl -X DELETE http://127.0.0.1:8098/types/cinema_app/buckets/movie/keys/movie_1
```