

- The number of columns of the tables should be same.
- The data type of the table should be of the same order of that of the first table.

```
SELECT *
FROM Mfg_Ind
UNION
SELECT *
FROM Mfg_Int;
```

Table Mfg\_Ind:

| Sub_id | Sub_Name  |
|--------|-----------|
| 108    | Physic    |
| 109    | Chemistry |
| 110    | Biology   |
| 111    | Economics |
| 112    | History   |
| 113    | Sociology |

Great job, keep it up!

Next

Prev

Next

Statement

Submissions

Solution

AI Help

SQL

Intersect

The **INTERSECT** operator combines two SELECT statements, but only returns the rows that are common to both SELECT statements.

Below is the format for the same:

```
SELECT * FROM table_1
INTERSECT
SELECT * FROM table_2;
```

Task

Consider a supermarket database

- Table 'fruit' has the list of all fruits available in the market(few of them could be out of stock).
- Table 'inventory' has the updated list of items in the supermarket.

Write a query to find the list of fruits available in the supermarket. (f\_name column has the name of the fruits and inv\_name has the name of the items in the inventory,

Your Output

| f_name     |
|------------|
| Banana     |
| Cherry     |
| Grape      |
| Kiwi       |
| Pear       |
| Pineapple  |
| Watermelon |

Great job, keep it up!

Submit

Next

←

☰

✓

☀

🔖

Prev

Next module

Statement

Submissions

Solution

AI Help

SQL

🗨

⚙

↗

Except

Previously we learned the concept of **INTERSECT**, now lets see how **EXCEPT** works. **EXCEPT** is directly opposite to that of **INTERSECT**. **EXCEPT** retrieves unique records from the first **SELECT** statement that are not present in the output of the second **SELECT** statement.

Below is the format for the same:

```
SELECT * FROM table_1
EXCEPT
SELECT * FROM table_2;
```

Task

Consider the same supermarket database we used in the previous problem. Write a query to output the name of the fruits (f\_name) from the table 'fruit' which are not present in the table inventory. f\_name column has the name of the fruits and inv\_name has the name of the items in inventory.

Your Output

| f_name |
|--------|
| Apple  |
| Mango  |
| Orange |

✓

Awesome, you nailed it!

Submit

Next