

Python Assignment

Name : Shivang Gautam

Sec : U2

Roll No: 56

#Q. 1 Python Program for n-th Fibonacci number.

```
def Fibonacci(n):  
    if n <= 0:  
        print("Incorrect input")  
    elif n == 1:  
        return 0  
    elif n == 2:  
        return 1  
    else:  
        return Fibonacci(n-1)+Fibonacci(n-2)
```

Output

34

print(Fibonacci(10))

Q 2 Python Program for How to check if a given number is Fibonacci number?

n=int(input("Enter the number: ")) Output

```
c=0  
a=1  
b=1  
if n==0 or n==1:  
    print("Yes")  
else:  
    while c<n:  
        c=a+b  
        b=a  
        a=c  
    if c==n:  
        print("Yes")  
    else:  
        print("No")
```

1 is a Fibonacci Number
2 is a Fibonacci Number
3 is a Fibonacci Number
4 is a not Fibonacci Number
5 is a Fibonacci Number
6 is a not Fibonacci Number
7 is a not Fibonacci Number
8 is a Fibonacci Number
9 is a not Fibonacci Number
10 is a not Fibonacci Number

Q 3 Python Program for n'th multiple of a number in Fibonacci Series.

```
def findPosition(k, n):  
    f1 = 0  
    f2 = 1  
    i = 2;  
    while i!=0:  
        f3 = f1 + f2;  
        f1 = f2;  
        f2 = f3;
```

Output

Position of n'th multiple of k in Fibonacci Series is 30

Python Assignment

```
        if f2%k == 0:
            return n*i

        i+=1

    return

# Multiple no.
n = 5;
# Number of whose multiple we are finding
k = 4;

print("Position of n\th multiple of k in"
      "Fibonacci Series is", findPosition(k,n));
```

Q 4 Program to print ASCII Value of a character.

```
c = 'p'
print("The ASCII value of '" + c + "' is", ord(c))
```

Output

```
The ASCII value of 'p' is 112
```

Q 5 python Program for Sum of squares of first n natural numbers.

```
def squaresum(n) :
    sm = 0
    for i in range(1, n+1) :
        sm = sm + (i * i)

    return sm
```

Output:

```
RUN 1:
Enter value of N: 10
Sum of squares = 385

RUN 2:
Enter value of N: 12
Sum of squares = 650
```

```
n = 4
print(squaresum(n))
```

Q 6 write a Python program to swap two numbers using bitwise operator.

```
e = 8
f = 9
e = (e & f) + (e | f)
f = e + (~f) + 1
e = e + (~f) + 1
print("value of e after swapping :",e)
print("value of f after swapping :",f)
```

output

```
Please Enter the First Value a: 10
Please Enter the Second Value b: 20
Before Swapping two Number: a = 10.0 and b = 20.0
After Swapping two Number: a = 20.0 and b = 10.0
```

Q 7 Write a Python program to check whether a character is alphabet or not.

```
ch = input("Please Enter Your Own Character : ")
```

```
if((ch >= 'a' and ch <= 'z') or (ch >= 'A' and ch <= 'Z')):
```

Python Assignment

```
print("The Given Character ", ch, "is an Alphabet")
else:
    print("The Given Character ", ch, "is Not an Alphabet")
```

Output

```
Enter a character: *
* is not an alphabet
```

Q 8 Write a Python program to input any alphabet and check whether it is vowel or not.

```
def vowelOrConsonant(x):
```

```
    if (x == 'a' or x == 'e' or
        x == 'i' or x == 'o' or x == 'u'):
        print("Vowel")
    else:
        print("Consonant")
```

Consonant

Vowel

```
vowelOrConsonant('c')
```

```
vowelOrConsonant('e')
```

Q 9 Write a Python program to input any character and check whether it is alphabet, digit or special character.

```
ch = input("Please Enter Your Own Character : ")
```

```
if((ch >= 'a' and ch <= 'z') or (ch >= 'A' and ch <= 'Z')):
    print("The Given Character ", ch, "is an Alphabet")
elif(ch >= '0' and ch <= '9'):
    print("The Given Character ", ch, "is a Digit")
else:
    print("The Given Character ", ch, "is a Special Character")
```

Output :

Special Character

Q 10

```
sub1=int(input("Enter marks of the first subject: "))
sub2=int(input("Enter marks of the second subject: "))
sub3=int(input("Enter marks of the third subject: "))
sub4=int(input("Enter marks of the fourth subject: "))
sub5=int(input("Enter marks of the fifth subject: "))
avg=(sub1+sub2+sub3+sub4+sub5)/5
if(avg>=90):
    print("Grade: A")
elif(avg>=80):
    print("Grade: B")
elif(avg>=70):
    print("Grade: C")
elif(avg>=60):
    print("Grade: D")
elif(avg>=40):
    print("Grade: E")
else:
```

Q 10 .Write a Python program of five subjects Physics, Chemistry, Mathematics and Computer. Calculate percentage and grade according to following:

Percentage >= 90% : Grade A
Percentage >= 80% : Grade B
Percentage >= 70% : Grade C
Percentage >= 60% : Grade D
Percentage >= 40% : Grade E
Percentage < 40% : Grade F

Python Assignment

```
print("Grade: F")
```

Answer. # Q. 11
basic_salary = float(input("Enter basic salary: "))

```
if basic_salary <= 10000:  
    hra = 0.2 * basic_salary  
    da = 0.8 * basic_salary  
elif basic_salary <= 20000:  
    hra = 0.25 * basic_salary  
    da = 0.9 * basic_salary  
else:  
    hra = 0.3 * basic_salary  
    da = 0.95 * basic_salary  
  
gross_salary = basic_salary + hra + da  
  
print(f"Gross salary is: {gross_salary}")
```

Q. 12
Input the electricity unit charges
unit_charges = int(input("Enter the electricity unit charges: "))

```
# Calculate the total electricity bill  
if unit_charges <= 50:  
    total_bill = unit_charges * 0.50  
elif unit_charges <= 150:  
    total_bill = 25 + ((unit_charges - 50) * 0.75)  
elif unit_charges <= 250:  
    total_bill = 100 + ((unit_charges - 150) * 1.20)  
else:  
    total_bill = 220 + ((unit_charges - 250) * 1.50)
```

Add a 20% surcharge to the total bill
total_bill += (total_bill * 0.20)

Print the total electricity bill
print(f"Total electricity bill is: {total_bill}")

Q 13 Write a Python program to print all alphabets from a to z. – using while Loop
def printLowercase():


```
    i = 0  
    while i < 26:  
        print(chr(97 + i), end = " ")
```

Q11 Write a Python program to input basic salary of an employee and calculate its Gross salary according to following:
Basic Salary <= 10000 : HRA = 20%, DA = 80%
Basic Salary <= 20000 : HRA = 25%, DA = 90%
Basic Salary > 20000 : HRA = 30%, DA = 95%.

Output:

Total gross pay: Rs.5500.00

Q. 12 Write a Python program to input electricity unit charges and calculate total electricity bill according to the given condition:
For first 50 units Rs. 0.50/unit
For next 100 units Rs. 0.75/unit
For next 100 units Rs. 1.20/unit
For unit above 250 Rs. 1.50/unit
An additional surcharge of 20% is added to the bill



```
Python 3.6.0rc1 Shell  
File Edit Shell Debug Options Window Help  
Enter Total Unit Consumed: 475  
Total Electricity Bill of Rs 669.0
```

Output

The Alphabets from A to Z are:
A B C D E F G H I J K L M N O P Q R S T
The Alphabets from a to z are:
a b c d e f g h i j k l m n o p q r s t

Python Assignment

```
i = i + 1
```

```
printLowercase()
```

Q 14 Write a Python program to find first and last digit of a number.

```
number = 1247
```

```
number = str(number)
```

```
first_digit = int(number[0])
```

```
last_digit = int(number[-1])
```

```
addition = first_digit + last_digit
```

```
print('Addition of first and last digit of the number is',  
      addition)
```

Starting day of 2010 is Friday.

Time Complexity: $O(1)$

Space Complexity: $O(1)$

4

Q 15 Write a Python program to calculate sum of digits of a number.

```
def getSum(n):  
    sum = 0  
    for digit in str(n):  
        sum += int(digit)  
    return sum
```

```
n = 12345
```

```
print(getSum(n))
```

Output

```
Enter Number: 12345  
15
```

Q 16 Write a Python program to calculate product of digits of a number.

```
num = int(input("enter a number"))
```

```
n = num
```

```
product = 1
```

```
while n != 0:
```

```
    rem = n % 10
```

```
    product = product * rem
```

```
    n = n // 10
```

```
print(product)
```

Output

```
60
```

Python Assignment

Q 17 Write a Python program to enter a number and print its reverse.

```
given_num = 12345
```

```
reverse_number = 0
```

```
while (given_num > 0):  
    remainder = given_num % 10  
    reverse_number = (reverse_number * 10) + remainder  
    given_num = given_num // 10
```

```
print("The reversed number =", reverse_number)
```

Output

```
4321
```

Q 18 Write a Python program to check whether a number is palindrome or not.

```
import math
```

```
def rev(num):  
    return int(num != 0) and ((num % 10) * \  
        (10**int(math.log(num, 10))) + \  
        rev(num // 10))
```

```
test_number = 9669669
```

```
print("The original number is : " + str(test_number))
```

```
res = test_number == rev(test_number)
```

```
print("Is the number palindrome ? : " + str(res))
```

Case 1

Enter number:121

The number is a palindrome!

Case 2

Enter number:567

The number isn't a palindrome!

Q 19 Write a Python program to find all factors of a number.

```
num = int(input("Enter a number: "))
```

```
print("The factors of {} are,".format(num))
```

```
for i in range(1,num+1):  
    if num % i == 0:  
        print(i)
```

Enter the Number:

12

Factors of 12

1
2
3
4
6
12

Q 20 Write a Python program to calculate factorial of a number.

```
num = 7
```

```
factorial = 1
```

Output

```
if num < 0:  
    print("Sorry, factorial does not exist for negative numbers")  
elif num == 0:
```

```
The factorial of 7 is 5040
```

Python Assignment

```
print("The factorial of 0 is 1")
else:
    for i in range(1,num + 1):
        factorial = factorial*i
    print("The factorial of",num,"is",factorial)
```

Q 21 Write a Python program to find HCF (GCD) of two numbers.

```
import math
```

```
print("The gcd of 60 and 48 is : ", end="")
print(math.gcd(60, 48))
```

The H.C.F. is 6

Q 22 Write a Python program to find LCM of two numbers.

```
def compute_lcm(x, y):
```

```
    if x > y:
        greater = x
    else:
        greater = y

    while(True):
        if((greater % x == 0) and (greater % y == 0)):
            lcm = greater
            break
        greater += 1
```

```
    return lcm
```

```
num1 = 54
num2 = 24
```

```
print("The L.C.M. is", compute_lcm(num1, num2))
```

Output

LCM of 12 and 14 is 84

Q 23 Write a Python program to check whether a number is Prime number or not.

```
num = 11
```

```
if num > 1:
```

```
    for i in range(2, int(num/2)+1):
        if (num % i) == 0:
            print(num, "is not a prime number")
            break
```

```
    else:
        print(num, "is a prime number")
```

```
else:
    print(num, "is not a prime number")
```

Output

Enter a positive integer: 29
29 is a prime number.

Python Assignment

Q. 24 Write a Python program to print all Prime numbers between 1 to n.

```
upto = int(input("Find prime numbers upto : "))
```

```
print("\nAll prime numbers upto", upto, "are : ")
```

```
for num in range(2, upto + 1):
```

```
    i = 2
```

```
    for i in range(2, num):
```

```
        if(num % i == 0):
```

```
            i = num
```

```
            break;
```

```
    if(i != num):
```

```
        print(num, end=" ")
```

Output

```
Find prime numbers upto : 100
```

```
All prime numbers upto 100 are :
```

```
3 5 7 11 13 17 19 23 29 31 37 41 43
```

```
47 53 59 61 67 71 73 79 83 89 97
```

Q. 25 Write a Python program to find sum of all prime numbers between 1 to n.

```
n = int(input("Enter a number: "))
```

```
sum = 0
```

```
for num in range(2, n+1):
```

```
    if all(num%i != 0 for i in range(2, int(num**0.5)+1)):
```

```
        sum += num
```

28

```
print("The sum of all prime numbers between 1 and", n, "is:", sum)
```

Q. 26 Write a Python program to find all prime factors of a number..

```
num = int(input("Enter a number: "))
```

```
# function to find all prime factors
```

```
def prime_factors(n):
```

```
    factors = []
```

```
    i = 2
```

```
    while i <= n:
```

```
        if n % i == 0:
```

```
            factors.append(i)
```

```
            n = n / i
```

```
        else:
```

```
            i += 1
```

```
    return factors
```

Output

```
3 3 5 7
```

```
# printing the prime factors
```


Python Assignment

```
print("Prime factors of", num, "are:", prime_factors(num))
```

Q. 27 Write a Python program to check whether a number is Armstrong number or not.

take input from user

```
num = int(input("Enter a number: "))
```

initialize sum and order variable

```
sum = 0
```

```
order = len(str(num))
```

calculate sum of nth power of each digit

```
temp = num
```

```
while temp > 0:
```

```
    digit = temp % 10
```

```
    sum += digit ** order
```

```
    temp //= 10
```

check if the number is Armstrong or not

```
if num == sum:
```

```
    print(num, "is an Armstrong number")
```

```
else:
```

```
    print(num, "is not an Armstrong number")
```

Q. 28 Write a Python program to print all Armstrong numbers between 1 to n.

```
n = int(input("Enter a number: "))
```

```
for num in range(1, n+1):
```

```
    order = len(str(num))
```

```
    sum = 0
```

```
    temp = num
```

```
    while temp > 0:
```

```
        digit = temp % 10
```

```
        sum += digit ** order
```

```
        temp //= 10
```

```
    if num == sum:
```

```
        print(num)
```

Sample Output:

```
Input a number: 153
153 is an Armstrong number.
```

Output

```
All Armstrong number between 1 and 1000 a
1 2 3 4 5 6 7 8 9 153 370 371 407
```

Q. 29 Write a Python program to check whether a number is Perfect number or not.

```
num = int(input("Enter a number: "))
```

```
divisors = []
```

```
for i in range(1, num):
```

```
    if num % i == 0:
```

```
        divisors.append(i)
```

Output

```
The number is a Perfect number
```

Python Assignment

```
if sum(divisors) == num:
    print(num, "is a perfect number")
else:
    print(num, "is not a perfect number")
```

Q. 30 Write a Python program to check whether a number is Strong number or not (Also known as Robinson number/ Krishnamurthy Number / Peterson number).

```
num = int(input("Enter a number: "))
```

```
factorials = [1 if x == 0 else x * factorials[x - 1] for x in map(int, str(num))]
```

```
sum_factorials = sum(factorials)
```

Output:

```
if sum_factorials == num:
    print(f"{num} is a strong number")
else:
    print(f"{num} is not a strong number")
```

```
Enter a number: 145
Given number is a strong number.
```

Q. 31 Python program to check whether the string is Symmetrical or Palindrome.

```
string = "racecar"
```

Output

```
if string == string[::-1]:
    print("Palindrome")
else:
    print("Not Palindrome")
```

```
The entered string is palindrome
The entered string is symmetrical
```

Q. 32 Reverse words in a given String in Python.

```
string = "Hello world"
```

Output

```
words = string.split()
```

```
words = words[::-1]
```

```
new_string = " ".join(words)
```

```
print(new_string)
```

```
much very program this like i
```

Q. 33 Ways to remove i'th character from string in Python.

```
s = "example"
```

```
s = s[:2] + s[3:]
```

```
print(s)
```

```
geek
```

Python Assignment

```
s = s[1:]  
print(s)
```

```
s = s[:1]  
print(s)
```

Q. 34 Python program to Check if a Substring is Present in a Given String.

```
string = "hello world"  
substring = "world"
```

Output

```
if substring in string:  
    print("Substring found in the string.")  
else:  
    print("Substring not found in the string.")
```

```
Yes! it is present in the string
```

Q. 35 Python program to count words frequency in String Shorthands.

```
s = "this is a sample string with several words and some of these words are repeated"
```

Output :

```
word_freq = {word: s.count(word) for word in set(s.split())}
```

```
print(word_freq)
```

```
The original string is : Gfg is best . Geeks  
are good and Geeks like Gfg The words  
frequency : ('Gfg': 2, 'is': 1, 'best': 1, '': 1,  
'Geeks': 2, 'are': 1, 'good': 1, 'and': 1, 'like':  
1)
```

Q. 36 Python program to convert snake case to pascal case.

```
snake_case_str = "my_foo_bar_variable"
```

```
words = snake_case_str.split("_")  
pascal_case_str = ".join([word.capitalize() for word in words])
```

Output :

```
print(pascal_case_str)
```

```
The original string is : geeksforgeeks_i  
The String after changing case : Geeksfo
```

Q. 37 Find length of a string in python (4 ways).

#Using the len() function:

```
s = "Hello, World!"
```

```
print(len(s))
```

```
s = "Hello, World!"
```

```
count = 0
```

```
for char in s:
```

```
    count += 1
```

```
print(count)
```

Output:

```
5
```

```
s = "Hello, World!"
```

```
print(sum(1 for char in s))
```

Python Assignment

```
from functools import reduce
s = "Hello, World!"
print(reduce(lambda x, _: x+1, s, 0))
```

Q. 38 Python program to print even length words in a string.

s = "This is a sample string containing several words with different lengths"

```
words = s.split()

for word in words:
    if len(word) % 2 == 0:
        print(word)
```

Output

```
this
is
test
string
```

Q. 39 Python program to accept the strings which contains all vowels.

```
s = input("Enter a string: ")
vowels = {'a', 'e', 'i', 'o', 'u'}
```

```
if all(v in s.lower() for v in vowels):
    print(f"The string '{s}' contains all vowels.")
else:
    print(f"The string '{s}'
```

OUTPUT:

```
AeB1deffoBUw
Accepted
```

Q. 40 Python program to find the least frequent character in a string.

```
s1 = "Hello"
s2 = "World"
count = 0
```

Least frequent character: h

```
for c in set(s1):
    count += min(s1.count(c), s2.count(c))
```

```
print(f"The number of matching characters in '{s1}' and '{s2}' is {count}.")
```

Input

```
"bbabcaaccdbaabababc"
```

Q. 41 Remove all duplicates from a given string in Python.

```
s = "Hello, World!"
s_unique = ''.join(set(s))
print(s_unique)
```

Output

```
"bacd"
```

Q. 42 Python programs to count Least Frequent Character in String.

```
from collections import Counter
```

```
string= "pppppghhhijeupffe"
print(string)
```

Output :

```
No. of matching characters are : 5
```

Python Assignment

```
result= Counter(string)
result= min(result, key=result.get)
```

```
print("Least frequent character: ",result)
```

Q. 43 Python programs to count maximum frequency character in String.

```
s = "Hello, World!"
```

```
freq = {}
for c in s:
    freq[c] = s.count(c)

max_freq = max(freq.values())
max_char = [k for k, v in freq.items() if v == max_freq]
```

```
if len(max_char) == 1:
    print(f"The maximum frequency character in the string '{s}' is '{max_char[0]}', which appears {max_freq} times.")
else:
    print(f"There are multiple maximum frequency characters in the string '{s}', which are {', '.join(max_char)} and appear {max_freq} times each.")
```

Output :

```
The original string is : GeeksforGeeks
The maximum of all characters in Geeksfo
```

Q. 44 Python program to check if a string contains any special character.

```
import string
```

```
def has_special_chars(s):
    special_chars = set(string.punctuation)
    return any(char in special_chars for char in s)
```

```
s1 = "Hello, World!"
s2 = "Hello@World!"
```

```
print(has_special_chars(s1))
print(has_special_chars(s2))
```

Output

```
String is not accepted.
```

Q. 45 Python program to split and join a string.

```
s = "Hello, World!"
```

```
words = s.split()

joined_s = " ".join(words)

print(joined_s)
```

Output

```
['Geeks', 'for', 'Geeks']
Geeks-for-Geeks
```


Python Assignment

Q. 46 Python program to find uncommon words from two Strings.

```
s1 = "hello world"
```

```
s2 = "world is beautiful"
```

```
s1_words = s1.split()
```

```
s2_words = s2.split()
```

```
s1_set = set(s1_words)
```

```
s2_set = set(s2_words)
```

```
uncommon_words = s1_set.symmetric_difference(s2_set)
```

```
print(uncommon_words)
```

Output

```
['Learning', 'from']
```

Q. 47 Python program to replace duplicate occurrence in string.

```
s = "hello world"
```

```
new_s = ""
```

```
for i in range(len(s)):
```

```
    if s[i] not in new_s:
```

```
        new_s += s[i]
```

```
    else:
```

```
        new_s += "*"
```

```
print(new_s)
```

```
Duplicate characters in a given string:
r
e
t
s
i
```

#Q. 48 String slicing in Python to rotate a string.

```
s = "hello world"
```

```
n = 3
```

```
rotated_s = s[n:] + s[:n]
```

```
print(rotated_s)
```

Output

```
Enter String ::> pythonprogram
Left Rotation: thonprogrampy
Right Rotation: ampythonprogr
```

Q. 49 Find all duplicate characters in string

```
string = "hello world"
```

```
duplicates = {}
```

```
for char in string:
```

```
    if char in duplicates:
```

```
        duplicates[char] += 1
```

```
    else:
```

```
        duplicates[char] = 1
```

Output

```
shalalala
The duplicate characters are ['a', 'l']
```

Python Assignment

```
for char, count in duplicates.items():  
    if count > 1:  
        print(char, end=" ")
```

```
# Q. 50 Replace all occurrences of a substring in a string.  
string_a = input("Enter a string: ")  
to_replace = input("Enter a string to remove: ")  
to_replace_with = input("Enter a string to replace with: ")  
string_b = string_a.replace(to_replace, to_replace_with)  
print(string_a)  
print(string_b)
```

Output

```
abcdforabcd
```
