

FMCG Sales Performance & Distributor Analytics Platform

Business Analysis Case Study

Requirements Analysis | Process Mapping | Agile | UAT | Analytics

Project Type: Self-directed Business Analysis Case Study

Domain: FMCG Sales & Distribution

Tools: Jira, Microsoft Excel, Microsoft Word, Canva, Power BI

Data: Synthetic / Illustrative

Project Summary

This case study explores the analysis and design of a proposed FMCG sales performance analytics platform. The solution is designed to centralize sales performance information, provide visibility into key sales KPIs and trends, enable product and distributor performance analysis, and identify predefined performance exceptions for management review.

The project demonstrates the application of Business Analysis practices across requirements elicitation and documentation, process analysis, Agile requirement management, requirements traceability, user acceptance testing, and dashboard design.

Key Deliverables

- Business and Functional Requirements
- User Stories and Acceptance Criteria
- AS-IS and TO-BE Process Analysis
- Solution Flow
- Jira Epics and User Stories
- Requirements Traceability Matrix
- UAT Test Case Matrix
- Dashboard Wireframe
- Power BI Sales Analytics Dashboard
- Synthetic Sales Dataset

Note: This is a self-directed case study. All business scenarios, requirements, and data used in the project are illustrative and do not represent a production implementation or actual client data.

1. Project Overview

1.1 Business Context

FMCG sales operations generate large volumes of sales information across products, distributors, regions, and reporting periods. When this information is maintained across multiple sources and consolidated manually, obtaining a consistent view of sales performance can become time-consuming.

This case study explores a proposed analytics solution to provide centralized visibility into sales performance and help management analyse trends, product performance, distributor performance, and predefined performance exceptions.

1.2 Business Problem

The proposed business scenario presents the following challenges:

- Sales information is distributed across multiple data sources.
- Manual consolidation can delay the availability of performance reports.
- Managers may have limited visibility into performance across regions, products, and distributors.
- Declining or underperforming entities may not be identified quickly.
- Different stakeholders require different views of the same sales information.

1.3 Proposed Solution

The proposed solution is a centralized **Sales Performance & Distributor Analytics Platform** that brings together sales information and presents it through an interactive management dashboard.

The solution is designed to:

- Provide centralized visibility into key sales KPIs.
- Allow users to filter performance by region, product, distributor, and date range.
- Display sales trends over time.
- Support product and distributor performance analysis.
- Identify predefined sales performance exceptions.
- Generate alerts when configured exception conditions are triggered.

1.4 Business Objectives

The key objectives of the proposed solution are to:

1. Centralize sales performance information.
2. Improve visibility into sales KPIs and trends.
3. Enable structured analysis of product and distributor performance.
4. Identify significant performance gaps using predefined business rules.

5. Provide information that can support timely management review and follow-up.

2. Stakeholders & Scope

2.1 Key Stakeholders

The proposed solution involves stakeholders across business, product, analytics, and technology functions. Each stakeholder group has different information needs and responsibilities.

Stakeholder	Role / Interest
Sales Manager	Monitor overall sales performance, KPIs, trends, and exceptions
Regional Manager	Analyse performance across regions and distributors
Sales Representative	Review relevant sales performance and identify areas requiring attention
Product Manager	Monitor product-level sales performance and trends
Business Analyst	Analyse business needs, document requirements, and maintain traceability
Engineering Team	Design and implement the proposed solution based on documented requirements
QA Team	Validate system behaviour against defined requirements and acceptance criteria

2.2 Project Scope

In Scope

The proposed solution includes:

- Centralized sales performance information
- Management-level sales KPI dashboard
- Sales trend analysis
- Filtering by region, product/SKU, distributor, and date range
- Product-level performance analysis
- Distributor-level performance analysis
- Drill-down from regional to distributor performance
- Identification of predefined sales performance exceptions

- Exception alerts
- Empty-state handling when selected filters return no matching data

Out of Scope

The following capabilities are outside the scope of this case study:

- Order placement and order management
- Inventory management
- Payment processing
- Distributor onboarding
- Payroll and employee management
- Customer relationship management (CRM)
- Financial accounting

2.3 Scope Boundary

The case study focuses on **sales performance analysis and management visibility** rather than the broader operational processes surrounding FMCG sales.

The proposed platform is intended to support analysis and decision-making using sales data; it does not replace transactional systems responsible for activities such as order processing, inventory management, or payments.

3. Requirements Analysis

3.1 Business Requirements

The business requirements were defined based on the identified business problem and objectives of the proposed solution.

ID	Business Requirement
BR-01	Centralize sales performance information
BR-02	Enable performance filtering
BR-03	Enable sales trend analysis
BR-04	Enable distributor performance analysis
BR-05	Enable product performance analysis
BR-06	Identify and communicate sales exceptions

These high-level requirements were used as the basis for defining the detailed functional requirements and subsequent user stories.

3.2 Functional Requirements

The business requirements were translated into detailed functional requirements describing the expected behaviour of the proposed platform.

The functional requirements cover the following areas:

- Sales KPI display
- Target achievement and sales growth calculations
- Filtering by region, product/SKU, distributor, and date range
- Dashboard updates based on selected filters
- Sales trend visualization
- Regional-to-distributor drill-down
- Product-level performance analysis
- Identification of declining products
- Sales performance exception detection
- Exception alerts
- Empty-state handling when no matching data is available

A total of **15 functional requirements (FR-01 to FR-15)** were documented and prioritized according to their importance to the proposed solution.

Functional Requirements Specification

Functional Requirements Reference		
Source requirements used in the RTM		
FR ID	Functional Requirement	Priority
FR-01	The system shall display total sales revenue for the selected reporting period.	High
FR-02	The system shall display total units sold for the selected reporting period.	High
FR-03	The system shall display target achievement percentage based on actual sales and assigned targets.	High
FR-04	The system shall display sales growth or decline compared with the previous comparable period.	High
FR-05	The system shall allow authorized users to filter sales data by region.	High
FR-06	The system shall allow authorized users to filter sales data by product/SKU.	High
FR-07	The system shall allow authorized users to filter sales data by distributor.	High
FR-08	The system shall allow users to select a reporting date range.	High
FR-09	The system shall update dashboard KPIs and visualizations based on the selected filters.	High
FR-10	The system shall display sales trends over the selected reporting period.	Medium
FR-11	The system shall allow users to drill down from regional performance to distributor-level performance.	High
FR-12	The system shall display product-level sales performance and identify declining products.	High
FR-13	The system shall identify sales performance exceptions based on predefined business thresholds.	High
FR-14	The system shall generate an alert when a configured exception condition is triggered.	High
FR-15	The system shall provide an appropriate empty-state message when no data matches the selected filters.	Medium

Figure 1. Functional Requirements Specification.

The complete functional requirements specification is maintained separately as an Excel deliverable.

3.3 Requirements Prioritization

Functional requirements were prioritized based on their importance to the core objectives of the proposed solution.

High Priority: Core KPI functionality, filtering, performance analysis, drill-down, exception detection, and alerts.

Medium Priority: Sales trend visualization and empty-state handling.

This prioritization provides a basis for distinguishing core capabilities from supporting functionality during solution development.

3.4 User Story Decomposition

The functional requirements were further translated into user stories representing the needs of the intended users of the proposed platform.

The user stories were organized into three functional areas:

- **Sales Performance Dashboard:** US-01 to US-05
- **Performance Analysis:** US-06 to US-07
- **Exception Management:** US-08 to US-10

Each user story was documented with a user, desired capability, business value, and acceptance criteria.

The detailed user stories and acceptance criteria were managed in Jira and are described further in **Section 4 — User Stories & Acceptance Criteria**.

3.5 Requirements Traceability

A Requirements Traceability Matrix (RTM) was created to maintain a clear relationship between business requirements, functional requirements, and user stories.

The traceability structure used for the case study is:

Business Requirements → Functional Requirements → User Stories

The RTM was used to verify that each identified business requirement was represented by corresponding functionality and user requirements.

Requirements Traceability Matrix

FMCG Sales Performance & Distributor Analytics Platform				
Requirements Traceability Matrix (RTM)				
Maps business requirements to functional requirements and Jira user stories to ensure end-to-end traceability.				
Business Requirement ID	Business Requirement	Functional Requirement(s)	User Story	Traceability Status
BR-01	Centralize sales performance information	FR-01, FR-02, FR-03, FR-04	US-01	Covered
BR-02	Enable performance filtering	FR-05, FR-06, FR-07, FR-08, FR-09	US-02, US-03, US-04	Covered
BR-03	Enable sales trend analysis	FR-10	US-05	Covered
BR-04	Enable distributor performance analysis	FR-07, FR-11	US-06	Covered
BR-05	Enable product performance analysis	FR-06, FR-12	US-07	Covered
BR-06	Identify and communicate sales exceptions	FR-13, FR-14, FR-15	US-08, US-09, US-10	Covered

Figure 2. Requirements Traceability Matrix.

The complete RTM is maintained separately as an Excel deliverable.

3.6 Requirements Documentation Structure

The overall requirements structure for the case study can be summarized as:

Business Need

↓

Business Requirements (BR-01 to BR-06)

↓

Functional Requirements (FR-01 to FR-15)

↓

User Stories (US-01 to US-10)

↓

Acceptance Criteria

↓

UAT Test Scenarios

This structure provides traceability from the original business need through to the validation of expected solution behaviour.

4. User Stories & Acceptance Criteria

4.1 Agile Requirement Structure

The functional requirements were translated into user stories to represent the needs of different users of the proposed platform.

The stories were organized into three functional epics in Jira:

Epic 1 — Sales Performance Dashboard

Focus: Providing centralized visibility into core sales performance information.

- **US-01:** View Sales KPIs
- **US-02:** Filter Sales Data by Region
- **US-03:** Filter Sales Data by Product
- **US-04:** Filter Sales Data by Date
- **US-05:** View Sales Trend

Epic 2 — Performance Analysis

Focus: Supporting detailed analysis of distributor and product performance.

- **US-06:** Analyse Distributor Performance
- **US-07:** Analyse Product Performance

Epic 3 — Exception Management

Focus: Identifying significant performance gaps and communicating exceptions.

- **US-08:** Identify Sales Exceptions
- **US-09:** Receive Exception Alerts
- **US-10:** Handle No Matching Data




Figure 3. Jira Epics

4.2 User Story Format

User stories were documented using the standard format:

As a [user], I want [capability], so that [business value].

Each story was supported by acceptance criteria describing the expected behaviour and conditions for considering the requirement satisfied.

For example:

US-08 — Identify Sales Exceptions

User Story:

As a Sales Manager, I want the system to identify sales performance exceptions based on configured thresholds so that significant declines or underperformance can be investigated.

Acceptance Criteria:

- The system identifies performance that meets a configured exception condition.
- The exception includes the relevant product or distributor.
- The exception provides the relevant performance information and comparison.
- Performance that does not meet the exception criteria is not flagged.




Figure 4. Jira Story

4.3 Jira Implementation

The epics and user stories were organized in a Jira project named **FMCG Sales Performance Platform**.

Jira was used to structure the proposed Agile backlog and maintain the relationship between functional areas and individual user requirements.

Jira Project Key: FSPP

5. Process Analysis

5.1 Current-State Process (AS-IS)

The current-state process represents a scenario where sales information is collected from multiple sources and consolidated manually before performance reporting.

The process can be summarized as:

Sales Data Sources → Multiple Files / Systems → Manual Consolidation → Manual Report Preparation → Manager Reviews Report → Issues Identified Late

This process may result in delays in obtaining a consolidated view of sales performance and can make it harder to identify performance issues promptly.

5.2 Proposed Process (TO-BE)

The proposed process introduces centralized data ingestion, validation, KPI calculation, dashboard-based analysis, and exception detection.

The proposed flow is:

Sales Data Sources → Centralized Data Ingestion → Data Validation → KPI Calculation → Dashboard → Exception Detection → Alert Generated → Manager Investigates & Takes Action

The proposed process is designed to provide a more structured flow from raw sales information to actionable performance insights.

5.3 AS-IS vs TO-BE Analysis

Area	AS-IS	TO-BE
Data Sources	Multiple files / systems	Centralized data ingestion
Data Preparation	Manual consolidation	Data validation
Reporting	Manual report preparation	Automated KPI calculation and dashboard
Performance Visibility	Report-based	Interactive dashboard
Issue Identification	Primarily during report review	Predefined exception detection
Communication	Manual follow-up	Exception alerts
Management Action	After reviewing reports	Investigate identified exceptions and take action

Process Analysis Visual




Figure 5. Current-state and proposed future-state process.

6. Solution Design

6.1 Proposed Solution Flow

The proposed solution translates the documented business requirements into a structured analytics flow, beginning with sales data ingestion and ending with management action.

The solution flow consists of the following stages:

- 1. Sales Data Sources**
Sales transactions, distributor information, product/SKU data, and assigned targets.
- 2. Data Ingestion**
Collection and consolidation of sales information from multiple sources.
- 3. Data Validation**
Validation of data completeness and quality before analysis.
- 4. KPI Calculation**
Calculation of key performance indicators including total sales, units sold, target achievement, and sales growth.

5. Sales Performance Dashboard

Presentation of KPIs, trends, filters, product analysis, and distributor analysis.

6. Exception Detection

Comparison of performance against predefined business thresholds.

7. Alert Generated

Identification and communication of configured exceptions such as product decline or distributor underperformance.


8. Manager Action

Review of the identified exception, investigation of the underlying issue, and appropriate follow-up.

Solution Flow Visual

FMCG SALES PERFORMANCE PLATFORM — SOLUTION FLOW

From sales data ingestion to actionable performance insights



Illustrative solution flow — proposed BA case study

Figure 6. Proposed solution flow from sales data ingestion to management action.

6.2 Dashboard Design

The proposed dashboard was designed to provide management with a consolidated view of sales performance while allowing users to analyse the information using relevant filters.

The dashboard design includes:

- Total Sales
- Target Achievement %

- Sales Growth %
- Units Sold
- Sales Trend
- Product Performance
- Distributor Performance
- Region, Product, Distributor, and Date filters
- Sales Performance Exceptions

Dashboard Wireframe




Figure 7. Proposed management dashboard wireframe using illustrative data.

6.3 Key Performance Indicators

The following KPIs were defined to support sales performance analysis:

KPI	Definition
Total Sales	Total sales revenue for the selected reporting period
Units Sold	Total units sold during the selected reporting period
Target Achievement %	Actual sales divided by assigned target, expressed as a percentage
Sales Growth %	Percentage change in sales compared with the previous comparable period

The KPI definitions were established as part of the requirements analysis and are intended to provide a consistent basis for dashboard reporting.

7. User Acceptance Testing

7.1 UAT Approach

User Acceptance Testing (UAT) scenarios were defined to validate whether the proposed solution meets the documented business requirements and expected user behaviour.

The UAT scenarios were derived from the user stories and their corresponding acceptance criteria, providing a link between documented requirements and expected solution behaviour.

The test scenarios focus on validating the core capabilities of the proposed sales analytics platform from a business-user perspective.

7.2 UAT Test Coverage

A total of **10 UAT test scenarios** were defined, corresponding to the 10 user stories documented for the proposed solution.

7.3 UAT Test Matrix

Test Case	User Story	Scenario
TC-01	US-01	Verify KPI display
TC-02	US-02	Filter sales data by region
TC-03	US-03	Filter sales data by product
TC-04	US-04	Filter sales data by date range
TC-05	US-05	View sales trend
TC-06	US-06	Analyse distributor performance

TC-07	US-07	Analyse product performance
TC-08	US-08	Identify sales exceptions
TC-09	US-09	Generate exception alert
TC-10	US-10	Handle no matching data

The UAT test matrix documents the test scenario, preconditions, test steps, expected results, priority, and execution status for each test case.

UAT Test Matrix

FMCG Sales Performance & Distributor Analytics Platform									
UAT & Test Case Matrix									
<i>Purpose: Validate that defined user stories and acceptance criteria can be tested against expected business outcomes.</i>									
Test Case	BR ID	FR ID(s)	User Story	Test Scenario	Preconditions	Test Steps	Expected Result	Priority	Status
TC-01	BR-01	FR-01, FR-02, FR-03, FR-04	US-01 View Sales KPIs	Verify key sales KPIs are displayed on the dashboard.	Dashboard is available and valid sales target data exists.	1. Open the Sales Performance Dashboard. 2. Review the KPI section.	Total Sales, Total Units Sold, Target Achievement %, and Sales Growth/Decline are displayed for the selected reporting period.	High	Not Executed
TC-02	BR-02	FR-05, FR-09	US-02 Filter Sales Data by Region	Verify dashboard data updates when a region is selected.	Dashboard is loaded and multiple regions are available.	1. Open the Region filter. 2. Select a region. 3. Review KPIs and visualizations.	Dashboard KPIs and visualizations update to reflect only the selected region.	High	Not Executed
TC-03	BR-02	FR-06, FR-09	US-03 Filter Sales Data by Product	Verify dashboard data updates when a product/SKU is selected.	Dashboard is loaded and product/SKU data is available.	1. Open the Product/SKU filter. 2. Select a product. 3. Review KPIs and visualizations.	Dashboard KPIs and visualizations update to reflect the selected product/SKU.	High	Not Executed
TC-04	BR-02	FR-08, FR-09	US-04 Filter Sales Data by Date	Verify dashboard data updates for a selected reporting date range.	Dashboard is loaded and data exists across multiple reporting periods.	1. Select a reporting date range. 2. Apply the filter. 3. Review KPIs and visualizations.	Dashboard KPIs and visualizations reflect only the selected reporting period.	High	Not Executed
TC-05	BR-03	FR-10	US-05 View Sales Trend	Verify sales trends are displayed over the selected reporting period.	Sales data exists for multiple comparable periods.	1. Open the Sales Trend view. 2. Select a reporting period. 3. Review the trend visualization.	A sales trend is displayed for the selected period, allowing growth or decline patterns to be identified.	Medium	Not Executed
TC-06	BR-04	FR-07, FR-11	US-06 Analyse Distributor Performance	Verify distributor performance can be analysed and drilled down.	Regional and distributor-level sales data is available.	1. Open performance analysis. 2. Select a region. 3. Drill down to distributor level. 4. Review distributor performance.	Distributor-level performance is displayed for the selected region and can be compared for analysis.	High	Not Executed
TC-07	BR-05	FR-08, FR-12	US-07 Analyse Product Performance	Verify product-level performance and declining products can be identified.	Product/SKU sales data exists for multiple products.	1. Open Product Performance. 2. Review product-level sales. 3. Compare current performance with the previous comparable period.	Product-level sales performance is displayed and products meeting the defined decline condition are identified.	High	Not Executed
TC-08	BR-06	FR-13	US-08 Identify Sales Exceptions	Verify the system identifies performance exceptions using configured thresholds.	Exception thresholds are configured and test data includes at least one qualifying exception.	1. Load data containing a qualifying exception. 2. Review the exception section. 3. Compare the result against the configured condition.	The qualifying performance exception is identified and the relevant entity, period, performance, comparison, and reason are available for review.	High	Not Executed
TC-09	BR-06	FR-14	US-09 Receive Exception Alerts	Verify an alert is generated when a configured exception condition is triggered.	An exception condition is configured and test data triggers it.	1. Trigger the configured exception condition. 2. Review the alert output.	An alert is generated for the triggered exception and identifies the affected entity and reason.	High	Not Executed
TC-10	BR-06	FR-15	US-10 Handle No Matching Data	Verify the dashboard communicates clearly when filters return no results.	Dashboard is loaded and a filter combination with no matching data is available.	1. Apply filters that return no matching records. 2. Review the dashboard.	A clear empty-state message is displayed indicating that no data matches the selected filters; the dashboard does not appear broken.	Medium	Not Executed

Figure 8. UAT Test Case Matrix.

The complete UAT test matrix is maintained separately as an Excel deliverable.

7.4 Test Execution Status

The test cases are currently marked as **Not Executed** because this case study represents a proposed solution and the complete interactive implementation has not yet been deployed for formal UAT execution.

The matrix therefore represents the **planned UAT coverage**, rather than claiming completed test execution or successful production validation.

8. Deliverables & Tools

8.1 BA Deliverables

The case study produced a set of connected business analysis and solution-design artifacts covering the requirements, process, Agile, traceability, testing, and analytics aspects of the proposed solution.

Area	Deliverable
Requirements Analysis	Business Requirements and Functional Requirements
Agile Requirements	Epics, User Stories, and Acceptance Criteria
Process Analysis	AS-IS / TO-BE Process
Solution Design	Solution Flow and Dashboard Wireframe
Requirements Traceability	Requirements Traceability Matrix
User Acceptance Testing	UAT Test Case Matrix
Data & Analytics	Synthetic Sales Dataset and Power BI Dashboard

8.2 Tools Used

Tool	Purpose
Microsoft Word	Business and functional requirements documentation
Microsoft Excel	Functional Requirements, RTM, and UAT documentation
Jira	Agile backlog, epics, user stories, and acceptance criteria
Canva	Process and solution-flow visuals and dashboard wireframe
Power BI	Interactive sales analytics and dashboard development

8.3 Project Outcome

The case study demonstrates an end-to-end Business Analysis approach for a proposed FMCG sales analytics solution, from understanding the business problem and defining requirements through process analysis, Agile requirement management, traceability, UAT planning, and dashboard design.

The artifacts were developed as a connected set rather than as standalone documents, with requirements flowing from business objectives through functional requirements, user stories, acceptance criteria, and planned validation.

The Power BI implementation will provide the final interactive analytics layer using synthetic sales data.

Conclusion

This case study demonstrates how a Business Analyst can translate a business problem into structured requirements, user-focused functionality, process improvements, and testable solution expectations.

The proposed FMCG Sales Performance & Distributor Analytics Platform brings together requirements analysis, Agile practices, process modelling, traceability, UAT planning, and data visualization within a single solution context.

All business scenarios and data used in this case study are illustrative and intended for portfolio demonstration purposes only.