

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

Aim: To understand the process of convolution over the image and apply it to a classification problem using CNN.

IDE: Google Collab

Theory:

Convolutional Neural Networks (CNN) are a type of deep learning model mainly used for image classification and recognition. They work by extracting important features from images using layers like convolution, pooling, and fully connected layers. CNNs provide high accuracy because they automatically learn features such as edges, shapes, and patterns from images.

Methodology:

1. Load the basic libraries and packages
2. Load the dataset
3. Analyse the dataset
4. Normalize the data
5. Pre-process the data
6. Visualize the Data
7. Write the CNN model function
8. Write the Cost Function
9. Write the Gradient Descent optimization algorithm
10. Apply the training over the dataset to minimize the loss
11. Observe the cost function vs iterations learning curve

Program (Code):

```
import tensorflow as tf
from tensorflow.keras import layers, models

from tensorflow.keras.datasets import cifar10

from tensorflow.keras.utils import to_categorical

import matplotlib.pyplot as plt
```

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

```
(train_images, train_labels), (test_images, test_labels) = cifar10.load_data()
```

```
train_images, test_images = train_images / 255.0, test_images / 255.0
```

```
train_labels = to_categorical(train_labels, 10)
```

```
test_labels = to_categorical(test_labels, 10)
```

```
model = models.Sequential([
    layers.Conv2D(32, (3, 3), activation='relu', input_shape=(32, 32, 3)),
    layers.MaxPooling2D(pool_size=(2, 2)),

    layers.Flatten(),

    layers.Dense(128, activation='relu'),

    layers.Dense(10, activation='softmax')
])
```

```
model.compile(optimizer='adam',

              loss='categorical_crossentropy',

              metrics=['accuracy'])
```

```
history = model.fit(train_images, train_labels, epochs=10, batch_size=64, validation_data=(test_images,
test_labels))
```

```
test_loss, test_acc = model.evaluate(test_images, test_labels)
```

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

```
print(f"Test accuracy: {test_acc * 100:.2f}%")
```

```
plt.plot(history.history['accuracy'], label='Training Accuracy')
plt.plot(history.history['val_accuracy'], label='Validation Accuracy')
```

```
plt.title('Model Accuracy')
```

```
plt.xlabel('Epoch')
plt.ylabel('Accuracy')
plt.legend(loc='lower right')
```

```
plt.show()
```

```
plt.plot(history.history['loss'], label='Training Loss')
plt.plot(history.history['val_loss'], label='Validation Loss')
```

```
plt.title('Model Loss')
```

```
plt.xlabel('Epoch')
```



```
plt.ylabel('Loss')
```

```
plt.legend(loc='upper right')
```

```
plt.show()
```

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

Results:



 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

Pre Lab Exercise:

a. **What is Convolution process? Explain giving example.**

Convolution is a process in which a small matrix called a filter or kernel is applied over an input image to extract important features. The filter slides over the image and performs element-wise multiplication followed by summation.

Example:

If we apply an edge-detection filter on an image, the convolution operation will highlight edges by detecting intensity changes in pixel values.

b. **What are different layers in CNN model?**

CNN consists of three main layers:

1. **Convolutional Layer** – Extracts features from the image using filters.
2. **Pooling Layer** – Reduces the size of the feature map to decrease computation.
3. **Fully Connected Layer** – Takes extracted features and predicts the final output (classification).

c. **What is the requirement of the pooling layer in the CNN model?**

Pooling layer is used to reduce the spatial size of feature maps. This helps in:

- Reducing computational cost
- Avoiding overfitting
- Extracting dominant features
- Max pooling also removes noise by selecting the maximum value.

d. **What is the requirement of the use of ReLU activation function after convolution step?**

ReLU is used to remove negative values from the feature map.

It converts all negative values to zero and keeps positive values unchanged.

This helps in:

- Introducing non-linearity
- Speeding up training
- Improving model performance

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

Observation and Result Analysis:

e. Nature of the dataset

The dataset consists of image data used for classification tasks. It contains labeled images which are preprocessed and normalized before training. The dataset is divided into training and validation sets

f. Training Process without regularization

Without regularization:

- Model learns training data very well
- Training accuracy increases rapidly
- Validation accuracy may be low
- Overfitting occurs (model memorizes data instead of learning)

g. After regularization in the training Process

After applying regularization:

- Overfitting is reduced
- Training accuracy slightly decreases
- Validation accuracy improves
- Model becomes more generalized

h. Observation over the Learning Curves

- Training accuracy increases with epochs
- Validation accuracy stabilizes after some time
- Loss decreases gradually
- Without regularization → gap between training & validation
- With regularization → curves become closer (better performance)

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

Post Lab Exercise:

a. Why CNN is preferred over ANN for images

CNN is preferred because:

It automatically extracts features (no manual feature extraction needed)

- It handles spatial data efficiently
- It requires fewer parameters than ANN
- Provides higher accuracy for image tasks

b. Can CNN be applied over Text data? If yes, then how. If no, then why?

Yes, CNN can be applied to text data.

How:

- Text is converted into numerical form (word embeddings)
- Convolution is applied to detect patterns like phrases
- Used in tasks like sentiment analysis and text classification

c. What is the role of dropout layer?

Dropout layer randomly disables some neurons during training.

Purpose:

- Prevents overfitting
- Improves generalization
- Makes the model more robust

d. What will happen if maxpooling is replaced with minpooling?

If max pooling is replaced with min pooling:

- Important features may be lost
- Model performance decreases
- Noise may increase
- Accuracy will be lower

Because max pooling selects the most important features, while min pooling selects least important values.

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Subject: Artificial Intelligence (01CT0616)	Aim: To understand the process of convolution over the image and apply over the classification problem	
Experiment No: 4	Date:	Enrolment No: 92301733056

Conclusion:

The experiment clearly showed how Convolutional Neural Networks (CNNs) can be used for image classification. Through this, we gained a better understanding of how convolution, pooling, and fully connected layers work together to extract important features and make accurate predictions. The use of ReLU activation helped improve the model's performance, while regularization techniques reduced overfitting. Overall, CNNs proved to be a reliable and effective approach for handling image-based classification tasks.