STEP – 4 COMIBNED FILES

Action: {"type": "mcp_tool", "tool_name": "mcp_view_bulk", "tool_arguments": {"paths": ["/app/backend/server.py", "/app/backend/.env", "/app/frontend/package.json", "/app/frontend/src/App.js", "/app/frontend/src/index.css"]}}

Observation: ===FILE: /app/backend/server.py

/app/backend/server.py:

1|from fastapi import FastAPI, APIRouter

2|from dotenv import load_dotenv

3|from starlette.middleware.cors import CORSMiddleware

4|from motor.motor_asyncio import AsyncIOMotorClient

5|import os

6|import logging

7|from pathlib import Path

8|from pydantic import BaseModel, Field, ConfigDict

9|from typing import List

10|import uuid

11|from datetime import datetime, timezone

12|

13|

14|ROOT_DIR = Path(__file__).parent

15|load_dotenv(ROOT_DIR / '.env')

16|

17|# MongoDB connection

18|mongo_url = os.environ['MONGO_URL']

19|client = AsyncIOMotorClient(mongo_url)

20|db = client[os.environ['DB_NAME']]

21|

```
22|# Create the main app without a prefix
23|app = FastAPI()
24|
25|# Create a router with the /api prefix
26|api_router = APIRouter(prefix="/api")
27|
28|
29|# Define Models
30|class StatusCheck(BaseModel):
31|    model_config = ConfigDict(extra="ignore")  # Ignore MongoDB's _id field
32|
33|    id: str = Field(default_factory=lambda: str(uuid.uuid4()))
34|    client_name: str
35|    timestamp: datetime = Field(default_factory=lambda: datetime.now(timezone.utc))
36|
37|class StatusCheckCreate(BaseModel):
38|    client_name: str
39|
40|# Add your routes to the router instead of directly to app
41|@api_router.get("/")
42|async def root():
43|    return {"message": "Hello World"}
44|
45|@api_router.post("/status", response_model=StatusCheck)
46|async def create_status_check(input: StatusCheckCreate):
47|    status_dict = input.model_dump()
48|    status_obj = StatusCheck(**status_dict)
49|
50|    # Convert to dict and serialize datetime to ISO string for MongoDB
```

```
    doc = status_obj.model_dump()
    doc['timestamp'] = doc['timestamp'].isoformat()

    _ = await db.status_checks.insert_one(doc)
    return status_obj

@api_router.get("/status", response_model=List[StatusCheck])
async def get_status_checks():
    # Exclude MongoDB's _id field from the query results
    status_checks = await db.status_checks.find({}, {"_id": 0}).to_list(1000)

    # Convert ISO string timestamps back to datetime objects
    for check in status_checks:
        if isinstance(check['timestamp'], str):
            check['timestamp'] = datetime.fromisoformat(check['timestamp'])

    return status_checks

# Include the router in the main app
app.include_router(api_router)

app.add_middleware(
    CORSMiddleware,
    allow_credentials=True,
    allow_origins=os.environ.get('CORS_ORIGINS', '*').split(','),
    allow_methods=["*"],
    allow_headers=["*"],
)

```

```
# Configure logging
logging.basicConfig(
    level=logging.INFO,
    format='%(asctime)s - %(name)s - %(levelname)s - %(message)s'
)
logger = logging.getLogger(__name__)

@app.on_event("shutdown")
async def shutdown_db_client():
    client.close()
```

===END

===FILE: /app/backend/.env

/app/backend/.env:

```
MONGO_URL="mongodb://localhost:27017"
DB_NAME="test_database"
CORS_ORIGINS="*"
```

===END

===FILE: /app/frontend/package.json

/app/frontend/package.json:

```
{
  "name": "frontend",
  "version": "0.1.0",
  "private": true,
  "dependencies": {
    "@hookform/resolvers": "^5.0.1",
```

```
7|   "@radix-ui/react-accordion": "^1.2.8",
8|   "@radix-ui/react-alert-dialog": "^1.1.11",
9|   "@radix-ui/react-aspect-ratio": "^1.1.4",
10|   "@radix-ui/react-avatar": "^1.1.7",
11|   "@radix-ui/react-checkbox": "^1.2.3",
12|   "@radix-ui/react-collapsible": "^1.1.8",
13|   "@radix-ui/react-context-menu": "^2.2.12",
14|   "@radix-ui/react-dialog": "^1.1.11",
15|   "@radix-ui/react-dropdown-menu": "^2.1.12",
16|   "@radix-ui/react-hover-card": "^1.1.11",
17|   "@radix-ui/react-label": "^2.1.4",
18|   "@radix-ui/react-menubar": "^1.1.12",
19|   "@radix-ui/react-navigation-menu": "^1.2.10",
20|   "@radix-ui/react-popover": "^1.1.11",
21|   "@radix-ui/react-progress": "^1.1.4",
22|   "@radix-ui/react-radio-group": "^1.3.4",
23|   "@radix-ui/react-scroll-area": "^1.2.6",
24|   "@radix-ui/react-select": "^2.2.2",
25|   "@radix-ui/react-separator": "^1.1.4",
26|   "@radix-ui/react-slider": "^1.3.2",
27|   "@radix-ui/react-slot": "^1.2.0",
28|   "@radix-ui/react-switch": "^1.2.2",
29|   "@radix-ui/react-tabs": "^1.1.9",
30|   "@radix-ui/react-toast": "^1.2.11",
31|   "@radix-ui/react-toggle": "^1.1.6",
32|   "@radix-ui/react-toggle-group": "^1.1.7",
33|   "@radix-ui/react-tooltip": "^1.2.4",
34|   "axios": "^1.8.4",
35|   "class-variance-authority": "^0.7.1",
```

```
36|    "clsx": "^2.1.1",
37|    "cmdk": "^1.1.1",
38|    "cra-template": "1.2.0",
39|    "date-fns": "^4.1.0",
40|    "embla-carousel-react": "^8.6.0",
41|    "input-otp": "^1.4.2",
42|    "lucide-react": "^0.507.0",
43|    "next-themes": "^0.4.6",
44|    "react": "^19.0.0",
45|    "react-day-picker": "8.10.1",
46|    "react-dom": "^19.0.0",
47|    "react-hook-form": "^7.56.2",
48|    "react-resizable-panels": "^3.0.1",
49|    "react-router-dom": "^7.5.1",
50|    "react-scripts": "5.0.1",
51|    "recharts": "^3.6.0",
52|    "sonner": "^2.0.3",
53|    "tailwind-merge": "^3.2.0",
54|    "tailwindcss-animate": "^1.0.7",
55|    "vaul": "^1.1.2",
56|    "zod": "^3.24.4"
57|  },
58|  "scripts": {
59|    "start": "craco start",
60|    "build": "craco build",
61|    "test": "craco test"
62|  },
63|  "browserslist": {
64|    "production": [
```

65| ">0.2%",
66| "not dead",
67| "not op_mini all"
68|],
69| "development": [
70| "last 1 chrome version",
71| "last 1 firefox version",
72| "last 1 safari version"
73|]
74| },
75| "devDependencies": {
76| "@babel/plugin-proposal-private-property-in-object": "^7.21.11",
77| "@craco/craco": "^7.1.0",
78| "@emergentbase/visual-edits": "https://assets.emergent.sh/npm/emergentbase-visual-edits-1.0.8.tgz",
79| "@eslint/js": "9.23.0",
80| "autoprefixer": "^10.4.20",
81| "eslint": "9.23.0",
82| "eslint-plugin-import": "2.31.0",
83| "eslint-plugin-jsx-a11y": "6.10.2",
84| "eslint-plugin-react": "7.37.4",
85| "eslint-plugin-react-hooks": "5.2.0",
86| "globals": "15.15.0",
87| "postcss": "^8.4.49",
88| "tailwindcss": "^3.4.17"
89| },
90| "packageManager": "yarn@1.22.22+sha512.a6b2f7906b721bba3d67d4aff083df04dad64c399707841b7acf00f6b133b7ac24255f2652fa22ae3534329dc6180534e98d17432037ff6fd140556e2bb3137e"
91|}

92|

===END

===FILE: /app/frontend/src/App.js

/app/frontend/src/App.js:

```
1|import { useEffect } from "react";
2|import "@/App.css";
3|import { BrowserRouter, Routes, Route } from "react-router-dom";
4|import axios from "axios";
5|
6|const BACKEND_URL = process.env.REACT_APP_BACKEND_URL;
7|const API = `${BACKEND_URL}/api`;
8|
9|const Home = () => {
10|  const helloWorldApi = async () => {
11|    try {
12|      const response = await axios.get(`${API}/`);
13|      console.log(response.data.message);
14|    } catch (e) {
15|      console.error(e, `errored out requesting / api`);
16|    }
17|  };
18|
19|  useEffect(() => {
20|    helloWorldApi();
21|  }, []);
22|
23|  return (
```

```
24|    <div>
25|      <header className="App-header">
26|        <a
27|          className="App-link"
28|          href="https://emergent.sh"
29|          target="_blank"
30|          rel="noopener noreferrer"
31|        >
32|          <img
src="https://avatars.githubusercontent.com/in/1201222?s=120&u=2686cf91179bbafbc7a71bfbc43004c
f9ae1acea&v=4" />
33|        </a>
34|        <p className="mt-5">Building something incredible ~!</p>
35|      </header>
36|    </div>
37|  );
38|};
39|
40|function App() {
41|  return (
42|    <div className="App">
43|      <BrowserRouter>
44|        <Routes>
45|          <Route path="/" element={<Home />}>
46|            <Route index element={<Home />} />
47|          </Route>
48|        </Routes>
49|      </BrowserRouter>
50|    </div>
```

```
51|  );
52|}
53|
54|export default App;
55|
```

===END

===FILE: /app/frontend/src/index.css

/app/frontend/src/index.css:

```
1|@tailwind base;
2|@tailwind components;
3|@tailwind utilities;
4|
5|body {
6|    margin: 0;
7|    font-family:
8|        -apple-system, BlinkMacSystemFont, "Segoe UI", "Roboto", "Oxygen",
9|        "Ubuntu", "Cantarell", "Fira Sans", "Droid Sans", "Helvetica Neue",
10|        sans-serif;
11|    -webkit-font-smoothing: antialiased;
12|    -moz-osx-font-smoothing: grayscale;
13|}
14|
15|code {
16|    font-family:
17|        source-code-pro, Menlo, Monaco, Consolas, "Courier New", monospace;
18|}
19|
```

```
20|@layer base {
21|    :root {
22|        --background: 0 0% 100%;
23|        --foreground: 0 0% 3.9%;
24|        --card: 0 0% 100%;
25|        --card-foreground: 0 0% 3.9%;
26|        --popover: 0 0% 100%;
27|        --popover-foreground: 0 0% 3.9%;
28|        --primary: 0 0% 9%;
29|        --primary-foreground: 0 0% 98%;
30|        --secondary: 0 0% 96.1%;
31|        --secondary-foreground: 0 0% 9%;
32|        --muted: 0 0% 96.1%;
33|        --muted-foreground: 0 0% 45.1%;
34|        --accent: 0 0% 96.1%;
35|        --accent-foreground: 0 0% 9%;
36|        --destructive: 0 84.2% 60.2%;
37|        --destructive-foreground: 0 0% 98%;
38|        --border: 0 0% 89.8%;
39|        --input: 0 0% 89.8%;
40|        --ring: 0 0% 3.9%;
41|        --chart-1: 12 76% 61%;
42|        --chart-2: 173 58% 39%;
43|        --chart-3: 197 37% 24%;
44|        --chart-4: 43 74% 66%;
45|        --chart-5: 27 87% 67%;
46|        --radius: 0.5rem;
47|    }
48|    .dark {
```

```
49|     --background: 0 0% 3.9%;
50|     --foreground: 0 0% 98%;
51|     --card: 0 0% 3.9%;
52|     --card-foreground: 0 0% 98%;
53|     --popover: 0 0% 3.9%;
54|     --popover-foreground: 0 0% 98%;
55|     --primary: 0 0% 98%;
56|     --primary-foreground: 0 0% 9%;
57|     --secondary: 0 0% 14.9%;
58|     --secondary-foreground: 0 0% 98%;
59|     --muted: 0 0% 14.9%;
60|     --muted-foreground: 0 0% 63.9%;
61|     --accent: 0 0% 14.9%;
62|     --accent-foreground: 0 0% 98%;
63|     --destructive: 0 62.8% 30.6%;
64|     --destructive-foreground: 0 0% 98%;
65|     --border: 0 0% 14.9%;
66|     --input: 0 0% 14.9%;
67|     --ring: 0 0% 83.1%;
68|     --chart-1: 220 70% 50%;
69|     --chart-2: 160 60% 45%;
70|     --chart-3: 30 80% 55%;
71|     --chart-4: 280 65% 60%;
72|     --chart-5: 340 75% 55%;
73|   }
74|}
75|
76|@layer base {
77|   * {
```

```
78|        @apply border-border;
79|    }
80|    body {
81|        @apply bg-background text-foreground;
82|    }
83|}
84|
85|@layer base {
86|    [data-debug-wrapper="true"] {
87|        display: contents !important;
88|    }
89|
90|    [data-debug-wrapper="true"] > * {
91|        margin-left: inherit;
92|        margin-right: inherit;
93|        margin-top: inherit;
94|        margin-bottom: inherit;
95|        padding-left: inherit;
96|        padding-right: inherit;
97|        padding-top: inherit;
98|        padding-bottom: inherit;
99|        column-gap: inherit;
100|        row-gap: inherit;
101|        gap: inherit;
102|        border-left-width: inherit;
103|        border-right-width: inherit;
104|        border-top-width: inherit;
105|        border-bottom-width: inherit;
106|        border-left-style: inherit;
```

```
107|        border-right-style: inherit;
108|        border-top-style: inherit;
109|        border-bottom-style: inherit;
110|        border-left-color: inherit;
111|        border-right-color: inherit;
112|        border-top-color: inherit;
113|        border-bottom-color: inherit;
114|    }
115|}
116|
```

===END