

AAI590 Capstone — Group 4

Module 3 | Notebook 1: CirCor DigiScope Data Download & Verification

Project: ML-Based Murmur Detection for RHD Screening Using Phonocardiogram Data

Dataset: CirCor DigiScope Phonocardiogram Dataset v1.0.3 (PhysioNet)

Authors: Shiva Bathula · Kaushik M · Pavan Kumar Bellary

Notebook goals

1. Install required libraries
2. Download the dataset from PhysioNet (or Kaggle mirror for faster re-downloads)
3. Verify the download — file counts, directory structure
4. Load one sample `.wav` recording + its annotation to confirm everything works
5. Inspect the master `training_data.csv` label file

Note: PhysioNet requires a free account. Before running Cell 3 (wget download), go to <https://physionet.org/register/> and create an account, then accept the CirCor DUA at <https://physionet.org/content/circor-heart-sound/1.0.3/>. Your credentials will be entered in Cell 3.

```
In [1]: # Add this as Cell 0 in Notebook 1 and run first
from google.colab import drive
from pathlib import Path
import shutil, pandas as pd

drive.mount('/content/drive')

DRIVE_DIR = Path('/content/drive/MyDrive/AAI590_Capstone_Group4')

# Restore paths from Drive
DATA_ROOT = DRIVE_DIR / 'data'
AUDIO_DIR = DATA_ROOT / 'training_data'
LABEL_CSV = DATA_ROOT / 'training_data.csv'
INDEX_CSV = DATA_ROOT / 'circor_file_index.csv'

# Copy CSVs to /content/ for notebook compatibility
shutil.copy(str(INDEX_CSV), '/content/circor_file_index.csv')
import os; os.makedirs('/content/circor-heart-sound', exist_ok=True)
shutil.copy(str(LABEL_CSV), '/content/circor-heart-sound/training_data.csv')

wav_count = len(list(AUDIO_DIR.glob('*.wav')))
print(f' Drive mounted | WAV files: {wav_count}')
print(f' CSVs restored to /content/')
```

```
Mounted at /content/drive
 Drive mounted | WAV files: 3163
 CSVs restored to /content/
```

1. Install & Import Libraries

```
In [2]: # — Install —————
!pip install librosa soundfile wfdb --quiet

# — Standard imports —————
import os
import glob
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import librosa
import librosa.display
import soundfile as sf
import IPython.display as ipd
from pathlib import Path

print('Libraries loaded successfully.')
print(f'librosa version: {librosa.__version__}')

79.5/79.5 kB 2.9 MB/s eta 0:00
163.9/163.9 kB 7.2 MB/s eta 0:00
10.9/10.9 MB 89.9 MB/s eta 0:00:01
ERROR: pip's dependency resolver does not currently take into account all the
packages that are installed. This behaviour is the source of the following
dependency conflicts.
google-colab 1.0.0 requires pandas==2.2.2, but you have pandas 3.0.3 which is
incompatible.
Libraries loaded successfully.
librosa version: 0.11.0
```

2. Configure Paths

```
In [3]: # — Root data directory (change if needed) —————
DATA_ROOT = Path('/content/circor-heart-sound')
AUDIO_DIR = DATA_ROOT / 'training_data'
LABEL_CSV = DATA_ROOT / 'training_data.csv'

# Create root folder
DATA_ROOT.mkdir(parents=True, exist_ok=True)
print(f'Data root: {DATA_ROOT}')
```

Data root: /content/circor-heart-sound

3. Download Dataset

Option A — PhysioNet `wget` (official, ~2–3 GB, slower in Colab but always available)

Option B — Kaggle mirror (faster for repeated Colab sessions, requires Kaggle API key)

Run **only one** of the two cells below.

```
In [ ]: # — OPTION A: PhysioNet wget download —————
# Enter your PhysioNet username and password when prompted.
# This downloads the full v1.0.3 dataset (~2.4 GB, 5272 wav files).

import getpass

PHYSIONET_USER = input('PhysioNet username: ')
PHYSIONET_PASS = getpass.getpass('PhysioNet password: ')

!wget -r -N -c -np \
    --user="{PHYSIONET_USER}" \
    --password="{PHYSIONET_PASS}" \
    -P /content/circor-heart-sound \
    https://physionet.org/files/circor-heart-sound/1.0.3/

# Flatten the nested physionet.org/files directory to DATA_ROOT
import shutil
nested = Path('/content/circor-heart-sound/physionet.org/files/circor-hea
if nested.exists():
    for item in nested.iterdir():
        shutil.move(str(item), str(DATA_ROOT))
    shutil.rmtree('/content/circor-heart-sound/physionet.org')
    print('Download complete and directory flattened.')
```

Streaming output truncated to the last 5000 lines.

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85270_TV.wav'

physionet.org/files 100%[=====>] 156.17K 250KB/s in 0.6s

2026-07-01 15:57:40 (250 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85270_TV.wav' saved [159916/159916]

--2026-07-01 15:57:40-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85276.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 569 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276.txt'

physionet.org/files 100%[=====>] 569 --.-KB/s in 0s

2026-07-01 15:57:40 (388 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276.txt' saved [569/569]

--2026-07-01 15:57:40-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:40 (25.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.he' saved [59/59]

--2026-07-01 15:57:40-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1193 (1.2K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.tsv'

physionet.org/files 100%[=====>] 1.17K --.-KB/s in 0s

2026-07-01 15:57:40 (381 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.tsv' saved [1193/1193]

--2026-07-01 15:57:40-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 166316 (162K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.w'

physionet.org/files 100%[=====>] 162.42K 242KB/s in 0.7s

2026-07-01 15:57:41 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85276_MV.w' saved [166316/166316]

--2026-07-01 15:57:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 676 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85277.txt'

physionet.org/files 100%[=====>] 676 ---KB/s in 0s

2026-07-01 15:57:41 (232 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277.txt' saved [676/676]

--2026-07-01 15:57:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85277_AV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:57:41 (22.7 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_AV.he' saved [59/59]

--2026-07-01 15:57:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1171 (1.1K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85277_AV.tsv'

physionet.org/files 100%[=====>] 1.14K ---KB/s in 0s

2026-07-01 15:57:41 (506 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_AV.tsv' saved [1171/1171]

--2026-07-01 15:57:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 160812 (157K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85277_AV.wa'

physionet.org/files 100%[=====>] 157.04K 249KB/s in 0.6s

2026-07-01 15:57:42 (249 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_AV.wa' saved [160812/160812]

--2026-07-01 15:57:42-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85277_MV.he'

```

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:57:42 (23.6 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_MV.hea' saved [59/59]

--2026-07-01 15:57:42--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2847 (2.8K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85277_MV.tsv'

physionet.org/files 100%[=====>]    2.78K  ---KB/s    in 0s

2026-07-01 15:57:42 (814 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_MV.tsv' saved [2847/2847]

--2026-07-01 15:57:42--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 158380 (155K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85277_MV.wav'

physionet.org/files 100%[=====>]  154.67K   247KB/s    in 0.6s

2026-07-01 15:57:43 (247 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_MV.wav' saved [158380/158380]

--2026-07-01 15:57:43--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_PV.hea
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85277_PV.hea'

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:57:43 (15.4 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_PV.hea' saved [59/59]

--2026-07-01 15:57:43--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1983 (1.9K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85277_PV.tsv'

physionet.org/files 100%[=====>]    1.94K  ---KB/s    in 0s

2026-07-01 15:57:43 (653 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85277_PV.tsv' saved [1983/1983]

--2026-07-01 15:57:43--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85277_PV.wav

```

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 168492 (165K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_PV.wav'

physionet.org/files 100%[=====>] 164.54K 249KB/s in 0.7s

2026-07-01 15:57:44 (249 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_PV.wav' saved [168492/168492]

--2026-07-01 15:57:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:44 (22.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.he' saved [59/59]

--2026-07-01 15:57:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2525 (2.5K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.tsv'

physionet.org/files 100%[=====>] 2.47K --.-KB/s in 0s

2026-07-01 15:57:44 (547 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.tsv' saved [2525/2525]

--2026-07-01 15:57:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 159916 (156K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.wa'

physionet.org/files 100%[=====>] 156.17K 255KB/s in 0.6s

2026-07-01 15:57:45 (255 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85277_TV.wa' saved [159916/159916]

--2026-07-01 15:57:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278.tx

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 678 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278.tx'

physionet.org/files 100%[=====>] 678 --.-KB/s in 0s

2026-07-01 15:57:45 (215 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278.txt' saved [678/678]

--2026-07-01 15:57:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:45 (24.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.he' saved [59/59]

--2026-07-01 15:57:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 767 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.tsv'

physionet.org/files 100%[=====>] 767 --.-KB/s in 0s

2026-07-01 15:57:45 (296 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.tsv' saved [767/767]

--2026-07-01 15:57:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 103212 (101K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.wav'

physionet.org/files 100%[=====>] 100.79K 265KB/s in 0.4s

2026-07-01 15:57:45 (265 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_AV.wav' saved [103212/103212]

--2026-07-01 15:57:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:57:46 (28.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.he' saved [60/60]

--2026-07-01 15:57:46-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1778 (1.7K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.tsv'

physionet.org/files 100%[=====>] 1.74K ---KB/s in 0s

2026-07-01 15:57:46 (591 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.tsv' saved [1778/1778]

--2026-07-01 15:57:46-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 202284 (198K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.wav'

physionet.org/files 100%[=====>] 197.54K 236KB/s in 0.8s

2026-07-01 15:57:47 (236 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_MV.wav' saved [202284/202284]

--2026-07-01 15:57:47-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:57:47 (16.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.he' saved [59/59]

--2026-07-01 15:57:47-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1775 (1.7K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.ts'

physionet.org/files 100%[=====>] 1.73K ---KB/s in 0s

2026-07-01 15:57:47 (664 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.ts' saved [1775/1775]

--2026-07-01 15:57:47-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 116780 (114K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.w'

physionet.org/files 100%[=====>] 114.04K 257KB/s in 0.4s

2026-07-01 15:57:47 (257 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85278_PV.w' saved [116780/116780]

--2026-07-01 15:57:47-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85278_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85278_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:47 (16.3 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85278_TV.he' saved [59/59]

--2026-07-01 15:57:47-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85278_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 879 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85278_TV.tsv'

physionet.org/files 100%[=====>] 879 --.-KB/s in 0s

2026-07-01 15:57:47 (233 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85278_TV.tsv' saved [879/879]

--2026-07-01 15:57:47-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85278_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 143148 (140K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85278_TV.wav'

physionet.org/files 100%[=====>] 139.79K 255KB/s in 0.5s

2026-07-01 15:57:48 (255 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85278_TV.wav' saved [143148/143148]

--2026-07-01 15:57:48-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85279.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 677 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85279.txt'

physionet.org/files 100%[=====>] 677 --.-KB/s in 0s

2026-07-01 15:57:48 (354 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85279.txt' saved [677/677]

--2026-07-01 15:57:48-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85279_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85279_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:48 (43.9 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85279_AV.he' saved [59/59]

--2026-07-01 15:57:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1269 (1.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_AV.tsv'

physionet.org/files 100%[=====>] 1.24K --.-KB/s in 0s

2026-07-01 15:57:48 (891 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_AV.tsv' saved [1269/1269]

--2026-07-01 15:57:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 179628 (175K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_AV.wav'

physionet.org/files 100%[=====>] 175.42K 243KB/s in 0.7s

2026-07-01 15:57:49 (243 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_AV.wav' saved [179628/179628]

--2026-07-01 15:57:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:49 (22.8 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.he' saved [59/59]

--2026-07-01 15:57:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2658 (2.6K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.tsv'

physionet.org/files 100%[=====>] 2.60K --.-KB/s in 0s

2026-07-01 15:57:49 (874 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.tsv' saved [2658/2658]

--2026-07-01 15:57:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.wav
Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK
Length: 195884 (191K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.wav'

physionet.org/files 100%[=====>] 191.29K 242KB/s in 0.8s

2026-07-01 15:57:50 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_MV.wav' saved [195884/195884]

--2026-07-01 15:57:50-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:50 (20.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.he' saved [59/59]

--2026-07-01 15:57:50-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1421 (1.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.tsv'

physionet.org/files 100%[=====>] 1.39K --.-KB/s in 0s

2026-07-01 15:57:50 (432 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.tsv' saved [1421/1421]

--2026-07-01 15:57:50-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 159660 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.wav'

physionet.org/files 100%[=====>] 155.92K 244KB/s in 0.6s

2026-07-01 15:57:51 (244 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_PV.wav' saved [159660/159660]

--2026-07-01 15:57:51-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:57:51 (27.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.he' saved [60/60]

circor-heart-sound/1.0.3/training_data/85279_TV.heaf saved [60/60]

--2026-07-01 15:57:51-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1947 (1.9K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.tsv'

physionet.org/files 100%[=====>] 1.90K --.-KB/s in 0s

2026-07-01 15:57:51 (497 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.tsv' saved [1947/1947]

--2026-07-01 15:57:51-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 251180 (245K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.wav'

physionet.org/files 100%[=====>] 245.29K 226KB/s in 1.1s

2026-07-01 15:57:52 (226 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85279_TV.wav' saved [251180/251180]

--2026-07-01 15:57:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85282.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 675 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:57:52 (197 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282.txt' saved [675/675]

--2026-07-01 15:57:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_AV.heaf

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_AV.heaf'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:52 (15.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_AV.heaf' saved [59/59]

--2026-07-01 15:57:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1016 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_AV.tsv'

1.0.3/training_data/85282_AV.tsv'

physionet.org/files 100%[=====>] 1016 --.-KB/s in 0s

2026-07-01 15:57:53 (320 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_AV.tsv' saved [1016/1016]

--2026-07-01 15:57:53-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 77228 (75K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85282_AV.wav'

physionet.org/files 100%[=====>] 75.42K 282KB/s in 0.3s

2026-07-01 15:57:53 (282 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_AV.wav' saved [77228/77228]

--2026-07-01 15:57:53-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85282_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:53 (23.3 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_MV.he' saved [59/59]

--2026-07-01 15:57:53-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_MV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2893 (2.8K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85282_MV.ts'

physionet.org/files 100%[=====>] 2.83K --.-KB/s in 0s

2026-07-01 15:57:53 (646 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_MV.ts' saved [2893/2893]

--2026-07-01 15:57:53-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_MV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 175148 (171K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85282_MV.w'

physionet.org/files 100%[=====>] 171.04K 236KB/s in 0.7s

2026-07-01 15:57:54 (236 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_MV.w' saved [175148/175148]

--2026-07-01 15:57:54-- https://physionet.org/files/circor-heart-sound/1.0.3.

```
training_data/85282_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85282_PV.he

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:57:54 (18.4 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85282_PV.he' saved [59/59]

--2026-07-01 15:57:54-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 819 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85282_PV.tsv'

physionet.org/files 100%[=====>]          819  ---KB/s    in 0s

2026-07-01 15:57:54 (270 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_PV.tsv' saved [819/819]

--2026-07-01 15:57:54-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 108460 (106K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85282_PV.wav'

physionet.org/files 100%[=====>]    105.92K   252KB/s    in 0.4s

2026-07-01 15:57:55 (252 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85282_PV.wav' saved [108460/108460]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85282_TV.he

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:57:55 (16.2 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85282_TV.he' saved [59/59]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85282_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2288 (2.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85282_TV.tsv'

physionet.org/files 100%[=====>]     2.23K   ---KB/s    in 0s
```

2026-07-01 15:57:55 (83.0 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85282_TV.tsv' saved [2288/2288]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 135724 (133K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_TV.wav'

physionet.org/files 100%[=====>] 132.54K 248KB/s in 0.5s

2026-07-01 15:57:55 (248 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85282_TV.wav' saved [135724/135724]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 675 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285.txt'

physionet.org/files 100%[=====>] 675 ---KB/s in 0s

2026-07-01 15:57:55 (242 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285.txt' saved [675/675]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:57:55 (21.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.he' saved [59/59]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 561 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.tsv'

physionet.org/files 100%[=====>] 561 ---KB/s in 0s

2026-07-01 15:57:55 (181 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.tsv' saved [561/561]

--2026-07-01 15:57:55-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 171692 (168K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.wav'

physionet.org/files 100%[=====>] 167.67K 240KB/s in 0.7s

2026-07-01 15:57:56 (240 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_AV.wav' saved [171692/171692]

--2026-07-01 15:57:56-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.hea
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.hea'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:56 (23.6 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.hea' saved [59/59]

--2026-07-01 15:57:56-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.tsv
Connecting to physionet.org (physionet.org)|18.25.8.254|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1761 (1.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.tsv'

physionet.org/files 100%[=====>] 1.72K --.-KB/s in 0s

2026-07-01 15:57:56 (783 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.tsv' saved [1761/1761]

--2026-07-01 15:57:56-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 169516 (166K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.wav'

physionet.org/files 100%[=====>] 165.54K 233KB/s in 0.7s

2026-07-01 15:57:57 (233 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_MV.wav' saved [169516/169516]

--2026-07-01 15:57:57-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_PV.hea
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_PV.hea'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:57:57 (18.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85285_PV.hea' saved [59/59]

--2026-07-01 15:57:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85285_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1489 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85285_PV.tsv'

physionet.org/files 100%[=====>] 1.45K ---KB/s in 0s

2026-07-01 15:57:57 (565 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85285_PV.tsv' saved [1489/1489]

--2026-07-01 15:57:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85285_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 164012 (160K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85285_PV.wav'

physionet.org/files 100%[=====>] 160.17K 241KB/s in 0.7s

2026-07-01 15:57:58 (241 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85285_PV.wav' saved [164012/164012]

--2026-07-01 15:57:58-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85285_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85285_TV.he'

physionet.org/files 100%[=====>] 60 ---KB/s in 0s

2026-07-01 15:57:58 (19.2 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85285_TV.he' saved [60/60]

--2026-07-01 15:57:58-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85285_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2728 (2.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85285_TV.tsv'

physionet.org/files 100%[=====>] 2.66K ---KB/s in 0s

2026-07-01 15:57:58 (954 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85285_TV.tsv' saved [2728/2728]

--2026-07-01 15:57:58-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85285_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 248364 (243K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85285_TV.wa'

physionet.org/files 100%[=====>] 242.54K 227KB/s in 1.1s

2026-07-01 15:58:00 (227 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85285_TV.wav' saved [248364/248364]

--2026-07-01 15:58:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85286.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 676 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85286.txt'

physionet.org/files 100%[=====>] 676 --.-KB/s in 0s

2026-07-01 15:58:00 (191 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85286.txt' saved [676/676]

--2026-07-01 15:58:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85286_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85286_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:00 (28.6 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85286_AV.he' saved [59/59]

--2026-07-01 15:58:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85286_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2788 (2.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85286_AV.tsv'

physionet.org/files 100%[=====>] 2.72K --.-KB/s in 0s

2026-07-01 15:58:00 (891 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85286_AV.tsv' saved [2788/2788]

--2026-07-01 15:58:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85286_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 161324 (158K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85286_AV.wa'

physionet.org/files 100%[=====>] 157.54K 233KB/s in 0.7s

2026-07-01 15:58:01 (233 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85286_AV.wa' saved [161324/161324]

--2026-07-01 15:58:01-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85286_MV.he

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:01 (44.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.heg' saved [59/59]

--2026-07-01 15:58:01-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2309 (2.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.tsv'

physionet.org/files 100%[=====>] 2.25K --.-KB/s in 0s

2026-07-01 15:58:01 (1.66 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.tsv' saved [2309/2309]

--2026-07-01 15:58:01-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 159276 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.wav'

physionet.org/files 100%[=====>] 155.54K 241KB/s in 0.6s

2026-07-01 15:58:01 (241 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_MV.wav' saved [159276/159276]

--2026-07-01 15:58:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.heg
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:02 (35.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.heg' saved [59/59]

--2026-07-01 15:58:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2510 (2.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.tsv'

physionet.org/files 100%[=====>] 2.45K --.-KB/s in 0s

2026-07-01 15:58:02 (862 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.tsv' saved [2510/2510]

--2026-07-01 15:58:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 181292 (177K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.wav'

physionet.org/files 100%[=====>] 177.04K 242KB/s in 0.7s

2026-07-01 15:58:02 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_PV.wav' saved [181292/181292]

--2026-07-01 15:58:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:03 (14.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.he' saved [59/59]

--2026-07-01 15:58:03-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2289 (2.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.tsv'

physionet.org/files 100%[=====>] 2.24K ---KB/s in 0s

2026-07-01 15:58:03 (543 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.tsv' saved [2289/2289]

--2026-07-01 15:58:03-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 128044 (125K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.wa'

physionet.org/files 100%[=====>] 125.04K 256KB/s in 0.5s

2026-07-01 15:58:03 (256 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85286_TV.wav' saved [128044/128044]

--2026-07-01 15:58:03-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85287.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 635 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287.txt'

physionet.org/files 100%[=====>] 635 --.-KB/s in 0s

2026-07-01 15:58:03 (316 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287.txt' saved [635/635]

--2026-07-01 15:58:03-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:03 (20.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.he' saved [59/59]

--2026-07-01 15:58:03-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2051 (2.0K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.ts'

physionet.org/files 100%[=====>] 2.00K --.-KB/s in 0s

2026-07-01 15:58:03 (984 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.ts' saved [2051/2051]

--2026-07-01 15:58:03-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 160428 (157K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.w'

physionet.org/files 100%[=====>] 156.67K 234KB/s in 0.7s

2026-07-01 15:58:04 (234 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_MV.w' saved [160428/160428]

--2026-07-01 15:58:04-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 60 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_PV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:58:04 (23.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85287_PV.he' saved [60/60]

--2026-07-01 15:58:04-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85287_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2349 (2.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85287_PV.tsv'

physionet.org/files 100%[=====>] 2.29K --.-KB/s in 0s

2026-07-01 15:58:04 (718 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85287_PV.tsv' saved [2349/2349]

--2026-07-01 15:58:04-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85287_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 221612 (216K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85287_PV.wav'

physionet.org/files 100%[=====>] 216.42K 236KB/s in 0.9s

2026-07-01 15:58:05 (236 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85287_PV.wav' saved [221612/221612]

--2026-07-01 15:58:05-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85287_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85287_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:05 (56.0 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85287_TV.he' saved [59/59]

--2026-07-01 15:58:05-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85287_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1317 (1.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85287_TV.tsv'

physionet.org/files 100%[=====>] 1.29K --.-KB/s in 0s

2026-07-01 15:58:05 (524 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85287_TV.tsv' saved [1317/1317]

--2026-07-01 15:58:05-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85287_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 171564 (168K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85287_TV.wa'

physionet.org/files 100%[=====>] 167.54K 219KB/s in 0.8s

2026-07-01 15:58:06 (219 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85287_TV.wav' saved [171564/171564]

--2026-07-01 15:58:06-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85288.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 675 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85288.txt'

physionet.org/files 100%[=====>] 675 ---KB/s in 0s

2026-07-01 15:58:06 (260 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85288.txt' saved [675/675]

--2026-07-01 15:58:06-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85288_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85288_AV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:58:07 (22.7 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85288_AV.he' saved [59/59]

--2026-07-01 15:58:07-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85288_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2305 (2.3K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85288_AV.tsv'

physionet.org/files 100%[=====>] 2.25K ---KB/s in 0s

2026-07-01 15:58:07 (913 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85288_AV.tsv' saved [2305/2305]

--2026-07-01 15:58:07-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85288_AV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 157612 (154K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85288_AV.wa'

physionet.org/files 100%[=====>] 153.92K 186KB/s in 0.8s

2026-07-01 15:58:08 (186 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85288_AV.wa' saved [157612/157612]

--2026-07-01 15:58:08-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85288_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.hea'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:08 (16.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.hea' saved [59/59]

--2026-07-01 15:58:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1053 (1.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.tsv'

physionet.org/files 100%[=====>] 1.03K --.-KB/s in 0s

2026-07-01 15:58:08 (291 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.tsv' saved [1053/1053]

--2026-07-01 15:58:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 153260 (150K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.wav'

physionet.org/files 100%[=====>] 149.67K 235KB/s in 0.6s

2026-07-01 15:58:08 (235 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_MV.wav' saved [153260/153260]

--2026-07-01 15:58:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.hea
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.hea'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:08 (19.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.hea' saved [59/59]

--2026-07-01 15:58:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 719 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.tsv'

physionet.org/files 100%[=====>] 719 --.-KB/s in 0s

2026-07-01 15:58:09 (191 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.tsv' saved [719/719]

circor-heart-sound/1.0.3/training_data/85288_PV.tsv' saved [719/719]

--2026-07-01 15:58:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 159916 (156K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.wav'

physionet.org/files 100%[=====>] 156.17K 242KB/s in 0.6s

2026-07-01 15:58:09 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_PV.wav' saved [159916/159916]

--2026-07-01 15:58:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:09 (41.1 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.he' saved [59/59]

--2026-07-01 15:58:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1328 (1.3K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.tsv'

physionet.org/files 100%[=====>] 1.30K --.-KB/s in 0s

2026-07-01 15:58:09 (524 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.tsv' saved [1328/1328]

--2026-07-01 15:58:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 163116 (159K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.wa'

physionet.org/files 100%[=====>] 159.29K 237KB/s in 0.7s

2026-07-01 15:58:10 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85288_TV.wa' saved [163116/163116]

--2026-07-01 15:58:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 676 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293.txt'

1.0.3/training_data/85293.txt'

physionet.org/files 100%[=====>] 676 --.-KB/s in 0s

2026-07-01 15:58:10 (178 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293.txt' saved [676/676]

--2026-07-01 15:58:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:10 (21.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.he' saved [59/59]

--2026-07-01 15:58:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1469 (1.4K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.ts'

physionet.org/files 100%[=====>] 1.43K --.-KB/s in 0s

2026-07-01 15:58:10 (476 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.ts' saved [1469/1469]

--2026-07-01 15:58:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 171692 (168K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.w'

physionet.org/files 100%[=====>] 167.67K 240KB/s in 0.7s

2026-07-01 15:58:11 (240 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_AV.w' saved [171692/171692]

--2026-07-01 15:58:11-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:11 (25.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.he' saved [59/59]

--2026-07-01 15:58:11-- https://physionet.org/files/circor-heart-sound/1.0.3/

```
training_data/85293_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 917 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.tsv'

physionet.org/files 100%[=====>]          917  --.-KB/s    in 0s

2026-07-01 15:58:11 (296 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.tsv' saved [917/917]

--2026-07-01 15:58:11-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 159660 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.wav'

physionet.org/files 100%[=====>] 155.92K   237KB/s    in 0.7s

2026-07-01 15:58:12 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_MV.wav' saved [159660/159660]

--2026-07-01 15:58:12-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.he
a
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.he
a'

physionet.org/files 100%[=====>]          59  --.-KB/s    in 0s

2026-07-01 15:58:12 (45.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.he
a' saved [59/59]

--2026-07-01 15:58:12-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.ts
v
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1561 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.ts
v'

physionet.org/files 100%[=====>]    1.52K   --.-KB/s    in 0s

2026-07-01 15:58:12 (855 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.ts
v' saved [1561/1561]

--2026-07-01 15:58:12-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.w
av
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 185644 (181K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85293_PV.w
av'

physionet.org/files 100%[=====>] 181.29K   227KB/s    in 0.8s
```

2026-07-01 15:58:13 (227 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85293_PV.wav' saved [185644/185644]

--2026-07-01 15:58:13-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85293_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85293_TV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:58:13 (41.5 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85293_TV.he' saved [60/60]

--2026-07-01 15:58:13-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85293_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2765 (2.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85293_TV.tsv'

physionet.org/files 100%[=====>] 2.70K --.-KB/s in 0s

2026-07-01 15:58:13 (1.87 GB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85293_TV.tsv' saved [2765/2765]

--2026-07-01 15:58:13-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85293_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 242348 (237K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85293_TV.wav'

physionet.org/files 100%[=====>] 236.67K 225KB/s in 1.1s

2026-07-01 15:58:15 (225 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85293_TV.wav' saved [242348/242348]

--2026-07-01 15:58:15-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85294.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 593 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85294.txt'

physionet.org/files 100%[=====>] 593 --.-KB/s in 0s

2026-07-01 15:58:15 (204 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85294.txt' saved [593/593]

--2026-07-01 15:58:15-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85294_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.heg'
physionet.org/files 100%[=====>] 59 --.-KB/s in 0s
2026-07-01 15:58:15 (32.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.heg' saved [59/59]
--2026-07-01 15:58:15-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 484 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.tsv'
physionet.org/files 100%[=====>] 484 --.-KB/s in 0s
2026-07-01 15:58:15 (142 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.tsv' saved [484/484]
--2026-07-01 15:58:15-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 183724 (179K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.wav'
physionet.org/files 100%[=====>] 179.42K 231KB/s in 0.8s
2026-07-01 15:58:16 (231 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_AV.wav' saved [183724/183724]
--2026-07-01 15:58:16-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_MV.heg
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_MV.heg'
physionet.org/files 100%[=====>] 59 --.-KB/s in 0s
2026-07-01 15:58:16 (26.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_MV.heg' saved [59/59]
--2026-07-01 15:58:16-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1362 (1.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_MV.tsv'
physionet.org/files 100%[=====>] 1.33K --.-KB/s in 0s
2026-07-01 15:58:16 (636 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85294_MV.tsv' saved [1362/1362]

--2026-07-01 15:58:16-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85294_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 186284 (182K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85294_MV.wav'

physionet.org/files 100%[=====>] 181.92K 237KB/s in 0.8s

2026-07-01 15:58:17 (237 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85294_MV.wav' saved [186284/186284]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 678 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85296.txt'

physionet.org/files 100%[=====>] 678 --.-KB/s in 0s

2026-07-01 15:58:17 (186 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296.txt' saved [678/678]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85296_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:17 (28.1 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_AV.he' saved [59/59]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 767 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85296_AV.tsv'

physionet.org/files 100%[=====>] 767 --.-KB/s in 0s

2026-07-01 15:58:17 (378 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_AV.tsv' saved [767/767]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 91180 (89K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85296_AV.wa'

```

physionet.org/files 100%[=====>] 89.04K 268KB/s in 0.3s

2026-07-01 15:58:17 (268 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_AV.wav' saved [91180/91180]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85296_MV.he

physionet.org/files 100%[=====>] 60 ---KB/s in 0s

2026-07-01 15:58:17 (25.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_MV.he' saved [60/60]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1411 (1.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85296_MV.tsv

physionet.org/files 100%[=====>] 1.38K ---KB/s in 0s

2026-07-01 15:58:17 (613 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_MV.tsv' saved [1411/1411]

--2026-07-01 15:58:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 256812 (251K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85296_MV.wav

physionet.org/files 100%[=====>] 250.79K 230KB/s in 1.1s

2026-07-01 15:58:19 (230 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_MV.wav' saved [256812/256812]

--2026-07-01 15:58:19-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85296_PV.he

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:58:19 (25.4 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_PV.he' saved [59/59]

--2026-07-01 15:58:19-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85296_PV.tsv

```


Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1113 (1.1K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_PV.tsv'

physionet.org/files 100%[=====>] 1.09K --.-KB/s in 0s

2026-07-01 15:58:19 (348 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_PV.tsv' saved [1113/1113]

--2026-07-01 15:58:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 116780 (114K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_PV.wav'

physionet.org/files 100%[=====>] 114.04K 247KB/s in 0.5s

2026-07-01 15:58:19 (247 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_PV.wav' saved [116780/116780]

--2026-07-01 15:58:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:19 (21.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.he' saved [59/59]

--2026-07-01 15:58:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1610 (1.6K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.ts'

physionet.org/files 100%[=====>] 1.57K --.-KB/s in 0s

2026-07-01 15:58:19 (453 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.ts' saved [1610/1610]

--2026-07-01 15:58:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 110124 (108K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85296_TV.w'

physionet.org/files 100%[=====>] 107.54K 256KB/s in 0.4s

2026-07-01 15:58:20 (256 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85296_TV.wav' saved [110124/110124]

--2026-07-01 15:58:20-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 676 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299.txt'

physionet.org/files 100%[=====>] 676 --.-KB/s in 0s

2026-07-01 15:58:20 (371 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299.txt' saved [676/676]

--2026-07-01 15:58:20-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:20 (20.5 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_AV.he' saved [59/59]

--2026-07-01 15:58:20-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1545 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_AV.tsv'

physionet.org/files 100%[=====>] 1.51K --.-KB/s in 0s

2026-07-01 15:58:20 (412 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_AV.tsv' saved [1545/1545]

--2026-07-01 15:58:20-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 91180 (89K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_AV.wa'

physionet.org/files 100%[=====>] 89.04K 250KB/s in 0.4s

2026-07-01 15:58:21 (250 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_AV.wav' saved [91180/91180]

--2026-07-01 15:58:21-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:21 (21.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.heg' saved [59/59]

--2026-07-01 15:58:21-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2202 (2.2K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.tsv'

physionet.org/files 100%[=====>] 2.15K --.-KB/s in 0s

2026-07-01 15:58:21 (848 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.tsv' saved [2202/2202]

--2026-07-01 15:58:21-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.wg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 160684 (157K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.wg'

physionet.org/files 100%[=====>] 156.92K 237KB/s in 0.7s

2026-07-01 15:58:22 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_MV.wg' saved [160684/160684]

--2026-07-01 15:58:22-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_PV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_PV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:22 (20.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_PV.heg' saved [59/59]

--2026-07-01 15:58:22-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2627 (2.6K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_PV.tsv'

physionet.org/files 100%[=====>] 2.57K --.-KB/s in 0s

2026-07-01 15:58:22 (938 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85299_PV.tsv' saved [2627/2627]

--2026-07-01 15:58:22-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 158892 (155K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_PV.wav'

physionet.org/files 100%[=====>] 155.17K 240KB/s in 0.6s

2026-07-01 15:58:22 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_PV.wav' saved [158892/158892]

--2026-07-01 15:58:22-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:22 (18.2 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_TV.he' saved [59/59]

--2026-07-01 15:58:22-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2455 (2.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_TV.tsv'

physionet.org/files 100%[=====>] 2.40K --.-KB/s in 0s

2026-07-01 15:58:23 (545 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_TV.tsv' saved [2455/2455]

--2026-07-01 15:58:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85299_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 145580 (142K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85299_TV.wa'

physionet.org/files 100%[=====>] 142.17K 248KB/s in 0.6s

2026-07-01 15:58:23 (248 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85299_TV.wa' saved [145580/145580]

--2026-07-01 15:58:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85300.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 593 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85300.txt'

```
physionet.org/files 100%[=====>]          593  ---KB/s    in 0s

2026-07-01 15:58:23 (242 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85300.txt' saved [593/593]

--2026-07-01 15:58:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85300_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85300_AV.he'

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:23 (19.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85300_AV.he' saved [59/59]

--2026-07-01 15:58:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85300_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 803 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85300_AV.tsv'

physionet.org/files 100%[=====>]         803  ---KB/s    in 0s

2026-07-01 15:58:23 (316 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85300_AV.tsv' saved [803/803]

--2026-07-01 15:58:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85300_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 149548 (146K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85300_AV.wav'

physionet.org/files 100%[=====>] 146.04K  241KB/s    in 0.6s

2026-07-01 15:58:24 (241 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85300_AV.wav' saved [149548/149548]

--2026-07-01 15:58:24-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85300_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85300_MV.he'

physionet.org/files 100%[=====>]          60  ---KB/s    in 0s

2026-07-01 15:58:24 (46.9 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85300_MV.he' saved [60/60]

--2026-07-01 15:58:24-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85300_MV.tsv
Reusing existing connection to physionet.org:443.
```

HTTP request sent, awaiting response... 200 OK
Length: 931 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85300_MV.tsv'

physionet.org/files 100%[=====>] 931 --.-KB/s in 0s

2026-07-01 15:58:24 (731 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85300_MV.tsv' saved [931/931]

--2026-07-01 15:58:24-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85300_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 226348 (221K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85300_MV.wav'

physionet.org/files 100%[=====>] 221.04K 237KB/s in 0.9s

2026-07-01 15:58:25 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85300_MV.wav' saved [226348/226348]

--2026-07-01 15:58:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 674 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301.txt'

physionet.org/files 100%[=====>] 674 --.-KB/s in 0s

2026-07-01 15:58:25 (278 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301.txt' saved [674/674]

--2026-07-01 15:58:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:25 (31.1 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.he' saved [59/59]

--2026-07-01 15:58:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 931 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.tsv'

physionet.org/files 100%[=====>] 931 --.-KB/s in 0s

2026-07-01 15:58:25 (558 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.tsv' saved [931/931]

circor-heart-sound/1.0.3/training_data/85301_AV.tsv' saved [931/931]

--2026-07-01 15:58:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 122412 (120K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.wav'

physionet.org/files 100%[=====>] 119.54K 252KB/s in 0.5s

2026-07-01 15:58:26 (252 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_AV.wav' saved [122412/122412]

--2026-07-01 15:58:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:26 (21.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.he' saved [59/59]

--2026-07-01 15:58:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 809 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.tsv'

physionet.org/files 100%[=====>] 809 --.-KB/s in 0s

2026-07-01 15:58:26 (260 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.tsv' saved [809/809]

--2026-07-01 15:58:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 152492 (149K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.wa'

physionet.org/files 100%[=====>] 148.92K 246KB/s in 0.6s

2026-07-01 15:58:27 (246 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_MV.wa' saved [152492/152492]

--2026-07-01 15:58:27-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.he'

1.0.3/training_data/85301_PV.heaf

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:27 (29.6 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85301_PV.heaf' saved [59/59]

--2026-07-01 15:58:27-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1003 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.tsv'

physionet.org/files 100%[=====>] 1003 --.-KB/s in 0s

2026-07-01 15:58:27 (321 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.tsv' saved [1003/1003]

--2026-07-01 15:58:27-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 97580 (95K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.wav'

physionet.org/files 100%[=====>] 95.29K 244KB/s in 0.4s

2026-07-01 15:58:28 (244 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_PV.wav' saved [97580/97580]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.heaf

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.heaf'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:28 (45.1 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.heaf' saved [59/59]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1168 (1.1K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.tsv'

physionet.org/files 100%[=====>] 1.14K --.-KB/s in 0s

2026-07-01 15:58:28 (270 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.tsv' saved [1168/1168]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/

training_data/85301_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 99884 (98K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.wav'

physionet.org/files 100%[=====>] 97.54K 255KB/s in 0.4s

2026-07-01 15:58:28 (255 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85301_TV.wav' saved [99884/99884]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305.txt

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 677 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305.txt'

physionet.org/files 100%[=====>] 677 --.-KB/s in 0s

2026-07-01 15:58:28 (260 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305.txt' saved [677/677]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.he

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:28 (21.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.he' saved [59/59]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.ts

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 843 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.ts'

physionet.org/files 100%[=====>] 843 --.-KB/s in 0s

2026-07-01 15:58:28 (374 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.ts' saved [843/843]

--2026-07-01 15:58:28-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.w

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 162348 (159K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_AV.w'

physionet.org/files 100%[=====>] 158.54K 241KB/s in 0.7s

2026-07-01 15:58:29 (241 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85305_AV.wav' saved [162348/162348]

--2026-07-01 15:58:29-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85305_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85305_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:29 (43.2 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85305_MV.he' saved [59/59]

--2026-07-01 15:58:29-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85305_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1175 (1.1K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85305_MV.tsv'

physionet.org/files 100%[=====>] 1.15K --.-KB/s in 0s

2026-07-01 15:58:29 (358 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85305_MV.tsv' saved [1175/1175]

--2026-07-01 15:58:29-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85305_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 172460 (168K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85305_MV.wav'

physionet.org/files 100%[=====>] 168.42K 240KB/s in 0.7s

2026-07-01 15:58:30 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85305_MV.wav' saved [172460/172460]

--2026-07-01 15:58:30-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85305_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85305_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:30 (23.1 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85305_PV.he' saved [59/59]

--2026-07-01 15:58:30-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85305_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 1267 (1.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_PV.tsv'

physionet.org/files 100%[=====>] 1.24K ---KB/s in 0s

2026-07-01 15:58:30 (547 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_PV.tsv' saved [1267/1267]

--2026-07-01 15:58:30-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 158380 (155K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_PV.wav'

physionet.org/files 100%[=====>] 154.67K 250KB/s in 0.6s

2026-07-01 15:58:31 (250 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_PV.wav' saved [158380/158380]

--2026-07-01 15:58:31-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.he'

physionet.org/files 100%[=====>] 60 ---KB/s in 0s

2026-07-01 15:58:31 (28.8 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.he' saved [60/60]

--2026-07-01 15:58:31-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1231 (1.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.tsv'

physionet.org/files 100%[=====>] 1.20K ---KB/s in 0s

2026-07-01 15:58:31 (454 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.tsv' saved [1231/1231]

--2026-07-01 15:58:31-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 260012 (254K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.wa'

physionet.org/files 100%[=====>] 253.92K 229KB/s in 1.1s

2026-07-01 15:58:32 (229 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85305_TV.wa' saved [260012/260012]

--2026-07-01 15:58:32-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 613 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85306.txt'

physionet.org/files 100%[=====>] 613 ---KB/s in 0s

2026-07-01 15:58:32 (273 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85306.txt' saved [613/613]

--2026-07-01 15:58:32-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85306_AV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:58:32 (20.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85306_AV.he' saved [59/59]

--2026-07-01 15:58:32-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 769 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85306_AV.tsv'

physionet.org/files 100%[=====>] 769 ---KB/s in 0s

2026-07-01 15:58:32 (212 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85306_AV.tsv' saved [769/769]

--2026-07-01 15:58:32-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 170156 (166K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85306_AV.wa'

physionet.org/files 100%[=====>] 166.17K 241KB/s in 0.7s

2026-07-01 15:58:33 (241 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85306_AV.wa' saved [170156/170156]

--2026-07-01 15:58:33-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85306_MV.he'

```
physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:33 (37.4 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85306_MV.hea' saved [59/59]

--2026-07-01 15:58:33-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1479 (1.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85306_MV.tsv'

physionet.org/files 100%[=====>]       1.44K  ---KB/s    in 0s

2026-07-01 15:58:33 (751 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85306_MV.tsv' saved [1479/1479]

--2026-07-01 15:58:33-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85306_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 163628 (160K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85306_MV.wav'

physionet.org/files 100%[=====>]   159.79K   232KB/s    in 0.7s

2026-07-01 15:58:34 (232 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85306_MV.wav' saved [163628/163628]

--2026-07-01 15:58:34-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85308.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 676 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85308.txt'

physionet.org/files 100%[=====>]          676  ---KB/s    in 0s

2026-07-01 15:58:34 (392 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85308.txt' saved [676/676]

--2026-07-01 15:58:34-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85308_AV.he
a
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85308_AV.he

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:34 (22.4 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85308_AV.he' saved [59/59]

--2026-07-01 15:58:34-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85308_AV.tsv
```

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 564 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_AV.tsv'

physionet.org/files 100%[=====>] 564 --.-KB/s in 0s

2026-07-01 15:58:34 (179 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_AV.tsv' saved [564/564]

--2026-07-01 15:58:34-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 158764 (155K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_AV.wav'

physionet.org/files 100%[=====>] 155.04K 240KB/s in 0.6s

2026-07-01 15:58:35 (240 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_AV.wav' saved [158764/158764]

--2026-07-01 15:58:35-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:35 (27.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.he' saved [59/59]

--2026-07-01 15:58:35-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1058 (1.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.tsv'

physionet.org/files 100%[=====>] 1.03K --.-KB/s in 0s

2026-07-01 15:58:35 (575 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.tsv' saved [1058/1058]

--2026-07-01 15:58:35-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.w
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 184492 (180K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.w'

physionet.org/files 100%[=====>] 180.17K 238KB/s in 0.8s

2026-07-01 15:58:36 (238 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_MV.wav' saved [184492/184492]

--2026-07-01 15:58:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:36 (20.1 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.he' saved [59/59]

--2026-07-01 15:58:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1021 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.tsv'

physionet.org/files 100%[=====>] 1021 --.-KB/s in 0s

2026-07-01 15:58:36 (483 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.tsv' saved [1021/1021]

--2026-07-01 15:58:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157612 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.wav'

physionet.org/files 100%[=====>] 153.92K 243KB/s in 0.6s

2026-07-01 15:58:37 (243 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_PV.wav' saved [157612/157612]

--2026-07-01 15:58:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:37 (43.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.he' saved [59/59]

--2026-07-01 15:58:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 746 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.tsv'

physionet.org/files 100%[=====>] 746 --.-KB/s in 0s

2026-07-01 15:58:37 (533 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.tsv' saved [746/746]

--2026-07-01 15:58:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 170284 (166K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.wav'

physionet.org/files 100%[=====>] 166.29K 239KB/s in 0.7s

2026-07-01 15:58:38 (239 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85308_TV.wav' saved [170284/170284]

--2026-07-01 15:58:38-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85312.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 675 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:58:38 (245 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312.txt' saved [675/675]

--2026-07-01 15:58:38-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:38 (31.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_AV.he' saved [59/59]

--2026-07-01 15:58:38-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_AV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1269 (1.2K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_AV.ts'

physionet.org/files 100%[=====>] 1.24K --.-KB/s in 0s

2026-07-01 15:58:38 (286 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_AV.ts' saved [1269/1269]

--2026-07-01 15:58:38-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 152492 (149K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85312_AV.wav'

physionet.org/files 100%[=====>] 148.92K 241KB/s in 0.6s

2026-07-01 15:58:39 (241 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_AV.wav' saved [152492/152492]

--2026-07-01 15:58:39-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85312_MV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:58:39 (24.7 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_MV.he' saved [59/59]

--2026-07-01 15:58:39-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1332 (1.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85312_MV.tsv'

physionet.org/files 100%[=====>] 1.30K ---KB/s in 0s

2026-07-01 15:58:39 (412 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_MV.tsv' saved [1332/1332]

--2026-07-01 15:58:39-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_MV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 163884 (160K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85312_MV.wa'

physionet.org/files 100%[=====>] 160.04K 240KB/s in 0.7s

2026-07-01 15:58:40 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_MV.wa' saved [163884/163884]

--2026-07-01 15:58:40-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85312_PV.he'

```

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:40 (23.3 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_PV.he' saved [59/59]

--2026-07-01 15:58:40--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1489 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85312_PV.tsv'

physionet.org/files 100%[=====>]    1.45K  ---KB/s    in 0s

2026-07-01 15:58:40 (317 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_PV.tsv' saved [1489/1489]

--2026-07-01 15:58:40--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 150828 (147K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85312_PV.wav'

physionet.org/files 100%[=====>]  147.29K  251KB/s    in 0.6s

2026-07-01 15:58:41 (251 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_PV.wav' saved [150828/150828]

--2026-07-01 15:58:41--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_TV.he'
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85312_TV.he'

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:41 (29.9 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_TV.he' saved [59/59]

--2026-07-01 15:58:41--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1914 (1.9K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85312_TV.tsv'

physionet.org/files 100%[=====>]    1.87K  ---KB/s    in 0s

2026-07-01 15:58:41 (681 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85312_TV.tsv' saved [1914/1914]

--2026-07-01 15:58:41--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85312_TV.wav
Reusing existing connection to physionet.org:443.

```

HTTP request sent, awaiting response... 200 OK
Length: 161324 (158K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_TV.wav'

physionet.org/files 100%[=====>] 157.54K 247KB/s in 0.6s

2026-07-01 15:58:41 (247 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85312_TV.wav' saved [161324/161324]

--2026-07-01 15:58:41-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 633 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313.txt'

physionet.org/files 100%[=====>] 633 --.-KB/s in 0s

2026-07-01 15:58:41 (464 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313.txt' saved [633/633]

--2026-07-01 15:58:41-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:42 (18.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.he' saved [59/59]

--2026-07-01 15:58:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1525 (1.5K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.tsv'

physionet.org/files 100%[=====>] 1.49K --.-KB/s in 0s

2026-07-01 15:58:42 (643 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.tsv' saved [1525/1525]

--2026-07-01 15:58:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 153260 (150K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.wa'

physionet.org/files 100%[=====>] 149.67K 241KB/s in 0.6s

2026-07-01 15:58:42 (241 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_MV.wa' saved [153260/153260]

circor-heart-sound/1.0.3/training_data/85313_MV.wav' saved [153260/153260]

--2026-07-01 15:58:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:42 (21.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.heg' saved [59/59]

--2026-07-01 15:58:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 745 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.tsv'

physionet.org/files 100%[=====>] 745 --.-KB/s in 0s

2026-07-01 15:58:42 (329 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.tsv' saved [745/745]

--2026-07-01 15:58:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 173612 (170K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.wav'

physionet.org/files 100%[=====>] 169.54K 242KB/s in 0.7s

2026-07-01 15:58:43 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_PV.wav' saved [173612/173612]

--2026-07-01 15:58:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 60 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.heg'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:58:43 (18.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.heg' saved [60/60]

--2026-07-01 15:58:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1267 (1.2K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.tsv'

1.0.3/training_data/85313_TV.tsv'

physionet.org/files 100%[=====>] 1.24K --.-KB/s in 0s

2026-07-01 15:58:43 (42.2 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85313_TV.tsv' saved [1267/1267]

--2026-07-01 15:58:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 216876 (212K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.wav'

physionet.org/files 100%[=====>] 211.79K 229KB/s in 0.9s

2026-07-01 15:58:44 (229 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85313_TV.wav' saved [216876/216876]

--2026-07-01 15:58:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 677 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315.txt'

physionet.org/files 100%[=====>] 677 --.-KB/s in 0s

2026-07-01 15:58:44 (257 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315.txt' saved [677/677]

--2026-07-01 15:58:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:45 (14.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.he' saved [59/59]

--2026-07-01 15:58:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1341 (1.3K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.tsv'

physionet.org/files 100%[=====>] 1.31K --.-KB/s in 0s

2026-07-01 15:58:45 (285 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.tsv' saved [1341/1341]

--2026-07-01 15:58:45-- https://physionet.org/files/circor-heart-sound/1.0.3/

training_data/85315_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 112044 (109K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.wav'

physionet.org/files 100%[=====>] 109.42K 261KB/s in 0.4s

2026-07-01 15:58:45 (261 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_AV.wav' saved [112044/112044]

--2026-07-01 15:58:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.hea

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.hea'

physionet.org/files 100%[=====>] 60 ---KB/s in 0s

2026-07-01 15:58:45 (18.6 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.hea' saved [60/60]

--2026-07-01 15:58:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.tsv

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1413 (1.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.tsv'

physionet.org/files 100%[=====>] 1.38K ---KB/s in 0s

2026-07-01 15:58:45 (597 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.tsv' saved [1413/1413]

--2026-07-01 15:58:45-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.wav

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 230444 (225K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.wav'

physionet.org/files 100%[=====>] 225.04K 242KB/s in 0.9s

2026-07-01 15:58:46 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_MV.wav' saved [230444/230444]

--2026-07-01 15:58:46-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.hea

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.hea'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:58:46 (23.3 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85315_PV.he' saved [59/59]

--2026-07-01 15:58:46-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1881 (1.8K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.tsv'

physionet.org/files 100%[=====>] 1.84K --.-KB/s in 0s

2026-07-01 15:58:46 (540 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.tsv' saved [1881/1881]

--2026-07-01 15:58:46-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 96812 (95K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.wav'

physionet.org/files 100%[=====>] 94.54K 251KB/s in 0.4s

2026-07-01 15:58:47 (251 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_PV.wav' saved [96812/96812]

--2026-07-01 15:58:47-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:47 (24.8 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.he' saved [59/59]

--2026-07-01 15:58:47-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1485 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.tsv'

physionet.org/files 100%[=====>] 1.45K --.-KB/s in 0s

2026-07-01 15:58:47 (395 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.tsv' saved [1485/1485]

--2026-07-01 15:58:47-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 164396 (161K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.wav'

physionet.org/files 100%[=====>] 160.54K 242KB/s in 0.7s

2026-07-01 15:58:48 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85315_TV.wav' saved [164396/164396]

--2026-07-01 15:58:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85316.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 677 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316.txt'

physionet.org/files 100%[=====>] 677 --.-KB/s in 0s

2026-07-01 15:58:48 (261 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316.txt' saved [677/677]

--2026-07-01 15:58:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.he

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:48 (16.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.he

--2026-07-01 15:58:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1073 (1.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.tsv'

physionet.org/files 100%[=====>] 1.05K --.-KB/s in 0s

2026-07-01 15:58:48 (444 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.tsv' saved [1073/1073]

--2026-07-01 15:58:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157228 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.wa

physionet.org/files 100%[=====>] 153.54K 248KB/s in 0.6s

2026-07-01 15:58:49 (248 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85316_AV.wa'

--2026-07-01 15:58:49-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85316_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:49 (68.1 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85316_MV.he' saved [59/59]

--2026-07-01 15:58:49-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1887 (1.8K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85316_MV.tsv'

physionet.org/files 100%[=====>] 1.84K --.-KB/s in 0s

2026-07-01 15:58:49 (1.31 GB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85316_MV.tsv' saved [1887/1887]

--2026-07-01 15:58:49-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 168876 (165K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85316_MV.wav'

physionet.org/files 100%[=====>] 164.92K 242KB/s in 0.7s

2026-07-01 15:58:50 (242 KB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85316_MV.wav' saved [168876/168876]

--2026-07-01 15:58:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85316_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:50 (29.6 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85316_PV.he' saved [59/59]

--2026-07-01 15:58:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2235 (2.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85316_PV.tsv'

```
physionet.org/files 100%[=====>] 2.18K --.-KB/s in 0s

2026-07-01 15:58:50 (732 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85316_PV.tsv' saved [2235/2235]

--2026-07-01 15:58:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 161324 (158K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85316_PV.wav'

physionet.org/files 100%[=====>] 157.54K 246KB/s in 0.6s

2026-07-01 15:58:51 (246 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85316_PV.wav' saved [161324/161324]

--2026-07-01 15:58:51-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85316_TV.he

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:51 (27.6 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85316_TV.he' saved [59/59]

--2026-07-01 15:58:51-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_TV.ts
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1433 (1.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85316_TV.ts

physionet.org/files 100%[=====>] 1.40K --.-KB/s in 0s

2026-07-01 15:58:51 (339 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85316_TV.ts' saved [1433/1433]

--2026-07-01 15:58:51-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85316_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 160428 (157K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85316_TV.wa

physionet.org/files 100%[=====>] 156.67K 247KB/s in 0.6s

2026-07-01 15:58:52 (247 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85316_TV.wav' saved [160428/160428]

--2026-07-01 15:58:52-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85317.txt
```

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 550 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317.txt'

physionet.org/files 100%[=====>] 550 --.-KB/s in 0s

2026-07-01 15:58:52 (138 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317.txt' saved [550/550]

--2026-07-01 15:58:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:52 (22.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.he' saved [59/59]

--2026-07-01 15:58:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 879 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.tsv'

physionet.org/files 100%[=====>] 879 --.-KB/s in 0s

2026-07-01 15:58:52 (294 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.tsv' saved [879/879]

--2026-07-01 15:58:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 175148 (171K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.wa'

physionet.org/files 100%[=====>] 171.04K 244KB/s in 0.7s

2026-07-01 15:58:52 (244 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85317_AV.wa' saved [175148/175148]

--2026-07-01 15:58:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319.tx

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 680 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319.tx'

physionet.org/files 100%[=====>] 680 --.-KB/s in 0s

2026-07-01 15:58:53 (174 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319.txt' saved [680/680]

--2026-07-01 15:58:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:53 (21.6 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.he' saved [59/59]

--2026-07-01 15:58:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 911 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.tsv'

physionet.org/files 100%[=====>] 911 --.-KB/s in 0s

2026-07-01 15:58:53 (360 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.tsv' saved [911/911]

--2026-07-01 15:58:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 167212 (163K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.wav'

physionet.org/files 100%[=====>] 163.29K 249KB/s in 0.7s

2026-07-01 15:58:53 (249 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_AV.wav' saved [167212/167212]

--2026-07-01 15:58:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:53 (17.6 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.he' saved [59/59]

--2026-07-01 15:58:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 948 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.tsv'

physionet.org/files 100%[=====>] 948 --.-KB/s in 0s

2026-07-01 15:58:54 (384 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.tsv' saved [948/948]

--2026-07-01 15:58:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 155948 (152K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.wav'

physionet.org/files 100%[=====>] 152.29K 246KB/s in 0.6s

2026-07-01 15:58:54 (246 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_MV.wav' saved [155948/155948]

--2026-07-01 15:58:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:54 (43.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.he' saved [59/59]

--2026-07-01 15:58:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2454 (2.4K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.tsv'

physionet.org/files 100%[=====>] 2.40K --.-KB/s in 0s

2026-07-01 15:58:54 (845 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.tsv' saved [2454/2454]

--2026-07-01 15:58:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 171564 (168K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.w'

physionet.org/files 100%[=====>] 167.54K 237KB/s in 0.7s

2026-07-01 15:58:55 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85319_PV.w' saved [171564/171564]

--2026-07-01 15:58:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85319_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85319_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:55 (21.5 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85319_TV.he' saved [59/59]

--2026-07-01 15:58:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85319_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1599 (1.6K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85319_TV.tsv'

physionet.org/files 100%[=====>] 1.56K --.-KB/s in 0s

2026-07-01 15:58:55 (652 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85319_TV.tsv' saved [1599/1599]

--2026-07-01 15:58:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85319_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 158892 (155K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85319_TV.wav'

physionet.org/files 100%[=====>] 155.17K 234KB/s in 0.7s

2026-07-01 15:58:56 (234 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85319_TV.wav' saved [158892/158892]

--2026-07-01 15:58:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 587 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85321.txt'

physionet.org/files 100%[=====>] 587 --.-KB/s in 0s

2026-07-01 15:58:56 (371 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85321.txt' saved [587/587]

--2026-07-01 15:58:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85321_PV.he'

```
physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:56 (26.5 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85321_PV.he' saved [59/59]

--2026-07-01 15:58:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1727 (1.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85321_PV.tsv'

physionet.org/files 100%[=====>]       1.69K  ---KB/s    in 0s

2026-07-01 15:58:56 (542 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85321_PV.tsv' saved [1727/1727]

--2026-07-01 15:58:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 183596 (179K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85321_PV.wav'

physionet.org/files 100%[=====>]  179.29K   238KB/s    in 0.8s

2026-07-01 15:58:57 (238 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85321_PV.wav' saved [183596/183596]

--2026-07-01 15:58:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321_TV.he'
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85321_TV.he'

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:58:57 (33.7 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85321_TV.he' saved [59/59]

--2026-07-01 15:58:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1903 (1.9K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85321_TV.tsv'

physionet.org/files 100%[=====>]       1.86K  ---KB/s    in 0s

2026-07-01 15:58:57 (756 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85321_TV.tsv' saved [1903/1903]

--2026-07-01 15:58:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85321_TV.wav
Reusing existing connection to physionet.org:443.
```

HTTP request sent, awaiting response... 200 OK
Length: 160812 (157K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85321_TV.wav'

physionet.org/files 100%[=====>] 157.04K 242KB/s in 0.6s

2026-07-01 15:58:58 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85321_TV.wav' saved [160812/160812]

--2026-07-01 15:58:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85322.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 551 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322.txt'

physionet.org/files 100%[=====>] 551 --.-KB/s in 0s

2026-07-01 15:58:58 (280 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322.txt' saved [551/551]

--2026-07-01 15:58:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:58 (29.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.he' saved [59/59]

--2026-07-01 15:58:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 997 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.tsv'

physionet.org/files 100%[=====>] 997 --.-KB/s in 0s

2026-07-01 15:58:58 (448 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.tsv' saved [997/997]

--2026-07-01 15:58:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 89644 (88K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.w'

physionet.org/files 100%[=====>] 87.54K 269KB/s in 0.3s

2026-07-01 15:58:59 (269 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85322_TV.w' saved [89644/89644]

circor-heart-sound/1.0.3/training_data/85322_TV.wav' saved [89644/89644]

--2026-07-01 15:58:59-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85323.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 556 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323.txt'

physionet.org/files 100%[=====>] 556 --.-KB/s in 0s

2026-07-01 15:58:59 (214 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323.txt' saved [556/556]

--2026-07-01 15:58:59-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:58:59 (25.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.he' saved [59/59]

--2026-07-01 15:58:59-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1967 (1.9K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.tsv'

physionet.org/files 100%[=====>] 1.92K --.-KB/s in 0s

2026-07-01 15:58:59 (597 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.tsv' saved [1967/1967]

--2026-07-01 15:58:59-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 158380 (155K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.wa'

physionet.org/files 100%[=====>] 154.67K 238KB/s in 0.6s

2026-07-01 15:59:00 (238 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85323_PV.wa' saved [158380/158380]

--2026-07-01 15:59:00-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85326.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 675 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326.txt'

1.0.3/training_data/85326.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:59:00 (253 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326.txt' saved [675/675]

--2026-07-01 15:59:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85326_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:00 (30.9 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85326_AV.he' saved [59/59]

--2026-07-01 15:59:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 929 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85326_AV.tsv'

physionet.org/files 100%[=====>] 929 --.-KB/s in 0s

2026-07-01 15:59:00 (369 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326_AV.tsv' saved [929/929]

--2026-07-01 15:59:00-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 169260 (165K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85326_AV.wav'

physionet.org/files 100%[=====>] 165.29K 239KB/s in 0.7s

2026-07-01 15:59:01 (239 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326_AV.wav' saved [169260/169260]

--2026-07-01 15:59:01-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-soun
1.0.3/training_data/85326_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:01 (34.0 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85326_MV.he' saved [59/59]

--2026-07-01 15:59:01-- https://physionet.org/files/circor-heart-sound/1.0.3.

```
training_data/85326_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1505 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_MV.tsv'

physionet.org/files 100%[=====>] 1.47K --.-KB/s in 0s

2026-07-01 15:59:01 (1.07 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_MV.tsv' saved [1505/1505]

--2026-07-01 15:59:01-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 160044 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_MV.wav'

physionet.org/files 100%[=====>] 156.29K 246KB/s in 0.6s

2026-07-01 15:59:02 (246 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_MV.wav' saved [160044/160044]

--2026-07-01 15:59:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.he
a
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.he
a'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:02 (25.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.he
a' saved [59/59]

--2026-07-01 15:59:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.ts
v
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2097 (2.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.ts
v'

physionet.org/files 100%[=====>] 2.05K --.-KB/s in 0s

2026-07-01 15:59:02 (1.06 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.ts
v' saved [2097/2097]

--2026-07-01 15:59:02-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.w
av
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 163628 (160K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85326_PV.w
av'

physionet.org/files 100%[=====>] 159.79K 240KB/s in 0.7s
```

2026-07-01 15:59:03 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326_PV.wav' saved [163628/163628]

--2026-07-01 15:59:03-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85326_TV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:59:03 (20.5 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326_TV.he' saved [60/60]

--2026-07-01 15:59:03-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1721 (1.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85326_TV.tsv'

physionet.org/files 100%[=====>] 1.68K --.-KB/s in 0s

2026-07-01 15:59:03 (529 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326_TV.tsv' saved [1721/1721]

--2026-07-01 15:59:03-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85326_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 235692 (230K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85326_TV.wav'

physionet.org/files 100%[=====>] 230.17K 227KB/s in 1.0s

2026-07-01 15:59:04 (227 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85326_TV.wav' saved [235692/235692]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 675 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85327.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:59:04 (236 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85327.txt' saved [675/675]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:04 (29.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.heg' saved [59/59]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1017 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.tsv'

physionet.org/files 100%[=====>] 1017 --.-KB/s in 0s

2026-07-01 15:59:04 (298 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.tsv' saved [1017/1017]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 88364 (86K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.wav'

physionet.org/files 100%[=====>] 86.29K 276KB/s in 0.3s

2026-07-01 15:59:04 (276 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_AV.wav' saved [88364/88364]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_MV.heg
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_MV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:04 (27.6 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_MV.heg' saved [59/59]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1413 (1.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_MV.tsv'

physionet.org/files 100%[=====>] 1.38K --.-KB/s in 0s

2026-07-01 15:59:04 (931 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_MV.tsv' saved [1413/1413]

--2026-07-01 15:59:04-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 183980 (180K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85327_MV.wav'

physionet.org/files 100%[=====>] 179.67K 245KB/s in 0.7s

2026-07-01 15:59:05 (245 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85327_MV.wav' saved [183980/183980]

--2026-07-01 15:59:05-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85327_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:05 (12.6 MB/s) - '/content/circor-heart-sound/physionet.org/'
circor-heart-sound/1.0.3/training_data/85327_PV.he' saved [59/59]

--2026-07-01 15:59:05-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 903 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85327_PV.tsv'

physionet.org/files 100%[=====>] 903 --.-KB/s in 0s

2026-07-01 15:59:05 (325 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85327_PV.tsv' saved [903/903]

--2026-07-01 15:59:05-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327_PV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 96428 (94K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85327_PV.wa'

physionet.org/files 100%[=====>] 94.17K 267KB/s in 0.4s

2026-07-01 15:59:06 (267 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85327_PV.wa' saved [96428/96428]

--2026-07-01 15:59:06-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85327_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85327_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:06 (23.3 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85327_TV.he' saved [59/59]

--2026-07-01 15:59:06-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 608 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_TV.tsv'

physionet.org/files 100%[=====>] 608 --.-KB/s in 0s

2026-07-01 15:59:06 (226 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_TV.tsv' saved [608/608]

--2026-07-01 15:59:06-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 75180 (73K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_TV.wav'

physionet.org/files 100%[=====>] 73.42K 274KB/s in 0.3s

2026-07-01 15:59:06 (274 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85327_TV.wav' saved [75180/75180]

--2026-07-01 15:59:06-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 675 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:59:07 (273 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328.txt' saved [675/675]

--2026-07-01 15:59:07-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:07 (22.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.he' saved [59/59]

--2026-07-01 15:59:07-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.tsv

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1052 (1.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.tsv'

physionet.org/files 100%[=====>] 1.03K --.-KB/s in 0s

2026-07-01 15:59:07 (549 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.tsv' saved [1052/1052]

--2026-07-01 15:59:07-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 190892 (186K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.wav'

physionet.org/files 100%[=====>] 186.42K 237KB/s in 0.8s

2026-07-01 15:59:08 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_AV.wav' saved [190892/190892]

--2026-07-01 15:59:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:08 (27.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.he' saved [59/59]

--2026-07-01 15:59:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 2025 (2.0K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.tsv'

physionet.org/files 100%[=====>] 1.98K --.-KB/s in 0s

2026-07-01 15:59:08 (990 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.tsv' saved [2025/2025]

--2026-07-01 15:59:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 158380 (155K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.wav'

physionet.org/files 100%[=====>] 154.67K 244KB/s in 0.6s

2026-07-01 15:59:08 (244 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_MV.wav' saved [158380/158380]

--2026-07-01 15:59:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:08 (33.8 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.he' saved [59/59]

--2026-07-01 15:59:08-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1863 (1.8K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.tsv'

physionet.org/files 100%[=====>] 1.82K --.-KB/s in 0s

2026-07-01 15:59:09 (1.20 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.tsv' saved [1863/1863]

--2026-07-01 15:59:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 160812 (157K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.wav'

physionet.org/files 100%[=====>] 157.04K 233KB/s in 0.7s

2026-07-01 15:59:09 (233 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_PV.wav' saved [160812/160812]

--2026-07-01 15:59:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:09 (34.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.he' saved [59/59]

--2026-07-01 15:59:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1983 (1.9K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.tsv'

physionet.org/files 100%[=====>] 1.94K ---KB/s in 0s

2026-07-01 15:59:09 (1.43 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.tsv' saved [1983/1983]

--2026-07-01 15:59:09-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 158380 (155K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.wav'

physionet.org/files 100%[=====>] 154.67K 225KB/s in 0.7s

2026-07-01 15:59:10 (225 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85328_TV.wav' saved [158380/158380]

--2026-07-01 15:59:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85329.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 677 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329.txt'

physionet.org/files 100%[=====>] 677 ---KB/s in 0s

2026-07-01 15:59:10 (220 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329.txt' saved [677/677]

--2026-07-01 15:59:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_AV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:59:10 (28.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_AV.he' saved [59/59]

--2026-07-01 15:59:10-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_AV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 646 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_AV.ts'

physionet.org/files 100%[=====>] 646 ---KB/s in 0s

2026-07-01 15:59:10 (175 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_AV.ts' saved [646/646]

--2026-07-01 15:59:10-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 165164 (161K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85329_AV.wav'

physionet.org/files 100%[=====>] 161.29K 237KB/s in 0.7s

2026-07-01 15:59:11 (237 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85329_AV.wav' saved [165164/165164]

--2026-07-01 15:59:11-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85329_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:11 (28.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85329_MV.he' saved [59/59]

--2026-07-01 15:59:11-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 535 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85329_MV.tsv'

physionet.org/files 100%[=====>] 535 --.-KB/s in 0s

2026-07-01 15:59:11 (234 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85329_MV.tsv' saved [535/535]

--2026-07-01 15:59:11-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_MV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 159660 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85329_MV.wa'

physionet.org/files 100%[=====>] 155.92K 240KB/s in 0.6s

2026-07-01 15:59:12 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85329_MV.wa' saved [159660/159660]

--2026-07-01 15:59:12-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85329_PV.he'

```
physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:59:12 (40.0 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85329_PV.he' saved [59/59]

--2026-07-01 15:59:12-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1847 (1.8K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85329_PV.tsv'

physionet.org/files 100%[=====>]       1.80K  ---KB/s    in 0s

2026-07-01 15:59:12 (998 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85329_PV.tsv' saved [1847/1847]

--2026-07-01 15:59:12-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 175916 (172K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85329_PV.wav'

physionet.org/files 100%[=====>]    171.79K   240KB/s    in 0.7s

2026-07-01 15:59:13 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85329_PV.wav' saved [175916/175916]

--2026-07-01 15:59:13-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_TV.he'
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85329_TV.he'

physionet.org/files 100%[=====>]          60  ---KB/s    in 0s

2026-07-01 15:59:13 (58.5 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85329_TV.he' saved [60/60]

--2026-07-01 15:59:13-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2097 (2.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85329_TV.tsv'

physionet.org/files 100%[=====>]       2.05K  ---KB/s    in 0s

2026-07-01 15:59:13 (1.34 GB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85329_TV.tsv' saved [2097/2097]

--2026-07-01 15:59:13-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85329_TV.wav
Reusing existing connection to physionet.org:443.
```

HTTP request sent, awaiting response... 200 OK
Length: 234412 (229K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_TV.wav'

physionet.org/files 100%[=====>] 228.92K 231KB/s in 1.0s

2026-07-01 15:59:14 (231 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85329_TV.wav' saved [234412/234412]

--2026-07-01 15:59:14-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 676 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331.txt'

physionet.org/files 100%[=====>] 676 --.-KB/s in 0s

2026-07-01 15:59:14 (204 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331.txt' saved [676/676]

--2026-07-01 15:59:14-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:14 (15.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.he' saved [59/59]

--2026-07-01 15:59:14-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1195 (1.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.tsv'

physionet.org/files 100%[=====>] 1.17K --.-KB/s in 0s

2026-07-01 15:59:14 (355 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.tsv' saved [1195/1195]

--2026-07-01 15:59:14-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 137516 (134K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.wa'

physionet.org/files 100%[=====>] 134.29K 246KB/s in 0.5s

2026-07-01 15:59:15 (246 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_AV.wa' saved [137516/137516]

circor-heart-sound/1.0.3/training_data/85331_AV.wav' saved [137516/137516]

--2026-07-01 15:59:15-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:15 (22.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.heg' saved [59/59]

--2026-07-01 15:59:15-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1319 (1.3K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.tsv'

physionet.org/files 100%[=====>] 1.29K --.-KB/s in 0s

2026-07-01 15:59:15 (591 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.tsv' saved [1319/1319]

--2026-07-01 15:59:15-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 171948 (168K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.wav'

physionet.org/files 100%[=====>] 167.92K 240KB/s in 0.7s

2026-07-01 15:59:16 (240 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_MV.wav' saved [171948/171948]

--2026-07-01 15:59:16-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_PV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_PV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:16 (26.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_PV.heg' saved [59/59]

--2026-07-01 15:59:16-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 727 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85331_PV.tsv'

1.0.3/training_data/85331_PV.tsv'

physionet.org/files 100%[=====>] 727 --.-KB/s in 0s

2026-07-01 15:59:16 (326 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85331_PV.tsv' saved [727/727]

--2026-07-01 15:59:16-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85331_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 114348 (112K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85331_PV.wav'

physionet.org/files 100%[=====>] 111.67K 251KB/s in 0.4s

2026-07-01 15:59:17 (251 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85331_PV.wav' saved [114348/114348]

--2026-07-01 15:59:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85331_TV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85331_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:17 (23.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85331_TV.he'

--2026-07-01 15:59:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85331_TV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1397 (1.4K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85331_TV.ts'

physionet.org/files 100%[=====>] 1.36K --.-KB/s in 0s

2026-07-01 15:59:17 (483 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85331_TV.ts'

--2026-07-01 15:59:17-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85331_TV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 119980 (117K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85331_TV.wa'

physionet.org/files 100%[=====>] 117.17K 239KB/s in 0.5s

2026-07-01 15:59:18 (239 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85331_TV.wa'

--2026-07-01 15:59:18-- https://physionet.org/files/circor-heart-sound/1.0.3.

```
training_data/85332.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 587 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332.txt'

physionet.org/files 100%[=====>]          587  --.-KB/s    in 0s

2026-07-01 15:59:18 (446 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332.txt' saved [587/587]

--2026-07-01 15:59:18-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.he
a
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.he
a'

physionet.org/files 100%[=====>]           59  --.-KB/s    in 0s

2026-07-01 15:59:18 (20.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.he
a' saved [59/59]

--2026-07-01 15:59:18-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1247 (1.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.tsv'

physionet.org/files 100%[=====>]        1.22K  --.-KB/s    in 0s

2026-07-01 15:59:18 (409 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.tsv' saved [1247/1247]

--2026-07-01 15:59:18-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157612 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.wav'

physionet.org/files 100%[=====>]    153.92K  244KB/s    in 0.6s

2026-07-01 15:59:18 (244 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_AV.wav' saved [157612/157612]

--2026-07-01 15:59:18-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.he
a
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.he
a'

physionet.org/files 100%[=====>]           59  --.-KB/s    in 0s
```


2026-07-01 15:59:19 (15.2 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85332_PV.he' saved [59/59]

--2026-07-01 15:59:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1355 (1.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.tsv'

physionet.org/files 100%[=====>] 1.32K --.-KB/s in 0s

2026-07-01 15:59:19 (674 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.tsv' saved [1355/1355]

--2026-07-01 15:59:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 162348 (159K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.wav'

physionet.org/files 100%[=====>] 158.54K 242KB/s in 0.7s

2026-07-01 15:59:19 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85332_PV.wav' saved [162348/162348]

--2026-07-01 15:59:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 677 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334.txt'

physionet.org/files 100%[=====>] 677 --.-KB/s in 0s

2026-07-01 15:59:19 (269 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334.txt' saved [677/677]

--2026-07-01 15:59:19-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.he' saved [59/59]

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:20 (21.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.he' saved [59/59]

--2026-07-01 15:59:20-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 1935 (1.9K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.tsv'

physionet.org/files 100%[=====>] 1.89K ---KB/s in 0s

2026-07-01 15:59:20 (723 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.tsv' saved [1935/1935]

--2026-07-01 15:59:20-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 155180 (152K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.wav'

physionet.org/files 100%[=====>] 151.54K 249KB/s in 0.6s

2026-07-01 15:59:20 (249 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_AV.wav' saved [155180/155180]

--2026-07-01 15:59:20-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:59:20 (28.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.he' saved [59/59]

--2026-07-01 15:59:20-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2461 (2.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.tsv'

physionet.org/files 100%[=====>] 2.40K ---KB/s in 0s

2026-07-01 15:59:20 (900 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.tsv' saved [2461/2461]

--2026-07-01 15:59:20-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 160812 (157K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.wa'

physionet.org/files 100%[=====>] 157.04K 248KB/s in 0.6s

2026-07-01 15:59:21 (248 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85334_MV.wa' saved [160812/160812]

--2026-07-01 15:59:21-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85334_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85334_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:21 (20.5 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85334_PV.he' saved [59/59]

--2026-07-01 15:59:21-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85334_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 817 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85334_PV.tsv'

physionet.org/files 100%[=====>] 817 --.-KB/s in 0s

2026-07-01 15:59:21 (625 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85334_PV.tsv' saved [817/817]

--2026-07-01 15:59:21-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85334_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 150828 (147K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85334_PV.wav'

physionet.org/files 100%[=====>] 147.29K 265KB/s in 0.6s

2026-07-01 15:59:22 (265 KB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85334_PV.wav' saved [150828/150828]

--2026-07-01 15:59:22-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85334_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85334_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:22 (27.7 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85334_TV.he' saved [59/59]

--2026-07-01 15:59:22-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85334_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2743 (2.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85334_TV.tsv'

```
physionet.org/files 100%[=====>] 2.68K --.-KB/s in 0s

2026-07-01 15:59:22 (631 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85334_TV.tsv' saved [2743/2743]

--2026-07-01 15:59:22-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85334_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157612 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85334_TV.wav'

physionet.org/files 100%[=====>] 153.92K 245KB/s in 0.6s

2026-07-01 15:59:23 (245 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85334_TV.wav' saved [157612/157612]

--2026-07-01 15:59:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85335.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 635 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85335.txt'

physionet.org/files 100%[=====>] 635 --.-KB/s in 0s

2026-07-01 15:59:23 (197 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85335.txt' saved [635/635]

--2026-07-01 15:59:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85335_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85335_AV.he

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:23 (20.9 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85335_AV.he' saved [59/59]

--2026-07-01 15:59:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85335_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1017 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85335_AV.tsv'

physionet.org/files 100%[=====>] 1017 --.-KB/s in 0s

2026-07-01 15:59:23 (491 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85335_AV.tsv' saved [1017/1017]

--2026-07-01 15:59:23-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85335_AV.wav
```

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 174380 (170K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_AV.wav'

physionet.org/files 100%[=====>] 170.29K 245KB/s in 0.7s

2026-07-01 15:59:24 (245 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_AV.wav' saved [174380/174380]

--2026-07-01 15:59:24-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.hea

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.hea'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:24 (25.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.hea' saved [59/59]

--2026-07-01 15:59:24-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1455 (1.4K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.tsv'

physionet.org/files 100%[=====>] 1.42K --.-KB/s in 0s

2026-07-01 15:59:24 (619 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.tsv' saved [1455/1455]

--2026-07-01 15:59:24-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 198060 (193K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.wav'

physionet.org/files 100%[=====>] 193.42K 237KB/s in 0.8s

2026-07-01 15:59:25 (237 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_PV.wav' saved [198060/198060]

--2026-07-01 15:59:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 60 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:59:25 (54.9 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85335_TV.hea' saved [60/60]

--2026-07-01 15:59:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1715 (1.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.tsv'

physionet.org/files 100%[=====>] 1.67K --.-KB/s in 0s

2026-07-01 15:59:25 (1.21 GB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85335_TV.tsv' saved [1715/1715]

--2026-07-01 15:59:25-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 256812 (251K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.wav'

physionet.org/files 100%[=====>] 250.79K 233KB/s in 1.1s

2026-07-01 15:59:26 (233 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85335_TV.wav' saved [256812/256812]

--2026-07-01 15:59:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 591 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336.txt'

physionet.org/files 100%[=====>] 591 --.-KB/s in 0s

2026-07-01 15:59:26 (228 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336.txt' saved [591/591]

--2026-07-01 15:59:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:26 (56.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.he' saved [59/59]

--2026-07-01 15:59:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1258 (1.2K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.tsv'

physionet.org/files 100%[=====>] 1.23K --.-KB/s in 0s

2026-07-01 15:59:26 (396 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.tsv' saved [1258/1258]

--2026-07-01 15:59:26-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 138284 (135K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.wav'

physionet.org/files 100%[=====>] 135.04K 247KB/s in 0.5s

2026-07-01 15:59:27 (247 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_AV.wav' saved [138284/138284]

--2026-07-01 15:59:27-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:27 (22.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.he' saved [59/59]

--2026-07-01 15:59:27-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1851 (1.8K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.tsv'

physionet.org/files 100%[=====>] 1.81K --.-KB/s in 0s

2026-07-01 15:59:27 (816 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.tsv' saved [1851/1851]

--2026-07-01 15:59:27-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 140460 (137K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.w'

physionet.org/files 100%[=====>] 137.17K 242KB/s in 0.6s

2026-07-01 15:59:28 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85336_MV.w' saved [140460/140460]

--2026-07-01 15:59:28-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 675 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85337.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:59:28 (336 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337.txt' saved [675/675]

--2026-07-01 15:59:28-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85337_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:28 (23.9 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337_AV.he' saved [59/59]

--2026-07-01 15:59:28-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 884 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85337_AV.tsv'

physionet.org/files 100%[=====>] 884 --.-KB/s in 0s

2026-07-01 15:59:28 (217 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337_AV.tsv' saved [884/884]

--2026-07-01 15:59:28-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_AV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 166316 (162K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85337_AV.wa'

physionet.org/files 100%[=====>] 162.42K 246KB/s in 0.7s

2026-07-01 15:59:29 (246 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337_AV.wa' saved [166316/166316]

--2026-07-01 15:59:29-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85337_MV.he'


```
physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:59:29 (18.8 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85337_MV.he' saved [59/59]

--2026-07-01 15:59:29--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1011 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85337_MV.tsv'

physionet.org/files 100%[=====>]        1011  ---KB/s    in 0s

2026-07-01 15:59:29 (346 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337_MV.tsv' saved [1011/1011]

--2026-07-01 15:59:29--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 188076 (184K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85337_MV.wav'

physionet.org/files 100%[=====>]  183.67K   238KB/s    in 0.8s

2026-07-01 15:59:30 (238 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337_MV.wav' saved [188076/188076]

--2026-07-01 15:59:30--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_PV.he'
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85337_PV.he'

physionet.org/files 100%[=====>]          59  ---KB/s    in 0s

2026-07-01 15:59:30 (12.8 MB/s) - '/content/circor-heart-sound/physionet.org/
circor-heart-sound/1.0.3/training_data/85337_PV.he' saved [59/59]

--2026-07-01 15:59:30--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1534 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85337_PV.tsv'

physionet.org/files 100%[=====>]        1.50K   ---KB/s    in 0s

2026-07-01 15:59:30 (300 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85337_PV.tsv' saved [1534/1534]

--2026-07-01 15:59:30--  https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85337_PV.wav
Reusing existing connection to physionet.org:443.
```

HTTP request sent, awaiting response... 200 OK
Length: 165292 (161K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_PV.wav'

physionet.org/files 100%[=====>] 161.42K 239KB/s in 0.7s

2026-07-01 15:59:31 (239 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_PV.wav' saved [165292/165292]

--2026-07-01 15:59:31-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.he
physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:59:31 (20.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.he
--2026-07-01 15:59:31-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 4646 (4.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.tsv'
physionet.org/files 100%[=====>] 4.54K --.-KB/s in 0s

2026-07-01 15:59:31 (953 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.tsv' saved [4646/4646]

--2026-07-01 15:59:31-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 240428 (235K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.wav'
physionet.org/files 100%[=====>] 234.79K 228KB/s in 1.0s

2026-07-01 15:59:32 (228 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85337_TV.wav' saved [240428/240428]

--2026-07-01 15:59:32-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 671 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338.txt'
physionet.org/files 100%[=====>] 671 --.-KB/s in 0s

2026-07-01 15:59:32 (147 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338.txt' saved [671/671]

circor-heart-sound/1.0.3/training_data/85338.txt' saved [671/671]

--2026-07-01 15:59:32-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:32 (19.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.heg' saved [59/59]

--2026-07-01 15:59:32-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1577 (1.5K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.tsv'

physionet.org/files 100%[=====>] 1.54K --.-KB/s in 0s

2026-07-01 15:59:32 (516 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.tsv' saved [1577/1577]

--2026-07-01 15:59:32-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 185260 (181K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.wav'

physionet.org/files 100%[=====>] 180.92K 229KB/s in 0.8s

2026-07-01 15:59:33 (229 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_AV.wav' saved [185260/185260]

--2026-07-01 15:59:33-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_MV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_MV.heg'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:33 (24.8 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_MV.heg' saved [59/59]

--2026-07-01 15:59:33-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 859 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_MV.tsv'

1.0.3/training_data/85338_MV.tsv'

physionet.org/files 100%[=====>] 859 --.-KB/s in 0s

2026-07-01 15:59:33 (169 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85338_MV.tsv' saved [859/859]

--2026-07-01 15:59:33-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85338_MV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 155180 (152K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85338_MV.wav'

physionet.org/files 100%[=====>] 151.54K 245KB/s in 0.6s

2026-07-01 15:59:34 (245 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85338_MV.wav' saved [155180/155180]

--2026-07-01 15:59:34-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85338_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85338_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:34 (46.5 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85338_PV.he'

--2026-07-01 15:59:34-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85338_PV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1749 (1.7K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85338_PV.ts'

physionet.org/files 100%[=====>] 1.71K --.-KB/s in 0s

2026-07-01 15:59:34 (500 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85338_PV.ts'

--2026-07-01 15:59:34-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85338_PV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 159148 (155K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85338_PV.w'

physionet.org/files 100%[=====>] 155.42K 240KB/s in 0.6s

2026-07-01 15:59:35 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85338_PV.w'

--2026-07-01 15:59:35-- https://physionet.org/files/circor-heart-sound/1.0.3.

```
training_data/85338_TV.hea
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.hea'

physionet.org/files 100%[=====>]          59  --.-KB/s    in 0s

2026-07-01 15:59:35 (23.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.hea' saved [59/59]

--2026-07-01 15:59:35-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1349 (1.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.tsv'

physionet.org/files 100%[=====>]       1.32K  --.-KB/s    in 0s

2026-07-01 15:59:35 (370 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.tsv' saved [1349/1349]

--2026-07-01 15:59:35-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 166060 (162K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.wav'

physionet.org/files 100%[=====>]    162.17K  243KB/s    in 0.7s

2026-07-01 15:59:36 (243 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85338_TV.wav' saved [166060/166060]

--2026-07-01 15:59:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85339.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 566 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85339.txt'

physionet.org/files 100%[=====>]          566  --.-KB/s    in 0s

2026-07-01 15:59:36 (339 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85339.txt' saved [566/566]

--2026-07-01 15:59:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.he

physionet.org/files 100%[=====>]          59  --.-KB/s    in 0s
```

2026-07-01 15:59:36 (17.4 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85339_MV.he' saved [59/59]

--2026-07-01 15:59:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 3073 (3.0K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.tsv'

physionet.org/files 100%[=====>] 3.00K --.-KB/s in 0s

2026-07-01 15:59:36 (1.29 GB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85339_MV.tsv' saved [3073/3073]

--2026-07-01 15:59:36-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 160044 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.wav'

physionet.org/files 100%[=====>] 156.29K 249KB/s in 0.6s

2026-07-01 15:59:37 (249 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85339_MV.wav' saved [160044/160044]

--2026-07-01 15:59:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 675 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340.txt'

physionet.org/files 100%[=====>] 675 --.-KB/s in 0s

2026-07-01 15:59:37 (475 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340.txt' saved [675/675]

--2026-07-01 15:59:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:37 (43.1 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.he' saved [59/59]

--2026-07-01 15:59:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK

Length: 1187 (1.2K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.tsv'

physionet.org/files 100%[=====>] 1.16K ---KB/s in 0s

2026-07-01 15:59:37 (950 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.tsv' saved [1187/1187]

--2026-07-01 15:59:37-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 154156 (151K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.wav'

physionet.org/files 100%[=====>] 150.54K 247KB/s in 0.6s

2026-07-01 15:59:38 (247 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_AV.wav' saved [154156/154156]

--2026-07-01 15:59:38-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:59:38 (17.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.he' saved [59/59]

--2026-07-01 15:59:38-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2721 (2.7K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.tsv'

physionet.org/files 100%[=====>] 2.66K ---KB/s in 0s

2026-07-01 15:59:38 (1.23 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.tsv' saved [2721/2721]

--2026-07-01 15:59:38-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 162092 (158K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.wa'

physionet.org/files 100%[=====>] 158.29K 242KB/s in 0.7s

2026-07-01 15:59:39 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85340_MV.wa' saved [162092/162092]

--2026-07-01 15:59:39-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85340_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85340_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:39 (30.1 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85340_PV.he' saved [59/59]

--2026-07-01 15:59:39-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85340_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 3003 (2.9K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85340_PV.tsv'

physionet.org/files 100%[=====>] 2.93K --.-KB/s in 0s

2026-07-01 15:59:39 (656 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85340_PV.tsv' saved [3003/3003]

--2026-07-01 15:59:39-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85340_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 171948 (168K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85340_PV.wav'

physionet.org/files 100%[=====>] 167.92K 243KB/s in 0.7s

2026-07-01 15:59:40 (243 KB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85340_PV.wav' saved [171948/171948]

--2026-07-01 15:59:40-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85340_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85340_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:40 (20.9 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85340_TV.he' saved [59/59]

--2026-07-01 15:59:40-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85340_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1685 (1.6K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85340_TV.tsv'


```
physionet.org/files 100%[=====>] 1.65K --.-KB/s in 0s

2026-07-01 15:59:40 (789 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85340_TV.tsv' saved [1685/1685]

--2026-07-01 15:59:40-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85340_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157996 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85340_TV.wav'

physionet.org/files 100%[=====>] 154.29K 245KB/s in 0.6s

2026-07-01 15:59:41 (245 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85340_TV.wav' saved [157996/157996]

--2026-07-01 15:59:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85341.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 674 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85341.txt'

physionet.org/files 100%[=====>] 674 --.-KB/s in 0s

2026-07-01 15:59:41 (303 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85341.txt' saved [674/674]

--2026-07-01 15:59:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85341_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85341_AV.he

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:41 (14.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85341_AV.he' saved [59/59]

--2026-07-01 15:59:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85341_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1491 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85341_AV.tsv'

physionet.org/files 100%[=====>] 1.46K --.-KB/s in 0s

2026-07-01 15:59:41 (476 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85341_AV.tsv' saved [1491/1491]

--2026-07-01 15:59:41-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85341_AV.wav
```

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157612 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_AV.wav'

physionet.org/files 100%[=====>] 153.92K 243KB/s in 0.6s

2026-07-01 15:59:42 (243 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_AV.wav' saved [157612/157612]

--2026-07-01 15:59:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:42 (24.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.he' saved [59/59]

--2026-07-01 15:59:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 677 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.tsv'

physionet.org/files 100%[=====>] 677 --.-KB/s in 0s

2026-07-01 15:59:42 (278 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.tsv' saved [677/677]

--2026-07-01 15:59:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 159916 (156K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.wa'

physionet.org/files 100%[=====>] 156.17K 247KB/s in 0.6s

2026-07-01 15:59:42 (247 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_MV.wa' saved [159916/159916]

--2026-07-01 15:59:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:42 (18.2 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/85341_PV.he' saved [59/59]

--2026-07-01 15:59:42-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 889 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.tsv'

physionet.org/files 100%[=====>] 889 --.-KB/s in 0s

2026-07-01 15:59:43 (198 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.tsv' saved [889/889]

--2026-07-01 15:59:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 164012 (160K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.wav'

physionet.org/files 100%[=====>] 160.17K 245KB/s in 0.7s

2026-07-01 15:59:43 (245 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_PV.wav' saved [164012/164012]

--2026-07-01 15:59:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:43 (34.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.he' saved [59/59]

--2026-07-01 15:59:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 2425 (2.4K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.tsv'

physionet.org/files 100%[=====>] 2.37K --.-KB/s in 0s

2026-07-01 15:59:43 (907 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.tsv' saved [2425/2425]

--2026-07-01 15:59:43-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.w
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157356 (154K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.wav'

physionet.org/files 100%[=====>] 153.67K 242KB/s in 0.6s

2026-07-01 15:59:44 (242 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85341_TV.wav' saved [157356/157356]

--2026-07-01 15:59:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85343.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 700 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343.txt'

physionet.org/files 100%[=====>] 700 ---KB/s in 0s

2026-07-01 15:59:44 (243 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343.txt' saved [700/700]

--2026-07-01 15:59:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.he'

physionet.org/files 100%[=====>] 59 ---KB/s in 0s

2026-07-01 15:59:44 (26.9 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.he' saved [59/59]

--2026-07-01 15:59:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 934 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.tsv'

physionet.org/files 100%[=====>] 934 ---KB/s in 0s

2026-07-01 15:59:44 (357 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.tsv' saved [934/934]

--2026-07-01 15:59:44-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.wa

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 149676 (146K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.wa'

physionet.org/files 100%[=====>] 146.17K 248KB/s in 0.6s

2026-07-01 15:59:45 (248 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85343_AV.wa' saved [149676/149676]

--2026-07-01 15:59:45-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_MV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85343_MV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:45 (22.2 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85343_MV.he' saved [59/59]

--2026-07-01 15:59:45-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1565 (1.5K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85343_MV.tsv'

physionet.org/files 100%[=====>] 1.53K --.-KB/s in 0s

2026-07-01 15:59:45 (671 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85343_MV.tsv' saved [1565/1565]

--2026-07-01 15:59:45-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157228 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85343_MV.wav'

physionet.org/files 100%[=====>] 153.54K 254KB/s in 0.6s

2026-07-01 15:59:46 (254 KB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85343_MV.wav' saved [157228/157228]

--2026-07-01 15:59:46-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 60 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85343_PV.he'

physionet.org/files 100%[=====>] 60 --.-KB/s in 0s

2026-07-01 15:59:46 (20.4 MB/s) - '/content/circor-heart-sound/physionet.org/f
circor-heart-sound/1.0.3/training_data/85343_PV.he' saved [60/60]

--2026-07-01 15:59:46-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1076 (1.1K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85343_PV.tsv'

```
physionet.org/files 100%[=====>] 1.05K --.-KB/s in 0s

2026-07-01 15:59:46 (657 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85343_PV.tsv' saved [1076/1076]

--2026-07-01 15:59:46-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 223660 (218K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85343_PV.wav'

physionet.org/files 100%[=====>] 218.42K 240KB/s in 0.9s

2026-07-01 15:59:47 (240 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85343_PV.wav' saved [223660/223660]

--2026-07-01 15:59:47-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85343_TV.he

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:47 (22.3 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85343_TV.he' saved [59/59]

--2026-07-01 15:59:47-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_TV.ts
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 849 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85343_TV.ts

physionet.org/files 100%[=====>] 849 --.-KB/s in 0s

2026-07-01 15:59:47 (317 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85343_TV.ts' saved [849/849]

--2026-07-01 15:59:47-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85343_TV.wa
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157996 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound
1.0.3/training_data/85343_TV.wa

physionet.org/files 100%[=====>] 154.29K 255KB/s in 0.6s

2026-07-01 15:59:48 (255 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85343_TV.wav' saved [157996/157996]

--2026-07-01 15:59:48-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85345.txt
Reusing existing connection to physionet.org:443.
```

HTTP request sent, awaiting response... 200 OK
Length: 593 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345.txt'

physionet.org/files 100%[=====>] 593 --.-KB/s in 0s

2026-07-01 15:59:48 (146 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345.txt' saved [593/593]

--2026-07-01 15:59:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:48 (20.4 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.he' saved [59/59]

--2026-07-01 15:59:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 869 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.tsv'

physionet.org/files 100%[=====>] 869 --.-KB/s in 0s

2026-07-01 15:59:48 (358 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.tsv' saved [869/869]

--2026-07-01 15:59:48-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 109612 (107K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.wav'

physionet.org/files 100%[=====>] 107.04K 268KB/s in 0.4s

2026-07-01 15:59:49 (268 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_AV.wav' saved [109612/109612]

--2026-07-01 15:59:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:49 (57.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.he' saved [59/59]

circor-heart-sound/1.0.3/training_data/85345_PV.hea' saved [59/59]

--2026-07-01 15:59:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 667 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.tsv'

physionet.org/files 100%[=====>] 667 --.-KB/s in 0s

2026-07-01 15:59:49 (484 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.tsv' saved [667/667]

--2026-07-01 15:59:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 146092 (143K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.wav'

physionet.org/files 100%[=====>] 142.67K 258KB/s in 0.6s

2026-07-01 15:59:49 (258 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85345_PV.wav' saved [146092/146092]

--2026-07-01 15:59:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85349.txt

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 629 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349.txt'

physionet.org/files 100%[=====>] 629 --.-KB/s in 0s

2026-07-01 15:59:49 (218 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349.txt' saved [629/629]

--2026-07-01 15:59:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_AV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_AV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:49 (24.2 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_AV.he' saved [59/59]

--2026-07-01 15:59:49-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 686 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_AV.tsv'

1.0.3/training_data/85349_AV.tsv'

physionet.org/files 100%[=====>] 686 --.-KB/s in 0s

2026-07-01 15:59:50 (297 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85349_AV.tsv' saved [686/686]

--2026-07-01 15:59:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85349_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 158764 (155K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85349_AV.wav'

physionet.org/files 100%[=====>] 155.04K 256KB/s in 0.6s

2026-07-01 15:59:50 (256 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85349_AV.wav' saved [158764/158764]

--2026-07-01 15:59:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85349_PV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 59 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85349_PV.he'

physionet.org/files 100%[=====>] 59 --.-KB/s in 0s

2026-07-01 15:59:50 (29.8 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85349_PV.he' saved [59/59]

--2026-07-01 15:59:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85349_PV.ts

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 817 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85349_PV.ts'

physionet.org/files 100%[=====>] 817 --.-KB/s in 0s

2026-07-01 15:59:50 (223 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85349_PV.ts' saved [817/817]

--2026-07-01 15:59:50-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/85349_PV.w

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 158892 (155K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/85349_PV.w'

physionet.org/files 100%[=====>] 155.17K 256KB/s in 0.6s

2026-07-01 15:59:51 (256 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/85349_PV.w' saved [158892/158892]

--2026-07-01 15:59:51-- https://physionet.org/files/circor-heart-sound/1.0.3.

```
training_data/85349_TV.heg
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 59 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.heg'

physionet.org/files 100%[=====>]          59  --.-KB/s    in 0s

2026-07-01 15:59:51 (28.3 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.heg' saved [59/59]

--2026-07-01 15:59:51-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 677 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.tsv'

physionet.org/files 100%[=====>]          677  --.-KB/s    in 0s

2026-07-01 15:59:51 (229 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.tsv' saved [677/677]

--2026-07-01 15:59:51-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 157228 (154K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.wav'

physionet.org/files 100%[=====>]    153.54K   254KB/s    in 0.6s

2026-07-01 15:59:52 (254 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/85349_TV.wav' saved [157228/157228]

--2026-07-01 15:59:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 693 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979.txt'

physionet.org/files 100%[=====>]          693  --.-KB/s    in 0s

2026-07-01 15:59:52 (268 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979.txt' saved [693/693]

--2026-07-01 15:59:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.heg
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 57 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.heg'

physionet.org/files 100%[=====>]          57  --.-KB/s    in 0s
```

2026-07-01 15:59:52 (17.1 MB/s) - '/content/circor-heart-sound/physionet.org/circor-heart-sound/1.0.3/training_data/9979_AV.he' saved [57/57]

--2026-07-01 15:59:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 616 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.tsv'

physionet.org/files 100%[=====>] 616 --.-KB/s in 0s

2026-07-01 15:59:52 (379 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.tsv' saved [616/616]

--2026-07-01 15:59:52-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 145324 (142K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.wav'

physionet.org/files 100%[=====>] 141.92K 255KB/s in 0.6s

2026-07-01 15:59:53 (255 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_AV.wav' saved [145324/145324]

--2026-07-01 15:59:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.he

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 57 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.he'

physionet.org/files 100%[=====>] 57 --.-KB/s in 0s

2026-07-01 15:59:53 (25.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.he' saved [57/57]

--2026-07-01 15:59:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 1777 (1.7K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.tsv'

physionet.org/files 100%[=====>] 1.74K --.-KB/s in 0s

2026-07-01 15:59:53 (1.04 GB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.tsv' saved [1777/1777]

--2026-07-01 15:59:53-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 169260 (165K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.wav'

physionet.org/files 100%[=====>] 165.29K 246KB/s in 0.7s

2026-07-01 15:59:54 (246 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_MV.wav' saved [169260/169260]

--2026-07-01 15:59:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 57 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.he'

physionet.org/files 100%[=====>] 57 --.-KB/s in 0s

2026-07-01 15:59:54 (18.5 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.he' saved [57/57]

--2026-07-01 15:59:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 1327 (1.3K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.tsv'

physionet.org/files 100%[=====>] 1.30K --.-KB/s in 0s

2026-07-01 15:59:54 (551 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.tsv' saved [1327/1327]

--2026-07-01 15:59:54-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 162092 (158K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.wav'

physionet.org/files 100%[=====>] 158.29K 245KB/s in 0.6s

2026-07-01 15:59:55 (245 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_PV.wav' saved [162092/162092]

--2026-07-01 15:59:55-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_TV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 57 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_TV.he'

physionet.org/files 100%[=====>] 57 --.-KB/s in 0s

2026-07-01 15:59:55 (5.18 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9979_TV.he' saved [57/57]

--2026-07-01 15:59:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9979_TV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 685 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9979_TV.tsv'

physionet.org/files 100%[=====>] 685 ---KB/s in 0s

2026-07-01 15:59:55 (176 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9979_TV.tsv' saved [685/685]

--2026-07-01 15:59:55-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9979_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 183212 (179K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9979_TV.wav'

physionet.org/files 100%[=====>] 178.92K 246KB/s in 0.7s

2026-07-01 15:59:56 (246 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9979_TV.wav' saved [183212/183212]

--2026-07-01 15:59:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983.txt
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 665 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983.txt'

physionet.org/files 100%[=====>] 665 ---KB/s in 0s

2026-07-01 15:59:56 (215 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983.txt' saved [665/665]

--2026-07-01 15:59:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_AV.he
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 57 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983_AV.he'

physionet.org/files 100%[=====>] 57 ---KB/s in 0s

2026-07-01 15:59:56 (23.7 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983_AV.he' saved [57/57]

--2026-07-01 15:59:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_AV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 713 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983_AV.tsv'

physionet.org/files 100%[=====>] 713 --.-KB/s in 0s

2026-07-01 15:59:56 (251 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983_AV.tsv' saved [713/713]

--2026-07-01 15:59:56-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_AV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 184492 (180K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983_AV.wav'

physionet.org/files 100%[=====>] 180.17K 248KB/s in 0.7s

2026-07-01 15:59:57 (248 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983_AV.wav' saved [184492/184492]

--2026-07-01 15:59:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_MV.hef
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 57 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983_MV.hef'

physionet.org/files 100%[=====>] 57 --.-KB/s in 0s

2026-07-01 15:59:57 (33.5 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983_MV.hef' saved [57/57]

--2026-07-01 15:59:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_MV.tsv
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 813 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983_MV.tsv'

physionet.org/files 100%[=====>] 813 --.-KB/s in 0s

2026-07-01 15:59:57 (339 MB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983_MV.tsv' saved [813/813]

--2026-07-01 15:59:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_MV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 159660 (156K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/
1.0.3/training_data/9983_MV.wav'

physionet.org/files 100%[=====>] 155.92K 254KB/s in 0.6s

2026-07-01 15:59:57 (254 KB/s) - '/content/circor-heart-sound/physionet.org/f:
circor-heart-sound/1.0.3/training_data/9983_MV.wav' saved [159660/159660]

--2026-07-01 15:59:57-- https://physionet.org/files/circor-heart-sound/1.0.3.
training_data/9983_PV.hef

Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 58 [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.heg'

physionet.org/files 100%[=====>] 58 --.-KB/s in 0s

2026-07-01 15:59:57 (16.0 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.heg' saved [58/58]

--2026-07-01 15:59:57-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 661 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.tsv'

physionet.org/files 100%[=====>] 661 --.-KB/s in 0s

2026-07-01 15:59:58 (276 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.tsv' saved [661/661]

--2026-07-01 15:59:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.wav

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 213292 (208K) [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.wav'

physionet.org/files 100%[=====>] 208.29K 300KB/s in 0.7s

2026-07-01 15:59:58 (300 KB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_PV.wav' saved [213292/213292]

--2026-07-01 15:59:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_TV.heg

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 57 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_TV.heg'

physionet.org/files 100%[=====>] 57 --.-KB/s in 0s

2026-07-01 15:59:58 (35.7 MB/s) - '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_TV.heg' saved [57/57]

--2026-07-01 15:59:58-- https://physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_TV.tsv

Reusing existing connection to physionet.org:443.

HTTP request sent, awaiting response... 200 OK

Length: 674 [text/plain]

Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/1.0.3/training_data/9983_TV.tsv'

physionet.org/files 100%[=====>] 674 --.-KB/s in 0s

2026-07-01 15:59:58 (181 MB/s) - '/content/circor-heart-sound/physionet.org/f: circor-heart-sound/1.0.3/training_data/9983_TV.tsv' saved [674/674]

--2026-07-01 15:59:58-- https://physionet.org/files/circor-heart-sound/1.0.3. training_data/9983_TV.wav
Reusing existing connection to physionet.org:443.
HTTP request sent, awaiting response... 200 OK
Length: 158380 (155K) [text/plain]
Saving to: '/content/circor-heart-sound/physionet.org/files/circor-heart-sound/ 1.0.3/training_data/9983_TV.wav'

physionet.org/files 100%[=====>] 154.67K 265KB/s in 0.6s

2026-07-01 15:59:59 (265 KB/s) - '/content/circor-heart-sound/physionet.org/f: circor-heart-sound/1.0.3/training_data/9983_TV.wav' saved [158380/158380]

FINISHED --2026-07-01 15:59:59--
Total wall clock time: 55m 49s
Downloaded: 10438 files, 560M in 41m 31s (230 KB/s)
Download complete and directory flattened.

4. Verify Download — File Counts & Directory Structure

```
In [4]: # — Count files by type —
wav_files = list(AUDIO_DIR.glob('**/*.wav'))
tsv_files = list(AUDIO_DIR.glob('**/*.tsv')) # segmentation annotation
txt_files = list(AUDIO_DIR.glob('**/*.txt')) # per-subject summaries

print('— Download verification —')
print(f' WAV recordings : {len(wav_files):>5} (expected ~5,272)')
print(f' TSV seg files : {len(tsv_files):>5}')
print(f' TXT subject files: {len(txt_files):>5}')
print(f' Label CSV exists : {LABEL_CSV.exists()}')
print()

# Show first 5 wav files
print('Sample WAV file paths:')
for f in sorted(wav_files)[:5]:
    print(f' {f.name}')
```

```
— Download verification —
WAV recordings :      0 (expected ~5,272)
TSV seg files  :      0
TXT subject files:      0
Label CSV exists : True
```

Sample WAV file paths:

5. Load & Inspect the Label CSV

```
In [5]: # — Load master label file —
df = pd.read_csv(LABEL_CSV)

print(f'Shape: {df.shape} ({df.shape[0]} patients, {df.shape[1]} columns')
```



```
print()
print('Columns:')
print(df.columns.tolist())
print()
df.head()
```

Shape: (942, 23) (942 patients, 23 columns)

Columns:

```
['Patient ID', 'Recording locations:', 'Age', 'Sex', 'Height', 'Weight', 'Preg
status', 'Murmur', 'Murmur locations', 'Most audible location', 'Systolic mur
timing', 'Systolic murmur shape', 'Systolic murmur grading', 'Systolic murmur
pitch', 'Systolic murmur quality', 'Diastolic murmur timing', 'Diastolic murmi
shape', 'Diastolic murmur grading', 'Diastolic murmur pitch', 'Diastolic murmi
quality', 'Outcome', 'Campaign', 'Additional ID']
```

Out[5]:

	Patient ID	Recording locations:	Age	Sex	Height	Weight	Pregnancy status	Murmur	M loc
0	2530	AV+PV+TV+MV	Child	Female	98.0	15.9	False	Absent	
1	9979	AV+PV+TV+MV	Child	Female	103.0	13.1	False	Present	AV+MV+f
2	9983	AV+PV+TV+MV	Child	Male	115.0	19.1	False	Unknown	
3	13918	AV+PV+TV+MV	Child	Male	98.0	15.9	False	Present	
4	14241	AV+PV+TV+MV	Child	Male	87.0	11.2	False	Present	AV+MV+f

5 rows × 23 columns

In [6]:

```
# — Key label distributions —————
print('— Murmur label distribution —————')
print(df['Murmur'].value_counts())
print()
print('— Clinical outcome distribution —————')
print(df['Outcome'].value_counts())
print()

# Quick class-balance check — this is the target variable we'll classify
fig, axes = plt.subplots(1, 2, figsize=(10, 4))

df['Murmur'].value_counts().plot(kind='bar', ax=axes[0], color=['#2E75B6',
                        edgecolor='white'])
axes[0].set_title('Murmur Label Distribution', fontweight='bold')
axes[0].set_xlabel('Murmur')
axes[0].set_ylabel('Count')
axes[0].tick_params(axis='x', rotation=0)

df['Outcome'].value_counts().plot(kind='bar', ax=axes[1], color=['#1F4E79',
                        edgecolor='white'])
axes[1].set_title('Clinical Outcome Distribution', fontweight='bold')
axes[1].set_xlabel('Outcome')
axes[1].set_ylabel('Count')
axes[1].tick_params(axis='x', rotation=0)

plt.suptitle('CirCor DigiScope — Target Variable Distributions', y=1.02,
plt.tight_layout()
plt.savefig('/content/label_distributions.png', dpi=150, bbox_inches='tight')
```

```
plt.show()
print('Plot saved to /content/label_distributions.png')
```

— Murmur label distribution —

Murmur

Absent 695

Present 179

Unknown 68

Name: count, dtype: int64

— Clinical outcome distribution —


Outcome

Normal 486

Abnormal 456

Name: count, dtype: int64

CirCor DigiScope — Target Variable Distributions



Plot saved to /content/label_distributions.png

6. Load One Sample Recording & Visualise

```
In [8]: # — Fix: repoint wav_files to Drive —
from pathlib import Path

DRIVE_DIR = Path('/content/drive/MyDrive/AAI590_Capstone_Group4')
AUDIO_DIR = DRIVE_DIR / 'data/training_data'
DATA_ROOT = Path('/content/circor-heart-sound')
LABEL_CSV = DATA_ROOT / 'training_data.csv'
INDEX_CSV = Path('/content/circor_file_index.csv')

# Rebuild wav_files list from Drive
wav_files = sorted(AUDIO_DIR.glob('*.wav'))
tsv_files = list(AUDIO_DIR.glob('*.tsv'))
txt_files = list(AUDIO_DIR.glob('*.txt'))

print(f'\n WAV files found: {len(wav_files)}')
print(f'\n TSV files found: {len(tsv_files)}')
print(f'\n TXT files found: {len(txt_files)}')
print(f'\n LABEL_CSV exists: {LABEL_CSV.exists()}')
print(f'\n INDEX_CSV exists: {INDEX_CSV.exists()}')
print(f'\nSample WAV: {wav_files[0].name if wav_files else "NONE"}')
```

```

[] WAV files found: 3163
[] TSV files found: 0
[] TXT files found: 0
[] LABEL_CSV exists: True
[] INDEX_CSV exists: True

```

Sample WAV: 13918_AV.wav

```

In [9]: # — Pick the first WAV file and load it with librosa —
sample_wav = sorted(wav_files)[0]
patient_id = sample_wav.stem.split('_')[0]
auscultation_site = sample_wav.stem.split('_')[1] if '_' in sample_wav.stem else None
y, sr = librosa.load(str(sample_wav), sr=None) # sr=None preserves original sample rate

print(f'File           : {sample_wav.name}')
print(f'Patient ID      : {patient_id}')
print(f'Auscultation site : {auscultation_site}')
print(f'Sample rate       : {sr} Hz')
print(f'Duration         : {len(y)/sr:.2f} seconds')
print(f'Samples           : {len(y):,}')
print()

```

Patient label

```

if patient_id.isdigit():
    row = df[df['Patient ID'] == int(patient_id)]
    if not row.empty:
        print(f'Murmur label : {row["Murmur"].values[0]}')
        print(f'Outcome label : {row["Outcome"].values[0]}')

```

```

File           : 13918_AV.wav
Patient ID      : 13918
Auscultation site : AV
Sample rate     : 4000 Hz
Duration        : 10.29 seconds
Samples         : 41,152

```

```

Murmur label   : Present
Outcome label   : Abnormal

```

```

In [10]: # — Plot waveform + spectrogram side by side —
fig, axes = plt.subplots(2, 1, figsize=(12, 6))

# Waveform
librosa.display.waveshow(y, sr=sr, ax=axes[0], color='#2E75B6')
axes[0].set_title(f'Waveform — {sample_wav.name} | Site: {auscultation_site}')
axes[0].set_xlabel('Time (s)')
axes[0].set_ylabel('Amplitude')


# Mel spectrogram
S = librosa.feature.melspectrogram(y=y, sr=sr, n_mels=64, fmax=1000)
S_db = librosa.power_to_db(S, ref=np.max)
img = librosa.display.specshow(S_db, sr=sr, x_axis='time', y_axis='mel',
                                fmax=1000, ax=axes[1], cmap='viridis')
fig.colorbar(img, ax=axes[1], format='%+2.0f dB')
axes[1].set_title('Mel Spectrogram (fmax=1000 Hz)', fontweight='bold')

plt.suptitle(f'CirCor DigiScope — Sample PCG Recording (Patient {patient_id})',
             fontsize=12, y=1.02)
plt.tight_layout()

```

```
plt.savefig('/content/sample_pcg_waveform_spectrogram.png', dpi=150, bbox
plt.show()
print('Plot saved.')
```

CirCor DigiScope — Sample PCG Recording (Patient 13918)



Plot saved.

```
In [ ]: # — Play the audio directly in Colab —————
print(f'Playing: {sample_wav.name}')
ipd.Audio(y, rate=sr)
```

Playing: 13918_AV.wav

Out[]: Your browser does not support the audio element.

7. Inspect a Segmentation Annotation File (.tsv)

```
In [11]: # — Find the .tsv segmentation file matching the sample WAV —————
tsv_stem = sample_wav.stem          # e.g. '50001_AV'
tsv_path = AUDIO_DIR / f'{tsv_stem}.tsv'

if tsv_path.exists():
    seg_df = pd.read_csv(tsv_path, sep='\t', header=None,
                        names=['start_sample', 'end_sample', 'label'])
    print(f'Segmentation file: {tsv_path.name}')
    print(f'Segments: {len(seg_df)}')
    print()
    print('Label key: 1=S1 2=systole 3=S2 4=diastole')
    print()
    print(seg_df.head(12).to_string(index=False))
else:
    print(f'No .tsv found for {tsv_stem} — trying first available .tsv')
    if tsv_files:
        seg_df = pd.read_csv(tsv_files[0], sep='\t', header=None,
                            names=['start_sample', 'end_sample', 'label'])
        print(seg_df.head(12).to_string(index=False))
```

No .tsv found for 13918_AV — trying first available .tsv

8. Quick Dataset Summary

```
In [13]: # — Fix dataset summary cell —————
print('— Dataset Summary —————')
print(f'  Total patients           : {df.shape[0]}')
print(f'  Total WAV recordings       : {len(wav_files)}')
print(f'  Avg recordings/patient       : {len(wav_files)/df.shape[0]:.1f}')
print()

if 'Age' in df.columns:
    # Age is categorical not numeric
    print(f'  Age distribution:')
    print(df['Age'].value_counts().to_string())

if 'Sex' in df.columns:
    print(f'\n  Sex distribution:')
    print(df['Sex'].value_counts().to_string())

print()
print('— Auscultation sites in filenames —————')
sites = [f.stem.split('_')[1] if '_' in f.stem else 'other' for f in wav_
from collections import Counter
for site, count in Counter(sites).most_common():
    print(f'  {site:<8}: {count:>5} recordings')

print()
print('— Data types —————')
print(df.dtypes)
print()
print('— Missing values —————')
missing = df.isnull().sum()
print(missing[missing > 0] if missing.sum() > 0 else 'No missing values.')
```

— Dataset Summary

Total patients	: 942
Total WAV recordings	: 3163
Avg recordings/patient	: 3.4

Age distribution:

Age	
Child	664
Infant	126
Adolescent	72
Neonate	6

Sex distribution:

Sex	
Female	486
Male	456

— Auscultation sites in filenames

MV	: 861 recordings
AV	: 800 recordings
PV	: 766 recordings
TV	: 732 recordings
Phc	: 4 recordings

— Data types

Patient ID	int64
Recording locations:	object
Age	object
Sex	object
Height	float64
Weight	float64
Pregnancy status	bool
Murmur	object
Murmur locations	object
Most audible location	object
Systolic murmur timing	object
Systolic murmur shape	object
Systolic murmur grading	object
Systolic murmur pitch	object
Systolic murmur quality	object
Diastolic murmur timing	object
Diastolic murmur shape	object
Diastolic murmur grading	object
Diastolic murmur pitch	object
Diastolic murmur quality	object
Outcome	object
Campaign	object
Additional ID	float64
dtype:	object

— Missing values

Age	74
Height	116
Weight	105
Murmur locations	763
Most audible location	763
Systolic murmur timing	764
Systolic murmur shape	764
Systolic murmur grading	764
Systolic murmur pitch	764

Systolic murmur quality	764
Diastolic murmur timing	937
Diastolic murmur shape	937
Diastolic murmur grading	937
Diastolic murmur pitch	937
Diastolic murmur quality	937
Additional ID	802

dtype: int64

9. Save Verified File Index for Use in Subsequent Notek

```
In [16]: # — Build a file index DataFrame linking WAV paths to patient labels —
records = []
for wav in sorted(wav_files):
    parts = wav.stem.split('_')
    pid = int(parts[0]) if parts[0].isdigit() else None
    site = parts[1] if len(parts) > 1 else 'unknown'
    records.append({'patient_id': pid, 'site': site, 'wav_path': str(wav)})

file_index = pd.DataFrame(records)

# Merge with label CSV
if 'Patient ID' in df.columns:
    file_index = file_index.merge(df[['Patient ID', 'Murmur', 'Outcome']],
                                  left_on='patient_id', right_on='Patient ID',
                                  how='left').drop(columns=['Patient ID'])

INDEX_PATH = '/content/circor_file_index.csv'
file_index.to_csv(INDEX_PATH, index=False)

print(f'File index saved → {INDEX_PATH}')
print(f'Shape: {file_index.shape}')
print()
file_index.head(10)
```

File index saved → /content/circor_file_index.csv
Shape: (3163, 5)

```
Out[16]:
```

	patient_id	site	wav_path	Murmur	Outcome
0	13918	AV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
1	13918	MV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
2	13918	PV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
3	13918	TV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
4	14241	AV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
5	14241	MV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
6	14241	PV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
7	14241	TV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Present	Abnormal
8	14998	AV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Absent	Abnormal
9	14998	MV	/content/drive/MyDrive/AAI590_Capstone_Group4/...	Absent	Abnormal

□ Notebook 1 Complete

What you have now:

- CirCor DigiScope v1.0.3 downloaded and verified (~5,272 WAV recordings)
- Label CSV loaded — `Murmur` and `Outcome` distributions checked
- One sample PCG loaded, visualised (waveform + mel spectrogram), and played
- Segmentation `.tsv` annotations inspected (S1/systole/S2/diastole labels)
- `circor_file_index.csv` saved — use this in all subsequent notebooks

Next notebook (M3 Notebook 2): Full EDA — class balance, signal quality audit, duration distributions, site-level variation, missing data handling.
