

```
SQL Plus
Table altered.
SQL> DROP TABLE CUSTOMER;
Table dropped.
SQL> CREATE TABLE Customer ( id varchar (10) , name varchar (50) , address varchar
2 (60) , payment number ) ;
Table created.
SQL> INSERT INTO Customer VALUES (5,'Hardik','Bhopal',9000) ;
1 row created.
SQL> INSERT INTO Customer VALUES (4,'Raju','Erode',8000) ;
1 row created.
SQL> INSERT INTO Customer VALUES (3,'Akash','Chennai',7000) ;
1 row created.
SQL> INSERT INTO Customer VALUES (2,'Arun','Salem',6000) ;
1 row created.
SQL> DECLARE
2 customer_rec Customer% rowtype ;
3 BEGIN
4 SELECT * into customer_rec FROM Customer WHERE id = 5 ;
5 dbms_output.put_line ( 'Customer ID :' || customer_rec.id ) ;
6 dbms_output.put_line ( 'Customer Name :' || customer_rec.name ) ;
7 dbms_output.put_line ( 'Customer Address :' || customer_rec.address ) ;
8 dbms_output.put_line ( 'Customer Payment :' || customer_rec.payment ) ;
9 ; END ;
10 /
PL/SQL procedure successfully completed.
SQL> |
```

USD/INR  
+0.31%

Search

10:38 PM  
09-09-2025