

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, *	3 m 11.365 s	1	0	1	0	8	7	1	0

^{*} The feature name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
1	validate if the user is able to add an item to the cart and Order	Validate if the user is able to add an item to the cart
	Information would be displayed, re-confirm the product details, *	


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

TAG		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@Cart	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	validate if the user is able to add an item to the cart and Order Information would be displayed, re-	1	0	1	0	3 m 11.365 s
	confirm the product details, subtotal, tax and order total.					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	validate if the user is able to add an item to the cart and Order Information *	Validate if the user is able to add an item to the cart	8	7	1	0	3 m 11.361 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 7 --

validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, subtotal, tax and order total.



Validate if the user is able to add an item to the cart



#	Step / Hook Details	Status	Duration
1	Given user navigates to the baskinrobbins website	PASSED	26.912 s
2	When user click on order online in the webpage to select item	PASSED	42.083 s
3	And user enter valid store locator address	PASSED	11.500 s
4	And user select order from list of stores	PASSED	5.407 s
5	Then user navigate to list of availble products on the page	PASSED	10.879 s
6	When user click on cakes and pies from the list	PASSED	5.760 s
7	And user select any item from the list	PASSED	5.482 s
8	And user click on checkout page	FAILED	1 m 19.456 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [8a416be1643ec7ebac19fabcec166575, actions {actions=[org.openqa.selenium.interactions.Sequence@356341c9]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:59312}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59312/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	8a416be1643ec7ebac19fabcec166575		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:395)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:165)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:185)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:185)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:203)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:198)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:313)		
	at org.openqa.selenium.json.Json.toJson(Json.java:43)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:256)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:120)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:603)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:585)		
	at com.baskinrobbins.utils.Genericmethods.hoverOnElementAndClick(Genericmethods.java:1434)		
	at com.baskinrobbins.pages.Cartpage.selectTimings(Cartpage.java:197)		
	at com.baskinrobbins.stepdefinations.Addtocartpage.user_click_on_checkout_page(Addtocartpage.java:81)		
	at ?.user click on checkout page(file:///C:/Users/shiva.n/eclipse-workspace/BDD%20Framework/Tillster-testcases/src/test/resources/org/		
	tillster/baskinrobbins/features/Addingitemsincart.feature:13)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.10.0', revision:		
	'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version:		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:338) at org.openqa.selenium.json.Json.		

#	Step / Hook Details	Status	Duration
toJson(Js at org.opi selenium DriverCon Selenium DriverCon Execute(I openqa.s hoverOnli com.bask NativeMe invoke(Ni invoke(Mi invoke(Mi invokeMe cucumbe runStep(I cucumbe cucumbe at io.cucu lambda\$r lambda\$r lambda\$r executeA runTestC runScena at java.ba Delegatin java:568) internal.ir invokeTe org.testng invokeTe java:148) forEach(A java:621) at org.tes SuiteRun testng.Te TestNG.r run(Abstr remote.R at java at java at java at java at java	con java:41) at org.openga.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:256) enga.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:120) at org.openga. remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openga.selenium.remote.service. mmandExecutor.execute(DriverCommandExecutor.java:196) at org.openga.selenium.remote.service. mmandExecutor.execute(DriverCommandExecutor.java:171) at org.openga.selenium.remote.service. mmandExecutor.execute(DriverCommandExecutor.java:1855) at com.baskinrobbins.utils.Genericmethods. elenium.interactions.Actions\$BuiltAction.perform(Actions.java:285) at com.baskinrobbins.utils.Genericmethods. elenium.interactions.Actions\$BuiltAction.perform(Actions.java:197) at org.openga.selectTimings(Cartpage.java:197) at org.openga.selectTimings(Cartpage.java:197) at org.openga.selectTimings(Cartpage.java:197) at java.base/jdk.internal.reflect.NethodAccessorImpl. elegeatingMethodAccessorImpl.java:430) at java.base/jdk.internal.reflect.NethodAccessorImpl. elegeatingMethodAccessorImpl.java:430) at java.base/jdk.internal.reflect.Nethod.invoke(Method.java:568) at io.cucumber.java. elegeatingMethodAccessorImpl.java:477) at org.ocucumber.java.ava.ava.ava.ava.ava.ava.ava.ava.av	Status	Duration

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:391)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:165)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:185)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:185)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:203)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:198)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:313)		
	at org.openqa.selenium.json.Json.toJson(Json.java:43)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:256)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:120)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:603)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:585)		
	at com.baskinrobbins.utils.Genericmethods.hoverOnElementAndClick(Genericmethods.java:1434)		
	at com.baskinrobbins.pages.Cartpage.selectTimings(Cartpage.java:197)		
	at com.baskinrobbins.stepdefinations.Addtocartpage.user_click_on_checkout_page(Addtocartpage.java:81)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //*[contains(@class, 'listbox_area_wrapper_elem-list_elem')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation.findElement[ElementLocation.java:168) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at jdk.proxy2/jdk.proxy2.\$Proxy37.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:81) * Not displayable characters are replaced by '?'.		
	AFTER - com.baskinrobbins.stepdefinations.Driverfactory.teardown(io.cucumber.java.Scenario)	FAILED	0.025 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text:} (Session info: chrome=115.0.5790.171): {Alert text:} Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8a416be1643ec7ebac19fabcec166575, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:59312}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59312/devtoo, se:cdp\Version: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8a416be1643ec7ebac19fabcec166575 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:130) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316) at com.baskinrobbins.stepdefinations.Driverfactory.teardown(Driverfactory.java:105)		