Duration: 1 m 42.492 s Start: Aug 17, 9:26:24.015 am End: Aug 17, 9:28:06.507 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 2 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 8 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 25 % 100 100

Feature		Scenario				Step			
Name	Duration	T	<b>P</b>	F	S	T	P	F	S
validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, *	1 m 42.492 s	1	0	1	0	8	2	1	5


<sup>\*</sup> The feature name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
1	validate if the user is able to add an item to the cart and Order	Validate if the user is able to add an item to the cart
	Information would be displayed, re-confirm the product details, *	


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

TAG		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@Cart	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	validate if the user is able to add an item to the cart and Order Information would be displayed, re-	1	0	1	0	1 m 42.492 s
	confirm the product details, subtotal, tax and order total.					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	validate if the user is able to add an	Validate if the user is able to add an item to the cart	8	2	1	5	1 m 42.492 s
	item to the cart and Order Information *						

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, subtotal, tax and order total.



## Validate if the user is able to add an item to the cart



#	Step / Hook Details	Status	Duration
1	Given user navigates to the baskinrobbins website	PASSED	22.271 s
2	When user click on order online in the webpage to select item	PASSED	19.072 s
3	And user enter valid store locator address	FAILED	57.744 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bba3888e9d0bb067e9f5fc275f745f87, findElement {using=xpath, value=//*[contains(@id, 'acceptAllCookieButton')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:50312}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50312/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bba3888e9d0bb067e9f5fc275f745f87  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation.SelementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.internal.LocatingElement(DefaultElement(DefaultElementHocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHocator.indElement(DefaultElementHocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.toStringUnknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.String.valueOf(String.java:4216) at om.baskinrobbins.pages.Cartpage.enterStoreAddress(Cartpage.java:150) at com.baskinrobbins.pages.Cartpage.enterStoreAddress(Cartpage.java:150) at com.baskinrobbins.pages.Cartpage.enterStoreAddress(Cartpage.java:150) at com.baskinrobbins.stepdefinations.Addtocartpage.user_enter_valid_store_locator_address(Addtocartpage.java:45) at ?user enter valid store locator address(f	Julius	
4	And user select order from list of stores	SKIPPED	0.008 s
5	Then user navigate to list of availble products on the page	SKIPPED	0.002 s
6	When user click on cakes and pies from the list	SKIPPED	0.000 s
7	And user select any item from the list	SKIPPED	0.000 s
8	And user click on checkout page	SKIPPED	0.000 s
	AFTER - com.baskinrobbins.stepdefinations.Driverfactory.teardown(io.cucumber.java.Scenario)	FAILED	0.015 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bba3888e9d0bb067e9f5fc275f745f87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:50312}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50312/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bba3888e9d0bb067e9f5fc275f745f87	.,,,,,	3.020 0

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316)		
	at com.baskinrobbins.stepdefinations.Driverfactory.teardown(Driverfactory.java:105)		