

Cucumber Report

10-Aug-2023, 10:44:33 pm

Start : Aug 10, 10:41:40.165 pm

End : Aug 10, 10:44:32.338 pm

Duration : 2 m 52.173 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 1




| Feature | | Scenario | | | | Step | | | |
|---|--------------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>validate if the user is able to add an item to the cart and total is getting calculated properly</u> | 2 m 52.173 s | 1 | 0 | 1 | 0 | 5 | 3 | 1 | 1 |

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | <u>validate if the user is able to add an item to the cart and total is getting calculated properly</u> | <u>Validate if the user is able to add an item to the cart</u> |

| TAG | Scenario | | | | Feature | | | |
|-------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Cart | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | <u>validate if the user is able to add an item to the cart and total is getting calculated properly</u> | 1 | 0 | 1 | 0 | 2 m 52.173 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|--------------|
| 1 | <u>validate if the user is able to add an item to the cart and total is getting *</u> | <u>Validate if the user is able to add an item to the cart</u> | 5 | 3 | 1 | 1 | 2 m 52.170 s |

* The feature name and/or scenario name has been cropped to fit in the available space.

validate if the user is able to add an item to the cart and total is getting calculated properly

| | | | | | |
|--|--------------------------------|--|---|--|---|
| FAILED | DURATION - 2 m 52.173 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 5 Pass - 3 Fail - 1 Skip - 1 |  |
| / 10:41:40.165 pm // 10:44:32.338 pm / | | | | | |

Validate if the user is able to add an item to the cart

| | | | | |
|--|--------------------------------|--|--|---|
| FAILED | DURATION - 2 m 52.170 s |  | Steps Total - 5 Pass - 3 Fail - 1 Skip - 1 |  |
| / 10:41:40.168 pm // 10:44:32.338 pm / | | | | |
| validate if the user is able to add an item to the cart and total is getting calculated properly | | | | |
| @Cart | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given user navigates to the baskinrobbins website | PASSED | 33.768 s |
| 2 | When user click on order online in the navigation header | PASSED | 47.422 s |
| 3 | And user enter valid store locator address | PASSED | 10.632 s |
| 4 | And user click on ordernow from the store | FAILED | 1 m 16.849 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d8c980ee096368fddbbae87dd894d616, findElement {using=xpath, value=//*[@id="store-BR-300682"]/div[2]/div[2]/div[1]/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\shiva.n\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:51720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51720/devtoo..., se.cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d8c980ee096368fddbbae87dd894d616 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.tillster.chowking.utils.Genericmethods.webClick(Genericmethods.java:106) at org.tillster.chowking.pages.Cartpage.oderNowFromStore(Cartpage.java:116) at org.tillster.chowking.stepdefinations.Addtocartpage.user_click_on_ordernow_from_the_store(Addtocartpage.java:66) at ?.user click on ordernow from the store(file:///C:/Users/shiva.n/eclipse-workspace/BDD%20Framework/Tillster-testcases/src/test/ resources/org/tillster/chowking/features/Addingitemsincart.feature:9) * Not displayable characters are replaced by '?'. </pre> | | |
| 5 | Then user navigate to list of availble products on the page | SKIPPED | 0.000 s |
| | <p>AFTER - org.tillster.chowking.stepdefinations.Driverfactory.teardown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d8c980ee096368fddbdae87dd894d616, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\shiva.n\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:51720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51720/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d8c980ee096368fddbdae87dd894d616 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316) at org.tillster.chowking.stepdefinitions.Driverfactory.teardown(Driverfactory.java:105) | | |