

# Cucumber Report

16-Aug-2023, 9:28:19 pm

**Start : Aug 16, 9:25:24.885 pm**

**End : Aug 16, 9:28:14.969 pm**

**Duration : 2 m 50.084 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 7**

**FAILED - 1**

**SKIPPED - 0**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, *</u>	2 m 50.084 s	1	0	1	0	8	7	1	0

\* The feature name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
1	<u>validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, *</u>	<u>Validate if the user is able to add an item to the cart</u>

\* The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Cart	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, subtotal, tax and order total.</u>	1	0	1	0	2 m 50.084 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>validate if the user is able to add an item to the cart and Order Information *</u>	<u>Validate if the user is able to add an item to the cart</u>	8	7	1	0	2 m 50.080 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

**validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the product details, subtotal, tax and order total.**

<b>FAILED</b>	<b>DURATION - 2 m 50.084 s</b>	Scenarios		Steps	
/ 9:25:24.885 pm // 9:28:14.969 pm /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

**Validate if the user is able to add an item to the cart**

<div>FAILED</div>	<div>DURATION - 2 m 50.080 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:25:24.889 pm // 9:28:14.969 pm /</div>				
<div>validate if the user is able to add an item to the cart and Order Information would be displayed, re-confirm the *</div>				
<div>@Cart</div>				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the baskinrobbins website	PASSED	34.886 s
2	When user click on order online in the webpage to select item	PASSED	45.971 s
3	And user enter valid store locator address	PASSED	11.775 s
4	And user select order from list of stores	PASSED	5.415 s
5	Then user navigate to list of availble products on the page	PASSED	10.872 s
6	When user click on cakes and pies from the list	PASSED	6.386 s
7	And user select any item from the list	PASSED	5.743 s
8	And user click on checkout page	FAILED	45.627 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [7481f80d1c3271a1fb8940fc872b3dc1, actions {actions=[org.openqa.selenium.interactions.Sequence@702f4124]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\shiva.n\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60267/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7481f80d1c3271a1fb8940fc872b3dc1</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:395)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:165)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:185)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)  at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)  at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)  at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:185)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:203)  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:198)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:313)  at org.openqa.selenium.json.Json.toJson(Json.java:43)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:256)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:120)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:603)  at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:585)  at com.baskinrobbins.utils.Genericmethods.hoverOnElement(Genericmethods.java:1429)  at com.baskinrobbins.pages.Cartpage.selectTimings(Cartpage.java:196)  at com.baskinrobbins.stepdefinitions.Addtocartpage.user_click_on_checkout_page(Addtocartpage.java:81)  at ?.user click on checkout page(file:///C:/Users/shiva.n/eclipse-workspace/BDD%20Framework/Tillster-testcases/src/test/resources/org/tillster/baskinrobbins/features/Addingitemsincart.feature:13)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver  at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:338) at org.openqa.selenium.json.Json.</p>		



#	Step / Hook Details	Status	Duration
	<p>toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:256)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:120) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:603) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:585) at com.baskinrobbins.utils.GenericMethods.hoverOnElement(GenericMethods.java:1429) at com.baskinrobbins.pages.Cartpage.selectTimings(Cartpage.java:196) at com.baskinrobbins.stepdefinitions.Addtocartpage.user_click_on_checkout_page(Addtocartpage.java:81) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:391) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:165) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:185) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:185) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:203) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:198) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:322) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:313) at org.openqa.selenium.json.Json.toJson(Json.java:43) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:256) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:120) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:603) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:585) at com.baskinrobbins.utils.Genericmethods.hoverOnElement(Genericmethods.java:1429) at com.baskinrobbins.pages.Cartpage.selectTimings(Cartpage.java:196) at com.baskinrobbins.stepdefinitions.Addtocartpage.user_click_on_checkout_page(Addtocartpage.java:81) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	<p>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //*[contains(@id, '12-00-pm-2326')]</p> <p>For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy37.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275)</p> <p>at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224)</p> <p>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)</p> <p>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER - com.baskinrobbins.stepdefinitions.Driverfactory.teardown(io.cucumber.java.Scenario)</b></p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : } (Session info: chrome=115.0.5790.171): {Alert text : } Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7481f80d1c3271a1fb8940fc872b3dc1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\shiva.n\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60267/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7481f80d1c3271a1fb8940fc872b3dc1</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:130)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316)</p> <p>at com.baskinrobbins.stepdefinitions.Driverfactory.teardown(Driverfactory.java:105)</p>	FAILED	0.085 s